

Index

- AB5, 483, 504, **707**
 abelian category, 91, 93, 99, 112, 401, 423, 448,
 460, 461, 484, 530, 555, 604, 606, 607,
 632, 647, 671, 675, **706**, 716
 abelian group, 135
 abelian structure, 153, 658, 698
 abelian subcategory, 64, 431, 481, **707**,
 712
 absolutely pure module/object, **57**, 65, 66, 76,
 106, 115, 116, 145, 177, 206, 215, 231,
 248, 292, 353, 357, 396, 397, 453, 457,
 480, 487, 497–499, 501, 509, 611, 612,
 642, 649, 651, 672, 701
 abstract elementary class, 701
 acc, *see* ascending chain condition, **187**
 accessible category, *see* finitely accessible
 category, **604**
 acyclic complex, **652**
 additive category, 631, **706**
 additive functor, **704**
 adic module, 111, 136, 222, **224**, 266, 268, 269,
 292, 293, 332, 334, 340–342, 346, 348,
 372, 376, 389, 548, 566, 568, 569, 571,
 572, 591
 adjoint, **705**
 admissible pair of ideals, **380**, 384
 affine, 555
 affine line, 367
 affine set, 604, 702
 affine variety, 550
 algebraically compact, *see* pure-injective
 module/object, **128**, 143, 148, 236
 almost pure-injective module, **135**
 almost regular ring, **397**
 almost split map, 200, **248**, 248–250, 253,
 255–257, 369, 386, 587
 almost split sequence, 204, 234, 329, 332, 370,
 372, 376, 402, **587**
 amalgamation property, 701
 annihilator condition, *see* quantifier-free
 condition, 4
 annihilator
 in triangulated category, **648**
 of element, xxii, xxvi, **4**, 17, 34, 35, 59, 63,
 82, 105, 115, 145, 207, 223, 235, 364, 379,
 551, 558, 576
 of ideal of category, **408**, **488**, 596, 599
 of morphism, 488
 approximation (of module), **118**
 artin algebra, xviii, xxi, 114, 186, 199, **201**,
 201–205, 234, 250–252, 269, 309, 326,
 401–410, 457, 500, 518, 539, 541, 548,
 584–602, 689
 Artin–Rees Lemma, 188
 artinian module/object, 269
 artinian ring, 164, 190, 193, 323, 457, 458
 ascending chain condition, 23, 183, **187**, 198,
 301, 354, 621
 associated prime, **551**, 571
 atomic boolean algebra, **394**
 atomic formula, **411**
 atomless boolean algebra, 306, 535
 Auslander’s Lemma, **690**
 Auslander–Bridger duality, **165**
 Auslander–Bridger transpose, 500
 Auslander–Reiten quiver, 195, 328, 332, **586**
 Auslander–Reiten sequence, *see* almost split
 sequence, **587**
 Auslander–Reiten translate, 205, 328, 332, **587**,
 589
 automorphism, language augmented by, 700
 axiom of choice, 102

- axiomatisable class, *see* elementary class, **413**
 axiomatisation, 363, 701
- band, **345**, 407
 band module, 344
 basic algebra, 328, **585**
 basic formula, 105
 basis of
 open neighbourhoods, 218, 224, 340, 348, 381, 564, 572
 open sets, 213, 227, 228, 265, 269, 377, 386, 452, 486, 502, 513, 551, 623, 624, 627
- Bezout ring, **354**
 biendomorphism ring, 281, 282, 290–291, 296–297, 529, 567, 574
 bimodule, 38, 54, 200, 276, 278, 586, 587
 biregular ring, **392**
 block, 634
 boolean algebra, 66, 102, 319, 393, 394, 539
 boolean ring, *see* boolean algebra, **394**
 bound variable, **5**, **412**
 boundary pair, **541**
 breadth; *also see* width, **312**, 546, 664
 bridge quiver, 350, 407
 Brown representability, 654
 for morphisms (BRM), **638**
 for objects (BRO), **638**
 butterfly quiver, **24**
- canonical algebra, 122, 308, **351**, 540
 canonical basis, 698
 Cantor sum of ordinals, 305, 381, **713**
 Cantor–Bendixson analysis, 195, 244
 Cantor–Bendixson derivative, xv, 244, **260**, 269, 349, 387, 566, 599, 655
 Cantor–Bendixson rank, 209, 224, 226, 229, **260**, 266, 270, 272, 319, 340, 348, 349, 366, 372, 374, 376, 377, 380, 386, 391, 395, 541, 548, 689
 cardinality of language, **416**
 Casimir element, 364
 categoricity, 700
 category of
 finite length modules/objects, 369
 finitely presented modules/objects, 119–121, 166, 183, 205, 220, 250, 306, 309, 405, 409, 444–446, 449–450, 491, 500, 515, 517, 585, 659, 663, 674
 pp sorts, *see* pp-pairs, category of, **91**
 pp-pairs, *see* pp-pairs, category of, **91**
 CB-rank, *see* Cantor–Bendixson rank, **260**
- central localisation, 158
 central simple algebra, **222**, 336, 340
 centre, **xxvi**
 centre of ring, 157, 562
 chain, 79, 83, 247, **298**, 298–302, 304, 312, 317, 318, 381, 382, 472, 536, 544, 545, 548
 chain condition, 207
 character, **183**
 classical tilting module, 687
 classifying topos, 658
 clique, **335**, 340, 570
 closed map, 693
 closed point, 215, 245, 326, 381
 closed unbounded subset, 393
 closure, wrt torsion theory, **473**, 475
 coalgebra, 604, 614, 701
 coarseness, **386**
 cocomplete category, 604, **704**
 cocone, 641, **704**
 cocritical, 271
 cofinal, 62, 470, 619, **714**
 cogenerated torsion theory, 271, **466**, 479, 510, 512, 526, 555, 561, 579
 coherent formula, 105
 coherent functor from triangulated category, **640**, 647, 648
 coherent module/object, **63**, 431, 490, 536, **712**
 coherent ring, 6, 59, **63**, 63–68, 82, 106, 115, 116, 122, 179, 207, 214, 229, 292, 353, 387, 396, 438, 457, 484, 555, 558, 561, 577–581, 619, 637, 640, 646, 649, 700, 701, 712
 coherent theory, 658, 702
 cohomological ideal, **648**
 cohomology ring, 653, 655
 cokernel, 109, 136, 207, 432, 604, 606
 colimit, 647, **704**
 commutative algebra, 700
 commutative ring, xx, 54, 56, 74, 77, 80, 102, 117, 132, 134, 150, 199, 207, 268, 272, 306, 319, 383, 387, 394, 541, 550, 553, 561, 575–581, 585, 653, 699
 comodule, 614, 701
 compact element, 91
 compact module, **133**
 compact object, **636**, 644–647, 649, 655
 compact space, 111, 196, 203, 219, 220, 225, 260, 265, 278, 326, 443, 558, 581, 620, 621, 623, 624, 626, 627
 compact, meet-, 505
 compactly generated, 258, **636**, 636–656

- Compactness Theorem, 126, 219, **415**
compatible (sections), **716**
complemented lattice, 360, 361, 363, 531, **713**
complemented over, 393
complete category, 604, **704**
complete resolution, 653
complete ring, 269
complete theory, **413**, 697
completion, 131, 134, 222
component, **587**
 of natural transformation, **705**
concentrated (complex, in degree), **633**
condition, 412
 e-, **77**, 378
cone on morphism, **633**
congruence, on lattice, 88, 298, 301, 313, 524, 546, **713**
conjugate category, **611**
conjunction, 411
connected ring, **327**
constants, field of, **376**
constructible model, 699
continuous map, 278
continuous, *see* superdecomposable, **172**, **709**
Continuum Hypothesis, 699
continuum many, 242, 244, 293
contracting endomorphism, 347
contracting word, 349
contravariant functor, 422, 425, 453, 493, 638, 639, 706, 715
contravariantly finite subcategory, **119**, 206, 652
coordinate ring, 550
coproduct; *see* sum, direct, 636
coray, 114, 333, 340, **590**, 593
coszyzyg, **600**, 634
cotilting module, xxii, 151, **690**, 701
cotorsion, xxii, **205–208**, 500, 701
cotorsion envelope, 207, 208
cotorsion theory, 690, 701
countable, 175, 207, 215, 242, 244–245, 269, 307, 315–316, 318, 319, 321, 322, 324, 326, 395, 521, 680, 699
countable-dimensional, 175
covariantly finite subcategory, **118**, 599
covariantly finite with respect to, **120**
cover, **206**
Coxeter functor, 687, 689
Crawley–Jonsson–Warfield Theorem, 167, **717**
cut, 313, 352
CW spectrum, 634, 637
cyclically presented module, **68**, 77
dcc, *see* descending chain condition, **173**
decidability, 363, 687, 692, 698–700
Dedekind domain; *see also* PI Dedekind domain, 6, 55, 75, 111, 122, 158, 195, **221**, 323, 341, 388, 569
Dedekind prime ring, **75**, 224, 336, 569, 573
deductive closure, 412
definable category, xxii, 122, 560, 612, 656, **668**, 675–677, 682, 690
definable class, **413**
definable functor; *see also* interpretation functor, **678**, 682, 692
definable quotient category, **674**
definable scalar, 660
 see also ring of definable scalars, 93, **281**, 347
 category of, **530**
definable structure, 485, 669
definable subcategory, xviii, 39, 91, **105**, 105–118, 121, 122, 126, 148, 178, 179, 209–215, 219, 225, 231, 235, 258–259, 266, 274, 275, 286, 303, 315, 321, 359, 363, 373, 388, 395, 410, 413, 414, 445, 451, 457, 460, 473, 474, 476, 478–479, 482, 485, 499, 501, 505, 507–516, 528, 539, 543, 546, 555, 598, 607–608, 610–611, 621, 627, 648, 658, 662, 664, 665, 668, 672, 680, 688, 690, 692
characterisation, 107, 414, 445, 501, 509, 672
 of finitely accessible category, **607**, **667**
 of triangulated category, **647**
definable subclass, *see* definable subcategory, **105**
dense, 167, 251, 253, 261, 266, 326, 341, 355, 360, 362, 383, 458, 566, 598
dense functor, **704**
dense subcategory, **704**
dense, wrt torsion theory, 289, **462**, 467, 472–473, 490, 514, 620
densely ordered, 244, **301**, 302, 306, 310, 317, 320
derivation, **374**, 376
derived category, 581, 600, **633**, 636, 649, 653
derived equivalence, 205
derived functor, 56
descending chain condition, 116, 130, **173**, 183, 300, 301, 544, 621
deviation, 300
diagonal map, **101**, 103, 126
diagram, **704**
difference ring, 700

- differential operator, 75, 367, 370, 377, 637
differential polynomial ring, 374–377, 699
dihedral algebra, 16
dimension
 Θ -, **534**
 $\Theta_{\mathcal{L}}$ -, 536–538
 \mathcal{L} -, **299**
2dim, 304, 317
elementary Krull, 226, **300**, 302
finitistic, **456**
flat, 457
fp-injective, 457
Gabriel, **534**, 535, 542
global, 55, 370, 438, 650, **706**
injective, 55, 457, 640
Krull, 73, 81, **300**, 303, 312, 315, 320, 367, 375, 381, 386, 535, 540, 541
Krull–Gabriel, 195, 215, 226, 245, 273, 303, 306, 310, 314, 348–350, 360, 366, 374, 377, 382, 391, 395, 405, 406, 534, **539**, 541, 542, 544, 546, 548, 559, 599, 664
 L -, 57
local Krull–Gabriel, **544**
 m -, 20, 187, 194, 215, 226, 241–244, 262–263, 272, **302**, 306, 312, 314, 316, 317, 319, 349–350, 360, 366, 371, 373, 375, 377, 382, 385, 395, 405, 539, 540, 591, 664
of category/object wrt property, xxi, **534**
projective, 55, 121, 432, 436, 438, 457, 634, 637, 639, 687–689, **705**
pure global, **55**, 137, 639
pure global, for triangulated category, **639**
pure-injective, **55**, 640
pure-projective, **54**
uniserial, 312, 315, **546**, 664
weak, 457
diophantine geometry, 363
direct image sheaf, 568, 571
direct limit, 28, 44–45, 50, 56, 60, 83, 100, 107, 116, 117, 119, 225, 333, 372, 387, 396, 424, 446, 451, 464, 466, 467, 469, 479, 482, 578, 590–592, 599, 604, 605, 610, 622, 623, 663, 664, 667, 673, 675, 676, 690, 701, 704, **704**, 707, 709, 711, 715
to have, **714**
direct summand, 19, 52, 72, 75, 80, 108, 121, 134, 159, 170, 171, 176, 216, 251, 276, 294, 310, 313, 327, 386, 466, 651, 654, 692, 704, 717
directed poset, **714**
directed system, **714**
discrete space, 197, 211, 229, 235, 247
discrete valuation domain, **222**, 387–390
discrete valuation ring, 132
disjunction, 17, 411, 414
distinguished triangle, **631**
distributive lattice, 78, 247, 304, **713**
distributive module, **247**, 378
divisibility condition, 5, 12, 13, 17, 22, 26, 28, 30, 32, 44, 67, 73, 83, 225, 353, 368, 379, 564, 629, 649
divisible module, **58**, 76, 105, 113, 136, 182, 354, 369, 375, 575, 604
division ring, 199, 352
domain, 58, 61, 105, 113, 172, **221**, 352, 367
domestic (representation type), 16, **202**, 310, 345, 349, 350, 406, 540, 574
domination-equivalence, 697
dominion, **285**, 530
double dual, **37**, 113–114, 152, 646
dual category (elementary dual), 487, 517, 543, 546, 579, **612**, 671, 673
dual definable subcategory, **112**, 115, 612, 668, 669
dual functor, **453**
dual functor category, of definable (sub)category, 515, **515**, 543, 556, 659
dual module (hom-dual), 34, **35**, 63, 113, 133, 151, 182, 193, 194, 251, 255, 269, 272, 450, 585, 594
dual pp condition, **30**, 35–37, 40, 59, 69, 94–99, 112, 177, 225, 354, 396, 454
dual Serre subcategory, 491, **491**, 516
dual topology (Hochster dual), **278**
dual torsion theory, 512
dual-Ziegler spectrum, 283, 549
dual-Ziegler topology, xx, 200, **279**, 326, 553
dualising ring, 252
duality of
functor categories, 453–454, 501, 562, 595
module categories, 199, 500, 585, 612
dyadic fractions, 301, 306, 308
Dynkin diagram, 195, 311
eigenspace, 361, 363
eigenvector, 358
element, xviii, 442, **442**, 496, 609, 622, 626, 628, **657**, 660, 668, 683, 709
elementarily equivalent, 645
elementary class; *also see* definable class, 105, 209, 214, **413**, 474, 664, 682

- elementary cogenerator, **258**, 290, 297, 511, 520, 529, 654
 elementary dual, 595
 elementary dual (module), 184, 185, 187, 199, 201, **271**, 270–273, 291, 304, 371, 539
 elementary dual category, *see* dual category (elementary dual) and dual definable subcategory, **612**
 elementary dual of functor (*also see* dual functor), **455**
 elementary duality, 38, 90, 94, 190, 194, 228, 238, **268**, 272, 318, 355, 385, 449, 454–457, 487, 504, 515, 696, 701
 elementary embedding, 118, 664
 elementary equivalence, 108, 113, 215, 363, **413**, 414, 415, 698, 701
 elementary extension, 127, **414**, 416
 elementary radical series, 90
 elementary socle series, **90**
 elementary substructure, 149, **414**, 415
 elementary torsion theory/localisation, 106, **474**, 474–485, 621
 elimination of
 imaginaries, 448, 450, 487, 661, 698, 700
 quantifiers, 68, 487, 649, 700
 endocategory, 698
 endlength, 180, 182, 195, 203, 205, 216, 273, 592–593, 601
 endomorphism ring, 664
 module over, 10, 23, 35, 53, 79, 130, 132, 143, 150, 160, 174, 180, 187, 235, 247, 290, 294, 296, 315, 326, 378, 382, 455, 591, 662, 671
 realise algebra as, 322
 enough injectives, 162, 500, 674, **709**
 enough invertible ideals, **75**, 355, 357
 enough projectives, 674
 envelope, **206**
 epimorphism, 424
 of rings, 22, 105, 113, 201, **274**, 283–287, 335, 359–360, 363, 365, 371, 373, 531–532, 566, 570, 685, 704
 essential (in), 146, 156, 241, 248, 255, **708**
 essentially coherent ring, **396**
 Euclidean diagram, 311
 evaluation, 93, 450, 495, 656, 660, 664, 670
 exact functor, xx, 93, 99, 112, **276**, 448, 463, 464, 484, 530, 642, 661, 670, 671, 677–678, 682, 684, **705**
 on triangulated category, *see* homological functor, **637**
 exact sequence, 424, 465
 exact subcategory, 432, **612**
 exactly definable category, **671**
 exactness of direct limits, **707**
 exceptional uniserial ring, **81**, 386
 exchange property, 501
 expanding endomorphism, 347
 expanding word, 349
 Ext^1 , 357, 368, 446, 461, 497, 500, 587, 616, 646, 688–690
 Ext^n , 447, 633
 Ext-quiver, 323
 extended Dynkin diagram, 56, 311, 328, 333, 340
 extension, 342, 343, 463
 extension, closed under, 132, 207, 408, **461**, 468, 490
 factorisable system, **305**, 351, 404
 factorisation of morphism, 119, 328, 349, 351, 401, 402, 410, 430, 437, 488, 596, 598, 644
 factors initially, **85**
 faithful module, 354, 383
 FBN ring, 552, 560, 565
 few types, 699
 fg-ideals topology, **559**, 577, 578
 field of fractions; *also see* quotient field, 122
 filter, 21, 89, **100**, 117, 126, 135, 159–160, 352, 361, 462, 467, 470, 504–505, 507, 613, 615, **715**
 cofinally relatively finitely generated, **614**
 generated, **102**, 393
 proper, **100**
 filter quotient, 136
 filtered category, **715**
 filtered colimit, 60, 604, 647, **715**
 filtered diagram, 644
 filtration, 458
 finite endlength, xviii, 105, 114, **180**, 184, 193, 197, 200, 215, 216, 222, 225, 235, 245, 262, 272, 286, 291, 297, 326–327, 362, 381, 498, 566, 592, 600, 601, 653
 object in triangulated category, **645**
 finite intersection property, **102**, 115, 128, 132
 finite length, 174, 180, 199, 235, 245, 261, 302, 327
 finite length module/object, 163, 190, 196, 251, 292, 326, 355, 370–371, 409, 534, 538, 586, 594, 598, 599
 finite localisation, 565, 572

- finite matrix topology, **135**
 finite module, 131
 finite representation type, xviii, xxv, 16, 55, 76,
 173, 186, **195**, 211, 247, 252, 266, 304,
 396, 403, 494, 539, 588, 640, 647, 649,
 650, 689, 701
 finite ring, 699
 finite spectrum, 637, 638
 finite-type torsion theory/localisation, 106, 107,
 117, 161, 181, 212–214, 231, 271,
 288–290, 460, **468**, 468–491, 509–512,
 516–517, 529, 536, 549, 555, 557, 560,
 579–581, 619, 621, 664, 669
 finite-dimensional algebra, 118, 122, 202, 210,
 266, 307, 321, 406, 430, 574, 585, 592,
 639, 679, 687
 finite-dimensional module, 131
 finite-type presheaf, **555**, 561
 finitely accessible category, xxi, 119, 207, 442,
604, 603–612, 647, 656, 667, 682, 709,
711
 finitely generated functor, 428, 436, 505–507,
 663
 finitely generated module/object, 134, 269, 327,
 471–472, 525, 559, 618, 626, **710**
 finitely generated, relatively, **613**
 finitely generated, wrt torsion theory, **472**,
 474
 finitely matrixable subgroup; *see* pp-definable
 subgroup, **5**
 finitely presented algebra, 275
 finitely presented functor, xvii, xix, 106,
 217–220, 231–232, 235, 240, 322, 346,
 409, 430–431, 443–448, 488, 497,
 513–515, 518, 530, 564, 595, 663, 664,
 671, 677, 696
 finitely presented module/object, xx, 11, 12,
 21–27, 29, 34, 37, 39, 41, 45, 50, 52, 56,
 57, 60, 64, 68–77, 81, 83, 86, 106,
 162–164, 166, 167, 192, 193, 200, 203,
 237, 238, 248–250, 253, 272, 291, 305,
 316, 356, 386, 396, 420, 440, 446, 468,
 474–476, 481, 535, 537, 538, 552, 553,
 558, 613–615, 618, 624, 640, 647, 686,
709
 finitely presented subfunctors, lattice of, 433,
 435, 436, 455, 486, 504, 514, 521, 531,
 536, 539, 663
 finitely satisfied (pp-type), **125**
 finiteness condition, 88
 Finitistic Dimension Conjecture, 457
 Fitting's Lemma, **163**
 flat cover, 206, 207
 flat module/object, xxii, xxvii, 59, **59**, 66, 76,
 106, 115, 117, 122, 179, 205–207, 272,
 292, 304, 372, 373, 457, 604, 605, **605**,
 611, 619, 642, 646, 701
 forgetful functor, 90, 91, 436, 504, 556, 663,
705
 formula (of a formal language), xxii, 19, 412,
412, 413, 663, 683
 FP_2 , 106, **446**, 483, 688
 FP_n , **447**, 637
 fp-flat module, **397**
 fp-idempotent ideal of category, **409**, 490, 518,
 596, 597
 fp-injective module; *see* absolutely pure module,
57
 fp-mono-injective module, **397**
 fractional ideal, **75**
 fractions
 category of, 463, 651
 ring of; *also see* localisation of ring, 105, 275,
 460, 549
 free abelian category, xxvii, 359, **448**, 453, 484,
 527, 530, 661, 664, 684
 free associative algebra, 172, 526
 free module, 117
 free realisation, **23**, 34, 38, 50, 69, 83, 89, 119,
 165, 191, 220, 249, 356, 387, 433–435,
 440, 443, 455–456, 486, 501
 free variable, xxv, **5**, 19, 32, 92, 93, 125, 279,
 412, **412**, 484, 521, 629, 683
 Freyd's Generating Hypothesis, 647
 Frobenius map, 700
 fs topology, *see* full support topology, **525**
 full embedding, 641
 full functor, 157, 278, 316, 322, 423, 495, 684,
704
 full on pure-injectives, **679**, 684, 694
 full subcategory, 118, 309, **704**
 full support topology, **264**, 288, 295, **525**, 559,
 562, 577
 function defined by pp condition; *see* definable
 scalar, 660
 functional (relation), **281**, 294
 functor
 commuting with .../preserving ..., **142**
 defined by pp condition, **10**, 11, 19, 26, 28,
 90, 94, 106, 165, 231, 419, 443, 445, 446,
 448, 452, 515
 reflecting ..., **142**

- functor category, xviii–xx, xxii, xxiii, xxv, xxvii,
 29, 94, 144, 146, 186, 219, 228, 272, 279,
 290, 333, 420, 423–456, 477, 493, 502,
 510, **515**, 517, 539, 543, 553, 608, 640,
 649, 656, 658, 669, 675, 676, 684, 686,
 700, 701, 703, 705, 708
 localised, 231, 242, 315, 503, 512–515,
 519–520, 529, 555, 611, 664, 670
 functor preserving (co)limits, 705
 functor preserving direct limits, 451, 465, 476,
 687
 and products, 275, 495, 592, 641, 677, 682,
 692
 functor preserving direct products, 677
 functor preserving induced structure, 680, **684**
 functor preserving pure-exact sequences, 46, 678
 functor preserving pure-injectivity, 142, 276,
 278
 functorial approach, summary, 107, 161, 231

 G-set, 702
 Gabriel filter/topology, 462, **468**, 619
 Gabriel–Popescu Theorem, **477**, 708
 Gabriel–Zariski spectrum, xviii, xx, 394, 527,
553, 557, 574
 Gabriel–Zariski topology, xx, **553**, 554, 558, 561
 Gelfand–Ponomarev algebra, 7, **307**, 344, 387,
 389, 584
 generalised Weyl algebra, 135, 323, 358, 363,
 364, 367–374, 575, 699
 generated by objects, **401**
 generated definable subcategory, xxvi, 36, 107,
 109, **109**, 111, 126, 153, 160, 161, 176,
 180, 182, 185, 186, 196, 211, 214, 215,
 246, 252, 282, 359, 416, 451, 520, 578,
 597, 647, 664, 695
 generated filter, 353, 693
 generated ideal, **399**, 693
 generated pp-type, **21**, 212, 237, 441
 generated subsheaf, **625**
 generating (a category), 422, 427, 465, 467, 471,
 478, 481, 485, 487, 618, 623, 625, 636,
 657, 676, 684, **707**, 710, 712
 generating, in triangulated category, **636**
 generator, of subfunctor, **426**
 generic module, xviii, 111, **200**, 327, 333, 334,
 341, 342, 346, 352, 565, 566, 591–593, 689
 generic point (of closed set), **269**, 270, 271, 278,
 544, 551, 563
 generic tuple, **293**, 295
 generic type, 697

 generically tame, **202**
 generically wild, **202**
 Giraud subcategory, **708**
 global section, 562, 571, 574, **715**
 Goldie ring, 182, 201
 Goodearl’s localisation, 570
 Goursat’s Theorem, 217
 graded module, 581
 Grassmannian, 700
 Grothendieck category, 28, 45, 178, 422, 424,
 461–487, 498, 533, 553, 606, 607, 612,
 622, 642, 673, **708**, 709, 712, 716, 717
 Grothendieck topology, 464, 468
 group, 600
 group ring, 195, 318, 398, 600–698

 Harada–Sai Lemma, **192**, 309, 403
 Hausdorff space, 134, 135, 392
 hereditary algebra, 198, 202, 266, 311, 322,
 327–343
 hereditary artin algebra, 327–343, 540
 hereditary noetherian prime ring, *see* HNP ring,
 332
 hereditary order, 222, 336, 570, 573
 hereditary ring, 53, 56, **221**, 275, 335, 362, 365,
 367, 371, 373, 639, 650
 hereditary torsion class; *see* torsion (sub)class,
461
 hereditary torsion theory, *see* torsion theory, **462**
 hereditary torsionfree class, *see* torsionfree
 (sub)class, **461**
 Herzog’s Criterion, **34**, 187
 Heyting algebra, complete, **267**, 693
 highest weight idempotent, **362**
 highest weight space, 20
 Hilbert Basis Theorem, 188
 HNP ring, **75**, 183, 224, 332, 335, 341, 355–358,
 378, 569, 572
 Hochster dual, 550
 holonomic dual, 371, **373**
 home sort, 283
 homeomorphic at level of topology, 267, **267**,
 559
 homeomorphic embedding, 274, 277, 655
 homeomorphism, 267, 268, 270, 648, 689, 695
 homogeneous tube, **590**
 homological functor, **637**, 641
 homology, 637, 649, 650, **706**
 homology colimit, **641**, 644, 652
 homology/cohomology, **633**
 homomorphism of lattices, 713

- homotopy, **632**
 homotopy category, **633**, 634, 637, 645, 647, 652
 homotopy theory, 643
 Hopf algebra, 653
 hull, 170
 of element/tuple, **154**, 314, 375, 658, 698
 of pp-type, **154**, 212, 219, 236, 380, 506, 663
 of pp-type modulo a pp condition, **169**
- ideal of
 category, **399**, 399–410, 488, 500, 596, 634, 646, 674
 lattice, **102**, 160, 352, 361
 ring, 117, 286, 320, 394, 517, 651
 ideals topology, **559**, 578
 idempotent, 66, 67, 102, 117, 165, 228, 287, 306, 319–320, 443, 496, 583, 716
 idempotent ideal, **221**, **408**
 idempotent ideal of category, 205, **408**
 idempotent morphism, 410, **704**
 idempotent object, 653
 idempotents lift, **165**, 208, **498**
 idempotents split, **428**, 605, 606, **704**
 image, 424
 of functor, **704**
 imaginaries, xix, 91, 555, 604, 656, 658, 664, 692, 696, 698
 imaginaries structure, 450, 661, 664, 692
 implies (of pp conditions); *see* pp conditions, ordering on, **11**
 indecomposable idempotent; *see* primitive idempotent, **77**
 indecomposable module/object, 191, 192, 195, 204, 496
 indexed system, **714**
 indiscrete ring, **395**, 395–398, 700, 701
 induction, 601, 701
 inessential subobject, **116**, 440
 infinitary formula, 38
 infinitary language, 628, 668, 701
 infinite word, 344, 346–350
 injective
 indecomposable, 29, 181, 186, 213, 214, 218, 231, 235, 328, 387, 392, 478, 502, 510, 525, 552–554, 557, 559, 575, 577, 654, 709, 716, 717
 over arbitrary morphism, 517
 wrt torsion theory, 289, **462**, 465, 474, 620
 injective cogenerator, 36, 116, 152, 177, 193, 241, 259, 290, 520, 585, **709**
 injective hull, 29, 80, 108, 115, 146, 153, 206, 207, 212, 231, 236, 245, 352, 356, 362, 374, 403, 406, 461, 463, 501, 506, 519, 526, 551, 554, 560, 600, 663, **708**
 injective hull, wrt torsion theory, **463**
 injective module/object, xx, xxii, xxvii, 35, 58, 63, 66, 76, 80, 91, 106, 116, 130, 139, 144–146, 173, 177, 206, 241, 265, 272, 354–356, 360, 369, 373, 383, 389, 391, 428, 429, 456, 461, 465, 466, 480, 497, 500, 510, 513, 526, 550, 558, 579, 587, 611, 616, 644, 651, 653, 668, 673, **708**
 injective resolution, 653
 injectives, category of, 500
 integral group ring, 118, 323, 388, 698
 internality, 697
 interpretation, xx, 8, 601, 657, **681**, 699
 interpretation functor, 311, 334, 570, 678, **682**, 682–690, 692
 interval in lattice of
 pp conditions, 182, 199, 231, 242, 245, 261, 313, 435
 pp-pairs, 522
 invariant basis number, 202
 invariant, Γ -, **393**
 invariants statement, 110, 413, 697
 inverse image sheaf, 568
 inverse limit, 56, 59, 101, 114, 133, 333, 372, 590, 591, 593, 690, **704**
 inverse limits, to have, **714**
 invertible ideal, **75**
 irreducible, \wedge -, 551, 578
 irreducible closed set, **269**, 278, 551, 563, 580
 irreducible element, 375
 irreducible morphism, 402, 435, **587**
 irreducible pp condition, **29**, 501
 irreducible pp-type, **159**, 170, 218, 219, 254, 265, 313, 379, 382, 505, 663, 693
 irreducible (right) ideal, **29**
 isolated by minimal pair, 167, 194, **234**, 235–239, 246, 248, 250, 271, 349, 357, 374, 381, 383, 392, 518, 545, 664
 isolated by simple functor, **519**, 664
 isolated in closed set by simple functor, **519**
 isolated point, 111, 194, 196, 199, 224, 231–250, 252–254, **260**, 261, 266, 269, 326, 341, 355, 358, 360, 362, 369–370, 372–374, 381, 383, 386, 392, 526, 554, 565, 598, 648
 isolation condition, 195, **239**, 262–263, 271, 272, 317, 319, 349, 371, 381, 391, 521, 541, 544

- isolation property, category has, **521**
isotropic module, **339**
- Jacobson radical, *see* radical, of ring, 716
Jacobson–Zariski topology, **362**
Jensen–Lenzing Criterion, **140**, 644, 645, 674, 679
join, 267, 298, 394, **712**
jointly initial, **120**
- kernel, 424, 432, 609
 of functor, 506, 514, **705**
 of lattice morphism, 261, **299**, 524, **713**
Kronecker algebra, 573
Kronecker quiver, **8**, 56, 58, 276, 328–334, 342, 345–346, 348, 583, 681
Krull Intersection Theorem, 188
Krull–Gabriel dimension, 602
Krull–Remak–Schmidt–Azumaya Theorem, 80, 164, 171, **717**
Krull–Schmidt category, **164**, 400
Krull–Schmidt ring, 29, 53, **164**, 191, 193, 229, 250, 253, 257, 380, 441, 501, 541, 601, 648
- language (formal), xxii, 168, 411, 414, 485, 627, 649, 656, 657, 664, 682, 700, 703
large in, **170**
lattice, 298
 of morphisms, **86**
 of pp conditions, *see* pp conditions, lattice of, **16**
 of pp-definable subgroups, *see* pp-definable subgroups, lattice of, **87**
lattice (module), 122, 690, **691**, 698
lattice, freely generated, 79, 304, 318
Laurent polynomial ring, 700
Laurent series, 376
Lawvere–Tierney sheafification, 464
left exact functor, 462, 607, 672, 705, **705**
length of tuple, **xxiv**
Lie algebra, 358
linearly compact module, **131**, **132**
linked, **167**, 243, 382
linking, 664
local endomorphism ring, module with; *see* strongly indecomposable module/object, 29
local functor, 191, 249, **441**
local module/object, **164**, 165, 441
local object in triangulated category, **652**
local ring, 56, 135, 150, 160, 176, 179, 269, 547, 562, 565, 593, **716**
- locale, **267**
localisation, 93, 99, 231, 232, 241, 359, 633, 656, 657
 of ring, 54, 75, 118, 135, 157, 207, 222, 288, **288**, 369, 372, 373, 567, 573
localisation functor, 118, **463**, 463–491, 536
localisation/localised category, xxv, 99, 106, 107, 255, 259, 460, **463**, 491, 508, 524, 527, 533, 554, 708
localising subcategory
 in triangulated category, 637, **651**
 of Grothendieck category, *see* torsion subcategory, **461**
locally artin algebra, **599**
locally atomic model, 680, 699
locally closed, 625, **626**
locally coherent category, 431, 481–486, 497, 499, 512, 521, 534, 535, 542, 553, 606, 608, 611, 619, 668, 672, **712**
locally coherent module/object, 42, **63**, 82–83, 448, 614
locally coirreducible category, **521**, 526
locally compact space, **626**
locally finite group, 398
locally finitely generated category, 462, 466, 467, 470–473, 525, 625–627, 709, **712**
locally finitely presented category, xviii, xx, xxi, 45, 105, 186, 207, 470, 485, 529, 553, **604**, 603–629, 656, 678, 701, 709, **711**
locally matricial, **393**
locally noetherian category, 606, **712**
locally noetherian space, **625**
locally simple functor, 346, **544**
Łoś’ Theorem, 102, **414**, 507
Löwenheim–Skolem Theorem, 51, 396, 415, 416, 676
- mapping cone, 634
maximal ideal, 118, 134, 158, 224, 332, 387, 392, 394, 566, 653
maximal order, 336, 339–340, 570
meet, 91, 267, 298, 394, **712**
minimal free realisation, 24, 166, **440**
minimal module over a tuple, **440**
minimal pair, **88**, 90, 93, 234, 239, 246, 248–250, 302, 314, 317, 355, 435, 518
 relative, 151, 160, **233**, 234–236, 261, 272, 519
 type has, **233**

- Mitchell Embedding Theorem, 423
Mittag–Leffler (module), **40**, 387, 448, 698
model, **412**, 415
 of set of sentences, **413**
model category, 634
model theory, xviii–xxi, 18, 19, 39, 44, 83, 91,
 102, 104, 105, 107, 136, 153, 168, 218, 231,
 244, 247, 254, 255, 411, 415, 444, 450,
 474, 550, 601, 657, 660, 664, 671, 680, 683
 of modules, xviii, xix, xxi, xxiii, 106, 158,
 209, 214, 300, 377, 411, 524, 696, 700,
 701
model-companion, 700
model-complete, 701
model-completion, 700
modular lattice, 86, 91, 246, 298, 299, 312, 535,
 712
modular model, non-, 697
module
 k, *l*-presented, **68**
 dual gen.rel, **69**
 gen.rel, **69**
module
 over a sheaf of rings; *see* sheaf of modules,
 716
 over preadditive category, **421**
monic, **423**
monomorphism, 424
monopresheaf, **620**
Morita equivalent, 76, 88, 196, **216**, 224, 275,
 277, 283, 340, 551, 570, 585
Morita-invariance, **46**, 564
morphism of
 degree 0, **632**
 lattices, **300**, **713**
 presheaves, **715**
 triangles, **631**
- natural transformation, 420, **423**, 425, 495, 638,
 678, 686, 703, **705**
nearly simple ring, **81**
nearly simple uniserial domain, 81, 384
neg-isolated, 194, 232, **254**, 254–259, 266, 272,
 519, 664
 by, **254**
 by simple functor, **520**
 in closed set, **520**
negation, 17, 102, 411, 414
nine(= 3×3) lemma, 484
noetherian algebra, **200**, 202
noetherian object, 238, **712**
noetherian ring, 6, 58, 63, 73, 80, 116, 132, 135,
 173, 177, 187, 201, 207, 304, 324, 335,
 352, 356, 359, 367, 378, 457, 541, 550,
 551, 553, 561, 575, 577, 614, 655
noetherian space, **621**
non-additive context, 604, 658, 701
non-singular ring, 135
normal space, 392
- one-point compactification, 554
open (pp-pair), **26**
opposite category, 612, **706**
orbit, 367, 370, 372
order, 122
Ore condition, 183
Ore domain, **352**, 354, 356, 368
Ore ring, **356**
orthogonal category, 465, 652, 690, 701
orthogonal idempotents, **77**, 217, 420, 540
orthogonal type, 697
- p-base, 700
pair, of groups, 699
path, **583**
path algebra, 24, 56, 196, 494, **583**, 650, 684,
 685
path category, **421**, 422, 443, 494, 554
perfect complex, 581, 637
perfect field, 700
perfect ring, 60, **116**, 179, 190, 207, 208, 457
Pext, 55, 646
phantom cover, 646
phantom map of modules, **646**
phantom morphism, **636**, 641, 643, 645–647
PI Dedekind domain, 136, 223, 234, 272, 292,
 376, 540, 547, 559, 564, 566, 592
PI ring, 199, 201, **222**, 332, 335, 336, 341, 569,
 572, 592
Pierce sheaf, **394**
Pierce spectrum, **394**
pointed module, **85**, 305, 316, 321, 322
 A-, **85**, 88, 316, 324
pointed modules, morphism of, **85**
polynomial identity ring; *see* PI ring, **222**
poset, 298, **712**, 715
positive existential formula, 702
positive primitive (pp) formula; *see* pp
 condition, **412**
power series ring, 139, 377
power set, **715**
power, direct, 140, 179, 180, 187, 293, 294, 529

- pp condition, xx, xxii, **4**, 4–39, 43, 46, 69–74, 89, 91–99, 103, 115, 119, 125, 130, 159, 161, 165, 227, 243, 254, 264, 275, 281, 284, 290, 313, 316, 326, 338, 346, 360, 380, 383, 396, 412, 433, 436, 437, 440, 442, 446, 454, 475, 484, 485, 505, 509, 520, 526, 577, 608, 627–629, 649, 656, 658, 660, 663, 683, 690
- conjunction of, 15, **16**, 27, 32, 70–72
- defines a scalar, **281**
- equivalent, **12**, 36, 92, 514
- implication between, *see* pp conditions, ordering on, **11**
- large, *see* large in, **170**
- lattice of, xxvi, **16**, 21, 31, 67, 78, 79, 83, 87–91, 113, 189, 190, 196–198, 231, 235, 240, 244, 247, 261, 267, 303, 310, 319, 320, 322, 323, 353, 371, 384, 387, 410, 434, 436, 445, 486, 514, 521, 539, 546, 663, 693, 701
- linking; *also see* linked, **167**
- ordering on, **11**, 12–15, 26, 31, 35, 79, 83, 90, 92, 163, 169, 305, 353, 384, 445, 485
- sum of, **16**, 32, 69, 70, 72, 74, 78, 165
- with parameters, **124**, 379
- pp-definable complement, 287, **532**
- pp-definable coset, **125**, 174–175
- pp-definable function, **93**, 343, 444, 445, 487, 669, 684
- pp-definable subgroup, **4**, 4–11, 15, 23, 25, 26, 34, 35, 53, 59, 61, 74, 77, 90, 118, 125, 128, 135, 137, 173, 177, 180, 183, 187, 201, 217, 287, 352, 354, 364, 368, 413, 487, 532, 598, 629, 697
- examples, 5–10
- lattice of, xxvi, 15–18, 36, 57, 59, 64, **87**, 99, 112, 149, 160, 180, 272, 300, 314–315, 360, 378, 382, 514, 602
- pp-elimination of quantifiers, 108, 110, **413**, 657, 658, 697
- pp-essential embedding, **156**, 168
- pp-*n*-type, **19**
- pp-pair, **12**, **26**, 39, 65, 88, 91, 105, 107, 110, 112, 149–151, 185, 213, 217–221, 231, 262, 268, 283, 314, 354, 359, 409, 414, 443–445, 451, 455, 473, 486, 499, 513, 514, 516, 529, 663, 677, 687
- (closed), **26**, 50, 92, 105, 110, 121, 186, 211, 215, 231, 282, 499, 508, 514, 627, 658, 664, 668, 679
- (open), 92, 149, 211, 213, 214, 313, 375, 691
- category of, xxvi, xxvii, **91–99**, 112, 186, 221, 272, 283, 285, 444, 487, 515, 529–530, 656, 660, 663, 683
- pp-type, xxii, **18–38**, 50, 83, 86, 125–131, 153–157, 159, 174, 181, 212, 236, 249, 293, 356, 375, 379, 380, 382, 434, 435, 437, 440, 504–508, 520, 526, 663, 692, 700, 703
- finitely generated, **21**, 34, 40–42, 87, 91, 163, 189, 237, 295, 387
- homogeneous, **130**
- modulo a pp condition, **168**, 506, 507
- with parameters, **125**, 143, 148, 175, 236
- pp-type-definable scalar, 281, **294**
- pp-type-increasing (morphism), 19, **22**, 158, 256, 305, 309, 402, 409, 440, 441
- pp-type over, **125**
- pp-types
- lattice of, 190, 504
- ordering on, xxv, 22, 89, 91, 142, 293
- Prüfer module, 111, 222, **224**, 266, 268, 281, 292, 332, 334, 340–343, 346, 348, 372, 376, 389, 465, 548, 566, 568, 569, 571, 572, 590
- Prüfer ring, **74**, 247
- preenvelope, **206**
- premodule, **716**
- preadditive category, 219, 399, **420**, 423, 444, 496, 516, 553, 605, 684, **706**
- precover, **206**
- predecessor-closed, 121
- preinjective component, 331
- preinjective module, 58, **198**, 266, 328, **328**, 334, 338, 572
- preprint, **xxv**
- preprojective component, 330, 587
- preprojective module, 122, **198**, 266, **328**, 334, 338, 572
- prescheme, 625
- presentation, have a, 676, **676**
- presheaf, 549, 604, **715**
- of categories of definable scalars, 554, **556**
- of definable scalars, 570, 572, 695
- of rings, 282, 618
- of rings of definable scalars, 556
- presheaves, category of, 464, 471, 618–622
- prime ideal, xx, 118, 134, 157, 343, 377, 388, 547, 551, 552, 560, 561, 565, 566, 569, 572, 576, 654, 699

- prime ring, **75**
 primitive factor ring, 365, 367
 primitive factor rings artinian, 392
 primitive ideal, 362
 primitive idempotent, **77**, 379, 540, 691
 principal filter, **102**
 principal ideal, 383
 principal ideal domain, 369, 374, 376
 product of rings, 217
 product, direct, 19, 40, 44, 48, 100, 111, 118, 120, 134, 136, 196, 207, 251, 258, 259, 282, 290, 327, 342, 347, 350, 360, 413, 461, 466, 574, 578, 597, 606–608, 610, 638, 654, 664, 667, 675–676, 715
 product-complete, 260
 projective cover, **116**, 165, 206, 403, 406, 440, 501, 600
 projective generator(s), 75, 276, 442
 projective line, 370, 574
 projective module/object, xxvii, 28, 60, 62, 66, 82, 106, 116, 122, 165, 206, 328, 422, 427–429, 443, 450, 494, 531, 554, 556, 583, 585, 587, 605, 637, 646, **705**
 projective presentation, 335, 337, 410, 432, 438, 444, 446, 451, 489, 494, 497, 518, 686
 projective resolution, 63, 165, 186, 600, 634, 653, **705**
 pseudo-finite-dimensional (representation), **363**, 699
 pseudocokernel, 27, 427, 607–608, 635, 649, **704**
 pseudokernel, **704**
 pseudoweight, 362
 pullback, 49, 51, 218, 243, 388, 466, 472, 479, 482, **707**
 pullback ring, 323, 387–390, 698
 pure embedding, 37, **44**, 44–51, 53, 57, 66, 68, 73, 76, 90, 103, 114, 117, 118, 138, 145, 153, 156, 164, 207, 208, 238, 251, 285, 438, 480, 597, 664, 691
 in definable category, **676**
 in finitely accessible category, **609**
 in triangulated category, **643**
 pure epimorphism, **49**, 51, 62, 109, 119, 151, 251
 in finitely accessible category, **609**
 in triangulated category, **643**
 pure submodule/subobject, 19, 42, **44**, 51, 56, 88, 101, 107, 112, 120, 126, 131, 176, 178, 285, 413, 414, 667, 679
 pure triangle, 641
 pure-essential, **145**
 pure-exact sequence, **45**, 54, **54**, 61, 62, 66, 71, 100, 136, 152, 205, 391, 495, 497, 600, 610, 616, 649, 673, 678
 in finitely accessible category, **609**
 in triangulated category, **643**
 pure-exact triangle, 647
 pure-injective
 indecomposable, 155, 157–159, 161, 170, 171, 178, 181, 210, 211, 213, 259, 263, 274, 278, 307, 313, 350, 352, 382, 384, 389, 458, 518, 553, 557, 559, 562, 566, 574, 579, 645, 680, 692, 717
 infinite-dimensional indecomposable, 197, 252, 326, 333, 337, 339, 352, 403, 568, 592, 598, 653
 pure-injective hull, xvii, 80, 108, 109, 111, 131, 134, 135, **145**, 145–151, 153, 162–164, 172, 207, 212, 226, 237, 238, 248, 262, 278, 282, 304, 315, 348–350, 355, 365, 370, 372–374, 376, 383, 389, 452, 497, 498, 510, 617, 644, 658, 679
 pure-injective module, in triangulated category, **645**
 pure-injective module/object, xvii, xxii, xxvi, 22, 43, 52, 53, 55, 56, 66, 74, 79, 80, 111, 132, 134–137, **138**, 143, 145, 148, 151, 153, 167, 194, 201, 205, 236, 247, 251, 258, 269, 293, 294, 313, 318, 323, 327, 332, 341–343, 354, 370, 377, 406, 458, 497, 507, 513, 520, 521, 529, 593, 601, 611, 616, 629, 645, 646, 649, 650, 653, 662, 674, 677, 678, 690, 697–699, 701
 pure-injective object, in triangulated category, 641, **644**, 644–645, 648
 pure-injective resolution, **54**
 pure-injective ring, 135, 139, 176, 179, 207, 208, 374
 pure-injectives, category of, 500
 pure-projective module/object, 41–42, **51**, 55, 79–84, 121, 167, 187, 327, 387, 601, 698, 699
 pure-projective object, in triangulated category, 641
 pure-projective resolution, **54**
 pure-semisimple ring, xviii, 55, 56, **189**, 196, 197, 199, 202, 253, 647, 649, 701
 Pure-Semisimplicity Conjecture, 55, **198**
 purely equivalent, **215**
 purely opposed, 271

- purity, theory of, xx, xxii, 42, 44, 109, 207, 480, 493, 610, 616, 629, 643, 648, 658, 667, 668, 674, 676, 690
- pushout, 27, 48, 86, 89, 461, 704, **707**
- quantifier-free condition, xxii, **5**, 11, 28, 30, 32, 50, 66, 67, 83, 129, 185, 221, 224, 353, 368, 379, 391, 410, 436, 439, 445, 450, 473, 487, 505, 564, 629, 649
- quantifier-free formula, **412**
- quantum plane, 363
- quantum Weyl algebra, 324, 699
- quasi-coherent sheaf, 625, 637
- quasi-Frobenius ring, 207, 401, **634**, 637, 645, 649
- quasi-isomorphism, **633**, 652
- quasi-simple module, 111, 328–343, 572, 573, **590**, 592
- quasi-small module, **81**, 83
- quiver, 103, 321, 421, 429, 554, **582**
with relations, 343, **584**
- quotient category
by Serre subcategory, 484, 528
see localisation/localised category, **463**
- quotient ring, 158, 182, 201, 222, 292, 352, 370, 373, 374, 376, 573
- radical
 ω -, **402**, 598
of category, 310, **400**, 401–410, 592
of module/object, 194, 439, **441**
of ring, 150, 165, 200, 263, 383, 400, 540, 585, 716
of endomorphism ring, 19, 158, 204, 498
transfinite, 307, 349, 381, **402**, 404, 406, 407, 540
- rank function, Sylvester matrix, **184**
- rank of morphism, 401, 403
- ray, 333, 340, **590**, 592
- RD domain, 353, 356
- RD ring, 44, **73**, 227, 375, 384
- realisation (of pp-type), 104, **126**, 155
- reduced lattice, **691**
- reduced power, **101**, **715**
- reduced product, 56, **100**, 102–104, 107, 115, 126, 148, 647, 664, **715**
- reflect (isomorphism), **276**
- reflexive, 114, 194, **271**, 271–273, 291, 304, 371
- regular module, **328**, 330, 334, 337, 339
- regular type, 697, 699
- relation, **584**
- relation symbol, 661
- relativisation, 231, 508
- rep-Zariski spectrum, 195, 200, 326–327, 350, **553**, 558, 563–575, 577, 655
- representable functor, 11, 221, 256, **425**, 427–434, 436, 445, 451, 486, 531, 538, 556, 605, 637, 642, 676, **706**, 709
- representation embedding, 111, **276**, 309, 321, 334, 336, 343, 648
- representation of quiver, 186, 422, **582**, 683, 692
- restriction, 601, 664, 701
in presheaf, **715**
of scalars, 89, 112, 141, 161, 274, 277, 278, 284, 335, 530, 679
- right exact functor, 495, 498, 705, **705**
- ring
of definable scalars, xx, xxv, 279, **281**, 353, 359, 365, 371, 373, 527, 549, 560, 562, 566–573, 664
of definable scalars, in sort, **283**
of quotients; *see* localisation of ring; *also see* quotient ring, **288**
of type-definable scalars, **295**
with many objects, 55, 399, 421, **421**, 449, 488, 556, 608
- ringed space, 394, 471, 550, 561, 581, 625, 627, **716**
- ringoid, *see* ring with many objects, **421**
- rotation, 634
- Σ -algebraically compact, *see* Σ -pure-injective, **173**
- Σ -injective, **177**, 354, 391, 498
- Σ -pure-injective, 90, 132, **173**, 173–187, 189, 207, 216, 222, 238, 263, 273, 290, 295, 343, 354, 374, 387, 498, 591, 592, 700
- $\sigma[M]$, 612
- $\sigma[M]$, 604, 617
- satisfies (of structures and sentences), **412**
- satisfies (of tuples and formulas/conditions), xxvii, 9, 34, 44, **412**
- saturated, **136**, 698, 699
- Schanuel's Lemma, 56
- scope of quantifier, **412**
- section, of presheaf, 618, 622, **715**
- self-duality, **199**
- self-injective ring, 208, 498
- semantic, 92, 415
- semiduo ring, **541**

- semiartinian
 category, **534**
 object, **534**
 ring, 319, 391, 395, **534**, 535, 543
- semihereditary ring, 66, **75**, 353
- semilocal ring, **165**
- seminoetherian
 category, **534**, 542
 ring, 319, 543
- semiperfect ring, **165**
- semiprimary ring, 176, 207
- semiprime ring, 182
- semisimple artinian ring, 58, 66, 75, 195, 691
- semisimple category, 617
- sentence, **412**, 413, 415
- separably closed field, 700
- separated module, **388**, 389
- separated presheaf, **620**, 621
- separated representation, **389**
- separating tubular family, 351
- serial module/object, **77**, 80, 350, 386
- serial ring, 53, 74, 76, **77**, 164, 167, 215, 228, 315, 319, 377–387, 539–541
- Serre subcategory, 99, 219, 359, 401, 409, 460, **463**, 482–484, 487–491, 514, 516, 527, 534, 535, 543, 555, 581, 597, 648, 651, 663, 668, 674
- sheaf, 571, **716**
 of locally definable scalars, xx, 195, 394, **556**, 567–568, 574, 669
 of modules, 207, 394, 619, 629, 697, **716**
- sheafification, 464, 471, 555, 619, 621, 623
- sheaves, category of, 464, 471, 619–629
- shift functor, 600, **631**, 654
- simple artinian ring, 184, 201, 395
- simple functor, 161, 166, 191, 231, 235, 240, 241, 254, 255, 435, 518–521, 544, 599
- simple module/object, **93**, 111, 330, 331, 334, 355, 357, 358, 364, 368, 371, 374, 392, 403, 429, 526, 534, 535, 538, 554, 616, 709
- simple ring, 73, 365, 367, **368**, 369, 392, 395–397, 517
- simple theory, 697
- simply reflexive, 271
- skeletally small category, xxv, 420, 444, 485, 530, 553, 604, 671, 675, **703**
- small category, xxv, **703**
- small over, 155
- socle, xxvi, 236, 255, 389, 391, 534, 587
- solution of pp-type, 89, 104, **126**, 148, 293, 314
- solution set of
 pp condition, **4**, 126
 pp-type, **20**, 25, 506
 quantifier-free condition, **4**
- sort, 168, 184, 433, **442**, 445, 473, 475, 485, 529, 556, 627, 658, 661, 663, 669, 681, 683, 685, 693, 699
- special biserial algebra, 407
- species, 335
- spectral space, **278**, 548
- spectrum, 276, 319, 647
 of ring, 118, 569
 based on simples, 571
 Cohn, 201
- sphere, 647
- split epimorphism, 587, **704**
- split exact sequence, 497, 610
- split monomorphism, 44, 45, 147, 587, 676, **704**
- splittable system, 316, 322
- stability theory, 696, 697, 701
- stable module category, 205, 401, 500, **634**, 637, 640, 643, 645, 652
- stalk, 283, 555, 561, 562, 575, 620, **716**
- Stone space, **394**, 697
- strict representation embedding, **278**, 310
- strictly wild algebra, **202**, 321, 685, 698
- string, **343**, 407
- string algebra, 16, 318, 322, **343**, 349, 350, 387, 407, 540, 574, 653, 698
- string module, 7, 307, 329, 344, **345**, 389
- strongly indecomposable, 716
- strongly indecomposable module/object, 18, **29**, 37, 80, 81, 157, 162–164, 166, 179, 190, 208, 250, 273, 356, 439, 440, 501, 541, 586, 644
- strongly minimal, **697**
- strongly unbounded (representation type), **202**
- strongly uniform module, 393, **393**
- structure sheaf, xx, 279, 527, 550, 554, **561**, 569
- subfunctor, **423**
- subgenerated (category), **612**
- subgroup of finite definition; *see* pp-definable subgroup, **5**
- submodules/subobjects, class of, 112
- subquotient, 217, 221, 301, 313, 403, 406, 437, 483, 502–503, 513, 544, 594
- sum, direct, 19, 27, 48, 139, 172, 173, 177–178, 304, 342, 350, 457, 469, 598, 636, 642, 651
- summation map, **140**
- superatomic boolean algebra, **394**

- superdecomposable, 81, 172, **172**, 216,
 226, 244, 246, 247, 258, 314–324, 351,
 360, 374, 377, 385, 406, 521, 526, 579,
709
- superstable, 699
- support, 112, 209, **215**, 235, 240, 258, 271, 282,
 295, 314, 414, 544, 592, 664
 of section, **626**
- support variety, 601, 653
- suspension, 647
- Sylow subgroup, 195, 323, 601, 640, 698
- Sylvester module rank function, **184**
- syntactic, 92, 415
- syzygy, 446, **600**, 646, 655
- T_1 space, 270, 392
- T-nilpotent, **116**
- tame (representation type), xxv, 55, **201**, 266,
 307, 311, 322, 351, 387, 403, 406, 410,
 574, 698
- tame hereditary algebra, 111, 122, 278, 327–343,
 346, 376, 407, 540, 572, 590, 592, 689
- Tate cohomology ring, 653
- Telescope Conjecture, 690
- tensor product, 33–34, 37–40, 53–54, 59, 179,
 184, 188, 274, 276, 447, 450, 456,
 493–498, 500–501, 601, 605, 653, 673, 701
- term (of formal language), **411**
- theory, **412**, 697
- thick subcategory, 581, **651**
- tilted from tame, 689
- tilting, 687
- tilting module, **687**
- top of
 endomorphism ring, 160, 202, 592, 599
 module/object, 166, **388**, 390
 ring, 269
- topological module, 131, **133**, 135
- topologically indistinguishable, 267, **270**, 278,
 382, 386, 578
- topos, 460, 702
- topos theory, xxi, 657
- Tor_1 , 448, 688
- Tor_n , 448, 457
- torsion (sub)class/(sub)category, 315, 401, **461**,
 462–491, 516, 533, 535, 620
- torsion module/object, 105, 356, 371, **462**, 604,
 619
- torsion radical/function, **462**, 462–491
- torsion theory, xxv, 264, 288, **461**, 462–491,
 511, 525, 549, 555, 619, 633, 688, 708
- torsionfree (sub)class/(sub)category, 106, 117,
 214, **461**, 462–491, 525, 580, 651
- torsionfree module/object, **61**, 76, 105, 113, 122,
 158, 213, 227, 264, 289, 353, 375, **462**,
 574, 620, 690, 698
- torsionfree, wrt torsion theory, 509, 510, 513,
 519
- total (relation), **281**, 294
- totally disconnected space, 392
- totally transcendental, 173
- trace, **26**
- translation functor, *see* shift functor, **631**
- triangle, **631**
- triangulated category, xxi, xxiii, 258, 465, 581,
 601, **631**, 630–656
- triangulated subcategory, **636**
- trivial lattice, **299**
- trivial module, **144**, 653, 654
- tube, 122, 328, 330, 331, 333–335, 339, 351,
 372, 376, 377, 569, 573, 589–593
 generalised, 111, 114, **591**
- tubular algebra; *see* canonical algebra, 351
- 2-category, 467, 675, 678
- type, *e*-, **378**
- type-definable, **264**
- types-over-formulas topology; *see* full support
 topology, 264
- ultrafilter, **101**, 102, 137, 394, 414, 507,
715
- ultrapower, **101**, 107, 507, 610, 676, 679,
 701, **715**
- ultraproduct, **101**, 102, 136, 137, 414, 415, 507,
 509, 664, 677, **715**
- undecidability, 311, 374, 687
- undefined, **534**
- unidimensional theory, 697
- uniform, 663
- uniform module/object, 29, 159, 170, 218, 238,
 243, 245, 271, 393, 501, 505, 507, 551,
 576, **708**
- uniformly bounded (pp condition), **361**
- unique to isomorphism, **709**
- uniserial module/object, **77**, 81, 247, 317, 372,
 377, 383, **545**, 547
- uniserial ring, 16, 53, 78, **81**, 377, 382–387
- unit-regular ring, 393
- universal enveloping algebra, 19, 324, **358**, 367,
 370, 699
- universal localisation, **275**, 334, 335, 337, 339,
 549, 570, 633

- universally minimal element, 250
 unseparated space, 568

 V-ring, **374**
 valuation domain, 320, 381, 541
 valuation ring, 74, 77, 134, **318**, 323, 377, 383
 variety (universal algebraic), 701
 Vaught's Conjecture, **699**
 Verma module, 6, **363**
 von Neumann regular ring, xvii, 6, 55, 58, **66**, 76, 102, 117, 139, 208, 228, 272, 286–287, 297, 306, 319, 359–360, 363, 365, 371, 391–701

 Warfield ring, **75**
 weakly minimal, **697**
 weight condition, **361**
 weight space, 361
 weight, type with, 697
 weighted projective line, 328, 351
 well-powered category, 534, **708**
 Weyl algebra, n -th, 73, 76
 Weyl algebra, first, xvii, 6, 74, 75, 232, 253, 287, 324, 355, **367**, 574, 584, 616
 Weyl algebra, generalised – *see* generalised
 Weyl algebra, **367**
 wide (poset), **312**, 321
 width, 216, 244, 258, 312, **314**, 320, 322, 385, 521, 546, 700

 wild (representation type), 55, 56, **201**, 311, 321, 323, 374, 376, 540, 574, 698
 word, **343**

 Yoneda embedding, **425**, 433, 442, 449, 493, 500, 555, 556, 605, 638, 644, 670, 673, 674
 Yoneda Lemma, 166, **425**, 427, 430, 445, 497, 674, 706

 ω -stable, 699, 700
 ω_1 -incomplete, **137**
 Zariski spectrum, xx, 319, 395, **550**, 551, 553, 571, 575, 577, 580–581, 653–655
 Zariski topology, 279
 zero object, **706**
 ZFC set theory, 55, 639
 Ziegler spectra, duality of, 185, 303, 562, 696
 Ziegler spectrum, xv, xvii–xx, xxvi, 39, 111, 122, 161, 167, 186, 194, 197, 203, 205, **210**, 229, 250, 260, 268, 270, 277, 282, 303, 306, 325–398, 434, 443, 452, 457, 460, 479, 486, 493, 499, 502–503, 508, 510, 513, 514, 516, 526, 541, 544, 547, 556, 562, 563, 574, 577, 581, 591, 592, 599, 640, 650, 654, 664, 669, 689, 692, 698, 699, 702
 compactness of, xviii, 252
 finite, 252
 of triangulated category, **648**, 648–651
 Ziegler's Criterion, **159**, 212, 379, 693