

## Index

- 111 superconductors 522
- 1111 superconductors 522
- 122 superconductors 522
- 123 superconductors, see  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$
- 214 superconductors 512
- 8–N rule 17
- $\text{A}_3\text{C}_{60}$  superconductors 501
  - $(\text{NH}_3)_4\text{Na}_2\text{CsC}_{60}$  503
  - $\text{Cs}_3\text{C}_{60}$  504
  - $\text{K}_3\text{C}_{60}$  501
  - $\text{Rb}_3\text{C}_{60}$  501
  - $\alpha\text{-Bi}_2\text{O}_3$  553
- acceptor doping 62, 93, 416
- acceptor ionization energy 419
- acceptors 416, 419
- accessible surface area 582
- accessible volume 582
- acid salts ( $\text{MHXO}_4$ ) 547
- activator 268, 274, 279
- additivity rule 310
- aerogel 601
- $\text{Ag}_3[\text{Co}(\text{CN})_6]$  603
- $\text{Ag}_3\text{Si}$  539
- $\text{AgI}$  536
- air separation 595
- allovalent doping 416
- allovalent substitution 62
- alizarin ( $\text{C}_{14}\text{H}_8\text{O}_4$ ) 265
- allochromatic 245
- alloy superconductors 487
- alloy 55
- alpha cage 582
- ALPO materials 596
- alternative battery anodes 570
- aluminosilicates 579
- aluminum 398, 409, 410, 411–412
- ambipolar diffusion 108
- ammonia borane ( $\text{BH}_3\text{NH}_3$ ) 57
- Anderson localization 645, 647
- Anderson–Eggleton equation 630
- Anderson–Eggleton refractive index 630
- Angell plot 640
- angular momentum quantum numbers in one-electron atom 358
- anion conductors 539
- anion polarizabilities 629
- anode 529
- antibonding molecular orbital 170
- antiferroelectric 319
- antiferromagnet 356
- antiferromagnetic ordering 373
- antiferromagnetism 472
- anti-Frenkel intrinsic defect pair, see Figure 3.1
- anti-perovskite 539
- antiphase boundary 72
- anti-Schottky intrinsic defect pair, see Figure 3.1
- Arrhenius equation 111
- asymmetric unit 12
- attenuation (in glass fibers) 631
- Aurivillius structure 554
- autoclave 585
- auxetic materials 604
- Avogadro constant in SI 672
- axial glide plane, see glide plane, axial
- $\beta\text{-BaB}_2\text{O}_4$  340, 342
- $\beta\text{-}(\text{ET})_2\text{X}$  508
- $\text{Ba}_{1-x}\text{K}_x\text{BiO}_3$  510
- $\text{Ba}_{1-x}\text{V}_x\text{O}_{1.5+x}$  553
- $\text{Ba}_2\text{In}_2\text{O}_5$  554
- $\text{BaBiO}_3$  509
- $\text{BaCe}_{1-x}\text{Y}_x\text{O}_{3-x/2}$  548
- $\text{BaCeO}_3$  548
- bad metal 520
- $\text{BaFe}_2\text{As}_2$  521
- ballistic conduction 645
- ballistic transport 447
- band (of crystal orbitals) 207
- band emitters 274, 277
- band gap 213, 214, 262–264
- band insulator 434
- band width 501
- band-structure diagram 207, 208

- bandwidth **207**, 221, 431  
 $\text{BaPb}_{1-x}\text{Bi}_x\text{O}_3$  **510**  
 $\text{BaPbO}_3$  (barium lead oxide) **509**  
 bar magnet **349**  
 barium bismuth oxide, see  $\text{BaBiO}_3$   
 barium lead oxide, see  $\text{BaPbO}_3$   
 barium titanate, see  $\text{BaTiO}_3$   
 basic building units (BBUs) **583**  
 basis set **202**, 210, 226  
 $\text{BaTiO}_3$  **139**, 314–318, 321, 326  
 $\text{BaZr}_{1-x}\text{Y}_x\text{O}_{3-x/2}$  **548**  
 Bardeen–Cooper–Schrieffer theory **495**, 505  
 BCS theory, see Bardeen–Cooper–Schrieffer theory  
 Bechgaard salt **445**, 506  
     [TMTSF]<sub>2</sub>X (Bechgaard salt) **507**  
 Bednorz and Müller **511**  
 Beer's law **255**  
 Beevers–Ross sites **540**  
 beta cage **581**  
 Bethe lattice **623–624**  
 $\text{BH}_3\text{NH}_3$ , see ammonia borane  
 $\text{Bi}_2\text{Sr}_2\text{Ca}_{n-1}\text{Cu}_n\text{O}_{2n+4}$  **516**  
 $\text{Bi}_2\text{WO}_6$  **554**  
 $\text{Bi}_4\text{V}_2\text{O}_{11}$  **554**  
 bicuvox **555**  
 bimevox **554**  
 binary phase diagram **123**  
 binodal networks ( $N, M$ -connected nets) **30**  
 binomial distribution **104**  
 bipolaron **440**  
 birefringent crystals **332**, 334  
 bismuth oxide, see  $\text{Bi}_2\text{O}_3$   
 bismuth **228**, 397  
 Bloch function **202**, 203, 208, 220, 226  
 Bloch walls **378**  
 block copolymers **598**  
 Bohr magneton **352**  
 Boltzmann constant in SI **672**  
 bond graph **15**  
 bond order **173**  
 bonding molecular orbital **170**  
 bond-valence method **192**  
 bond valence **662**  
     parameter, single-bond length,  $R_{ij}^\circ$  **662**  
 Born–Haber cycle **158**, 159  
 Born–Mayer equation **157**, 158  
 Bose–Einstein condensate **496**  
 boson peak **643**  
 boundary surfaces **164**, 168  
 Bravais lattices **5**, 7  
     non-standard settings **6**  
     standard settings **7**  
 Brillouin function **370**, **668**  
 Brouwer diagrams **92**  
 brownmillerite ( $\text{Ca}_2\text{FeAlO}_5$ ) **554**  
 buckminsterfullerene, see  $\text{C}_{60}$   
 buffer  $p\text{O}_2$  **97**  
 bulk diffusion **101**  
 Burns temperature **320**  
 $\text{C}_{60}$  superconductors **500**  
 $\text{C}_{60}$  **500**  
 $\text{Ca}_2\text{FeAlO}_5$ , see brownmillerite  
 $\text{CaFeO}_3$  **462**  
 calcination **587**  
 $\text{CaMnO}_3$  **465**  
 carbennium ions **590**  
 carbon nanotubes  
     chiral angle **449**  
     circumferential vector **448**  
     multi-walled carbon nanotubes (MWCNT) **447**, **451**  
     single-walled carbon nanotubes (SWCNT) **447–451**  
         translational vector **448**  
 CaSi Zintl phase **48**  
 cathode materials **563**  
 cathode **529**  
 cation conductors **536**, **538**  
 cation polarizabilities **629**  
 ccp, see cubic closest packing  
 cell potential **530**  
 centered Bravais lattices **6**  
 centering **6**  
 centroid shift **277–279**, 294  
 cermet **555**  
 charge compensation **62**  
 charge-density wave **506**  
 charge disproportionation **462**  
 charge order **459**, **510**  
 charge-transfer excitation **234**, **256**, **257**, **258**  
     ligand-to-metal charge transfer (LMCT) **258**, **259**, **273**, **275**, **281**  
     metal-to-ligand charge transfer (MLCT) **258**  
     metal-to-metal charge transfer (MMCT) **259**, **261**  
 charge-transfer salts **443–445**  
 chemical refractivity **630**  
 chemical sensors **531**  
 chemical strengthening of glasses **626**  
 chemical-diffusion coefficient **100**  
 chemisorption **56**  
 child structure **149**  
 chimie douce **558**  
 chiral molecules **611**  
 chiral zeolites **587**  
 CIF (crystallographic information file) **13**  
 Clausius–Mossotti equation **305**, **309**, **327**  
 Clebsch–Gordon series **250**  
 closest packing, hexagonal-, cubic- **19**  
 cloverite **596**  
 coercive field (electrical),  $E_{\text{coercive}}$  **316**

## 676 Index

- coercive field (magnetic),  $H_{ci}$  **379**
- coercivity, see coercive field
- color **244–245**
- color center **58**
  - F center **58**
  - M center **58**
  - R center **58**
- color rendering index (CRI) **292**, **293**
- color temperature **291**
- colossal contraction **603**
- colossal magnetoresistance **470**
  - compositional control **470**
  - variance effect, of ionic radii **471**
- commensurately modulated structure **79**
- component **120**, **121**
- composite building units or CBUs **583**
- compound semiconductor **261–264**
- concentration gradient electrodes **567**
- concentration quenching **284**
- conductance **457**
- conducting polymers **289**, **438–441**, **572**
- conduction bands **213**
- conductivity **213**, **397**, **398**, **401**, **409**, **421**
- configuration, structural **620**
- configurational coordinate model **270**
- configurational coordinates **637**
- configurational entropy **58**
- congruent melting **126**
- conjugated  $\pi$  bonding **181**, **339**, **437**, **438**, **441**, **445**
- conjugated  $\pi$  network, see conjugated  $\pi$  bonding
- conjugated  $\pi$  system, see conjugated  $\pi$  bonding
- continuous phase transition **137**, **141**
- continuous random networks **622**
- conventional superconductors **492**
- converse piezoelectric effect **321**
- conversion reactions **570**
- Cooper pair **494**
- cooperative Jahn–Teller distortion **461**, **465**
- coordination polyhedra **32**
- coordination polymers **605**
- coordination sequence **583**
- coordinations **34**
- copper **397**, **398**, **409**
- core-shell electrodes **566**
- correlation diagram **252**, **253–255**
- coulomb integral **171**
- coulombic potential energy **154–155**, **156**, **157**
- cracking **590**, **593**
- critical current **491**, **498**
- critical exponent **143**
- critical field **490**
- critical micelle concentration (CMC) **597**
- critical phase matching **333**
- critical point **122**
- critical pressure **122**
- critical temperature **122**, **135**, **487**
- cross-relaxation **284**
- crystal classes **5**
- crystal momentum **207**, **407**
- crystal orbitals **202**, **205–207**, **219**, **226**
- crystal systems **5**, **655**
- crystal-chemical formula **14**
  - balance of bond valence **15**
  - balance of connectivity **15**
  - balance of electroneutrality **15**
- crystal-field theory **247**, **279**
- crystallographic databases **13**
- crystallographic point groups **5**, **655**
  - Hermann–Maugin and Schönflies symbols **655**
- crystallographic shear **74**
- crystal structure figures
  - a perovskite, cubic (+data) (Figure 1.49) **40**
  - AgI (Figure 13.7) **538**
  - $Al_2O_3$  corundum (+data) (Figure 1.30) **26**
  - $Ba_2In_2O_5$  (Figure 13.19) **554**
  - $BaMnO_3$  (+data) (Figure 1.54) **44**
  - $BaZnF_4$  cis-layers (Figure 1.44) **36**
  - $Bi_2WO_6$  (Figure 13.19) **554**
  - $BiI_3$  (+data) (Figure 1.29) **26**
  - $CaB_6$  (+data) (Figure 1.40) **32**
  - $CaC_2$  (Figure 1.18) **18**
  - $CaF_2$  (fluorite) (+data) (Figure 1.31) **27**
  - $CaSi_2$  (Figure 1.36) **29**
  - $CaTe$  (+data) (Figure 1.40) **32**
  - $CdCl_2$  (+data) (Figure 1.29) **26**
  - $CdI_2$  (+data) (Figure 1.29) **26**
  - $CdSb$  (Figure 1.18) **18**
  - Cu (+data) (Figure 1.21) **20**
  - $Cu_2O$  (+data) (Figure 1.42) **33**
  - diamond (+data) (Figure 1.37) **30**
  - diamond (Figure 1.16) **17**
  - GaSe (Figure 1.17) **18**
  - Heusler alloys, full-, half- (+data) (Figure 1.34) **28**
  - $HgBa_2Ca_{n-1}Cu_nO_{2n+2}$  superconductors (Figure 12.18) **517**
  - iodine,  $I_2$  (Figure 1.16) **17**
  - $IrF_4$  network (Figure 1.44) **36**
  - iron, alpha (+data) (Figure 1.23) **21**
  - iron-pnictide superconductors (Figure 12.23) **521**
  - $La_2CuO_4$  (Figure 12.15) **513**
  - $LaFeO_3$  (+data) (Figure 1.52) **43**
  - $LaNiO_3$  (+data) (Figure 1.52) **43**
  - lanthanum, alpha (+data) (Figure 1.22) **21**
  - $LiFePO_4$  (Figure 13.29) **569**
  - $LiNbO_3$  (Figure 8.22) **338**
  - lonsdaleite (+data) (Figure 1.37) **30**
  - metallic elements (Figure 1.24) **22**
  - Mg (+data) (Figure 1.21) **20**
  - $Mg_2Al_2Si_3O_{12}$  garnet (+data) (Figure 1.48) **40**
  - $MgAl_2O_4$  spinel (+data) (Figure 1.47) **39**

- NaCl (+data) (Figure 1.26) 24
- Nd<sub>2</sub>CuO<sub>4</sub> (Figure 12.19) 518
- NiAs (+data) (Figure 1.13) 13
- NiAs (+data) (Figure 1.26) 24
- phosphorus, white (Figure 1.16) 17
- polonium, alpha (+data) (Figure 1.23) 21
- (SnS)<sub>1.17</sub>NbS<sub>2</sub> (Figure 2.14) 79
- ReO<sub>3</sub> (Figure 1.39) 32
- SiO<sub>2</sub> cristobalite, beta (Figure 1.39) 32
- SiO<sub>2</sub> tridymite, beta (Figure 1.39) 32
- SmCo<sub>5</sub> (+data) (Figure 1.46) 38
- SnCl<sub>2</sub> (Figure 1.17) 18
- SnF<sub>4</sub> trans-layers (Figure 1.44) 36
- sodalite (+data) (Figure 1.57) 47
- sodium β-alumina (Figure 13.9) 541
- SrSi<sub>2</sub> (Figure 1.36) 29
- tellurium (Figure 1.16) 17
- TiF<sub>4</sub> triple chains (Figure 1.44) 36
- TiO<sub>2</sub> anatase (+data) (Figure 1.45) 36
- TiO<sub>2</sub> brookite (+data) (Figure 1.45) 36
- TiO<sub>2</sub> rutile (+data) (Figure 1.45) 36
- Y<sub>5</sub>O<sub>5</sub>F<sub>7</sub> (Figure 2.16) 81
- YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> (Figure 3.6 and 12.16) 98, 514
- YBaFe<sub>2</sub>O<sub>5</sub> (Figure 11.3) 460
- YCl<sub>3</sub> (+data) (Figure 1.29) 26
- zeolites A and X (Figure 14.2) 582
- Zn<sub>4</sub>O(O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>)<sub>3</sub> (a MOF structure) (Figure 1.41) 33
- ZnS sphalerite (+data) (Figure 1.32) 27
- ZnS wurtzite (+data) (Figure 1.32) 27
- CsCl-type structure 31
- CsHSO<sub>4</sub> 547
- cubic closest packing (ccp) 19
- cubic stabilized zirconia CSZ 552
- cuprate charge reservoir 518
- cuprate superconductors 511
- Curie constant, C 368
- Curie law 368
- Curie temperature (electrical) 314, 319
- Curie temperature (magnetic)  $T_C$  356, 377
- Curie–Weiss law 369
- current density 396
- Czochralski method 342
- databases in crystallography, see crystallographic databases
- Daumas Herold staging 557
- δ-Bi<sub>2</sub>O<sub>3</sub> 553
- de Broglie relation 410
- Deborah number 636
- Debye frequency 494, 497
- Debye model 308
- decay time 268
- defect concentration 59
- defect equilibria 88, 515
- defect equilibria, behind oxygen nonstoichiometry (redox) 89
- defect ordering, see defect clustering
- defect thermodynamics 58
- degrees of freedom 120, 122
- densest packing of spheres, cubic, see cubic closest packing
- densest packing of spheres, hexagonal, see hexagonal closest packing
- density of states 209, 223, 405, 497, 503, 564, 646, 647
- Dexter electron transfer 283, 284
- diagonal glide plane, see glide plane, diagonal
- diamagnet 353
- diamagnetic correction 671
- Pascal's constants 671
- diamagnetic materials 356
- diamagnetism 367
- Landau diamagnetism 367
- Lenz's law of induction 367
- perfect diamagnet 367, 490
- diamond 228–230, 303, 306
- diamond glide plane, see glide plane, diamond
- Dieke diagrams 275
- dielectric loss 308, 312
- differential scanning calorimetry (DSC) 138
- diffusion 99
- diffusion coefficient 100
- diffusionless transition 71
- diffusivity 100, 106
- diffusivity and redox equilibria of defects 111
- diffusivity due to point defects, temperature dependence 111
- dimensionless susceptibility, see magnetic susceptibility, dimensionless
- Dirac cones, see Dirac points
- Dirac points 446, 451
- direct-gap semiconductor 214, 263, 287
- directions in the lattice 3
- discharge rate 568
- discontinuous phase transition 137, 144
- disorder-induced metal-to-insulator transition 645
- displacive phase transition 135
- distortion theorem 191, 327
- domain boundary, see twin boundary
- domain formation 378
- domain structure 377
- domains (ferroelectric) 315, 320, 338
- donor doping 62, 94, 416
- donor ionization energy 417, 420
- donors 416, 419
- doping 416, 419, 439
- Doppler effect, in Mössbauer spectroscopy 463
- double exchange 382
- double glide plane, see glide plane, double

## 678 Index

- double perovskites 73, 273
- down-conversion photoluminescence **268**, 291
- drift velocity **400**
- Drude equation 630
- Drude model 398–401, 403, 407, 409
- drying agents 595
  - zeolite 3A 595
  - zeolite 4A 595
  - zeolite 5A 595
- dye **245**, 265
- easy axes **378**
- edge dislocation **66**
- effective mass **403**, 406, 407
- effective moment,  $\mu_{\text{eff}}$  **361**
- effective nuclear charge **166**, 175, 260
- Ehrenfest classification 136
- electric displacement **304**
- electric solenoid 350
- electric susceptibility **303**, 332, 628
- electrical conductivity ( $\sigma_i$ ) due to charged defect **107**
- electric-field intensity **396**
- electrochemical capacitors **571**
- electrochemical cells 529
- electrochemical characterization 568
- electrochemical potential 562
- electrode **529**
- electrolyte **529**
  - electrolyte domain **552**
  - electrolyte stability window **562**
- electromagnetic radiation 243
- electron mobility **401**, 406
- electron–electron interactions 172, 186, 249, 429, 434
- electroneutrality condition **90**
- electron–hole pair 290, 426
- electronic conductors **396**
- electron–phonon coupling **270**, 271, 272, 286
- electron–phonon interaction, see electron–phonon coupling
- electron-spin  $g$  factor **358**
- electron-transport layer 289
- elemental semiconductors 230–231, 263
- elemental superconductors 487
- elementary charge in SI **672**
- enantiomeric excess 612
- enantiomers **611**
- enantioselective sorption 612
- enantioselective synthesis 610, **611**
- enantioselectivity **600**
- energy landscape, see potential energy surface
- energy product, of ferromagnets, see maximum energy product
- energy transfer 281–283, 284, 292
- energy, potential of the magnetic moment **355**
- enhanced Pauli paramagnetism 383
- ergodic system 636
- Euler strut 137
- eutectic point **124**
- excess free energy, entropy, enthalpy 143, 146
- exciton **290**
- extended defect **66**
- extraordinary beam **332**
- extrinsic defects **61**
- extrinsic ionic conductivity 534
- faradaic supercapacitors **571**
- fast ion conductors **536**
- faujasite 582
- $\text{Fe}_{1-x}\text{O}$  77
- FePt 73, 139
- Fermi energy **210**, 497, 503
- Fermi level, see Fermi energy
- Fermi velocity **409**, 410, 447
- Fermi–Dirac distribution function **404**, 415
- ferrimagnetic materials **356**
- ferromagnetism 385
  - ferroelectric ferromagnets 388
  - ferroelectric 313, **314**, 314–319, 327, 330
  - ferroelectric perovskite 139
- ferromagnetic materials **356**
  - half-metals **381**
  - insulators **381**
  - metals **381**
- ferromagnetism 377
- ferromagnets of spin-polarized bands **381**
- FeSe, see iron selenide
- $\text{FeTiO}_3$ , see ilmenite
- Fick’s first law **100**
- Fick’s second law **100**
- filling holes 22
- first Brillouin zone **204**, 216, 217, 219
- first-order Jahn–Teller distortion **189**, 280
- first-order phase transition **136**, 144
- fluid catalytic cracking FCC **593**
- fluorescence **268**
- flux **100**, **125**
- Förster resonant-energy transfer (FRET) **282**
- fractional coordinates **2**
- fragility index **640**
- fragility strength **640**
- framework density **580**
- Franck–Condon principle **271**
- free energy, interfacial, see interfacial free energy
- free volume **622**, 639
- free-electron model 402–403, 405, 407, 412, 446
- freeze-out regime **420**
- Frenkel defects **58**, 60, 533, 539
- Frenkel intrinsic defect pair, see Figure 3.1
- Fröhlich interaction **493**
- frontier orbitals **180**, 328

- frustration, in cooperative magnetism **387**
- fuel cells **532**
- fullerene superconductors, see  $C_{60}$  superconductors
- fundamental SI constants **672**
- gallium nitride (GaN) **288**, **314**
- galvanic cells **529**
- garnet **39**
- gate dielectric **427**
- Gaussian error function (erf) **113**
- gel **585**, **601**
- gemstone **245**, **256**
- generalized 8–N rule **17**
- geometric frustration **648**
- germanium **230**, **397**, **418**, **422**
- Gibbs phase rule, see phase rule
- Gibbs-energy barrier for migration **104**, **111**
- Gibbs–Thomson effect **634**
- Gladstone–Dale relationship **630**
- glass forming range **635**
- glass transition **634**
- glass transition temperature **544**
- glasses
  - covalent **620**
  - random-packed **620**
- glass-forming temperature **621**, **635**
- Glazer tilt (classification) **41**
- glide plane **9**
  - axial **9**
  - diagonal **10**
  - diamond **10**
  - double glide **10**
- Goldschmidt tolerance factor **40**, **44**
- graph **622**
- graphene **221**–**223**, **266**, **445**–**447**, **448**, **450**
- graphite intercalation chemistry **556**
- Grüneisen parameter **604**
- $H_2S$  superconductor, see hydride superconductor
- half-metallic  $CrO_2$  **476**
- half-metallicity
  - by Andreev reflection **475**
  - by positron annihilation **475**
  - by spin-resolved photoemission **476**
  - with spin-polarized transport **472**
- half-metals of itinerant electrons **480**
- hamiltonian operator **161**
- hard (ferro)magnets **379**
- hcp, see hexagonal closest packing
- heat capacity **138**, **144**, **146**, **642**
- Heusler alloys **477**
- hexagonal closest packing (hcp) **19**
- hexagonal perovskites **44**
- $HfO_2$  **428**
- $HgBa_2Ca_{n-1}Cu_nO_{2n+2}$  **511**, **516**
- high-entropy alloys **650**
- highest-energy occupied molecular orbital **180**, **222**
- high-spin (HS) configuration **187**, **254**, **256**
- high-spin state, see high-spin (HS) configuration
- high- $T_c$  cuprate superconductors **223**
- hole doping **512**, **516**, **518**
- hole filling, see filling holes
- holes **407**
- hole-transport layer **289**
- homeotypism **30**, **45**, **46**
- HOMO, see highest-energy occupied molecular orbital
- hopping in electric field **106**
- hopping under concentration gradient **105**
- hopping, random **103**
- hopping/migration, in chemical potential gradient **105**
- hopping/migration, in electric potential gradient **106**
- hopping/migration, under driving force **104**
- host **268**
- Huang–Rhys parameter **272**
- Hubbard model **429**–**431**
- Hubbard  $U$  **429**, **437**
- Hund's rules **360**, **367**
  - Hund's first rule **171**, **251**
  - Hund's second rule **251**
  - Hund's third rule **251**
- hybrid porous materials **605**
- hydride superconductors **488**
- hydrogen bond **545**
- hydrogen fuel cell **532**
- hydrogen storage **56**
- hydrothermal synthesis **585**
- hyper-aged organic glasses **638**
- hysteresis **136**, **356**
- hysteresis loop (ferroelectric) **316**, **319**
- hysteresis loop (magnetic) **378**, **379**
- identity **4**
- idiochromatic **245**
- ilmenite ( $FeTiO_3$ ) **192**, **261**
- immiscibility dome **130**
- incipient ferroelectric **312**, **327**
- incommensurately modulated structure **78**, **79**, **149**
- incongruent melting **126**, **342**
- indigo ( $C_{15}H_9N_2O$ ) **265**
- indirect-gap semiconductor **214**, **263**, **287**
- infinite-layer structure **517**
- infinitely adaptive structure **80**
- infrared absorption band (in glass fibers) **631**
- intensity of the magnetic field,  $H$  **352**
- interaction integral **171**
- intercalation compounds **555**
  - guest species **555**
  - host structure **555**
- interdiffusivity **106**

**680      Index**

- interfacial free energy **634**
- interference term **645**
- internal conversion **268**
- internal field,  $H_W$  **379**
- International Tables for Crystallography **656**
- internal friction **644**
- interpenetrated network **606**
- interstitial **54**, **534**
- intersitialcy mechanism **534**
- intersystem crossing **268**, **279**, **291**
- intrinsic defect pairs, Schottky, anti-Schottky, Frenkel, anti-Frenkel, see Figure 3.1
- intrinsic defect **55**
- intrinsic ionic conductivity **535**
- intrinsic regime **420**
- invariant point **122**, **125**
- inverse opal **601**
- inverse spinel **38**
- inversion center **4**
- Ioffe–Regel condition **645**
- ion exchange **593**
- ion-exchange isotherms **594**
- ionic conductivity **533**
- ionic conductors **396**
- ionic radii **193**, **194**
- ionic-radii variance effect, see variance effect
- iron monoxide (wüstite), see  $\text{Fe}_{1-x}\text{O}$
- iron platinum, see FePt
- iron selenide **521**
- iron pnictide superconductors **521**
- isomerization **590**
- isoreticular **608**
- isotope effect **493**, **503**, **511**
- isovalent substitution **61**
- itinerant ferromagnetism **382**
- ITQ-33 **584**
- Jagodzinski–Wyckoff notation **19**
- Jahn–Teller distortion, see first-order Jahn–Teller distortion
- Jahn–Teller theorem **188**
- $j-j$  coupling **249**, **275**, **664**
- jump and thermal energy  $kT$  **101**
- jump balance **103**
- jump directional probability,  $p_{\text{dir}}$  **102**
- jump frequency,  $p_{\text{BV}}$  **101**
- jump Gibbs-energy barrier,  $\Delta^{\ddagger}G_m$  **101**
- jump probability,  $p_B$  **101**
- jump progression rate,  $r_{\text{progression}}$  **102**
- jump site availability,  $p_{\text{avail}}$  **102**
- $\text{K}_2\text{NiF}_4$  structure **512**
- Kamerlingh Onnes, Heike **486**
- Kauzmann rule **636**
- Kauzmann temperature **638**
- KDP, see  $\text{KH}_2\text{PO}_4$
- KGe Zintl phase **48**
- $\text{KH}_2\text{PO}_4$  (KDP) **336**
- klassengleiche subgroup **73**, **660**
- Koch cluster **77**
- Kondo effect **387**
- Kröger–Vink notation **65**, **87**
- $\text{KTiOPO}_4$  (KTP) **336**
- KTP, see  $\text{KTiOPO}_4$
- $\text{K}_x\text{C}$  **556**
- $\text{La}_{1/2}\text{Ca}_{1/2}\text{MnO}_3$  charge and orbital ordering **469**
- $\text{La}_{1-x}\text{Ca}_x\text{MnO}_3$  phase diagram **468**
- $\text{La}_{1-x}\text{Sr}_x\text{Ga}_{1-y}\text{Mg}_y\text{O}_{3-\delta}$  **553**
- $\text{La}_2\text{CuO}_4$  **512**, **513**
- $\text{La}_2\text{Mo}_2\text{O}_9$  **555**
- $\text{La}_2\text{CuO}_{4+\delta}$  **512**
- $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$  **511**, **512**, **513**
- $\text{LaGaO}_3$  **553**
- $\text{LaMnO}_3$  **465**
- $\text{LaMnO}_{3+\delta}$  nonstoichiometry control **466**
- Landau theory **140**
- Landé factor **363**
- Langevin function **370**, **666**
- $\text{LaNi}_5$  **56**
- $\text{LaO}_{1-x}\text{F}_x\text{FeAs}$  **521**
- Laporte selection rule **256**
- Larmor precession **363**
- lattice **2**
- lattice diffusion **101**
- lattice energy **156**, **158**
- lattice metrics, see metrics of lattices
- lattice modes **147**
- lattice parameters **2**, **8**
- lattice planes, equidistant set **3**
- lattice-formation enthalpy **158**
- LCAO, see linear combination of atomic orbitals
- lead acid battery **531**
- lead fluoride, see  $\text{PbF}_2$
- lever rule **124**
- $\text{Li}(\text{Ni}_{-0.33}\text{Mn}_{-0.33}\text{Co}_{-0.33})\text{O}_2$ , see NMC
- $\text{Li}_4\text{Ti}_5\text{O}_{12}$  **570**
- $\text{LiB}_3\text{O}_5$  **340**, **341**, **342**
- $\text{LiBH}_4$ , see lithium borohydride
- $\text{LiCoO}_2$  (lithium cobalt oxide) **565**
- $\text{LiFeAs}$  **521**
- $\text{LiFePO}_4$  **569**
- ligand-field splitting **184**, **186**, **234**, **247**, **248**, **277**
- ligand-field theory **247**
- light-emitting diodes (LEDs) **287**–**288**, **291**, **422**, **426**
- $\text{LiNbO}_3$  **324**, **338**
- line defect **66**
- line emitters **274**, **284**
- linear combination of atomic orbitals **170**, **200**, **202**
- liquidus **124**

- LISICON 543
- lithium air battery 570
- lithium borohydride ( $\text{LiBH}_4$ ) 57
- lithium cobalt oxide, see  $\text{LiCoO}_2$
- lithium intercalation 559
- lithium-ion batteries 559, 566
- lithium iron phosphate, see  $\text{LiFePO}_4$
- lithium–sulfur battery 570
- lithium– $\text{TiS}_2$  battery 560, 568
- $\text{LiVPO}_3\text{F}$  570
- Loewenstein's rule 587
- longitudinal mode 148
- Lorenz–Lorentz relationship 629, 630
- lowest-energy unoccupied occupied molecular orbital **180**, 222
- low-spin (LS) configuration **187**
- low-spin state, see low-spin (LS) configuration
- luminescence 168, **267**, 268
  - biloluminescence **267**
  - cathodoluminescence **267**
  - chemiluminescence **267**
  - electroluminescence **267**, 287
  - photoluminescence **267**, 268
  - piezoluminescence **267**
  - sonoluminescence **267**
  - thermoluminescence **267**, 268
  - triboluminescence **267**
- luminous efficacy **291**
- luminous flux **291**
- LUMO, see lowest-energy unoccupied occupied molecular orbital
- Mackay icosahedra **649**
- macroporous **579**, 601
- Madelung constant **155**, 156
- Magnéli phases **74**
- magnesium diboride,  $(\text{MgB}_2)$  499
- magnesium hydride ( $\text{MgH}_2$ ) 56
- magnetic (dipole) moment,  $\mu$  **350**
- magnetic constant 353
- magnetic field strength, see intensity of the magnetic field
- magnetic induction,  $B$  **352**
- magnetic measurements 670
- magnetic moment, absolute,  $\mu_{\text{abs}}$  358
- magnetic moment, ground state 359
  - for actinoids,  $j-j$  coupling 360
  - in free  $d$ -metal atom, under Russell–Saunders coupling scheme 360
  - in free  $f$ -metal atom, under Russell–Saunders coupling scheme 367
- magnetic moment
  - spin-only 361
  - $z$ -projection,  $\mu_z$  358
  - of  $3d$  ions 363
- of  $4f$  ions 366
- magnetic ordering, temperature **356**
- magnetic permeability, relative,  $\mu_r$  **354**
- magnetic quantum number **162**
- magnetic structure 373, 377
- magnetic susceptibility
  - dimensionless 354, 355
  - mass,  $\chi_m$  **354**
  - molar,  $\chi_{\text{mol}}$  **354**
  - volume,  $\chi_v$  **353**
- magnetic unit cell 374
- magnetic-flux density, see magnetic induction
- magnetic-moment vector 351
- magnetism, electron movements and their quantization 357
- magnetism, unit systems in use 355
- magnetic 458
- magnetization of half-metals **475**
- magnetization,  $M$  **353**
- magnetizing field, see intensity of the magnetic field
- magnetocrystalline energy **378**
- magnetoelectric multiferroics 388
- magnetoresistant device 457
- magnetostatic energy **378**
- magnetostriction **378**
- magnetostrictive energy **378**
- magnetotransport 457
- manganite perovskites, contour map of ordering isotherms 471
- martensitic transformations **71**
- mass susceptibility, see magnetic susceptibility, mass
- maximum energy product  $(BH)_{\text{max}}$  **379**
- MCM-41 597
- mean free path **400**, 409
- Meissner or Meissner–Ochsenfeld effect **490**, 492
- mercury superconductivity 487
- mesoporous materials **46**, **579**, 597
- mesoporous zeolites 589
- mesostructured zeolites 600
- metal–organic framework (MOF) 31, **605**
- metallic glasses **647**
- metallic glasses, ferromagnetic 650
- metal-oxide-semiconductor field-effect transistor (MOSFET) **426**
- metrics of lattices 8
- $\text{MgB}_2$ , see magnesium diboride
- $\text{MgH}_2$ , see magnesium hydride
- micelles 597
- microporous materials **46**, **579**
- microstates **250**, 275, 365
- microwave resonator 311
- migration/hopping, see hopping/migration
- mirror plane 4
- miscibility gap 569
- mixed anion 80
- mixed ionic and electronic conductor (MIEC) **555**

## 682 Index

- MO diagram, see molecular-orbital diagram
- MO, see molecular orbital
- mobility **108**
- mobility edge **646**
- mobility gap **646**
- MOF applications
  - asymmetric catalysis 611
  - $\text{CO}_2$  capture and storage 609
  - dynamic frameworks 610
  - heterogeneous catalysis 610
  - hydrogen storage 609
  - physisorption 608
  - supported catalysis 610
  - water capture 609
- MOF, see metal–organic framework
- molar gas constant in SI **672**
- molar susceptibility, see magnetic susceptibility, molar
- molar volume of ideal gas in SI **672**
- molecular magnets **389**
- molecular-orbital diagram 169–186, 211, 325, 328
- molecular orbital **169**
- molecular sieves **596**
- molecular superconductors **505**
- monotectic point **130**
- morphotropic phase boundary (MPB) **323**
- Mössbauer spectroscopy **463**
- motif **2**, 222, 225
- Mott–Hubbard insulator **431**, 434, 435, 436, 518
- Mott–Hubbard transition 501, 502
- multi-phonon emission **273**
- multiplexing (in glass fibers) **632**
- multiplicity **250**
- $\text{NaAl}_{11}\text{O}_{17}$  **540**
- $\text{NaAlH}_4$ , see sodium aluminum hydride
- NaCl conductivity **535**
- NAFION **544**, 546
- NASICON **542**
- NaTl Zintl phase **47**, 48
- natrolite **603**
- $\text{Nb}_3\text{Ge}$  superconductor **487**
- $\text{Nd}_2\text{CuO}_4$  **517**
- Néel temperature,  $T_N$  **356**, **372**
- negative thermal expansion **602**
- NEMCA reactor **532**
- Nernst equation **531**, 550
- Nernst–Einstein equation **107**, 534
- nets **606**
  - network augmenting **31**
  - network expansion **31**, **608**
  - network similarity (site ordering), see similarity (network-based)
  - network-forming oxides **625**
  - network-modifying oxides **625**
  - networks binodal ( $N, M$ -connected nets), see binodal networks ( $N, M$ -connected nets)
- neutron diffraction on ordered magnetic moments **376**
- nickel–cadmium battery **531**
- Niggli formula **34**
- nitinol **71**
- NMC **566**
- nodal planes **164**, 176, 182, 265, 442
- node **164**, 201
- non-centrosymmetric crystals **313**, 324, 332
- noncritical phase matching **334**, 341
- non-ergodic system **636**
- non-radiative recombination **426**
- non-steady-state diffusion **100**
- non-steady-state diffusion, of point defects **112**
- nonstoichiometry
  - narrow **87**
  - oxidative **88**
  - reductive **88**
- normal spinel **38**
- n-type cuprate superconductors **517**
- n-type semiconductor **419**, 422
- nucleation
  - nucleation, heterogeneous **634**
  - nucleation, homogeneous **634**
- occupiable volume **581**
- octahedral holes **22**
  - fractional filling **23**
  - full filling **23**
- octahedral ligand-field splitting ( $\Delta$ ), see ligand-field splitting
- octahedral tilting **41**, 194, 236
- olivine **569**
- operation of symmetry, see symmetry operations
- optic axis **333**
- optical dielectric constant **307**
- optical fibers **631**–**633**
- orbital angular-momentum quantum number **162**, 250
- orbital ordering **461**
- orbital-degeneracy removal **462**
  - by charge disproportionation **462**
  - by electron itinerancy **462**
  - by Jahn–Teller distortion **462**
- order parameter **139**, 140
- order, long-range **620**, 642
- order, short-range **620**
- order–disorder phase transition **135**
- ordinary beam **332**
- organic light-emitting diodes (OLEDs) **287**, 289–291
- organic magnets **390**
- organic superconductors **505**
- orientational disorder **136**
- Ostwald ripening **37**
- Ostwald step rule **37**, 649
- overlap integral **171**, 173, 174–175, 177
- oxidation catalyst **593**

- oxide fluoride 80
- oxide-ion conductors 549
- oxyfluoride, see oxide fluoride
- oxygen control 515
- oxygen nonstoichiometry (redox defect equilibria behind it) 89
- oxygen sensor 550
- oxygen, bridging 625
- oxygen, non-bridging 625
- oxygen-nonstoichiometry control in oxides 97
- packing of spheres 19
- pair distribution function 318, 620, 621, 624
- pairing energy 495
- pairing-*s/p/d/f*-wave, see *s/p/d/f*-wave pairing
- paraelectric 314, 318, 320, 323
- parallel plate capacitor 302
- paramagnet 353
- paramagnetic materials 356
- paramagnetism 367
  - Curie paramagnets 368
  - Curie–Weiss paramagnets 368
  - Pauli paramagnets 368
- parent structure 149
- partial pressure of oxygen,  $p_{O_2}$  91, 97
- Pauli exclusion principle 162, 171
- Pauli paramagnetism, enhanced 371
- Pauli paramagnetism, temperature independent 371
- Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub> 320
- PbF<sub>2</sub> (lead fluoride) 539
- PbZr<sub>1-x</sub>Ti<sub>x</sub>O<sub>3</sub> (PZT) 323
- Peierls' distortion 212, 228, 439, 507
- Peierls' theorem 212
- PEM 546
- penetration depth 113
- pentacene 266, 441–443
- PEO, see polyethylene oxide
- perfect conductor 490
- peritectic point 126
- peritectic reaction 126
- permeability of free space, see magnetic constant
- perovskites 40, 233–236, 320, 434–437
  - microwave dielectrics 312
  - proton conductors 548
  - superconductors 509
- persistent phosphors 268
- phase diagram 120
- phase matching 332–334
- phase rule 97, 120, 123
- phase separation 569
- phase transition thermodynamics 142
- phase transition 135
- phase velocity 148
- phase 120
- phase-change materials 641
- phonons 147, 149, 642
- phosphor-converted light emitting diode 293–294
- phosphorescence 268, 275, 280, 281, 290
- phosphors 267, 268, 273, 276, 284, 292–293
- photoionization 268
- photon 243
- photovoltaic cell 426
- physisorption 56
- piezoelectric effect 321
- piezoelectricity 313, 321
- pigment 245, 257–258, 259, 265
- pinning 66
- planar defects 67
- Planck constant in SI 672
- plastic crystals 547
- p–n junction 287, 422–425, 427
  - built-in potential 424
  - depletion region 424, 425
  - forward bias 425
  - reverse bias 425
- point defect 54
- point defects in a pure oxide 87
- point group 3
- point of integer structure 92, 96, 98
- point of integer structure, see Figures 3.2, 3.4, 3.5
- point of integer valence 92, 96, 98
- point of integer valence, see Figures 3.2, 3.4, 3.5
- point-defect compensations upon oxidation and reduction, see Figure 3.1
- point-defect movements 101
- point-group order 4
- point-symmetry elements 4
- Poisson's ratio 604
- polar axis 313, 337
- polar materials 313, 314, 321
- polar nanoregions (PNR) 320
- polarizability 278, 304, 305, 309–311, 629
  - dipolar polarizability 305
  - electronic polarizability 305
  - ionic polarizability 305
- polarization 160, 303, 304, 305, 314, 331, 628
- polaron 440, 510
- polonium 227–228
- polyacetylene 212, 397, 438–441, 442
- polycyclic aromatic hydrocarbons 441
- polyelectrolytes 543
- polyethylene oxide 544
- polyhedral connectivities 34
  - edge sharing 35
  - face sharing 35
  - vertex sharing 34
- polymer-electolyte membrane, see PEM
- polymeric cation conductors 543
- polymer-salt complexes 543

**684      Index**

- polymorphism of nanocrystals 37
- polymorphism **68**
- polytypes **68**
- porous oxides 599
- porphyrin 266
- position, see special positions or general positions
- potential energy surface (PES) **636**, 637, 638, 641
- primary batteries **531**
- primitive Bravais lattices **6**
- principal quantum number **162**, 164, 418
- probability density **164**, 202, **645**
- proton conductors 545
- proton-exchange membranes, see PEM
- Prussian blue ( $\text{Fe}_4(\text{Fe}(\text{CN})_6)_3 \cdot x\text{H}_2\text{O}$ ) 257, 261, 605
- pseudocapacitors **571**
- pseudoelasticity **72**
- pseudogap regime **519**
- p-type cuprate superconductors **516**
- p-type semiconductor **419**, 422
- pyroelectricity 313, **314**, 330
- PZT, see  $\text{PbZr}_{1-x}\text{Ti}_x\text{O}_3$
- quality factor **312**
- quantum efficiency **268**
- quantum harmonic oscillator 271
- quasicrystals **649**
- quasi-phase matching **334**, 338
- quenching **621**, 648
- radial distribution function **164**, 169
- radial node **164**
- radiative recombination 287, **425**
- Ragone plot **572**
- Ramsdell symbol **19**
- random walk (electrons) 645
- random walk **103**
- random-close packing of spheres **621**
- Rayleigh scattering 631
- $\text{RbAg}_4\text{I}_5$  538
- reciprocal-space lattice **204**, 216, 217, 218, 219
- reconstructive phase transition **135**
- rectification **424**
- redox compensation **62**
- refraction **627**
  - anomalous 628
  - normal 628
- refractive index 307, 311, **330**, 332, 333, **627**, 628
- regioselectivity **600**
- relative coordinates, see fractional coordinates
- relative dielectric permittivity **303**, 417, 418
- relaxation time **400**, 409
- relaxor ferroelectric 320
- remanence, see remanent magnetization
- remanent magnetization,  $M_{\text{remanent}}$  **379**
- remanent polarization **316**
- $\text{ReO}_3$  231–233, 234, 235, 397, 605
- repulsive potential energy 156, 157
- residual resistivity **411**
- resistivity **396**, 645
- reticular chemistry **607**
- RGB model 244
- rhodium trioxide, see  $\text{ReO}_3$
- rigid unit modes (RUMs) 602
- ring **623**
- rocking chair battery **566**
- rotation axes **4**
- rotational axes, see rotation axes
- rotational symmetry 3
- rotational-symmetry elements **5**
- rotoinversion axis **4**
- rubrene (5,6,11,12-tetraphenyltetracene,  $\text{C}_{42}\text{H}_{28}$ ) 443
- rule of parsimony **34**
- Russell–Saunders coupling **249**, 275
- s/p/d/f*-wave pairing 495
- SALC, see symmetry-adapted linear combinations
- sapphire ( $\text{Al}_2\text{O}_3:\text{Fe}^{2+}, \text{Ti}^{4+}$ ) 260, 288
- saturation moment,  $\mu_{\text{sat}}$  **361**
- saturation polarization **316**
- saturation regime **420**
- saturation resistivity 645
- Schottky defect **55**, 60, 533
- Schottky intrinsic defect pair, see Figure 3.1
- screw axis **9**
- screw dislocation **66**
- secondary batteries **531**
- secondary building units (SBUs) **583**
- second-harmonic generation 313, **330**, 332, 333, 334
- second-order Jahn–Teller (SOJT) distortion **189**, 280, 325–330
- second-order phase transition **136**
- segmental motion **544**
- Seitz operator **9**
- Seitz symbol 9
- selectivity **594**
- self diffusion 104, 106
- self-activating phosphors **269**, 284
- semimetal **223**, 446
- sensitizer **268**, 282, 283, 285, 292
- shape-memory alloys **71**
- shape-selective catalysis **591**
  - product-selective catalysis **592**
  - reactant-selective catalysis **591**
  - transition-state-selective catalysis **592**
- shear plane **74**, 75
- shell **162**
- Si:Al ratio 587
- silicates, oligo-, cyclo-, catena-, phyllo-, tecto- **45**
- silicate nomenclature 661
- branchedness **661**

- multiplicity **661**
- dimensionality **661**
- periodicity **661**
- silicon 230, 306, **397**, 415, 416, 418, 422, 424, 427
- silver cobalt cyanide see  $\text{Ag}_3[\text{Co}(\text{CN})_6]$
- silver iodide, see  $\text{AgI}$
- silver 397, 398, 414
- similarity (network-based) 30
- single-molecule magnets **391**
- $\text{SiO}_2$  cristobalite 135
- $\text{SiO}_2$  quartz 135
- $\text{SiO}_2$  tryidymite **135**
- $\text{SiO}_2$  121
- site ordering **30**, 72
  - diamond–sphalerite, see Figure 1.38
  - lonsdaleite–wurtzite, see Figure 1.38
  - polonium–sodium chloride, see Figure 1.38
- site, see Wyckoff site
- Slater–Pauling rule of localized ferromagnetism **478**
- slip plane **66**
- $\text{SmCo}_5$  structure type, see Figure 1.46
- $\text{SmO}_{1-x}\text{F}_x\text{FeAs}$  521
- $\text{Sn}_{1.17}\text{NbS}_{3.17}$  78
- Snell’s law 627
- sodalite cage **47**, **581**
- sodalite 257, 581
- sodium aluminum hydride ( $\text{NaAlH}_4$ ) 56
- sodium  $\beta$ -alumina 540
- sodium sulfur battery 541
- soft magnets **379**
- soft mode **149**
- sol **601**
- sol-gel synthesis **600**
- solid acids **588**, 589
- solid-oxide fuel cell (SOFC) 549
- solid solubility 94
- solid solution 55, **63**, **121**, 128, 568
  - solid-solution limit **65**
- solid electrolyte interphase (SEI) **562**
- solidus **124**
- soliton **440**
- solvus **129**
- space groups **8**, 656
  - absent or extinct Bragg reflections **658**
  - asymmetric unit **658**
  - coordinates **658**
  - diagram **656**
  - generators selected **658**
  - multiplicity **658**
  - non-symmorphic **8**
  - order 659
  - origin placement **658**
  - positions **658**
  - reflection conditions **658**
  - site symmetry **658**
- subgroups and supergroups **659**
- subgroups, klassengleiche **660**
- subgroups, maximal isomorphic, of the lowest index **660**
- subgroups, maximal non-isomorphic **660**
- subgroups, proper **659**
- subgroups, translationengleiche **660**
- subgroups’ dilution index **660**
- supergroups, minimal non-isomorphic **660**
- symmetry elements, graphical symbols **656**
- symmetry operations **658**
- symmorphic **8**
- Wyckoff letter **658**
- space-group symbols 11
  - standard 11, 12
- spectroscopic term, see term symbol
- speed of light in vacuum in SI **672**
- sphere packing, see packing of spheres
- spin-density wave 506
- spin flip, in antiferromagnet 373
- spin glass **357**, **387**
- spin glass, reentrant **388**
- spin polarization,  $P$  **458**
- spin quantum number **162**, 250
- spin selection rule **256**
- spin valve 457
- spinel 38
- spin-only moment, strong-field limit **362**
- spin-only moment, weak-field limit **362**
- spin-orbit coupling 249, 291, **359**
  - strong-field limit **363**
  - weak-field limit **362**
- spin-pairing energy **186**, 375
- spintronics 457
- spontaneous magnetization **377**
- SQUID magnetometer 670
- $\text{Sr}_{0.1}\text{La}_{0.9}\text{AlO}_3$  553
- $\text{Sr}_{0.4}\text{K}_{0.6}\text{BiO}_3$  511
- $\text{Sr}_{0.73}\text{CuO}_2$  80
- $\text{SrFeO}_3$  462
- $\text{SrGa}_2$  Zintl phase 48
- $\text{SrTiO}_3$  147, 149, 194, 233, 236, 303, 312, 325, 326, 327, 434
- stacking faults **67**, **68**
- stacking sequence 19
- staging **557**
  - stage-1 and stage-2 557
- standard atmosphere in SI **672**
- standard-state pressure in SI **672**
- static dielectric constant **307**
- steady-state diffusion **100**
- Stokes shift **270**, 271, 272, 277, 280
- strain 140
- strongly correlated materials **429**, 520
- structure directing agent **587**
- structures of metals 22

## 686 Index

- stuffed silica 580
- subshell **162**, 167, 168, 274, 360
- substitutional disorder **55**, 61, **136**
- supercapacitors **571**
- supercell **31**
- superconducting dome 504
- superconducting gap 493, **496**, 497
- superconducting levitation 492
- superconducting transition 498
- superconductivity 486
- supercooled state 122
- supercooling **634**
- supercritical fluid **122**
- superelasticity **72**
- superexchange **374**
- superferromagnets **384**
- superionic conductors see fast ion conductors
- superstructure **31**
- supported catalysts 599
- surface structure (versus bulk structure) 22, 37
- switching field **316**
- symmetry breaking, see symmetry lowering
- symmetry elements rotational, see rotational-symmetry elements
- symmetry elements translational, see Bravais lattices
- symmetry forbidden **175**, 189, 226
- symmetry lowering **137**, 138
- symmetry operations 3
- symmetry-adapted linear combinations **178–179**, 183, 184, 202
- system **120**
- Tanabe–Sugano diagram **281**
- temperature coefficient of resonant frequency **312**
- tempering of glasses **626**
- template molecules **586**, 587
- tension effect 602
- term symbol **250**, 252
- ternary phase diagram **131**
- tessellation (in 3D space) **648**
- tetracyanoquinodimethane (TCNQ) 444
- tetrahedral holes **22**
  - fractional filling, see Figure 1.5
  - full filling, see Figure 1.5
- tetrathiofulvalene (TTF) 444
- thermal conductivity 642
- thermal expansion 602
- thermal quenching temperature **273**
- thermal quenching **272–274**, 277
- thermal stimulation of luminescence, see
  - thermoluminescence
- thermal vibration 101
- ThrCr<sub>2</sub>Si<sub>2</sub> structure 522
- tight-binding methods **202**
- tiling **583**
- time-independent Schrödinger equation 161, 402
- TiO<sub>x</sub> 75, 76
- TiS<sub>2</sub> 559
- titanium disulfide, see TiS<sub>2</sub>
- TlBa<sub>2</sub>Ca<sub>n-1</sub>Cu<sub>n</sub>O<sub>2n+3</sub> 516
- TlBa<sub>2</sub>Ca<sub>n-1</sub>Cu<sub>n</sub>O<sub>2n+4</sub> 516
- TMTTF 508
- top seeded solution growth **342**
- topology of glasses **622**
- total angular-momentum quantum number **251**
- total external reflection **628**
- total internal reflection **627**, 628, 631
- transference number (*t<sub>i</sub>*) of a point defect **107**
- transition temperature **135**
- translational symmetry **2**
- translationengleiche subgroup 70, **660**
- transport half-metalllicity **475**
- transverse mode 147
- triangle rule **132**
- tricritical transition **147**
- triple point **122**
- TS-1 593, 600
- TTF[Ni(dmit)<sub>2</sub>]<sub>2</sub> 509
- TTF–TCNQ 444, 506
- tungsten trioxide, see WO<sub>3</sub>
- tunneling magnetoresistance **472**
  - between two separated epitaxial films 473
  - in a powder compact **473**
- turbostratic disorder **68**
- twinning 68
  - deformation twins **69**
  - growth twins **69**
  - transformation twins **70**
  - twin boundary **69**
  - twin categories **69**
  - twin component **68**
  - twin domain **68**
  - twin law **68**
  - twin variants **70**
- two-level tunneling model **643**
- type-I superconductor **490**
- type-II superconductor **491**
- ultrastable zeolite Y 588
- unconventional superconductors **492**
- under- and over-doping 519
- uninodal network **28**
- unit cell **2**
- unit conversions in magnetism 355, 356
- unit-cell parameters **2**
- universal low temperature states 639, 642
- up-conversion photoluminescence **268**, 285
- upper consolute temperature **130**
- Urbach tails 646
- UV tail (in glass fibers) **631**

- vacancy clustering **58**, 66, 77
- vacancy trapping **552**
- vacancy **54**
- vacuum permeability, see magnetic constant
- valence bands **213**
- valence mixing, preservation of degeneracy **461**
- valence-mixed state **459**
- valence-sum rule **191**, 192
- van der Waals forces **159**, 447, 559
- vanadium disulfide, see  $\text{VS}_2$
- variance, see degrees of freedom
- $VECA$  (valence-electron count per atom A) **17**
- Vegard's law **63**
  - positive deviation **64**
  - negative deviation **64**
- vertex augmenting, see vertex decoration
- vertex decoration **31**
- vertex symbol **28**, **583**
- Verwey transition **459**
- vibration (thermal), see thermal vibration
- vibronic coupling, see electron–phonon coupling
- virtual phonon **494**, **495**
- Vogel–Fulcher–Tammann equation **544**, 639, 641
- Vogel–Fulcher–Tammann temperature **640**
- volume susceptibility, see magnetic susceptibility, volume
- vortex pinning **492**
- vortex state **491**, **492**
- VPI-5 **596**
- $\text{VS}_2$  **558**
- Wadsley defect **74**
- water softening **594**
- wave vector **148**, **217**, **219**, **408**, **494**
- wavefunction **161**–**166**, **169**, **170**, **171**, **202**, **203**, **204**, **217**
- weak backscattering **646**
- Weiss constant,  $\theta$  **369**
- wide nonstoichiometry **98**
- $\text{WO}_3$  **74**, **234**, **235**, **326**
- $\text{WO}_{3-x}$  **74**
- Wyckoff site **12**
  - general position **12**
  - special positions **12**
- xerogel **601**
- X-ray absorption fine structure (EXAFS) **318**
- $\text{Y}_3\text{Al}_5\text{O}_{12}$ , see yttrium aluminum garnet
- $\text{YBa}_2\text{Cu}_3\text{O}_7$  synthesis **515**
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$  **98**, **108**, **112**, **134**, **511**, **513**
- $\text{YBaFe}_2\text{O}_5$ , charge ordered **460**
- $\text{YBaFe}_2\text{O}_5$ , valence mixed **460**
- YBCO superconductors, see  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$
- $\text{YO}_{1-m}\text{F}_{1+2m}$  **80**
- yttria-stabilized zirconia (YSZ) **552**
- yttrium aluminum garnet ( $\text{Y}_3\text{Al}_5\text{O}_{12}$ ) **293**, **310**
- yttrium barium copper oxide, see  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$
- Zachariasen rules **625**
- Zeeman effect **358**
- Zeeman splitting, see Zeeman effect
- zeolite catalysts **588**
- zeolite A **582**
- zeolites **46**, **579**
- zeolite X **583**
- zeolite Y **583**
- zeotypes **579**
- zero resistance **486**, **498**
- zero-field splitting **365**
- zero-point energy **160**
- Zintl phases **47**
- Zintl–Klemm concept **47**
- zirconia ( $\text{ZrO}_2$ ) **552**
- zirconium tungstate ( $\text{ZrW}_2\text{O}_8$ ) **130**, **602**
- $\text{ZrO}_2$ , see zirconia
- $\text{ZrW}_2\text{O}_8$ , see zirconium tungstate
- ZSM-18 **587**