

Index

- 2RM, 135
- Abnormal, 143
 Abnormality degree, 144
 ABox, 19
 simple, 175
 Absorption, 102
 Abstract feature, 134, 229
 \mathcal{AL} , 232
 \mathcal{ALC} , 10, 107, 117, 232
 \mathcal{ALCEU} , 232
 \mathcal{ALCL} , 39, 90
 \mathcal{ALCO} , 41
 \mathcal{ALCOI} , 123
 \mathcal{ALCQ} , 40
 \mathcal{ALCOIQ} , 125
 \mathcal{ALEU} , 233
 And-branching, 101
 Annotation, 221
 property, 221
 Anonymous individual, 219
 $\text{ans}(q, \mathcal{I})$, 170
 Answer, 173
 to conjunctive query, 170
 to Datalog program, 194
 Assertion
 concept, 19
 negated role, 209
 role, 19
 Atomic query, 193
 Axiom
 complex role inclusion, 209
 equivalence, 18
 general concept inclusion, 18
 role antisymmetry, 209
 role disjointness, 209
 role inclusion, 42
 role irreflexivity, 209
 role reflexivity, 209
 role symmetry, 209
 role transitivity, 43, 209
- Backjumping, 103
 Bisimilar, 51
 Bisimulation, 51
 Blank node, 219
 Blocking, 84
 double, 99
 equality, 92
 pairwise, 99
 subset, 92
 Boolean game
 finite, 113
 infinite, 120
 Bottom property, 213
 Bounded model property, 61
- Canonical interpretation
 \mathcal{EL} , 149
 \mathcal{ELI} , 156
 $\text{cert}(q, \mathcal{K})$, 171
 Certain answer, 171
 Chase, 180
 Clash, 72, 95
 Classification, 35
 Classification rules
 \mathcal{EL} , 147
 \mathcal{ELI} , 152
 Closed set of concepts, 58
 Combined complexity, 200
 Completeness, 150, 158
 for a complexity class, 107
 Concept, 10
 atomic, 12
 compound, 12
 defined, 24
 definition, 23, 24
 description \mathcal{ALC} , 11
 description \mathcal{SROIQ} , 211
 language, 11

- name, 11
- Concrete domain, 105, 134, 214, 228
- Concrete feature, 134, 229
- Conjunction, 11, 12
- Conjunctive query, 169
 - Boolean, 174
 - pure, 172
- Consequence-based reasoning, 141
- Conservative extension, 145
- Consistency, 28
 - acyclic \mathcal{ALC} KB, 82
 - \mathcal{ALC} ABox, 72
 - \mathcal{ALC} KB, 83
 - \mathcal{ALCIN} KB, 90
- Contextual semantics, 220
- Convex, 164
- Counter model (against query), 173
- CQ, 169
- CRIA, 209

- d -path, 64
- DAML+OIL ontology language, 4, 205
- Data complexity, 200
- Data property, 215
- Data range, 214
- Datalog, 193, 223
- Datalog[±], 199
- Datalog-rewriting, 194
- Datatype, 214
 - definition, 215
 - facet, 214
 - map, 214
 - oracle, 215
 - XML Schema, 214
- Declaration, 215
- Definition, 24
- Definitorial power, 24
- Description logic programs, 223
- Deterministic algorithm, 73
- Disjoint union, 56
 - closure under, 56
 - countably infinite, 56
 - n -fold, 56
- Disjunction, 12, 13
- DL-Lite, 177, 223
- Double blocking, 99

- EDB relation, 193
- \mathcal{EL} , 140, 141, 232
- $\mathcal{EL}\text{-}\mathcal{T}$ -i.sequent, 160
- \mathcal{ELI} , 141, 151, 195, 233
- \mathcal{ELIRO} , 233
- Enhanced traversal, 104
- Equivalence, 28
- Expansion rules
 - \mathcal{ALC} ABox, 73
 - \mathcal{ALC} KB, 84
 - \mathcal{ALCI} , 91
 - \mathcal{ALCN} , 95
- Expressive power, 53
- Extension, 11, 14
 - conservative, 145

- Facet, 214
- FaCT reasoner, 5, 105
- FaCT++ reasoner, 5, 105
- Feature
 - abstract, 134, 229
 - concrete, 134, 229
- Feature chain, 135, 228
- Filtration, 59
- Finite model property, 57
- First-order logic
 - guarded fragment, 46
- First-order logic
 - two-variable fragment, 46
- \mathcal{FL}_0 , 140
- Fmp, 57
- FO query, 173
- FO-rewriting, 175
- Forest model property, 72

- Gaifman locality, 176
- GCI, 18
- General concept inclusion, 18

- Hardness for a complexity class, 107
- HermiT reasoner, 7, 102, 105
- Homomorphism, 181, 189
- Horn DL, 167
- Horn- \mathcal{SHIQ} , 167
- Hypertableau, 102, 105

- i.normal form, 151
- i.normalised, 151
- i.saturated \mathcal{ELI} TBox, 155
- i.sequent, 152
 - \mathcal{EL} , 160
- IDB relation, 193
- Import, 221
- Incomplete information, 22
- Individual
 - ancestor, 77
 - anonymous, 219
 - descendant, 77
 - equality, 93
 - inequality, 93
 - predecessor, 77
 - root, 77
 - successor, 77
 - tree, 77
- Instance, 28
- Instance retrieval, 35
- Interpretation, 13

- canonical, 149, 156
- Key, 218
- Knowledge base, 21, 212
 - SROIQ*, 212
- Konclude reasoner, 105
- KRIS reasoner, 5, 105
- Lazy unfolding, 82, 102
- Literal, 214
- Lower bound (complexity), 107
- Manchester syntax, 207
- Match (of conjunctive query), 170
- Merging (individual names), 94
- Metamodelling, 220
- Modal logic, 46
- Model
 - finite, 57
 - of a concept, 57
 - of a knowledge base, 21
 - of a TBox, 18
 - of an ABox, 20
 - universal, 180
- Model merging, 104
- Monotonic, 31
- MORe reasoner, 105
- Negated role assertion, 209
- Negation, 12
- Negation normal form (NNF), 71, 93, 109
- NI-closure, 178
- Nominal, 41, 105, 123
- Nondeterminism, 73
- Nondeterministic algorithm, 73
- Normal form, 142
- Normalisation rules
 - \mathcal{EL} , 142
 - \mathcal{ELI} , 152
- Normalised
 - ABox, 71
 - \mathcal{EL} TBox, 142
 - knowledge base, 83
 - TBox, 83
- Number restriction, 105, 125
 - qualified, 105
- OBDA, 226
- Object property, 215
- OBO, 226
- OIL ontology language, 4, 205
- Ontology document, 221
- Ontology language
 - DAML+OIL, 4, 205
 - OBO, 226
 - OIL, 4, 205
 - OWL, 4, 5, 105, 205
 - Ontology-based data access, 6, 202
 - Ontology-mediated querying, 6, 168
 - Open world assumption, 23
 - Optimisation
 - absorption, 102
 - backjumping, 103
 - enhanced traversal, 104
 - heuristics, 74
 - lazy unfolding, 102
 - model merging, 104
 - Or-branching, 101
 - OWL
 - API, 223
 - class, 207
 - declaration, 215
 - direct semantics, 208
 - DL ontologies, 208
 - EL, 222
 - Full, 208
 - functional-style syntax, 207
 - Lite, 222
 - Manchester syntax, 207
 - ontology language, 4, 5, 105, 205
 - profile, 222
 - QL, 223
 - RDF-based semantics, 208
 - RL, 223
 - Pairwise blocking, 99
 - Path, 64
 - Pellet reasoner, 5, 105
 - Predicate restriction, 135, 228
 - Profile, 222
 - Property
 - annotation, 221
 - data, 215
 - object, 215
 - Property (P2), 88
 - Protégé, 4, 224
 - Pruning, 95
 - Punning, 220
 - RACER reasoner, 5, 105
 - RBox, 209
 - regular, 211
 - RDF, 206
 - blank node, 219
 - class, 207
 - graph, 206, 207
 - property, 207
 - triple, 206
 - RDF Schema (RDFS), 207
 - Realisation, 35
 - Reasoner
 - CEL, 6, 224
 - ELK, 6, 224

- EOLO, 224
- FaCT, 5, 105
- FaCT++, 5, 105, 224
- GraphDB, 224
- Grind, 7, 224
- HermiT, 7, 102, 105
- KARMA, 7, 224
- Konclude, 7, 105, 224
- KRIS, 5, 105
- Mastro, 6, 224
- MORE, 105
- Ontop, 6, 224
- Oracle's RDF store, 224
- Pellet, 5, 105, 224
- RACER, 5, 105
- RDFox, 224
- REQUIEM, 224
- SnoRocket, 6, 224
- Reasoning service, 34
- Restriction
 - exact number, 40
 - existential, 12, 13
 - number, 40
 - qualified number, 40
 - value, 12, 13
- RIA, 42
- Role
 - antisymmetry axiom, 209
 - depth, 111
 - disjointness axiom, 209
 - filler, 11, 14
 - inclusion axiom, 42
 - complex, 105, 209
 - inverse, 38, 105, 123
 - irreflexivity axiom, 209
 - name, 11
 - reflexivity axiom, 209
 - simple, 211
 - symmetry axiom, 209
 - transitivity axiom, 43, 209
 - value map, 130
- Rolling up, 219
- Root, 63
- Root individual, 77
- Rules
 - ACC* axiom unfolding, 82
 - ACC* expansion, 73, 84
 - ACCI* expansion, 91
 - ACCN* expansion, 95
 - classification, 147
- S, 232
- S-filtration, 59
- S-type, 58
- Satisfiability, 28, 35
- Saturated \mathcal{EL} TBox, 148
- Self restriction, 212
- Semantic web, 4, 5, 206
- Sequent
 - \mathcal{EL} , 147
 - \mathcal{ELI} , 152
- SHIQ*, 205, 233
- Simple role, 211
- Size
 - of concept, 58
 - of TBox, 58
- SNOMED CT, 226
- Solution (tiling problem), 126, 131
- Soundness, 149, 155
- SPARQL, 224
- SRCIQ*, 5, 105, 209, 233
- Subconcept
 - of concept, 58
 - of TBox, 58
- Subsumption, 28
 - hierarchy, 35
- \mathcal{T} -i.sequent, 152
- \mathcal{T} -sequent, 147
- Tautology, 31
- TBox, 18
 - acyclic, 24, 108
 - classical, 122
 - simple, 110
- Tiling problem, 126, 131
- Top role, 209
- TopBraid Composer, 225
- Trace technique, 81
- Tree, 63
- Tree individual, 77
- Tree model, 63, 108
- Tree model property, 65, 71, 72
 - ACC*, 72
- Two-register machine, 135
- Type, 58, 110, 117
 - bad, 118
 - elimination, 117
- Unfolding
 - acyclic TBox, 26
 - ACC* axioms, 82
 - lazy, 82, 102
- Unique name assumption, 20
- Universal role, 209
- Unravelling, 64, 99
- Upper bound (complexity), 107
- W3C, 206
- Winning strategy, 114, 120
- Witness, 70
- Yo-yo (tableau algorithm), 94