

Cambridge University Press

978-0-521-87498-4 - Depersonalization: A New Look at a Neglected Syndrome

Mauricio Sierra

Index

[More information](#)

Index

- abreactive techniques 126–128
- absorption 37
- abuse, history of, risk factor 4, 55, 107–108, 124–125
- ‘action feelings’, Löwy 14
- ‘active process’ hypothesis, Janet 16–17
- ‘acute stress disorder’ 71
- affective disorders 76
- affectivity, pathology of 13–14
- agency feelings, loss of 29–30
 - neural correlates of 145–146
- akathisia 78
- Alice in Wonderland syndrome 92
- alienation from surroundings 38–39
- amygdala
 - effects of amygdalotomy 147
 - role in emotion perception 144
- anhedonia 38–39
- anterior insula 144–145
- anxiety
 - anxiety disorders 72–73
 - anxiety neurosis 89
 - and flashbacks 67
 - phobic-anxiety depersonalization syndrome (PADS) 19, 72
 - reduced following onset of DP 52
 - social anxiety 19, 51, 74–75
 - versus fear, Freud 33
- asomatognosia 15, 151–152
- assessment
 - Cambridge Depersonalization Scale (CDS) 57–58, 161
 - interview techniques 56
 - rating scales 56–57
 - Fewtrell Depersonalization Scale (FDS) 58
- attentional difficulties 34, 37–38
- autobiographical memories
 - cultural differences in 103–104
 - ‘know/remember’ components of 33–34
 - ‘observer perspective’ 34
- autonomic responses 132–135
- autoscopie hallucinations 30
- avoidance reduction 129
- avoidant personality disorder 80
- belonging, sense of, protective factor 108
- bipolar disorder, manic state 76
- body experiences
 - anosognosia 15–16
 - asomatognosia 15, 151–152
 - awareness, distortions of 10–11
 - disembodiment feelings 30, 136, 146
 - image vs. schema 15
 - ownership, lack of feelings of 28–29
 - perceptual distortion of 30–31
- borderline personality disorder 55, 81, 118
- caffeine, effects of 116
- Cambridge Depersonalization Scale (CDS) 57–58, 161
- cannabis
 - altering perception of time 36, 114
 - cannabis receptor antagonists 120
 - disruptive effect on serotonergic neurotransmission 114
 - dose-dependent effects of 114
 - and flashbacks 65–67
 - inducing persistent depersonalization 63–64
- Capgras syndrome 79, 143–144
- catastrophic assumptions, challenging 129–130
- ‘challenge’ studies, serotonin 113–114
- children’s descriptions of onset 35, 50–51
- church attendance, protective factor 108
- classification debate 19–20
- ‘clinician’s illusion’ 54
- clomipramine treatment 115
- clonazepam, beneficial effects of 115–116

Cambridge University Press

978-0-521-87498-4 - Depersonalization: A New Look at a Neglected Syndrome

Mauricio Sierra

Index

[More information](#)**170 Index**

- cognitive-behavioural therapy (CBT) 128–130
- collectivism/collectivist cultures 103
 - ‘collectivistic’ self-representations 108
 - fewer panic symptoms and lower prevalence of depersonalization 104–105
 - importance of social context 103–104
 - and sense of belonging 108
- comorbidity *see* psychiatric comorbidity
- control, fear of losing 80–81, 106–107, 108, 124
- cortico-limbic disconnection syndromes 147
- cultural differences 101–109
- de-affectualization 32–33
- de-ideation 33–34
- déjà-vu experiences 12–13
- delusions 76–77, 78–79
- depersonalization 1, 2
 - confirmation of existence of 2–3
 - diagnosis of 55–56
 - DSM-IV definition 7
 - Dugas’ definition 9
 - spectrum of severity 44
 - ‘normal’ 44–47
 - ‘pathological’ 47–48
 - ubiquity of 1–2
- depersonalization disorder 48–49
 - criteria 50
 - course of illness 52
 - demographic profile 50
 - onset of 50–52
 - predisposing factors 55
 - prevalence of 53–54
 - psychiatric comorbidity 53
 - main features of 49
- depression 75
 - comorbidity and prevalence 75–76
 - and formation of psychotic delusions 76–77
 - and poor treatment outcome 4, 77
 - and serotonergic antidepressants 114–117
- derealization 4, 18–19
 - alienation from surroundings 38–39
 - DSM-IV definition 7, 19
 - following traumatic events 70
 - ICD-10 definition 3, 19
 - prevalence in general population 46–47
 - in schizophrenia, cultural differences 102
 - structured clinical interview for 58–59
 - visual hypoemotionality as neurological model of 147–150
- descriptive psychopathology
 - attempts to describe symptoms 24–25, 55–56
 - syndrome conception 25–27
 - see also* symptom domains
- desomatization 28
 - asomatognosia as model of 151–152
- diagnosis 55–56
 - in epileptic patients 91
 - misdiagnosis, reasons for 3, 54
 - rating scales 56–57
 - Cambridge Depersonalization Scale (CDS) 57–58, 161
 - Fewtrell Depersonalization Scale (FDS) 58
- structured interviews
 - SCI-DER 58–59
 - SCID-D 58
- diary keeping 129
- dimensional/spectrum view 4, 44
- disclosure, reasons for fearing 54
- disease link 48
- disembodiment feelings 30, 136, 146
- dissociation/dissociative disorders 19–20
 - cultural differences in prevalence 102
 - dimensional model and critics of 20
 - dissociative identity disorder (DID) 79
 - DSM definitions 19–20
 - effect of opioid antagonists 118
 - and epilepsy 89
 - structured clinical interview (SCID-D) 58
 - wide variation in prevalence of 101
- dizziness 94, 95
- drug-induced depersonalization 63–67, 107
- DSM-IV
 - classification debate 19–20
 - definitions of depersonalization and derealization 7
 - structured clinical interview for dissociative disorders (SCID-D) 58
- Dugas, Ludovic 9, 38
 - challenge to sensory theory 11
 - déjà-vu as ‘double consciousness’ 12–13
 - depersonalization as a form of apathy 14
- duration, alterations in sense of 36
- ‘embodiment’ feelings, role of posterior insula 145–146
- emotional abuse in childhood, risk factor 55, 108, 124–125
- emotional feelings, anterior insula involvement 144–145
- emotional numbing 32–33, 142
 - and depression 75
 - effect of opioid antagonists 118

- and ‘emotion colouring’ component of perception 143–144
- fMRI studies 136, 138–139
- and fronto-limbic suppression 146
- and ketamine 116
- and unreality feelings about body parts 142–143
- empathy, affective and cognitive 32
- emptiness, feelings of 16–17
 - mind emptiness 37–38
- epidemiological studies *see* prevalence of depersonalization
- epilepsy 88–91
- faculty psychology, theories based on 11–12
- false memories 9, 12
- familiarity feelings, disturbance in 12–13
- ‘fear of losing control’ 80–81, 106–107, 108, 124
- fear vs. anxiety, Freud 33
- Fewtrell Depersonalization Scale (FDS) 58
- flashbacks 64
 - and anxiety 67
 - and drug-induced depersonalization 64–65
 - and hallucinogenic drugs 64
 - psychological causes 65–66
- fluoxetine treatment 115
- ‘fronto-limbic’ model 152–154
- functional neuroimaging studies 135–139
- galvanic skin response (GSR), changes in 132–133
- glutamate 116–117
- Griesinger, W. 7–8, 88–89
- head trauma 93–95
- headaches *see* migraine
- ‘hemidepersonalization’ 151–152
- Heymans, G. 13
- history of concept 7
 - construction of term 9
 - current classification debate 19–20
 - early descriptions 7–9
 - early theories
 - affective problems 13–14
 - based on faculty psychology 11–12
 - body image 15–16
 - memory impairment 12–13
 - psychodynamic perspective 17–18
 - self-experience 16–17
 - sensory hypothesis 10–11
 - inter-war period 18–19
- hypersomnia 96–98
- ICD-10 definition 3, 19, 53
- imagery, subjective impairment of 34–35
- ‘implicit support’, protective factor 108
- incompleteness, experience of 16
- India, low prevalence of ‘dissociative disorders’ 101
- individualism/individualistic cultures 103
 - and greater ‘fear of losing control’ 106–107, 108
 - and higher prevalence of depersonalization 104–105
 - perceptual bias against context 103–104
- insula
 - anterior insula and emotion 144–145
 - fMRI studies 136, 138–139
 - posterior insula and ‘embodiment’ feelings 145–146
- interviews
 - structured clinical 58–59
 - unstructured techniques 56
- Janet, Pierre
 - ‘active process’ hypothesis 16–17
- Jaspers, K. 17, 36
- kappa opioid receptor antagonists 120
- ketamine
 - aggravating early PTSD 71–72
 - inducing depersonalization 116
- Kleine-Levin syndrome (KLS) 97
- Kraepelin, E. 12
- lamotrigine as add-on therapy 116–117
- life-threatening situations 70–71, 153
- limbic structures, reduced activation 138, 146, 153
- ‘loss of agency’, feelings of 29–30
- LSD, reactions to 64, 65, 66
- marijuana *see* cannabis
- Mayer-Gross, W. 18–19
- memory disturbance theories 12–13
- metaphors 11, 24–25, 55, 56
- migraine 91–93
- mind emptiness, experience of 37–38
- misdiagnosis, reasons for 3, 54
- mood disorders 75–77
- naloxone therapy 117, 118–119
- naltrexone therapy 118, 119
- neglect, history of 73–74, 107–108

Cambridge University Press

978-0-521-87498-4 - Depersonalization: A New Look at a Neglected Syndrome

Mauricio Sierra

Index

[More information](#)**172 Index**

- neurobiology 4, 132
 - amygdala, role in emotion perception 144
 - anterior insula and emotional feelings 144–145
 - cortico-limbic disconnection syndromes 147
 - pain asymbolia 150–151
 - emotional numbing 142–143
 - model of depersonalization 152–154
 - neuroimaging findings 135–139
 - perception, emotional component of 143–144
 - posterior insula and ‘embodiment’ feelings 145–146
 - psychophysiological research 132–135
 - visual hypoemotionality and derealization 147–150
- neuroimaging 135–139
- neurology 88
 - epilepsy 88–91
 - head trauma 93–95
 - migraine 91–93
 - sleep disorders 96–98
 - vestibular disease 95–96
- ‘normal’ depersonalization 44–47
- ‘observer perspective’ remembering 34
- obsessive-compulsive personality disorder 80–81
- onset of depersonalization 44–45, 50–52
- opioid system 117–118
 - effect of opioid antagonists 118–120
- out-of-body experiences 30
- pain 47
 - and flashbacks 65
 - increased detection threshold 118
 - loss of emotional feelings 32, 49
 - pain asymbolia 150–151
- panic attacks 73–74
 - childhood trauma predisposing to 107–108
 - reduction of following onset of depersonalization 52
- panic disorder 74
 - depersonalization and ‘fear of losing control’ link 106–107
 - transcultural review of studies 104–105
- passivity experiences 79
- perception
 - distortion of body parts 30–31
 - emotional component of 143–144
 - perceptual bias experiments 104
 - self-perception, cultural influences 103
 - sensory hypotheses 10–11
- peritraumatic dissociation 71
 - relationship with PTSD 71–72, 94
- personality disorders 80
 - avoidant personality disorder 80
 - borderline personality disorder 81
 - obsessive-compulsive personality disorder 80–81
- pharmacological approaches 113
 - clinical subgroups, importance of defining 120
 - glutamate 116–117, 119
 - new drugs 120
 - opioid system 117–118
 - effect of opioid antagonists 118–119
 - serotonergic involvement 113
 - antidepressant treatment 114–116
 - ‘challenge’ studies 113–114
- phobic-anxiety depersonalization syndrome (PADS) 19, 72
- post-traumatic stress disorder (PTSD)
 - opioid antagonists improving ‘dissociative’ symptoms 118
 - and peritraumatic dissociation 71–72, 94
- posterior insula 145–146
- prefrontal brain regions, inhibitory effect on limbic system 153
- predisposing factors 55
- pre-psychotic states 78–79
- prevalence of depersonalization 53
 - cultural differences 101, 102–105
 - dissociative identity disorder patients 79
 - during life-threatening situations 70–71
 - in general population 46–47
 - young people 44
 - in patients with mood disorders 76
 - in patients with vestibular dysfunction 95
 - in psychiatric patients 48, 69
 - wide variation in 101
 - ‘rare disease’ belief 3, 53–54
 - reasons for 54
- prosopagnosia 143, 147
- protective response theory 71, 72
- psychasthenia 16
- psychiatric comorbidity 69–70
 - acute stress
 - acute dissociative responses to trauma 71–72
 - during life-threatening situations 70–71
 - anxiety disorders 72–73
 - dissociative identity disorder (DID) 79
 - mood disorders 75–77

Cambridge University Press

978-0-521-87498-4 - Depersonalization: A New Look at a Neglected Syndrome

Mauricio Sierra

Index

[More information](#)

- panic attacks and panic disorder 73–74
- personality disorders 80–81
- pre-psychotic states 78–79
- schizophrenia 77–78
- social anxiety 74–75
- psycho-education 128–129
- psychodynamic perspective 17–18
- psychodynamic therapy 124–126
- psychological treatments 124
 - abreaction 126–128
 - cognitive-behavioural 128–130
 - psychodynamic therapy 124–126
- psychophysiological research 132–135
- psychoses, prodromal depersonalization 78–79
- ‘psychotic re-personalization’ 78–79
- questionnaires
 - Cambridge Depersonalization Scale (CDS) 57–58, 161
 - Fewtrell Depersonalization Scale (FDS) 58
 - Vividness of Movement Imagery Questionnaire (VMIQ) 34–35
 - Vividness of Visual Imagery Questionnaire (VVIQ) 34–35
- recall, impairment in subjective 33–34
- recognition disturbance 13, 143–144
- recurrence of transient episodes 45
- religion and church attendance, protective factor 108
- repetitive transcranial stimulation (rTMS) 153–154
- research, recent resurgence 3–4
- Roth, M.
 - evolutionary adaptation view 19
 - phobic-anxiety depersonalization syndrome (PADS) 19, 72
 - self-consciousness link 51
 - temporal lobe epilepsy 89
- Schilder, P. 1, 44
 - childhood antecedents 125
 - ‘libidinal structure’, body image 15
 - social neurosis 74
 - syndrome conception 18, 25–26
 - vestibular disease 95
- schizophrenia 17–18, 77–78
 - depersonalization during prodromal phase 78
 - derealization in, cultural differences 102
 - seizures 74–75
- ‘self-awareness’
 - and the posterior insula 146
 - Störing’s theory of 13–14
- self-consciousness link 51
- self-esteem, narcissistic regulation 125–126
- self-experience 16–17
 - effect of threat to ‘individual self’ 108
 - Jaspers, K. 17
- self-focussed attention, reducing 129
- self-observation, heightened experience of 18, 31, 74
- self-perception, cultural influences 103
- self-rating scales 56–57
 - Cambridge Depersonalization Scale (CDS) 57–58, 161
 - Fewtrell Depersonalization Scale (FDS) 58
- self-representation, individualistic vs. collectivist 108
- sensory hypotheses 10–11
- serotonergic involvement 113
 - antidepressant treatment 114–116
 - ‘challenge’ studies 113–114
- sleep disorders 96–98
- social anxiety 19, 51, 74–75
- social phobia 74–75, 80
- somatosensory distortions 30–31
- somesthetic auras 92
- SSRI treatment 114–115
- structured interviews 58–59
- sympathetic autonomic nervous system studies 133–135
- symptom domains 45–46
 - alienation from surroundings 38–39
 - anomalies in subjective recall 33–34
 - imagery complaints 34–35
 - mind emptiness experience 37–38
 - time experiences 35–36
 - anomalous body experience 28
 - disembodiment feelings 30
 - feelings of ‘loss of agency’ 29–30
 - heightened self-observation 31
 - lack of body ownership feelings 28–29
 - somatosensory distortions 30–31
 - emotional numbing 32–33, 142–143
- syndrome conception 25–27
- temporal lobe epilepsy (TLE) 89–91
- thought emptiness 12, 37–38
- threat perception 108
 - and fear of losing control 80–81, 106–107
 - role of amygdala 144

174 Index

- time experiences 35–36
 - alterations in sense of duration 36
 - changes in ‘time perspective’ 36
- transcultural studies 101–109
- traumatic experiences
 - dramatic reliving of 126–128
 - during childhood 73–74, 107–108
 - head trauma 93–95
 - life-threatening situations 70–71, 153
 - ‘observers perspective’ recall and avoidance 34
 - ‘peritraumatic dissociation’ 71
 - relationship with PTSD 71–72, 94
 - as a predisposing factor 55
 - protective effect of depersonalization 71
- treatments *see* pharmacological approaches; psychological treatments
- triggers
 - childhood neglect 73–74
 - in general population 45, 47
 - illicit drugs 63–67
 - in pathological cases 47–48
 - perceived threat and fear of losing control 80–81, 106–107
 - see also* traumatic experiences
 - ‘two-neural-network’ model 146
- ubiquity of depersonalization 1–2
- ‘unreality feelings’
 - and temporal discontinuity 36
 - use of term 24, 25, 55
- vertigo 94, 95
- vestibular disease 95–96
- visual hypoemotionality and derealization 147–150
- visual imagery and movement, impairment in 34–35
- visual symptoms during migraine aura 93
- Vividness of Movement Imagery Questionnaire (VMIQ) 34–35
- Vividness of Visual Imagery Questionnaire (VVIQ) 34–35