

Index

- A*, *see* atomic concept
C, *see* concept
 $C_1 \sqcap C_2$, *see* intersection of concepts
 $C_1 \Rightarrow C_2$, *see* trigger rule
 $C_1 \equiv C_2$, *see* equality axiom
 $C_1 \equiv_{\mathcal{T}} C_2$, *see* equivalent w.r.t. TBox
 $C_1 \sqsubseteq C_2$, *see* inclusion axiom
 $C_1 \sqsubseteq_{\mathcal{T}} C_2$, *see* subsumption
 $C_1 \sqcup C_2$, *see* union of concepts
 $C(a)$, *see* concept assertion
P, *see* atomic role
R, *see* role
R, *see* relation of arbitrary arity
 R^* , *see* reflexive–transitive closure of roles
 R^+ , *see* transitive closure of roles
 R^- , *see* inverse role
 $R_1 = R_2$, *see* equality role-value-map
 $R_1 \subseteq R_2$, *see* containment role-value-map
 $R_1 \sqcap R_2$, *see* intersection of roles
 $\mathbf{R}_1 \sqcap \mathbf{R}_2$, *see* intersection of relations
 $R_1 \circ R_2$, *see* composition of roles
 $R_1 \equiv R_2$, *see* equality axiom
 $R_1 \sqsubseteq R_2$, *see* inclusion axiom
 $R_1 \sqcup R_2$, *see* union of roles
 $\mathbf{R}_1 \sqcup \mathbf{R}_2$, *see* union of relations
 $R|_C$, *see* role restriction
 $R(a_1, a_2)$, *see* role assertion
 $\mathcal{T} \models C_1 \equiv C_2$, *see* equivalent w.r.t. TBox
 $\mathcal{T} \models C_1 \sqsubseteq C_2$, *see* subsumption
 $(\$/n:C)$, *see* selection on relations
 $\geq k[\$/i]\mathbf{R}$, $\leq k[\$/i]\mathbf{R}$, *see*
 number restriction on relations
 $\geq n R$, *see* at-least restriction
 $\geq n R.C$, $\leq n R.C$, *see*
 qualified number restriction
 $\leq n R$, *see* at-most restriction
 \perp , *see* bottom concept
 $\Delta^{\mathcal{I}}$, *see* interpretation domain
f, *see* feature chain
 $f_1 \doteq f_2$, *see* agreement
 $f_1 \not\doteq f_2$, *see* disagreement
 $\forall R.C$, *see* value restriction

 $id(R)$, *see* role identity
 $\mu X.C$, *see* least fixpoint operator
 $\neg A$, *see* atomic negation
 $\neg C$, *see* complement of concepts
 $\neg R$, *see* complement of roles
 $\neg \mathbf{R}$, *see* difference of relations
 $\nu X.C$, *see* greatest fixpoint operator
 $\exists R.C$, *see* full existential quantification
 $\exists R.\top$, *see* limited existential quantification
 $\exists[\$/i]\mathbf{R}$, *see*
 existential quantification on relations
 \top , *see* top concept
2+2-SAT, 142
2ATA, *see* two-way alternating tree
 automaton

ABox, 14, 50, **65**, 213, 399
absorption, 350
acceptable solution, 228
accessibility relation, 42, 167, 247
 between intervals, 260
 equivalence, 250
 reflexive and transitive, 167
 transitive, 172
 transitive, serial, and euclidean, 250
 universal, 253
access to knowledge bases
 advanced application, 290
 basic, 287
 concurrent access, 293
 data structure, 292
 notification, 292
 remote access, 293
action-guarded fragment, 174
acyclic TBox, **57**, 59, 95, 133
admissible concrete domain, 242
advanced application access, 290
AE-model, 257
agent, 167
agreement, **103**, 235, 305
 \mathcal{AL} , **52**, 54
 complexity with axioms, 132
 complexity with restricted axioms, 133

- \mathcal{ACC} , 54
 complexity, 125
 \mathcal{ACCB} , 256
 $\mathcal{ACC}(D)$, 240
 \mathcal{ACCFI}_{reg} , **202**, 212
 complexity, 209
 \mathcal{ACCTO}_{reg} , 216
 \mathcal{ACCT}_{reg} , **195**, 200
 complexity, 201
 \mathcal{ACCK} , 252
 \mathcal{ACCN} , **54**, 85, 93
 complexity, 126
 of ABox consistency, 93
 of concept satisfiability, 92
 w.r.t. general inclusion axioms, 94
 \mathcal{ACQI} , 232
 \mathcal{ACQI}_{reg} , 209
 complexity, 213
 \mathcal{ACQO}_{reg} , 216
 \mathcal{AC}_{reg} , 168, **195**, 200
 complexity, 201
 \mathcal{AC}^{trans}
 complexity, 127
 \mathcal{ACE} , 54
 complexity, 117
 \mathcal{ACEN} , 54
 complexity, 126
 ALFRESCO, 491
 $\mathcal{AL-LOG}$, 514
 \mathcal{ALN} , 54, 85, 96
 complexity with restricted axioms, 133
 \mathcal{ALNI} , 227
 $\mathcal{ALN}(\sqcap)$
 complexity, 126
 $\mathcal{AL}(\sqcap)$
 complexity, 121
 Alternating Polynomial Space, 128
 \mathcal{ALU} , 54
 \mathcal{ALUNI} , 229
 $\mathcal{ALU}(\sqcap)$
 complexity, 126
 \mathcal{AL} family, **53**, 54
 AND–OR graph accessibility, 129
 approximation, 273, 276, 281
 arity, 505
 assertion, 50
 concept, *see* concept assertion
 inequality, *see* inequality assertion
 membership, *see* membership assertion
 probabilistic, *see* probabilistic assertion
 role, *see* role assertion
 at-least restriction, 53
 at-most restriction, 53
 AT&T, 419, 421, 429
 atomic
 concept, 7, **51**, **52**
 negation, 52
 relation, 221
 role, 7, **51**
 symbol, **51**
 ATP, 427

 attribute, **103**, 175, 181, 380
 in the ER model, 175, 505
 in XML, *see* XML attribute
 partial, *see* partial attribute
 total, *see* total attribute
 autoepistemic logic, 256
 axiom schema instantiation, 209

 BACK, 113, 319, 323
 backjumping, 362
 backtracking search, 362
 base interpretation, 57
 base symbol, **56**, 98
 basic access to knowledge bases, 287
 basic role, **202**, 209, 234, 235
 Bayesian network, 266
 BCP, *see* Boolean constraint propagation
 belief operator, 246
 Beth's Definability Theorem, 59
 blocking, **94**, 341, 343, 362, 369
 Boolean constraint propagation, **361**, 366
 Boolean operators on roles, **99**, 100, 165, 210,
 224, 508
 bottom-up approach, 274
 bottom concept, 52
 bottom search, **354**, 355
 branching degree, 203
 breadth first search, 354
 Büchi
 acceptance condition, 204
 automaton, 97

 \mathcal{C} , *see* complement of concepts
 \mathcal{C}^2 , 82, 100, 101, 164, 232
 caching, 342, 344, **356**, 358, 369
 CANDIDE, 513
 canonical interpretation, 90
 cardinality constraint, 176, 178, 505
 CARIN, 514
 CarsDirect, 418
 CASE tool, 175, 180, 186
 CCFNF, *see* concept-centered normal form
 CG, 155
 characteristic concept, 187
 CHIMAERA, 295
 \mathcal{C}^k , 164
 clash, 87, **89**, 92
 class, 175
 declaration, 181
 class-based formalism, 40
 CLASSIC, 115, 239, 286, 314, 337, 424, 431,
 460, 513
 classification, 15, 308, 333, 347, 353
 classifier, 309
 CLIN-S, 338
 Clinergy, 446, 453
 closed-world semantics, 65, **75**
 code-based management system, 410
 CODEBASE, 408
 Common Domain Assumption, 78
 common knowledge, 250

- complement
 - of concepts, 8, **53**
 - of roles, **99**, 162, 338
- complete, 90
 - ABox, 87, **89**
- completeness
 - of algorithm, 81, 85, 90
 - of characterization, 83
- composition of roles, **99**, 195, 234
- compound
 - concept, 230
 - role, 230
- computational complexity, 11
- concept, 50, 150
 - assertion, 16, **65**
 - atomic, *see* atomic concept
 - complement, *see* complement of concepts
 - conjunction, *see* intersection of concepts
 - constructor, 51
 - description, 52
 - disjointness, *see* disjointness of concepts
 - disjunction, *see* union of concepts
 - intersection, *see* intersection of concepts
 - language, 3
 - necessary condition, 385
 - negation, *see* complement of concepts
 - partial condition, 385
 - pattern, 277
 - reified, *see* reified concept
 - type, 157
 - union, *see* union of concepts
 - variable, 277
- concept-centered normal form, **97**, 274
- conceptual model, 378
- conceptual graph, 40, 155
 - simple, *see* simple conceptual graph
- conceptual modeling, 503
- concrete domain, 37, **240**
- concurrent access to knowledge bases, 293
- configuration, 26, 286, 296, 417
- conformance, 187
- conjunction
 - of concepts, *see* intersection of concepts
 - of roles, *see* intersection of roles
- connected model property, 200
- coNP-hardness
 - in \mathcal{FL} , 110
- consistency, **72**, 93
 - of knowledge base, *see* knowledge base consistency
- consistent
 - ABox, *see* consistency
 - set of ABoxes, 87
- constant domain assumption, 248, 257
- constraint satisfiability, 363
- containment role-value-map, **102**, 134
- converse*-DPDL, 198, 202
- converse*-PDL, 197, 209
- counting quantifier, 82, 163
- CRACK, 322
- CYC, 449
- cycle, *see* cyclic TBox
- cyclic TBox, **57**, 96, 133
- DAML, 438, 465
- DAML+OIL, 438
- DAML+OIL, 465
- DAML-ONT, 465
- DARPA Agent Markup Language, *see* DAML
- data
 - complexity, 140
 - integration, 517
 - mining, 29
 - model
 - object-oriented, *see* object-oriented data model
 - semantic, *see* semantic data model
 - semistructured, *see* semistructured data model
 - structure
 - access, 292
 - inductive and coinductive, 217
- database, 31, **500**
- Datalog, 503, 514, 524
- default logic, 34, 258
- default rule, 35, 268
- defined
 - concept, **57**, 308
 - subconcept, 388
- definition, 14, **56**, 334
 - necessary, *see* specialization
 - necessary and sufficient, *see* definition
 - non-primitive, *see* definition
 - order, 355
 - primitive, *see* specialization
- definitorial, **57**, 58, 59
- Dell, 418
- dependency set, 363
- description language, 52
- Description Logic courses, 302
- descriptive semantics, **59**, 96, 163, 196
- deterministic-converse-PDL, *see* *converse*-DPDL
- deterministic program, 171
- difference of relations, **221**, 222, 508
- Digital Anatomist, 439, 448
- digital library, 28
- disagreement, 103
- discovery software, 403, 405
- disjointness
 - of concepts, 68
 - of subconcepts, 387
- disjoint union model property, 211
- disjunction
 - of concepts, *see* union of concepts
 - of roles, *see* union of roles
- DLMS, 492
- DLP, 325, 330
- \mathcal{DLR} , 174, **221**, 507
 - complexity, 223
- \mathcal{DLR}_μ , 174, 224
- \mathcal{DLR}_{reg} , 224
- Document Object Model, 189

- Document Type Declaration, *see* XML DTD
DOM, *see* Document Object Model
domain, 175, 463
 of interpretation, *see* interpretation domain
domino problem, *see* tiling problem
DPDL, 198
DPLL, 360
DTD, *see* XML DTD
DWQ, 512
dynamic backtracking, 372
- \mathcal{E} , *see* full existential quantification
edge
 property, *see* property edge
 subclass/superclass, *see*
 subclass/superclass edge
element, *see* XML element
 content, *see* XML element content
 type, *see* XML element type
enhanced traversal, 355
entity, 175, 505
Entity–Relationship
 model, 175, 501, 504
 schema, 175, 506
epistemic
 interpretation, 79
 logic, 35, 247
 model, **79**, 254
 modeling, 400
 operator, 77, **251**, 400
 query, 254
equality, *see* equality axiom
equality axiom, 56
equality role-value-map, **102**, 133
equivalence, *see* equivalent
equivalent
 concepts, 53
 sets of axioms, 56
 w.r.t. TBox, 68
ER, *see* Entity–Relationship
error handling, 297
essential property, 384
exact cover, 117
existential predicate restriction, **242**
existential quantification
 full, *see* full existential quantification
 limited, *see* limited existential quantification
 on relations, **221**, 508
expanding domain assumption, 248
expansion, **58**, 71, 72, 334
explanation, 295, 297, 426
EXPTIME-hardness
 in \mathcal{AL} with axioms, 132
 in PDL, 200
Extensible Markup Language, *see* XML
extension
 function, 219
 of interpretation, 57
extensional knowledge, 13
- \mathcal{F} , *see* agreement, disagreement
FACT, 180, 325, 330, 366, 463
false positive, 405
feature, **103**, 305, 324, 380
 chain, 103, 305
fills, **66**, 216
FINDUR, 287, 301, 460
finite automaton, 96
finite model
 property, 83, 100, 179
 reasoning, 179, 227
finite tree, 281
first-order predicate logic, 54
Fischer-Ladner closure, 198, 204
fixpoint
 construct, *see* fixpoint operator
 in the guarded fragment, 173
 model, 61
 mutual, *see* mutual fixpoint
 operator, 96, 147, 168, 187, **217**
 semantics, **59**, 169, 186, 221
 greatest, *see* greatest fixpoint semantics
 least, *see* least fixpoint semantics
- \mathcal{FL}
 complexity, 109, 126
 $\mathcal{FL}^-(\circ, \subseteq)$, 134
 \mathcal{FL}_0 , **52**, **83**, 95, 96, 274
 \mathcal{FL}_\perp , 84
 $\mathcal{FL}^-\mathcal{E}$
 complexity, 121
 $\mathcal{FL}^-\mathcal{EN}$
 complexity, 112
FLEX, 319
 $\mathcal{FL}^-(\circ, -)$
 complexity, 123
 \mathcal{FL}^- , 52
flow of time, 259
 $\mathcal{FL}^-(\sqcap, \circ)$
 complexity, 122
 $\mathcal{FL}^-(\sqcap, -)$
 complexity, 121
Ford, 419
frame, 5, 152, 463
 system, 2, 41, 152, 305
full existential quantification, 8, **53**
functional
 approach to KR, 13
 dependency, 179
 relation, 172
 restriction, 202
 role, 103
fuzzy
 Description Logic, 36, **266**
 logic, 266
 set, 266
- GALEN, 331, 350, 436, 438, 444
GAMES, 445
generalized terminology, 64
general inclusion, *see* inclusion axiom
general inclusion axiom, *see* inclusion axiom 93
Generic Frame Protocol, 287
gfp, *see* greatest fixpoint
global-as-view, 520

- graded modality, 171, 209
 GRAIL, 337, 442, 447, 449–451, 453
 graph-based approach, 272
 greatest fixpoint, 61, 219
 operator, *see* fixpoint operator
 semantics, **61**, 97, 221, 276
 guarded fragment, 173, 224

 \mathcal{H} , *see* role hierarchy
 HARP, 363
 hierarchy of roles, *see* role hierarchy
 hook, 292
 HTML, 458
 hybrid
 logic, 170
 system, 20

 \mathcal{I} , *see* inverse role
 ICD, 440
 iCOM, 180
 identity of roles, *see* role identity
 identity role, 165
 IMACS, 18, **32**
 incidental property, 384
 inclusion, *see* inclusion axiom
 inclusion axiom, 15, **56**, 334, 452
 in terminology, 64
 individual, 150, **381**
 identifier, 381, 383
 marker, 157
 name, *see* nominal
 value, 382
 inductive learning, 37
 inequality assertion, 87
 infinite tree, 203, 281
 Information Manifold, 522
 inheritance, 150, 175, 181
 by default, 151
 network, 5
 instance checking, 16, **73**, 140
 complexity, 143
 integrity constraint, 35, 255, 258
 intensional knowledge, 13
 inter-schema relationship, 519
 internalization, 128, 163, 166, 199, 201, 225,
 335, 336, 344
 interpretation, **52**, 66
 canonical, *see* canonical interpretation
 domain, 52
 function, 52
 intersection
 of complex roles, 233
 of concepts, 7, 8, **52**
 of relations, **221**, 508
 of roles, 9, **99**, 160, 162, 234
 interval-based temporal model, *see*
 temporal model
 inverse role, 41, **99**, 160, 162, 165, 172, 195,
 324, 343, 413
 IS-A, 5, 30, 392, 448, 506
 between relationships, 179, 506
 in the ER model, 176, 505

 JANUS, 491

K, 42, **247**
K operator, 77
K4_m, 172
 KADS, 439
 KANDOR, 312
 KEE, 18, 153
 key, 176, 391
 KL-TWO, 311
 KL-ONE, 19, 133, 151, 306, 337
K_m, 166
 knowledge
 acquisition, 300
 base, 50
 consistency, 16
 vivification, 37, 273
 extensional, *see* extensional knowledge
 intensional, *see* intensional knowledge
 KREME, 323
 K-REP, 239, 323, 442
 Kripke
 frame, 172, 249, 253
 structure, 167, 172, 197
 KRIS, 321, 330, 347
 KRSS, 27, **287**, 438, 441
 KRYPTON, 310, 337
 KSAT, 338

 \mathcal{L}^2 , 82, 162, 164
 \mathcal{L}^3 , 165
 language-based approach, 272
 LASSIE, 26, **403**
 lazy unfolding, **344**, 348
 lcs, *see* least common subsumer
 least common subsumer, 37, **273**, 275
 least fixpoint, 61, 219
 operator, *see* fixpoint operator
 semantics, **61**, 187, 221
 legal database state, 183, 507
 less expressive, 162
 level, 89
 lfp, *see* least fixpoint
 LILOG, 491
 limited existential quantification, 52
 linear inequality, 227
 \mathcal{L}^k , 162
 local-as-view, 520
 logical implication, 199, 201, 209, 213, 214,
 220, 223, 254, 257
 w.r.t. finite models, 232
 LOGICWORKBENCH, 337
 logic of knowledge and belief, 34
 LOGIN, 514
 LOOM, 316, 337, 438, 444, 451

 MAIA, 491
 matcher, 278
 matching, 38, **278**
 modulo equivalence, 278
 modulo subsumption, 278
 materialization, 25, **393**

- medicine, 27
- medSYNDICATE, 444
- membership assertion, 16, 65, 213
- MESON, 239
- meta-role, 386
- MKNF, 256
- modalized Description Logic, 246
- modal logic, 34, 42, 82, 166, 246
- model
 - epistemic, *see* epistemic model
 - fixpoint, *see* fixpoint model
 - of ABox, 66
 - of concept, 68
 - of terminological axioms, 56
- modeling methodology, 399
- model checking, 75
- MOMS heuristic, 366
- monotone terminology, 62
- most specific concept, 37, 74, 140, **274**, 276
- msc, *see* most specific concept
- μ -calculus, 96, 166, 168, 217
- μ ALCQ, 187
- μ ALCQI, 217
 - complexity, 220
- multi-modal logic, 167
- mutual fixpoint, 220

- \mathcal{N} , *see* number restriction
- name symbol, 56
- natural language processing, 30, **487**
 - DRT/DRS, 497
 - lexical choice, 498
 - lexical discrimination, 488, 490
 - logical form, 487, 488, 492
 - semantic interpretation, 487, 488
- necessary and sufficient definition, *see* definition
- necessary definition, *see* specialization
- negation
 - atomic, *see* atomic negation
 - of concepts, *see* complement of concepts
 - of roles, *see* complement of roles
- negation normal form, **86**, 205, 241, 340, 349
- negative introspection, 248, 252
- NEOCLASSIC, 292
- network-based structure, 2, 5
- NIKL, 147, 311, 337, 437
- nominal, **66**, 170, 216
- non-determinism, 344
- non-deterministic rule, 87
- non-monotonic
 - consequence relation, 254
 - logic, 33, 256, 268
- non-primitive, 346
- non-primitive definition, *see* definition
- non-standard inference, 270
- normalization, 348
- notification, 292
- NP-hardness
 - in \mathcal{AL} with cyclic axioms, 133
 - in $\mathcal{AL}\mathcal{E}$, 120
 - in $\mathcal{AL}(\sqcap)$, 121
 - in \mathcal{ALU} , 107
 - in $\mathcal{FL}^-\mathcal{E}$, 121
 - in $\mathcal{FL}^-\mathcal{EN}$, 113
 - in $\mathcal{FL}^-(\circ, -)$, 124
 - in $\mathcal{FL}^-(\sqcap, \circ)$, 122
 - in $\mathcal{FL}^-(\sqcap, -)$, 122
- number restriction, 9, **53**, 101, 163, 171, 178
 - on complex roles, 101, 235
 - on relations, **221**, 508
 - qualified, *see* qualified number restriction
 - symbolic, *see* symbolic number restriction
- \mathcal{O} , *see* nominal
- object-oriented
 - data model, 41, 181
 - correspondence with Description Logics, 183
 - DBMS, 512
 - schema, 181
- obvious (non-)subsumption, 355
- OIL, 431, 438, 461, **463**
- OILED, 466
- OKBC, 287, 438
- oldest-first heuristic, 367
- one-of, **66**, 141, 160, 162, 165, 170, 216
- ONTOBUILDER, 294, 431
- ONTOLINGUA, 294
- ontology, 30, 377, 487, 490, 495, 498
- open-world assumption, *see* open-world semantics
- open-world semantics, 8, 65, **75**, 400
- Open Knowledge Base Connectivity, *see* OKBC
- OWL, 459

- part-whole, 25, 395, 448
- partial attribute, 380
- path tracing, 413
- pattern, *see* concept pattern
- PCDATA, *see* XML PCDATA
- PDL, *see* Propositional Dynamic Logic
- PDL, 82, 127, 168, 197
- Pellet, 463
- PENNI, 311
- PEN&PAD, 438, 446, 453
- planning, 29
- point-based temporal model, *see* temporal model
- positive introspection, 248, 252
- possible worlds semantics, 247, 252
- Post correspondence problem, 139
- PRACMA, 491
- predicate logic, 161
- preferential Description Logic, 497
- primitive
 - concept, 57
 - definition, *see* specialization
 - role, 57
 - subconcept, 388

- probabilistic
 - assertion, 265
 - Description Logic, 36, **263**
 - terminological axiom, 263
- procedural
 - extension, 77
 - rule, *see* trigger rule
- PRODIGY, 445
- program, 168, 197
 - deterministic, *see* deterministic program
- projection, 159
- property edge, 150
- Propositional Dynamic Logic, 82, 127, 168, **197**
 - complexity, 200
 - converse*-DPDL, *see* *converse*-DPDL
 - converse*-PDL, *see* *converse*-PDL
 - correspondence with Description Logics, 200
 - DPDL, *see* DPDL
 - Fischer–Ladner closure, *see* Fischer–Ladner closure
 - internalization of axioms, 199
 - logical implication, 199
 - PDL, *see* PDL
 - program, *see* program
 - satisfiability, 199
 - with graded modality, *see* graded modality
- propositional μ -calculus, *see* μ -calculus
- propositional reasoning, 342
- PROSE, 18, 422, 429, 431, **433**
- PROTÉGÉ, 438, 439, 445, 466
- pruning, 298
- PSPACE-hardness
 - in \mathcal{AL} with cyclic axioms, 133
 - in \mathcal{ACC} , 126
 - in \mathcal{ALN} , 126
 - in $\mathcal{ALN}(\sqcap)$, 116
 - in \mathcal{FL} , 126
- \mathcal{Q} , *see* qualified number restriction
- qualified number restriction, **101**, 163, 171, 209, 305, 313, 324
- Quantified Boolean Formulae, 125
- query
 - answering using views, 516, 522
 - complexity, 140
 - consistency, 513, 521
 - containment, 521
 - epistemic, *see* epistemic query
 - language, 502, 513
 - optimization, 515
 - rewriting, 281, **522**
- QUESTAR, 429, **433**
- RACER, 326, 330, 372, 463
- range, 463
- RDF, 461
- RDFS, 463
- realization, 16, **74**, 140, 309
- realizer, 309
- referent, 157
- reflexive–transitive closure of roles, 127, **195**
- regular expression over roles, 127, 168, 195, 332
- reification, 177, 180, **210**, 391
 - of relations, 223
- reified concept, 386
- reified counterpart, 210, 223
- relation
 - difference, *see* difference of relations
 - intersection, *see* intersection of relations
 - of arbitrary arity, 173, 177, 180, 221, 507
 - selection, *see* selection on relations
 - type, 157
 - union, *see* union of relations
 - well-typed, *see* well-typed relation
- relational data model, 501
- relationship
 - in the ER model, 175, 505
 - reified, *see* reification
- relationship role, 386, **392**
- remote access to knowledge bases, 293
- retrieval, 16, **74**
- rewriting
 - concepts, 39, **281**
 - queries, *see* query rewriting
- rewriting system, 135
- rigid term assumption, 78
- role, 50
 - agreement, *see* agreement
 - assertion, 16, **65**
 - atomic, *see* atomic role
 - basic, *see* basic role
 - Boolean operators, *see* Boolean operators on roles
 - chain, **102**, 103, 234
 - closure, 35
 - complement, *see* complement of roles
 - composition, *see* composition of roles
 - conjunction, *see* intersection of roles
 - constructor, 51, 99
 - depth, 89
 - description, 99
 - disagreement, *see* disagreement
 - disjunction, *see* union of roles
 - filler, 8
 - functional, *see* functional role
 - hierarchy, 305, 324, 392, 450
 - identity, 127, **195**, 338
 - inclusion axiom, 55, 224
 - intersection, *see* intersection of roles
 - inverse, *see* inverse role
 - in the ER model, 176, 505
 - meta, *see* meta-role
 - negation, *see* complement of roles
 - reflexive–transitive closure, *see* reflexive–transitive closure of roles
 - restriction, 109
 - transitive, *see* transitive role
 - transitive closure, *see* transitive closure of roles

- role (*cont.*)
 - union, *see* union of roles
 - universal, *see* universal role
- role-value-map, **102**, 133, 165, 234
 - containment, *see*
 - containment role-value-map
 - equality, *see* equality role-value-map
- rule, 318, 424, 425
 - ABox, 255
 - default, *see* default rule
 - knowledge base, 78
 - procedural, *see* trigger rule
 - trigger, *see* trigger rule
- S4**, 167
- same-as, 103
- SAT, 360
- *SAT, 338
- satisfiability, 10, **68**, 90, 92, 199, 201, 209, 213, 220
 - w.r.t. finite models, 231
- satisfiable, *see* satisfiability
- SB-ONE, 323
- selection on relations, **221**, 508
- semantics, 52, 54
 - closed-world, *see* closed-world semantics
 - descriptive, *see* descriptive semantics
 - fixpoint, *see* fixpoint semantics
 - greatest fixpoint, *see*
 - greatest fixpoint semantics
 - least fixpoint, *see* least fixpoint semantics
 - of rule, 255
 - of trigger rule, 77
 - open-world, *see* open-world semantics
 - possible worlds, *see*
 - possible worlds semantics
- semantic branching, 360
- semantic data model, 41, **175**
 - correspondence with Description Logics, 177
- semantic network, 2, 5, 150, 305
- semistructured data, 186, 512
- semistructured data model, 186
- SEP les, 450
- SEP-triples, 450
- Set splitting, 113
- SG, 156
- SHIF(D)*, 468, 479
- SHIQ*, 225, 324, 461, 463
- SHIQ(D)*, **463**
- SHOIN(D)*, 472, 479
- SHOIN(D)*, 468
- SHOIQ*, 473
- SHOQ(D)*, 467, 469, 478, 481
- simple conceptual graph, 156, 157
- simplification, 347, 349, 361
- simulating existentials
 - with role chain and inverse, 123
 - with role conjunction, 115
- simulation, 187
- slot, 463
- SNOMED, 27, 436, 438, 440, 441, 446
- software
 - engineering, 25, 402
 - information system, 403
 - maintenance, 402
- soundness
 - of algorithm, 81, 88
 - of characterization, 83
- SPASS, 338
- specialization, **64**, 229, 334
- SQL, 502
- state, 167
- structural
 - subsumption, 10
 - subsumption algorithm, 10, 81, **83**, 271, 337
- structured
 - document, 188
 - inheritance network, 48, 151
 - object, 225
- subclass/superclass edge, 150
- subsume, *see* subsumption
- subsumption, 9, **68**, 92, 414
- subtype/supertype, 175
- support, 157
- symbol
 - atomic, *see* atomic symbol
- symbolic
 - name, 56
 - number restriction, 102
- syntactic
 - branching, 360
 - simplification, 347
- syntactically monotone, 219
- terminology, 63
- tableau-based algorithm, 81, **85**
- tag, *see* XML tag
- TAMBIS, 453
- TBox, 14, 50, **56**
 - acyclic, *see* acyclic TBox
 - cyclic, *see* cyclic TBox
- Tell&Ask, 13
- temporal
 - description logic, 258
 - logic, 36, 169, 259
 - model, 259
 - operator, 246, 260
- termination, 88
- terminological
 - axiom, 55
 - default, 268
 - default theory, 268
 - system, 3
- terminology, 5, **56**
 - generalized, *see* generalized terminology
 - monotone, *see* monotone terminology
 - syntactically monotone, *see*
 - syntactically monotone terminology
- thrashing, 362
- tiling problem, 233, 234
- told subsumer, 354

- top-down approach, 274
- top concept, 52
- top search, **354**, 356
- total attribute, 380
- trace, 119
 - technique, 342
- transformation rule, 87
- transitive
 - closure of roles, **99**, 127, 172
 - role, 172, 225, 305
- tree automaton
 - on finite trees, 281
 - on infinite trees, 203, 281
 - two-way alternating, *see*
 - two-way alternating tree automaton
- tree model property, 90, 202, 227
- trigger rule, 35, **76**, 152, 251, 443
- Trilogy, 418
- two-way alternating tree automaton, 203
- two variable fragment, *see* \mathcal{L}^2
- typing, 181

- \mathcal{U} , *see* union of concepts
- UML, 185
- UMLS, *see* Unified Medical Language System
- UNA, *see* unique name assumption
- uncertainty, 263
- undecidability, 103, 133, 232
 - in $\mathcal{FL}^-(\circ, \subseteq)$, 136
 - in $\mathcal{FL}^-(\circ, =)$, 139
 - with intersection of complex roles, 233
 - with number restrictions on complex roles, 235
- unfoldable knowledge base, 334
- unfolding, *see* expansion
- unification, 38, **277**
- Unified Medical Language System, 440
- Unified Modeling Language, *see* UML
- unifier, 278

- union
 - of concepts, 8, **53**
 - of relations, **221**, 508
 - of roles, **99**, 162, 195
- unique name assumption, **66**, 87, 160, 170, 213
- universal
 - concept, *see* top concept
 - quantification over roles, *see*
 - value restriction
 - role, 166, 201, 225, 335

- vagueness, 263
- value restriction, 8, **52**
- varying domain assumption, 248
- VERBMOBIL, 492
- VerticalNet, 431
- view, 398, 510, 516
- vivification, *see* knowledge base vivification

- web-based information system, 28
- well-founded, 169, 190, **220**, 225
- well-typed relation, 221
- word problem, 139
- world, 167
 - description, *see* ABox
 - view, 518
- wrapper, 520

- XCON, 418
- XML, 186, **188**, 512
 - attribute, 189
 - DTD, 189
 - element, 189
 - element content, 189
 - element type, 189
 - PCDATA, 189
 - tag, 188
- XML, 458
- XML Schema, 466
- XTRA, 491