

Index

-
- Algorithm
- EM, 58, 249, 370
 - Fisher-scoring, 58
 - Gibbs sampling, 97
 - MCMC, 97
 - method of scoring, 247
 - Metropolis Hastings, 97
 - Newton–Raphson, 58, 249
- Bahadur–Kiefer representation of sample
quantiles, 15, 365
- Bayesian methods, 45
- Bayes factor, 90, 94
- Bayes risk, 89
- Bootstrap, 240, 268, 270, 367, 369
- Censoring, 116
- Coefficient
- concentration, 287
 - confidence, 173
 - uncertainty, 287
- Competing risks, 371
- Confidence interval, 13, 173
- coverage probability, 173
 - unbiased, 96
 - uniformly most accurate, 96
- Contingency tables, 274
- Convergence
- almost certain, 120
 - almost sure, 120, 121
 - almost sure convergence of
series, 164
 - complete, 120, 129
 - equivalent, 148
 - in distribution, 125
 - in law, 125
 - in probability, 120, 121
 - in the r th mean, 120, 124
 - of moments, 232
 - stochastic, 14, 119
 - strong, 14, 120
 - weak, 14, 120, 125
- Cross-product ratio, 286
- Data
- balanced, 4
 - count, 273
 - grouped, 3
 - longitudinal, 5
 - ordered categorical, 273
 - repeated measures, 4
- Decision rule, 84
- admissible, 86
 - complete class, 86
 - empirical Bayes, 93
 - minimax, 86
- Decision theory, 13, 83
- Distribution
- F , 26
 - t -Student, 8, 26
 - beta, 25
 - beta-binomial, 97
 - binomial, 2, 24
 - bivariate normal, 3
 - Cauchy, 9, 11, 25, 50
 - Cauchy type, 227
 - chi-squared, 25, 26
 - concave exponential type, 231
 - conjugate prior, 91
 - contaminated normal, 51
 - convex exponential type, 231
 - Dirichlet, 91
 - double exponential, 25
 - error contamination, 57
 - exponential, 114
 - exponential family, 45, 317
 - exponential type, 227
 - extreme value of the first type, 228
 - extreme value of the second type, 229
 - extreme value of the third type, 230
 - finite lower end point, 153
 - finite upper end point, 153
 - gamma, 24
 - gross error contamination, 65
 - heavy tails, 57
 - hypergeometric, 2
 - improper prior, 92

Distribution (*cont.*)

infinite lower end point, 33
 infinite upper end point, 33
 Laplace, 9, 50
 location-scale, 9, 225
 logistic, 9, 26, 50
 lower end point, 33
 multinomial, 3, 4, 8, 11, 58, 85, 91
 multivariate normal, 29, 87, 95
 negative binomial, 3, 24, 167
 negative exponential, 25
 noncentrality parameter, 26
 normal, 9, 25
 orthogonal, 93
 Poisson, 3, 6, 24
 posterior, 89
 prior, 65
 product binomial, 274
 product multinomial, 14, 273
 sample, 29
 sampling, 62
 scale factor, 318
 shifted exponential, 50
 simple exponential type, 231
 skewed, 9
 stable law, 272
 uniform, 24, 50
 upper end point, 33
 vague prior, 92
 Domain of attraction, 231
 Entropy, 287
 Entropy risk, 85
 Equivariance, 80
 Estimation
 alignment principle, 55
 Bayes, 13
 bias, 43, 268
 consistency, 119
 efficiency, 13
 empirical Bayes, 83
 estimable parameters, 360
 estimating equation, 55, 294, 321
 Fisher efficiency, 257
 generalized estimating equation, 55, 321
 global robustness, 310
 information, 44
 least squares, 55
 local robustness, 310
 maximum likelihood, 55
 method of moments, 11, 55, 249
 minimal sufficiency, 52
 minimax, 13
 minimum risk, 13
 minimum variance, 13
 nonparametric, 10
 Pitman measure of closeness, 258
 robustness, 9, 10, 310

scale-equivariance, 87
 sufficiency, 13, 44
 unbiasedness, 13
 weighted least squares, 14, 55
 Estimator, 42
 M , 59, 251, 311
 R , 311, 313
 adaptive, 310
 Aitken, 307
 asymptotic best linear unbiased, 226
 asymptotic efficiency, 14, 240, 257
 asymptotic relative efficiency, 239, 255
 Bayes, 65, 89
 best asymptotically normal, 257
 best linear unbiased, 55, 294
 consistent, 43
 efficient, 44
 generalized least squares, 56, 302
 generalized maximum likelihood, 93
 jackknife, 208, 240, 268, 269, 367
 James–Stein, 62
 least squares, 56, 294
 maximum likelihood, 92
 median unbiased, 43
 method of moments, 215
 minimum Bayes risk, 89
 minimum chi-squared, 279
 minimum logit, 287
 minimum posterior risk, 89
 minimum risk, 87
 modified minimum chi-squared, 279
 Nelson–Aalen, 117
 one-step maximum likelihood, 248
 Pitman, 92
 plug-in, 60
 positive-rule shrinkage, 88
 posterior median, 90
 ratio, 67, 141
 restricted maximum likelihood, 77
 robust, 59, 310
 sampling distribution, 43
 shrinkage, 87
 Stein rule, 62, 87
 translation-equivariant, 87
 two-step, 307
 unbiased, 43
 uniformly minimum mean squared
 error, 44
 uniformly minimum variance unbiased, 44
 weighted least squares, 56, 303
 Expansion
 Edgeworth, 197
 Gram–Charlier, 197
 multivariate Taylor, 19
 Taylor, 18
 Taylor series, 18
 Expected loss, 84
 Extreme value, 30, 33

- Fiducial inference, 45
- Fisher information, 46, 47, 242, 244
- Function
 - absolutely continuous, 22
 - characteristic, 14, 27
 - conditional survival, 11
 - continuous, 17
 - cumulative hazard, 116
 - cumulative intensity, 113
 - discrete, 22
 - distance, 121
 - distribution, 22
 - empirical distribution, 29, 102, 109, 122
 - exchangeable, 164
 - exponential, 20
 - extremal failure rate, 231
 - extremal intensity, 231
 - gamma, 20, 25
 - generalized score, 59
 - gradient, 18
 - hazard, 11, 116
 - incomplete beta, 25
 - incomplete gamma, 25
 - influence, 59, 362
 - likelihood, 45
 - link, 6, 318
 - log-likelihood, 45
 - logarithmic, 20
 - logistic, 287
 - loss, 13, 84
 - modulus of continuity, 339
 - moment generating, 27
 - power, 69
 - prior distribution, 88
 - probability density, 22
 - probability function, 22
 - probability generating, 27
 - quantile, 10, 60
 - random, 221
 - renewal, 115
 - risk, 13, 84
 - score, 59, 242
 - step, 31
 - survival, 11
 - variance, 6, 318
- Functional, 10, 42, 360
 - compact derivative, 362
 - first-order representation, 363
 - Hadamard derivative, 362
 - Hoeffding decomposition, 209, 361
 - kernel, 61, 360
 - statistical, 15, 338
 - von Mises, 60, 360
- Gauss–Markov setup, 4
- Goodness-of-fit, 68
- Hardy–Weinberg equilibrium, 7
- Hermite polynomial, 198
- Heteroskedasticity, 4
- Hypothesis
 - alternative, 68
 - composite, 13, 69
 - local Pitman-type alternative, 263
 - null, 68
 - simple, 13, 69
- Inequality
 - Arithmetic/geometric/harmonic mean, 21
 - Bernstein, 132, 136, 158, 161
 - Bernstein for submartingales, 161
 - Bhattacharya, 52, 62
 - C_r , 21
 - Cauchy–Schwarz, 20, 48
 - Chapman–Robbins, 62
 - Chebyshev, 126, 131, 132
 - Cramér–Rao–Fréchet, 47, 50, 51, 62, 245
 - distribution-free, 131
 - entropy, 22
 - extension of the Kolmogorov maximal, 160
 - Hölder, 21
 - Hájek–Rényi, 145
 - Hájek–Rényi–Chow, 162
 - Hoeffding, 134
 - information, 257
 - Jensen, 22
 - Kolmogorov maximal, 144, 165
 - Markov, 132
 - mean squared error lower bound, 47
 - Minkowski, 21
 - probability, 14
 - triangular, 21
- Interim analyses, 347
- Invariance, 54
- l'Hôpital rule, 18, 156
- Law
 - Hewitt–Savage zero-one, 164
 - Kolmogorov zero-one, 163
 - of iterated logarithm, 167
 - of large numbers, 14, 121, 131
- Likelihood, 44
 - conditional, 371
 - incomplete, 371
 - monotone, 246
 - partial, 371
 - profile, 371
 - pseudo, 371
 - quasi, 325, 371
 - quasiscore, 325
- Log-odds, 7
- Logit, 7

- Markov dependence, 101, 103
- Matrix
 - characteristic root, 16
 - characteristic vector, 16
 - curvature, 57
 - determinant, 15
 - eigenvalue, 16
 - eigenvector, 16
 - generalized inverse, 15
 - Hessian, 18, 57
 - idempotent, 16
 - model specification, 294
 - negative semidefinite, 15
 - positive definite, 15
 - positive semidefinite, 15
 - quadratic form, 15
 - trace, 15
 - transpose, 15
- Mean squared error, 44
- Method
 - k -NN, 334
 - Delta, 210, 367
 - kernel, 334
 - Lagrange multiplier, 58, 247
 - of scoring, 290
 - spline, 336
- Metric space, 120
- Model
 - analysis of covariance, 293
 - analysis of variance, 293
 - ANOVA, 141
 - conditional independence, 5
 - constraint formulation, 264
 - contamination, 10
 - dilution bioassay, 6, 9
 - error contamination, 309
 - error in variables, 4
 - freedom equation formulation, 264
 - generalized linear, 5, 7, 287, 293, 316, 317
 - life testing, 359
 - linear, 293
 - linear regression, 4, 293
 - location, 4
 - logistic regression, 7, 293
 - logit, 287
 - measurement error, 4
 - multisample location, 3, 4
 - multivariate analysis of covariance, 293
 - multivariate analysis of variance, 293
 - multivariate linear, 308
 - multivariate regression, 293
 - nonparametric multisample location, 4
 - nonparametric regression, 10, 332
 - one-sample location, 3
 - paired two-sample location, 3
 - proportional hazards, 11
 - quantal bioassay, 6
 - random coefficients, 5
 - regression, 293
 - replicated model, 304
 - semiparametric, 332
 - semiparametric proportional hazards, 11
- Neyman–Scott problem, 304
- Norm
 - Euclidean, 120
 - max, 120
 - quadratic, 120
- Normit, 7
- Odds ratio, 286
- Orbit, 47
- Outlier, 9, 57, 59, 65
- Overdispersion, 6
- Parameter
 - nuisance, 62, 69, 74
 - space, 42, 68, 83
- Pivotal quantity, 8
- Posterior risk, 89
- Probability measure
 - compactness, 339
 - contiguity, 365
 - relatively compact, 340
 - tightness, 339
- Probit, 7
- Projection results, 14, 177
 - H -projection technique, 206
- Random variable
 - bounded almost surely, 127
 - bounded in probability, 123
 - double array, 190
 - exchangeable, 110
 - infinitesimal, 185
 - triangular array, 190
 - triangular scheme, 104
- Rank, 30
- Relative potency, 6
- Sample space, 42, 47, 83
- Sampling
 - finite population, 109
 - inspection sampling, 2
 - inverse sampling, 167
 - resampling plans, 367
 - sequential scheme, 167
 - simple random without replacement, 270
 - simple random with replacement, 270
- Skorokhod (J_1 -) topology, 341
- Skorokhod embedding of Wiener process, 371
- Skorokhod metric, 341
- Statistic
 - U , 14, 61, 108
 - V , 60
 - t -Student, 174

- ancillary, 53
- antirank, 30
- bounded complete, 53
- characteristic largest observation, 154, 229
- characteristic smallest observation, 154
- complete, 53
- Cramér–von Mises, 239
- extreme order, 152
- Hotelling T^2 , 79
- Kendall tau, 312
- Kolmogorov–Smirnov, 232, 239
- likelihood ratio, 70, 104, 105
- minimal sufficient, 53
- order, 30, 63, 102
- pivotal, 95
- Rao efficient score, 261, 264
- score, 45, 57, 78
- sufficient, 44
- Wald, 260, 264
- Wilks, 261, 264
- Stein paradox, 87
- Stirling approximation, 20, 176
- Stochastic order, 14, 124
- Stochastic process
 - absorbing states, 102
 - birth, 113
 - branching, 101, 111
 - Brownian bridge, 14, 339, 351
 - Brownian motion, 14, 339, 343
 - Brownian sheet, 372
 - counting, 115
 - death, 101, 113
 - diffusion, 14, 338
 - drifted random walk, 101
 - empirical distributional, 338
 - Galton–Watson, 111
 - homogeneous increments, 101
 - independent increments, 101
 - integrated intensity, 117
 - intensity, 117
 - Kiefer, 372
 - Kolmogorov–Chapman equation, 103, 112
 - Markov, 14, 103
 - Markov chain, 14, 103
 - martingale, 14, 101, 103, 104, 176
 - martingale array, 104
 - multistate, 102
 - multivariate counting, 116
 - nonhomogeneous Poisson, 113
 - partial sum, 101, 338
 - Poisson, 14
 - random walk, 14, 101, 110, 338
 - renewal, 114
 - reverse martingale, 14, 107, 176, 206
 - reverse submartingale, 107
 - spatial, 100
 - spatiotemporal, 101
 - submartingale, 14, 106
 - supermartingale, 106
 - tied-down Wiener, 339, 351
 - time-parameter, 100
 - time series, 100
 - transition matrix, 103
 - transition probabilities, 103
 - weighted empirical, 370
 - Wiener, 14, 339, 343
 - Yule, 114
 - zero-mean martingale, 192
 - zero-mean reverse martingale, 193
- Stopping rule, 346
- Strong law of large numbers
 - Borel, 139
 - Khintchine, 148
 - Kolmogorov, 147
 - Kolmogorov for martingales, 162
- Summary measure
 - interquartile range, 10
 - kurtosis, 238
 - mean absolute deviation, 63
 - median, 33
 - quantile, 31, 32, 152
 - rank weighted mean, 209
 - sample mean, 122
 - sample variance, 122
 - skewness, 238
 - standard error, 65
 - terminal contact, 226, 227
 - trimmed mean, 36, 64
 - upper end point, 227
 - Winsorized mean, 36, 64
 - Yule measure of association, 286
- Survival analysis, 11, 116
- Test
 - p -value, 73
 - acceptance region, 69
 - admissible, 77
 - affine-invariant, 80
 - Bayes, 13
 - Cochran–Mantel–Haenszel, 288
 - conditionality principle, 75
 - critical region, 13, 174
 - invariant, 72, 80
 - likelihood ratio, 13, 77
 - location-invariant, 80
 - maximal-invariant, 74, 80, 81
 - most powerful, 70
 - Neyman–Pearson criterion, 259
 - observed significance level, 73
 - one-sample goodness-of-fit, 354
 - one-sided similar region, 75
 - posterior confidence, 94
 - power, 13
 - randomization, 70
 - Rao score, 13, 78, 240
 - rejection region, 69

Cambridge University Press

978-0-521-87722-0 - From Finite Sample to Asymptotic Methods in Statistics

Pranab K. Sen, Julio M. Singer and Antonio C. Pedroso de Lima

Index

[More information](#)

386

Index

Test (*cont.*)

repeated significance, 347
 scale-invariant, 74, 80
 sign-invariance, 81
 significance level, 13, 69
 similar region, 13, 74
 size, 13, 74
 sufficiency, 72
 truncated sequential probability ratio, 348
 type II error, 13, 69
 type I error, 13, 69
 unbiased, 71
 uniformly most powerful, 70
 uniformly most powerful unbiased, 71
 union-intersection, 13, 79
 Wald, 77, 240

Theorem

Basu, 53
 Bayes, 89
 Berry–Esséen, 197
 Borel–Cantelli lemma, 137
 central limit, 14, 174, 181, 346
 Cochran, 177, 219
 Courant, 16
 Cramér, 233, 235
 Cramér–Wold, 180
 De Moivre–Laplace, 176, 182
 extension of the Helly–Bray lemma, 178
 factorization, 13, 44, 63
 Gauss–Markov, 293, 294
 Glivenko–Cantelli, 157
 Hájek–Šidak, 191
 Helly–Bray Lemma, 177
 Khintchine equivalence lemma, 148

Kolmogorov three series criterion, 166
 Lévy–Cramér, 130
 Lebesgue dominated convergence, 168
 Liapounov, 182
 Lindeberg–Feller, 185
 martingale central limit, 192
 Neyman–Pearson Lemma, 13
 Polya, 197
 Rao–Blackwell, 53, 58, 62
 renewal, 168, 172
 renewal central limit, 196, 197
 reverse martingale central limit, 193
 Slutsky, 203
 Sverdrup, 180
 Theory of games, 83
 Tolerance, 6
 Truncated scheme, 359
 Two-sample problem, 302, 355
 Uniformly continuous, 17
 Uniform asymptotic linearity, 240, 367
 Uniform continuity, 140, 242
 Uniform integrability, 20, 127, 168, 185
 Uniform metric, 339
 Uniform topology, 339
 Variance-stabilizing transformation,
 14, 177, 216
 Waiting time, 347
 Weak invariance principle, 338, 340
 Weak law of large numbers
 Khintchine, 142
 Markov, 143