

## Index

- $\mathcal{L}_1$ -contracting, 357
- accuracy, 71, 73–75, 78, 80, 341, 360, 409, 418, 544
- acoustic tensor, 189, 229, 235
- adaptive mesh refinement, 17, 545, 547, 549, 550, 560, 562, 563, 568, 570–574, 576–580
- admissibility, 90–92, 98, 150–153, 155, 157, 159, 498, 500
- advection  
–diffusion, 1, 9–11, 31, 32, 129, 359  
linear, 6, 14, 55, 81, 326, 330, 331, 362, 418, 478, 510
- Alfvén speed, 214
- amplitude, 40, 43, 44
- anomalous, 238–240, 254
- aquifer, 103
- Beam, 133, 363, 364, 366, 367, 376, 377
- Berger, 545
- bounded, 353
- Buckley, 107, 427, 542
- buffering, 554
- bulk modulus, 224, 234
- Burgers, 82–84, 87, 88, 92, 97, 291, 319, 382, 389, 390, 395, 401, 407, 422, 498
- capillary pressure, 106, 108, 268, 430, 542
- Cartesian  
coordinates, 522  
grid, 543
- Cauchy  
stress, 222–224, 529, 536
- cell, 12, 477, 508
- centered  
difference, 26, 32, 119, 312  
rarefaction, 97, 98, 156–159, 192, 193, 201, 207, 218–220, 258, 259, 266, 267, 272, 280
- CFL  
condition, 15, 16, 395, 410, 417, 544, 545, 549, 554, 577  
factor, 389  
number, 15, 24, 25, 115, 118, 119, 128, 134, 341, 371, 460
- characteristic  
cone, 140  
coordinate, 8, 81, 140  
direction, 137, 151, 154, 155, 157, 159, 293, 298, 452  
expansion coefficient, 139, 161, 323, 447, 497  
line, 7, 84, 121  
projection, 388, 389, 466  
speed, 82, 98, 101, 120, 136–138, 153–155, 157, 158, 161, 176, 432, 433, 579  
tracing, 388, 520, 529, 533
- CLAWPACK, 450
- closed, 353
- Colella, 208, 295, 298, 322, 402, 450, 479
- Colella–Woodward interacting blast  
wave problem, 208, 323, 324
- compact, 353
- set, 333, 337, 353, 356  
support, 172, 328, 354–356, 418
- concentration, 103, 104, 111, 129, 268–271, 273
- conservation law, 8, 10, 81, 99, 135, 136, 326, 474
- conservative  
approximate Riemann solver, 285–287, 289, 292, 294, 295, 304, 305, 313, 314, 316, 317, 322, 323  
flux, 377, 487  
scheme, 14, 286, 289, 332, 356, 364, 367, 368, 370, 477, 547
- consistent  
approximate Riemann solver, 285–289, 304, 305, 313
- numerical flux, 285, 287, 288, 331, 332, 343, 347, 355, 438  
scheme, 43, 57, 58, 62, 327, 330, 353, 368
- constitutive law, 222–225, 227, 229, 259
- contact discontinuity, 138, 159, 297, 314, 473, 544
- continuity equation, 222
- contractive, 351
- convection–diffusion, 40, 80
- convergence, 25, 37, 44, 63, 66, 69, 90, 170, 180, 286, 289, 329, 331, 332, 343, 353, 355, 359, 368, 432, 433
- coordinate  
Cartesian, 522  
curvilinear, 521–523, 529  
cylindrical, 521, 533, 535–537, 539  
Eulerian, 145  
Lagrangian, 140, 145, 235  
polar, 542  
self-similar, 98, 202  
spherical, 521, 523, 525, 527–529, 541
- corner transport upwind, 479
- Courant, 187, 188  
CFL condition, 15, 395, 410, 417, 544, 545, 549, 554, 577  
CFL number, 15, 115, 118, 119, 128, 134, 341, 460
- d'Alembert, 174
- Darcy  
law, 103, 106, 107, 268, 273, 274  
velocity, 108, 268, 270
- decomposition, 437, 488
- deferred correction, 508
- deformation  
finite, 221, 233, 255  
gradient, 141, 142, 145, 222–225, 228, 236, 253, 255, 324, 463, 525, 530, 533, 534, 536, 541  
Green tensor, 223, 236

deformation (*cont.*)  
 infinitesimal, 233  
 plastic, 255, 258  
 rate, 233

diagonalizable, 139, 182, 304, 444

diffusion  
 anti-, 32, 33  
 artificial, 119, 133  
 numerical, 26, 31, 34, 39, 117, 129,  
 290–292, 295, 312–314, 316, 319,  
 359, 360, 369, 373, 375, 387, 433,  
 439, 543, 544

diffusive  
 anti-, 32, 33, 382, 446  
 flux, 10, 299–301, 378  
 scheme, 33, 119, 124, 125, 129, 369,  
 433, 435, 446

diffusivity, 103, 129

discontinuity  
 admissible, 240  
 contact, 138, 159, 208, 297, 314,  
 473, 544  
 development, 84, 85, 87  
 entropy-violating, 312  
 normal, 146, 227  
 propagation, 85, 86, 89–92, 96, 145,  
 146, 169, 175, 197, 207, 239, 359,  
 545  
 speed, 87, 89, 92, 146–150, 194–197,  
 207, 220, 221, 227, 239, 242, 259,  
 271, 279, 280  
 stationary, 101, 227  
 surface, 145, 146, 173

discretization, 12

dispersion, 40, 41, 43, 44

dissipation, 43, 44, 51

E-scheme, 378

efficiency, 69, 80, 341

elasticity  
 hyper-, 223  
 hypo-, 224  
 linear, 233, 234

elliptic  
 PDE, 1, 2, 104, 269, 274  
 regions, 276, 471

Engquist, 33, 297–301, 369, 370, 372,  
 373, 381, 417, 423

Engquist–Osher flux, 301

ENO scheme, 452, 494

enthalpy  
 specific, 188

entropy, 191, 207, 218, 291  
 flux, 93, 95, 165, 170–172, 218  
 function, 93, 95, 165, 170–172  
 inequality, 94, 173, 287  
 specific, 187, 188, 190, 192, 193,  
 218, 219  
 violation, 312

equivelocity, 241, 253, 270

Eulerian

coordinate, 140, 145

Eulerian–Lagrangian localized  
 adjoint, 52, 53

frame of reference, 140, 142, 143,  
 145, 175, 187, 188, 190–192, 194,  
 206, 207, 221, 223, 227, 229, 232,  
 233, 235, 254, 466, 537

normal, 146

Fick’s law, 103

finite  
 difference, 12, 14, 15, 18, 21, 23, 24,  
 26, 28, 30, 38, 39, 42, 59, 70, 127,  
 130, 131, 286, 289, 327, 331, 370,  
 372, 519, 520, 529

element, 221

flux  
 consistent, 285, 287, 331, 332, 343,  
 355, 438  
 corrected transport (FCT), 374, 446  
 diffusive, 10, 299–301, 378  
 Engquist–Osher, 297–301, 369, 370,  
 372, 373, 381, 417, 423  
 Godunov, 122, 346, 370  
 Rusanov, 119, 291, 293, 301, 316,  
 369, 417, 424, 427, 434, 471,  
 488  
 splitting, 371  
 variable, 136, 156, 159, 176

Fourier  
 analysis, 32, 38, 39, 41, 47–49, 51,  
 53–55, 114, 118, 119, 129, 133,  
 134  
 finite transform, 42  
 interpolation, 62  
 inversion formula, 39, 42, 54, 61  
 series, 32  
 transform, 6, 39, 41, 42, 44, 53, 55,  
 56, 60, 68

frame of reference  
 Eulerian, 140, 142, 143, 145, 175,  
 187, 188, 190–192, 194, 206, 207,  
 221, 223, 227, 229, 232, 233, 235,  
 254, 466, 537  
 Lagrangian, 140, 143, 145, 146, 175,  
 206, 207, 222, 223, 225–227, 232,  
 233, 236, 255, 319, 529, 532, 539

free-stream-preserving, 498, 529

frequency, 40

Friedrichs, 187, 188  
 CFL condition, 15, 395, 410, 417,  
 544, 545, 549, 554, 577  
 CFL number, 15, 115, 118, 119, 128,  
 134, 341, 460  
 Lax–Friedrichs diffusion, 292  
 Lax–Friedrichs scheme, 112, 114,  
 115, 128, 132, 176, 331, 353, 360,  
 361, 395, 397, 438, 440, 489–491

Fromm  
 monotoneization, 364  
 scheme, 133, 364–367

Galerkin  
 discontinuous, 53, 412, 453, 494, 549

Galilean transformation, 99, 101, 112

gas constant, 188

genuinely nonlinear, 138, 150, 154, 157,  
 159, 190, 238, 257, 272, 277, 302

ghost cell, 127, 549, 577

Godunov  
 flux, 122, 346, 370  
 scheme, 120, 121, 180, 285, 319,  
 402, 433, 438, 477  
 theorem, 359, 362

Godunov scheme, 208, 255

gradient detector, 553, 579

Green’s function, 9, 10

Harten, 283, 312, 314, 370, 408  
 Harten–Hyman–Lax theorem, 342,  
 353, 359  
 Harten–Lax–van Leer scheme, 314,  
 316, 319, 320, 322, 340, 423, 435,  
 436, 449, 457, 460, 462, 472, 488

heat capacity, 187, 188

heat equation, 9

Helmholtz free energy, 223

Hooke’s law, 233

hull  
 concave, 98  
 convex, 98

Hyman, 312  
 Harten–Hyman–Lax theorem, 342,  
 353, 359

hyperbolic, 1, 2, 136–138, 186, 228,  
 230, 258, 267, 270, 275, 276  
 strictly, 136

hyperelastic, 224

hysteresis, 255, 257, 258, 272, 465

ideal gas, 187

immiscible, 105, 273

implicit, 24, 26, 83, 538, 542

incompressible, 103, 105, 273, 430,  
 521

interfacial tension, 106

interpolation operator, 60

inviscid, 91

Jensen’s inequality, 182

Kirchhoff, 174, 222–224, 236, 255,  
 530, 531, 539–541

Lagrangian  
 coordinate, 140, 145, 235  
 frame of reference, 140, 143, 145,  
 146, 175, 206, 207, 222, 223,  
 225–227, 232, 233, 236, 255, 319,  
 529, 532, 539  
 normal, 145, 146

Lamé constant, 224

Laplace equation, 2

- Lax  
 admissibility, 90–92, 98, 150–153, 155, 157, 159, 498, 500  
 convergence theorem, 37  
 equivalence theorem, 62, 65, 69, 331  
 Harten–Hyman–Lax theorem, 342, 353, 359  
 Harten–Lax–van Leer scheme, 314, 316, 319, 320, 322, 340, 423, 435, 436, 449, 457, 460, 462, 472, 488  
 Lax equivalence theorem, 353  
 Lax–Friedrichs diffusion, 292, 360  
 Lax–Friedrichs scheme, 112, 114, 115, 128, 132, 176, 331, 353, 360, 361, 395, 397, 438, 440, 489–491  
 Lax–Richtmyer stable, 329  
 Lax–Wendroff process, 129, 445  
 Lax–Wendroff scheme, 49, 53, 74, 78, 80, 131, 133, 134, 291, 331, 360–364, 366, 367, 374, 376, 377, 438, 439  
 Lax–Wendroff theorem, 332, 339, 345, 353, 356, 367  
 monograph, 81, 152, 169, 172  
 Lax–Friedrichs scheme, 128  
 Lax–Wendroff scheme, 131  
 leap-frog scheme, 50, 51, 53  
 level of refinement, 546  
 Leverett, 107, 427, 542  
 Levy  
 CFL condition, 15, 395, 410, 417, 544, 545, 549, 554, 577  
 CFL number, 15, 115, 118, 119, 128, 134, 341, 460  
 limiter, 375, 376  
 flux-, 377  
 minmod, 377, 416  
 MUSCL, 377  
 slope-, 383, 386, 391  
 superbee, 377  
 van Leer, 377, 382  
 linear method, 328  
 linearly degenerate, 138, 150, 154, 157, 159, 190, 212–214, 217, 237, 238, 269, 272, 301, 314, 316, 437  
 Lobatto, 414, 415, 417, 421, 422, 454, 455, 496, 497  
 local truncation error, 37, 57, 327, 329  
 MacCormack, 132–134, 439  
 Mach, 197–199, 207, 208, 323, 324  
 magnetohydrodynamics, 208  
 makefile, 17  
 Marquina, 125, 128, 370, 411, 423, 438  
 material derivative, 142  
 Maxwell, 139, 183, 184, 186, 209, 456  
 method of lines, 408  
 MHD, 208  
 minmod, 387  
 miscible displacement, 103, 104, 110, 111, 129  
 model  
 Buckley–Leverett, 107, 427, 542  
 gas, 186  
 magnetohydrodynamics (MHD), 208  
 miscible displacement, 103, 520  
 Mooney–Rivlin, 224  
 plasticity, 255, 464, 465  
 polymer, 267  
 shallow water, 136  
 solid mechanics, 221  
 traffic, 102  
 vibrating string, 235  
 modified  
 equation, 30, 35, 115, 119, 129, 347  
 Roe, 312, 316  
 monotone, 341–343, 345, 347, 351, 359  
 monotonic, 361–365  
 monotonicity-preserving, 357–359, 361, 402  
 monotonicization, 364  
 Mooney, 224, 232  
 MUSCL scheme, 385, 447  
 Newton  
 interpolation, 385, 403  
 iteration, 295, 323  
 second law, 222, 223, 229  
 nonreflecting boundary, 125  
 normal  
 Eulerian, 146  
 Lagrangian, 145, 146  
 numerical diffusion, 292, 360  
 Oleinik, 95, 96, 98, 357, 368, 430  
 order  
 of PDE, 1  
 of scheme, 23, 26, 29, 37, 39, 43, 129, 328, 347, 353, 359–361  
 Osher, 33, 292, 297–301, 322, 368–370, 372, 373, 381, 408, 409, 417, 423, 452  
 over-compressive, 461  
 parabolic PDE, 1, 2  
 Parseval, 53, 59–63  
 particle velocity, 270  
 patch, 546  
 Peclet, 41, 110, 129  
 permeability, 103  
 phase error, 43, 45, 46, 51, 52, 118  
 physical components, 522  
 piecewise parabolic method (PPM), 402  
 Piola, 222–224, 236, 255, 530, 531, 539–541  
 plasticity, 255, 267, 464, 465  
 pointwise error, 326  
 polytropic gas, 188  
 predictor–corrector scheme, 438  
 proper nesting, 546, 549, 550  
 proper nesting buffer, 554  
 pure virtual function, 572  
 quadrature, 414  
 quasilinear form, 82, 83, 136, 227, 230, 237, 270  
 Rankine–Hugoniot  
 jump condition, 86, 90, 147, 151, 152  
 locus, 150, 155, 159, 163, 199, 201, 272, 277, 278, 283, 296  
 rarefaction, 159, 204, 205, 208, 254, 266, 295–297, 312, 323, 324  
 centered, 91, 97–99, 115, 123, 156–159, 192, 193, 201, 207, 218–220, 258, 259, 266, 267, 272, 280  
 curve, 159, 163, 201, 219, 283, 295, 297  
 elastic, 266, 267  
 transonic, 98, 122, 128, 129, 131, 290, 295, 297, 340  
 refinement  
 adaptive, 17, 545  
 ratio, 546  
 study, 72, 341, 472  
 reflecting, 114, 125, 205, 390, 459  
 refluxing, 560  
 regrid interval, 547, 553  
 regridding, 547  
 Richardson, 556, 568  
 Richtmyer  
 Lax–Richtmyer stable, 329  
 two-step Lax–Wendroff scheme, 131  
 Riemann  
 invariant, 158, 163, 193, 220, 254, 273, 280, 297, 298  
 problem, 33, 97, 98, 101, 116, 121, 153, 159, 180, 182, 283, 286, 290, 297, 299, 303, 340, 359, 433, 476, 482, 498, 503, 519, 542  
 solver, 174, 180, 284–286, 292–295, 297–300, 304, 306, 312–314, 316, 317, 319, 320, 322–324, 340, 353, 368, 390, 395, 401, 407, 426, 434, 435, 438, 446, 449, 450, 452, 457, 458, 460, 462, 472, 488  
 Rivlin, 224, 232  
 Roe  
 flux, 305, 308, 311, 340, 445, 449, 488  
 matrix, 298, 303–308, 310–312, 314, 324, 435, 436, 444, 450  
 solver, 306, 308, 311–314, 319, 322–324, 340, 346, 417, 436, 452, 457, 460, 463, 472, 488

Runge–Kutta, 402, 411, 415, 426, 453, 496, 497, 549

Rusanov  
flux, 119, 291, 293, 301, 316, 369, 417, 424, 427, 434, 471, 488  
scheme, 118–120, 178, 292, 549  
solver, 292, 299, 300, 314, 320, 457

saturation, 105, 268, 273

scale factors, 522

Schaeffer, 277, 278, 280, 281, 311, 319, 321, 322, 470

Schechter, 277, 278, 280, 281, 311, 319, 321, 322, 470

scheme  
anti-dissipative, 47, 48  
Beam–Warming, 133, 363, 364, 366, 367, 376, 377  
conservative, 14, 15, 17, 18, 23, 24, 26, 28, 34, 70, 286, 289, 353, 355, 356, 364, 367, 368, 370, 477, 547  
consistent, 43, 57, 58, 62, 327, 330, 353, 368  
diffusive, 33, 119, 124, 125, 129, 369, 433, 435, 446  
discontinuous Galerkin, 53, 412, 453, 494, 549  
dispersive, 43  
dissipative, 43, 44, 48–50, 114, 120, 122  
donor cell upwind, 477, 509  
E-, 368, 371  
essentially non-oscillatory (ENO), 408, 409, 452, 494  
Eulerian–Lagrangian localized adjoint, 52, 53  
explicit centered, 52  
explicit centered difference, 26, 32, 119  
explicit downwind, 23, 24, 46  
explicit upwind, 14–16, 23, 28, 31, 34, 44, 52, 111, 112, 129  
finite difference, 12, 14, 15, 18, 21, 23, 24, 26, 28, 30, 38, 39, 42, 59, 70, 127, 130, 131, 286, 289, 327, 331, 370, 372, 519, 520, 529  
flux corrected transport (FCT), 374, 446  
Fromm, 133, 364–367  
front tracking, 432  
Godunov, 120, 121, 180, 208, 255, 285, 319, 402, 433, 438, 477  
Harten–Lax–van Leer, 314, 316, 319, 320, 322, 340, 423, 435, 436, 449, 457, 460, 462, 472, 488

implicit downwind, 24, 25, 34, 49  
implicit upwind, 26, 29, 34, 48  
Lax–Friedrichs, 112, 114, 115, 128, 132, 176, 331, 353, 360, 361, 395, 397, 438, 440, 489–491  
Lax–Wendroff, 49, 53, 74, 78, 80, 131, 133, 134, 291, 331, 360–364, 366, 367, 374, 376, 377, 438, 439  
leap-frog, 50, 51, 53, 133, 134  
Leonard, 35  
linear explicit two-step, 35, 55  
MacCormack, 132–134, 439  
Marquina, 125, 128, 370, 411, 423, 438  
monotone, 341–343, 345, 347, 351, 359  
monotonic, 361–365  
monotonicity-preserving, 357–359, 361, 402  
MUSCL, 364, 447, 485, 542  
operator splitting, 475, 481, 487, 506, 507, 511, 519, 529, 542  
order, 23, 26, 29, 37, 39, 43, 47, 129, 328, 347, 353, 359–361  
pseudo-spectral, 81  
random choice, 433  
Richtmyer two-step Lax–Wendroff, 131, 132  
Rusanov, 118–120, 178, 292, 549  
stream-tube, 543  
total variation diminishing (TVD), 357–359, 370  
unsplit, 477  
upstream, 289  
upstream weighting, 430  
upwind, 176  
wave propagation, 391, 448, 488, 521  
WENO, 401  
self-similar, 97, 98, 101, 156, 159  
shear modulus, 224, 233, 234  
Shearer, 277, 278, 280, 281, 311, 319, 321, 322, 470  
shock, 33, 91, 92, 98, 115, 123, 128, 134, 150, 151, 153, 156, 159, 204, 205, 207, 208, 254, 267, 291, 296, 323, 324  
capturing, 183, 221, 461  
curve, 155, 159  
elastic, 267  
reflection, 153  
speed, 151, 155, 156  
shock strength, 196  
similarity, 157  
slope  
harmonically averaged, 367, 377  
minmod, 387  
monotonized, 377  
MUSCL, 366, 386  
side-centered, 366  
superbee, 387  
smoothness monitor, 361, 375  
Sod, 208, 324, 457  
Solomon, 292, 297, 298, 322  
solution ratio, 56  
sound speed, 207  
spin tensor, 232  
stability, 91, 117, 152, 188, 197, 328, 329, 353, 354, 357, 359  
Lax–Richtmyer, 329  
stable, 37  
finite difference approximation, 59  
staggered, 116, 395, 401, 433, 435, 489  
stationary, 90, 91, 101, 121, 122, 152, 227, 290, 340  
stencil, 15, 127, 376, 410, 411, 513, 549, 577  
strain, 236, 256–258, 267  
energy, 240  
plastic, 256–258, 267  
Strang splitting, 475  
streamline, 542  
stress, 223, 225, 234, 256, 561  
Cauchy, 222–224, 529, 536  
Jaumann rate, 232  
Piola–Kirchhoff, 222, 223, 224, 236, 255, 530, 531, 539–541  
strictly hyperbolic, 136  
substantial derivative, 142  
superbee, 387  
support, 353  
symbol  
of finite difference approximation, 56  
of partial differential operator, 55  
of scheme, 57, 58  
symmetry  
cylindrical, 536, 540  
spherical, 526, 528  
tension, 236  
thermodynamics, 187, 222  
timestep, 12, 15, 176, 179, 433, 434  
total variation, 354  
total variation diminishing, 357  
transformation  
coordinate, 1, 2, 99, 101, 112, 495, 542  
transonic, 98, 122, 131, 290, 295, 340  
traveling wave, 89, 151  
truncation error, 37, 57  
truncation operator, 61  
TV stable, 354  
umbilic point, 276  
unit base vectors, 522

Cambridge University Press

978-0-521-87727-5 - Numerical Solution of Hyperbolic Partial Differential Equations

John A. Trangenstein

Index

[More information](#)*Index*

597

- upscaling, 547, 561
- upstream
  - scheme, 289
  - weighting, 430
- van Leer, 291, 361, 387, 390
  - Harten–Lax–van Leer scheme, 314, 316, 319, 320, 322, 340, 423, 435, 436, 449, 457, 460, 462, 472, 488
  - smoothness monitor, 361, 375
- velocity, 142
- viscous, 89, 92–94, 96, 151, 170, 172, 472
- Warming, 133, 363, 364, 366, 367, 376, 377
- wave
  - equation, 174
  - length, 44
  - number, 39, 40, 42, 44, 45, 52
- weak
  - form, 412
  - solution, 332
  - wave, 293
  - wave approximation, 254, 255, 322, 323
- Wendroff
  - Lax–Wendroff process, 129, 445
  - Lax–Wendroff scheme, 49, 53, 74, 78, 80, 131, 133, 134, 291, 331, 360–364, 366, 367, 374, 376, 377, 438, 439
  - Lax–Wendroff theorem, 332, 339, 345, 353, 356, 367
- Woodward, 208, 402, 450
- Zalesak test problem, 29, 366, 367, 377, 382, 395, 402, 407, 419–422, 428, 429, 473