

Index

- Acacia tree, 239
- Acidogenesis, 57
- Activity areas. *See* Site spatial organization
- aDNA. *See* Ancient DNA
- Aerobic degradation, 53
- Aerobic environment, 57
- Age at death, 132
- Agricultural fields, 145
- Agricultural practices, 140
- Agropastoral societies, 148, 229, 238, 239
use of dung, 238, 240
- Aguateca, Guatemala, 244
- Airborne dust. *See* Loess
- Alabaster. *See* Gypsum
- Aliabad, 232–236
absence of macroscopic bones, 232, 238
alleys between houses, 233
animal dung, 232
ash as a fertilizer, 233
ash pits, 233
beehives, 236
cemetary, 233
courtyards, 236
dogs, 232
dung cake manufacturing, 232–233
dung fuel, 232
fire locations, 235
gardens, 233
latrine, 236
plants and animals used, 232
stables, 236
storage bins, 236
typical household plan, 234
wells, 236
- Aliabad village, Zagros Mountains, Iran,
232–236. *See* Aliabad
- Alkaline feldspars, 196
- Allophane, 301
- Alveolar bone, 124, 129
- Alyawaran household, Australia, 228
- Amazon basin
soil charcoal, 183
- Amber, 36, 211, 226, 314
infrared spectrum, 37, 315
provenience, 37
- Amboseli, Kenya, 116, 288
- Amelogenin, 125
- Amino acid racemization, 214
- Amino acid racemization dating, 19,
24–25, 214, 246, 247
eggshells, 153
land snail shells, 163
- Amino acid sequence, 210
- Amino acids
analysis, 211
racemers, 24
- Ammonium carbonate, 57
- Amorphous calcium carbonate, 77, 169,
282, 283, 285
earthworms, 283
mollusk shells, 161
plants, 135
- Amorphous calcium phosphate, 99
first-formed mineral in bone, 104
- Amorphous carbon, 180
- Amorphous mineral structure, 89
silica, 136
- Anaerobic degradation, 50, 57, 58, 59, 114
reconstructing site use, 58
- Anaerobic organisms, 57
- Anatomically modern humans (AMH)
DNA, 33
- Ancient DNA, 33–35, 208, 209
bone, 121
crystal aggregates in bone, 218
damage, 34, 121, 209
Neanderthal DNA sequence, 35, 208
preservation in crystal aggregates, 112

- Ancient DNA (*cont.*)
 replicating enzymes, 209
 Tyrolean ice man, 48
- Anhydrite, 169, 188
- Animal enclosures, 54, 58, 86, 148, 223, 224, 239–240
 dung, 239
 fence, 239
 phytolith accumulations, 238
 Sarakini, devoid of phytoliths, 242
- Animal husbandry, 45, 141
- Anthropogenic materials
 list, 321
- Anthropogenic minerals
 definition, 69
- Apatite mineral family, 286–289. *See also*
 Carbonate hydroxylapatite and
 Authigenic
 phosphate minerals, 83
 biogenic vs geogenic, 87
 embedded information, 86–88
 list of minerals, 286
 mineral nomenclature, 84
- Aragonite, 77, 282
 assessing mineral preservation, 78, 81, 271
 atomic structure, 77
 cement, 80
 diagenesis, 80–81
 diagenetic indicator, 63
 embedded information, 81–83
 formation at elevated temperatures, 283
 formation from boiling water, 78, 80, 283
 formation from sea water, 78, 80, 283
 heated, 81, 162
 mollusk shells, 63, 283
 otoliths, 42, 155
 refractory material, 193
 sources in archaeological sites, 63, 80, 283
 transformation at elevated
 temperatures, 204
- Archaeobotanical record, 16–18, 149, 238
 charred materials, 178, 184
 season of occupation, 41
- Archaeobotany
 paleoenvironmental reconstruction, 31
 season of occupation, 41
- Archaeological record
 how bad?, 47
 missing part, 51, 62–63
 primary vs secondary deposits, 232, 236
 pristine, 47, 48–50
- Archaeological science, 5–6
- Archaeomagnetism, 19, 25, 246
- Archaeomalacology, 162
- Archaeozoological record, 101, 108, 118, 231, 238
 bones, 101–102
- Artifacts
 for relative dating, 18
 provenience, 36
 sorting by size, 228
- Ash, 168–178, 284. *See also* Wood ash, 82
 acid insoluble fraction, 171, 174
 affect on TL and ESR dating, 177
 burned bone, 177
 composition, 169–170
 criteria for preservation, 175
 definition, 168, 169
 diagenesis above pH-8, 172–173
 diagenesis below pH-8, 173–174
 embedded information, 175–178
 formation from wood, 79
 from wood and bark, calcite formation, 170
 how much is produced?, 166
 identifying ash, 174–175
 low and high temperature forms, 170
 phytoliths, 169, 171
 pits in Aliabad village, Iran, 233
 radiocarbon dating, 177
 reaction with phosphate, 173
 recrystallization, 83
 red brick colored soil particles, 170
 sediment color and texture, 174
 siliceous aggregates, 169, 171, 173
 soluble salts, 169
 wood, crystal morphology, 82
 $v_2:v_4$ ratios of calcite, 171, 174
- Aspartic acid-rich proteins, 100, 162
- Asphalt, 312, 313
- Atacama desert, Chile, 49, 114
- Authigenic minerals
 calcite, 78
 carbonate hydroxylapatite, 84, 86, 161
 ceramic, 204–205
 definition, 68, 69
 hydraulic plaster, 189
 list, 321
 organic matter concentrations, 225
 silica. *See* Silica, authigenic
- Authigenic phosphate minerals, 295–297.
See also Phosphate concentrations, 65, 81, 88, 236
 bone dissolution, 64, 87
 formed at low pH, 64, 175
 guano degradation, 225

- identification using infrared spectroscopy, 296
- nodules, 64
- organic-rich sediments, 86, 223
- Avian eggshells. *See* Eggshells
- Avian gizzard stones, 154
- Bananas
 - phytoliths, 147
- Barite, 116
- Bark
 - grass phytolith contamination, 172
 - phytoliths, 178
- Barley
 - phytoliths, 147
- Beach rock, 80
- Beach sand, 91
- Beads, 36, 151
 - mineral list, 321
 - mollusk shells, 158
- Bedouin camp, Jordan, 228
- Beehives, 236
- Beeswax, 211, 236, 312
- Benzenecarboxylic acids, 184
- Bercey, France, 114
- Binders. *See* Plaster binders
- Binocular microscope, 264
- Biogenic minerals, 99. *See* Appendix B, *See also* Biomineralization
 - assessing mineral preservation, 81
 - calcite, 79, 286
 - carbonate hydroxylapatite, 84
 - definition, 69
 - intracrystalline macromolecules, 212
 - list, 321
 - oxygen isotopic composition, 33
 - solubility, 100
- Biogenic molecules
 - DNA, 209–210
 - lipids, 211
 - list of macromolecules, 321
 - major types for archaeology, 208–211
 - preservation and information content, 207, 209
 - proteins. *See also* Proteins, 210
- Biomaterials
 - list, 321
- Biomineralization, 99–101
 - acidic proteins, 100
 - amorphous precursor phases, 61, 100, 161, 283
 - eggshells, 152
 - library of infrared spectra, 282
 - plants, 135
 - role of cells and macromolecules, 100
 - silica formation, 89
- Biomolecular archaeology, 48, 208
 - historical perspective, 211–212
 - molecule types, 208–211
- Biotite, 93
- Bioturbation, 54, 57, 62
- Bird eggshells. *See* Eggshells
- Bitumen. *See also* Asphalt, 203
- Bivalves, 159. *See also* Clams
- Bog bodies, 50, 114
- Boiling water, 78, 80, 121, 283
- Bone
 - ash, 177
 - basic constituents, 102–106
 - burned. *See* Burned bone
 - cooked, 121
 - embedded information, 123
 - fragments, 229, 233, 237
 - life history reconstruction, 123
 - mineral. *See* Bone mineral
 - multipurpose material, 102
 - noncollagenous proteins (NCPs), 105, 112
 - organic matrix, 104–106
 - osteocalcin, 105
 - paleodiet reconstruction, 119–120, 121
 - paleoenvironmental reconstruction (REEs), 31
 - paleogenetics, 121–122
 - paleomigration, 118–119
 - porosity, 110
 - radiocarbon dating, 122–123
 - remodeling, 26, 102, 108, 255
 - structure. *See* Bone structure
 - turnover rate, 26
- Bone diagenesis
 - authigenic minerals, 116
 - buried bones, 114, 117
 - compact vs spongy bone, 114
 - crystallinity, 290
 - crystals, 116
 - fluoride content, 288
 - microbial and fungal action, 114
 - mineral, 110–112
 - mineral solubility, 110
 - on soil surface, 115–116
 - organic matrix, 110, 112–113
 - porosity, 110
 - pseudomorphs, 115
 - recrystallization window, 111
 - timescale, 115
 - tunnels, 113
 - wicking of groundwater, 116
- Bone family of materials, 215

- Bone Gla protein. *See* Osteocalcin
- Bone mineral, 102–104
 atomic disorder, 61, 64, 104
 carbonates, 104
 content, 102
 crystal aggregates, 106, 112, 308
 crystal c axis alignment, 106
 crystal nucleation and growth, 106
 crystal size and shape, 104, 290
 crystal sizes, 117
 crystallinity, 104, 289–292
 crystals, 215
 dissolution, 60, 87, 111
 nomenclature, 84
 oxygen isotopic composition, 33
 phosphate oxygen isotopic composition, 87
 phosphorus concentration, 224
 recrystallization window, 112
 sintering, 290
 solubility, 104
 Sr/Ca ratios weaning, 45
 surface area, 104, 290
- Bone powder, 203
- Bone preservation, 160
 calcitic cemented sediments, 111
 clay-rich sediments, 55, 96, 111
 crystal aggregates, 112
- Bone structure
 age dependence, 230
 canaliculi, 109
 circumferential lamellar bone, 107
 compact bone, 108
 fibril array, 107
 graded material, 102
 hierarchical structure, 102–109
 lamellar bone, 107
 mineralized collagen fibril, 106
 osteonal, 26, 108, 230
 packing motifs of fibril arrays, 107
 parallel fibered bone, 107
 plexiform or fibrolamellar bone, 107, 230
 proportions of basic constituents, 102
 spongy bone, 108
 woven bone, 107
- Bone tools, 101
- Bones, 101–102, 108–109
 absence in ethnographic settings, 229
 black, 117
 burned. *See* Burned bone
 cemented sediment, 83
 dissolved, 88
 distribution in a site, 271
 for combustion, 168, 237
 small mammals, 234
- Bones vs bone, terminology, 102
- Brachiopod shells
 calcite disorder, 286
 intracrystalline macromolecules, 212, 213
- Brachydonty, 129
- Breccia, 83. *See* Cemented sediments
- Bricks, 92, 189
- Brushite, 130
- Buffer, 77
- Burned bone, 76, 117–118, 121, 176, 292–295
 calcined, 117, 118, 177, 255, 293
 cause of black color, 117, 294
 changes, color and splitting factor, 118
 circumstances of burning, 292
 color change, 117, 293
 cremation, 117
 identification by infrared spectroscopy, 292, 294
- Burrows, 251
- Calcined bone. *See* Burned bone, calcined
- Calcite, 76–83, 282
 ash, 82, 169
 ash $v_2:v_4$ ratios, 171
 ash, low and high temperature forms, 170
 avian eggshells, 152
 calcination temperature, 186
 ceramics, 198, 200, 205
 crystal morphology variations, 82
 diagenesis, 63, 80–81
 disorder, 63, 82, 284–286
 distinguishing formation modes, 81–82, 284–286
 embedded information, 81–83
 high Mg cement, 80
 influence on bone preservation, 111
 memory effect, 285
 plants, 135
 plaster binder, 186–188
 preservation of bones, ash and plaster, 77
 rhomb-shape crystals, 78
 sources in archaeological sites, 78–80, 283
 structure, 77
 transformation at elevated temperatures, 204
 $v_2:v_4$ ratios, 285
- Calcitic spherulites. *See* Spherulites
- Calcium aluminum hydrates. *See also* Hydraulic plaster, 189

- Calcium carbonate
 pH buffering capacity, 77, 160, 172
 polymorphs, 282–283
- Calcium carbonate mineral family, 76–83
 calcite and aragonite structures, 78
 differentiating origins of calcite, 81–82
 embedded information, 81–83
 members, 77
- Calcium hydroxide, 186. *See also* Lime, 79, 185
- Calcium oxalate, 306–307. *See* Whewellite and weddellite
 bacteria, 306
 biogenic crystal shapes, 82, 306
 combustion in wood, 170
 crystal shapes in wood, 170
 lichens, 306
 plants, 135, 306
 source of ash calcite, 170, 306
- Calcium oxide, 63, 79, 82, 177, 186, 193, 196, 204, 285
- Calcium silicate hydrate. *See also* Hydraulic plaster
- Calcium silicate hydrates, 189
- Calcium sulfate hemihydrate. *See also* plaster of Paris, 188
- Calibration curve. *See* Radiocarbon dating, calibration
- Canaliculi, 109, 113
- Cancellous bone. *See* Spongy bone
- Capillary action, 56, 315
- Carbon isotopic composition. *See also* Stable isotopic composition
 paleodiet, 27
- Carbonate bicarbonate buffering, 60
- Carbonate fluorapatite, 84, 112, 286, 288
 stability, 84
- Carbonate hydroxylapatite, 83–88, 286. *See also* Bone mineral
 A and B carbonate sites, 131, 287
 authigenic, 76, 296
 biogenic crystals, 63
 biogenic vs geogenic, 87
 carbonate content, 84, 287
 carbonate content by infrared spectroscopy, 288
 crystal size and shape, 87
 crystallinity, 87, 289–292
 dental calculus, 130
 dentin, 127
 diagenesis, 86
 disorder, 64
 dissolved bones, 88
 embedded information, 86–88
 fluoride replacement, 84, 288
 fossil snail shells, 161
 from ash calcite, 173
 heated, 287
 hens eggshells, 152
 identification by microchemical analysis, 317–319
 nodules, 63
 nomenclature confusion, 84
 paleoclimate reconstruction, 87
 stability field, 60, 85
 structure, 85
- Carbonate rock surfaces, 64
- Carbonation, 187
- Carboxylate and carbonyl groups
 charcoal fossil, 181
- Casts. *See* Pseudomorphs
- Catastrophic environmental events, 164
- Cathodeluminescence, 190, 192
- Caves
 authigenic calcite, 78
 authigenic phosphate minerals, 225
 carnivore dwellers, 231
 carnivore vs human activities, 230
 cemented sediment, 83
 dating carbonate deposits, 21
 detecting roof collapse, 64
 flint procurement, 91
 gizzard stones, 154
 guano, 80
 hearths, 183
 vulture bone accumulations, 231
- Celadons, 205
- Cellulose, 58, 177, 179, 309, 312
- Cement
 aragonite, 80
 calcite. *See* Cemented sediment
- Cemented sediment, 54, 78, 82–83
 ash derived, 284
 bones, 83
- Cementum, 124, 129, 215
 season of occupation, 42
 seasonal increments, 129
 structure, 130
- Cephalopods, 159
- Ceramics, 194–206. *See also* Pottery
 beehive walls, 236
 calcite, 198, 200
 clay sources, 96
 color, 203
 diagenesis, 194, 198, 199, 200
 early production (south China), 165
 embedded information, 198–206
 extent of vitrification, 203
 firing conditions, 197–198, 202–205

- Ceramics (*cont.*)
 firing temperature, regime, duration,
 197, 204
 fluxes, 196
 high temperature polymorphs of silicon
 dioxide, 90
 minerals formed at elevated
 temperatures, 204–205
 molecules in pores, 29
 porosity, 205, 219, 221
 production areas, 202
 production processes, 202–205
 protected niche for molecules, 219–222
 provenience and trade, 198–200
 proveniencing, 39, 96, 200
 raw material sources, 199
 raw materials, 92
 refiring, 203
 refractory materials, 206
 technical, 194, 235
 temper, 205
 ultrastructure, 203–204
Chaine opertiore, 165
 Charcoal, 178–185. *See also* Charred
 material, 16, 166
 adsorbed ions and molecules, 66
 associated clays, 95
 distribution, 64
 fluorescence, 258
 in sediments, 183
 microparticles, 174
 production, 179
 radiocarbon dating, 21, 255
 Sarakini village, Greece, 243–244
 structures for taxonomic identification,
 178
 weight loss and shrinkage during
 formation, 179
 Charcoal fossil, 181–182
 2 major components, 181
 bound ions and molecules, 182
 carboxylate and carbonyl groups,
 181
 cf humic substances, 182
 degradation mechanism, 183
 diagenesis, 182–183
 distribution in sites, 182
 onionlike structures, 182
 oxidation, 182
 oxygen distribution, 182
 Charcoal structure, 180
 amorphous carbon, 180
 graphite crystal size, 180
 graphitelike crystallites, 179
 graphitelike phase, 180
 molecular structure, 179–180
 nonordered phase, 180
 onionlike structures, 180
 Charred material, 178–185. *See also*
 Charcoal, 16, 58
 benzenecarboxylic acids, 184
 circumstances of charring, 17
 dating plaster, 191
 identification in sediments, 184
 plants, 16
 preservation, 179, 252
 radiocarbon dating, 184
 Raman spectroscopy, 72
 seed and fruit identification, 184
 soil stabilization, 183
 wet sieving, 265
 Charred wood. *See* Charcoal
 Cheetahs, 231
 Chemical elemental analysis, 72
 typical analysis
 Chert. *See* Flint
 Chitin, 100, 312
 mollusk shells, 162
 preservation, 58
 Chlorapatite, 286
 Clams, fresh water, 63, 80
 Clay, 300–303
 adsorbed ions and molecules, 66
 adsorbed organic matter, 94, 95
 amorphous, 94, 95, 198, 301
 atomic structures, 93
 formation, 92
 heated, 97, 198, 235, 303–305
 hydrological properties, 96
 melting temperatures, 195
 mineral classification, 94
 mineral groups, 93
 plasticlike properties, 92, 195
 provenience, 96–97
 Raman spectroscopy, 97
 reaction with phosphate, 95, 302
 structures, 93–94
 terminology, 73, 301
 Clay family of minerals, 92–97, 300–303
 diagenesis, 95–96
 differential thermal analysis (DTA),
 94
 embedded information, 96–97
 identifying mineral type, 94
 infrared spectroscopy, 94
 X-ray diffraction, 94
 Clay-rich sediment, 66
 affect of fire, 97
 better preservation, 96
 bone preservation, 111, 252

- pottery manufacture, 195
springs, 96
- Coal, 145, 168
ash, 177
- Coke, 205
- Collagen, 211, 312
bone, 308
C/N ratio, 256
cementum, 129
degradation in bone, 115
fiber, 105
in bone crystal aggregates, 106, 112, 217, 308
molecular structure, 308
nitrogen isotope ratios, 45
paleodiet reconstruction, 28, 119–120
preservation, 123, 252, 307–309
preservation in crystal aggregates, 112
preservation in parchment, 50
purity, 307
radiocarbon dating, 122–123
triple helical molecules, 105
type I, 100, 105, 127
unfolding (gelatinization), 50, 113
- Combe-Grenal, France, 131
- Combustion materials. *See* Fuel
- Compact bone, 108
- Compasting. *See* Organic matter
degradation and Aerobic
degradation, 53
- Completeness of the archaeological
record, 46–47, 81, 296
aragonite preservation, 160
assessing completeness, 62, 98
- Conservation, 273
- Context
samples for radiocarbon dating,
250–254
trapped charge dating, 252–254
- Controls, 230–231, 270
- Cooked bones, 118
- Cooking, 165
- Cooking pot residues
phytoliths, 147
- Copal, 312. *See also* Resins, 211
- Coprolites, 27, 76
- Cosmetic eye paints (Kohl)
mineral list, 321
- Cosmogenic isotopes. *See also*
Radiocarbon dating
beryllium 10, 91
flint, 40
flint mining, 40
- Courtyards, 235, 236
- Cowrie shells, 158
- Crandallite, 86, 297
stability field, 60
- Cremated bone
radiocarbon dating, 122, 255
- Cremation, 117, 118
- Cristobolite, 88, 90, 298
formation temperature, 204
- Crucibles, 205
- Cryptocrystalline quartz. *See also* Flint,
298
- Crystal aggregates, 106, 215–219, 308
ancient DNA and collagen, 122, 216
bone, 215
embedded information, 217–219
paleodiet reconstruction, 218
- Crystal sand (calcium oxalate), 170
- Crystallinity, 289–292. *See also* Splitting
factor, 104
authigenic phosphate minerals, 297
definition, 290
- Currency, 158
- Cypraea annulus*
currency, 158
- Dahllite, 84. *See* Carbonate
hydroxylapatite
- Darcy's law, 55
- Darwin, C. R., 46
- Dating, 18–25. *See also* Radiocarbon
dating
bone, 122–123
communication gap, 247–249
determining uncertainties, 249
eggshells, 153
enamel (ESR), 132
enamel, uranium series, 132
four stages, 248
mollusk shells, 163
number of samples to analyze, 255–256
plaster, 191
relative, 18, 245
- Dating methods
amino acid racemization, 24–25
archaeomagnetism, 25
dendrochronology, 21–22
fluoride uptake, 23, 288
list of methods, 245
obsidian hydration, 23–24
perspective, 19
radiocarbon. *See also* Radiocarbon
dating, 19–21
trapped charge (TL, ESR and OSL),
22–23
uranium series, 21
- Dead lime. *See also* Plaster binder, 187

- Dead Sea Scrolls, 50
 parchment preservation, 113
- Definition of science, 2
- Degradation. *See* Diagenesis
- Dendritic. *See* Phytoliths, dendritic
- Dendrochronology, 19, 21–22, 246
- Dental calculus, 130, 131
 minerals, 130
 paleodiet, 132–134
 phytoliths, 147
- Dentalium, 158, 159
- Dentin, 215
 abrasion by phytoliths, 137
 basic constituents, 127
 crystallinity, 289–292
 crystals, 127, 290
 embedded information, 133
 fibril arrays, 128
 growth lines, 26
 hierarchical structure, 126–129
 mineralized collagen fibril, 127
 noncollagenous proteins, 127
 peritubular dentin, 128
 root vs crown dentin, 128
 secondary, 26
 structure, 107
 tubules, 124, 127, 128, 217
 type I collagen, 127
 types, 124, 127
- Dentin diagenesis, 131
- Dentine. *See* Dentin
- Dentin-enamel-junction (DEJ), 124, 129
- Diagenesis. *See* Organic matter
 degradation, 46
 agents of degradation, 62
 anthropogenic effects, 54
 ash above pH8, 172–173
 ash below pH8, 173–174
 bone. *See* Bone diagenesis
 calcite, 63
 calcite and aragonite, 80–81
 carbonate hydroxylapatite, 86
 ceramic, 198
 charcoal fossil, 182–183
 charred materials, 58
 chemical reactions, 54–56
 conceptual framework, 62–63
 conceptual framework applications,
 63–66
 dentin, 131
 diatoms, 150
 driving forces, 54–56
 eggshells, 152
 extent of degradation, 62
 freeze-thaw affects, 54
 gelatin formation, 113
 geogenic processes, 54
 hydrological regime, 54–56
 macroscopic versus microscopic
 records, 52
 mechanical processes, 54
 minerals, 59–61
 mollusk shell, 161
 organic matter, 57–59
 organisms in soils, 57
 otoliths, 156
 pH decrease, 60
 phytoliths, 143–144
 plaster, 190–191
 silicon dioxide polymorphs, 90
 teeth, 130–131
 time frame, 52–54, 62
 water flow, 55
 water, role of, 54
 waterlogged environments, 114
- Diagenesis bone. *See* Bone diagenesis
- Diagenesis enamel, 130–131
 fluoride uptake, 131
 uranium uptake, 131
- Diatoms, 89, 149–151, 298
 cell wall composition, 150
 diagenesis, 150
 embedded information, 150–151
 habitats, 150
 irrigation, 150
 paleoenvironmental reconstruction,
 151
 pottery provenience, 151
 silica solubility, 150
 theca, 149
- Differential thermal analysis
 heated clays, 97
- Dinosaur bone collagen, 216
- Disorder in minerals, 61, 63, 81, 82, 161,
 166, 167–168, 206
 biomineralization, 99, 162
 calcite, 82, 161
 carbonate hydroxylapatite, 84, 104
 clay, 95
 effects of heating and cooling, 166–167
 scale, 168
 silica, 88
- Diyun, Guilin, China, 159
- DNA. *See also* Ancient DNA, 209–210
 polymerase chain reaction, 34
 sequences, 33
- Dogs
 bone scavenging and gnawing, 101, 229,
 232, 238
 domestication, 238

- Dolomite, 188
 plaster binder, 188
 transformation at elevated temperatures, 204
- Domestication
 cereals, 147
 plants, 147
- Dosimeters, 252
- Drinking water, 33, 132, 153
 oxygen isotope composition, 35
- Druses (calcium oxalate), 170
- Dung, 237–238
 ash, 177
 common components, 233
 fertilizer, 242
 for combustion, 168, 232–233
 fossil dung identification, 240
 monohydrocalcite, 283
 phytolith difference index (PDI), 242
 spherulites, 232, 234, 236, 240, 283. *See also* Spherulites, 44
 stable isotopic composition, 240
- Dye, 158
 from mollusks, 157
 purple. *See also* Indigo
- Earthworms, 283, 284
- Echinoderm skeletons
 calcite disorder, 286
 intracrystalline macromolecules, 212
- EDS. *See* Energy dispersive spectrometry
- Eggshells, 79, 151–154
 dating, 24
 dating, amino acid racemization, 153
 diagenesis, 152
 embedded information, 152–154
 formation, 152
 intracrystalline macromolecules, 213
 mineralogy, 152
 morphology, 152
 organic matrix, 152
 ostriches, 151
 oxygen isotopic composition, 33
 paleoenvironmental reconstruction, 153
 radiocarbon dating, 154
 ratites, 151
- El Amarna tablets, Egypt, 200
- Electron spin resonance dating, 18, 23, 131, 245, 246, 358, 371
 context, 253–254
 uranium uptake history, 246
- Elemental analysis. *See* Chemical elemental analysis
- Emmer wheat, 145
- Enamel, 124
 3-dimensional structure, 126
 amelogenin, 125
 basic constituents, 124–125
 crystal size and shape, 124, 290
 crystallinity, 291
 dating, 23, 132, 253
 diagenesis, 130–131
 electron spin resonance, 23
 embedded information, 133
 fluoride uptake, 131
 graded structure, 126
 growth lines, 26
 hierarchical structure, 124–126
 intergrown crystal composite, 217
 life history reconstruction, 132
 organic matrix, 125
 preservation, 253
 prisms (crystal arrays), 126
 Sr/Ca ratios, 121
 Sr/Ca ratios weaning, 45
 strontium isotope ratios, 35
 structure, 125, 218
 surface striations, 136
- Enameloid, 124, 288
- Energy dispersive spectrometry, 72, 74
- Eskimo winter house, 236–237
 dump of bone splinters, 237
 human waste disposal, 237
 phosphate concentrations, 237
 wood pile and hearth, 237
- ESR. *See also* Electron spin resonance dating
- Ethnoarchaeology, 48
 abandoned structures and spaces, 228
 activity areas using phosphate concentrations, 244
 Aliabad village, Zagros Mountains, Iran. *See also* Aliabad, 232–236
 charcoal, 243–244
 controls, 230–231
 definition, 227
 dung degradation, 54
 Eskimo winter house, 236–237
 Maasai animal enclosures, 54
 merging archaeobotanical and archaeozoological records, 237–238
 microartifacts, 228–230
 pottery production, 197
 primary vs secondary deposits, 232, 236
 Sarakini village, Greece, 240–244
- Ethnography, 227

- Fatty acids, 58, 237. *See also* Lipids and Residue Analysis
 latrines, 236
 site spatial organization, 44
- Fertilizer, 149, 242
 ash, 233
 dung, 238, 240
- Feynman, R., 2, 6
- Fibrolamellar bone, 107
- Fire
 deliberate control, 175–176, 178, 292, 303, 304
 history of the use of, 165
 impact on environment, 183
 phytolith types in ash, 178
 temperatures, 304
 type of wood used, 178
- Fish, 157
 environmental habitat, 156
 otoliths, 154
- Fish teeth
 enameloid, 124, 288
- Fishing locations, 157
- Flint, 88–89, 298
 burned, 176
 dating, 22, 252
 diagenesis, 90
 formation process, 89
 infrared spectrum, 89
 mining, 91
 provenience, 40
 provenience and procurement strategies, 91–92
 structure, 89
- Flint tools
 dating, 92
 procurement strategies, 91
- Floors, 194, 250
 Aliabad village house, 235
 different types, 235
 differentiating upper and lower, 234
 microlaminated texture, 236
 plaster, 44, 185, 190
 Sarakini village, Greece, 242
- Fluorapatite, 286, 288. *See also* Carbonate fluorapatite
- Fluoride
 bone mineral, 112, 288
 carbonate hydroxylapatite, 84, 85
 infrared spectrum change, 289
 uptake into enamel, 131
- Fluoride uptake dating, 5, 19, 23, 288
- Fluorine, 85
- Fluxes, 195–196, 305
 calcite, 200
- Foraging strategies, 164
- Fossil charcoal. *See* Charcoal fossil
- Fossil proteins
 amino acid sequences, 34, 122, 210
- Fossil record
 completeness, 46
 imperfection, 46
- Fourier transform infrared spectroscopy. *See* Infrared spectroscopy
- Franklin Rosalind, 179
- Freeze-thaw effects, 54, 251
- Fuel, 166
 bones, 121, 237
 brick-red burned soil particles, 272
 common materials, 168
 dung, 145, 238, 272
 identification, 176–177, 271–272
 identification using phytoliths, 17, 145
 peat, 272
 wood, 145, 272
- Fullerenes, 180
- Fulvic acid. *See also* Humic substances, 314
- Fungal degradation. *See also* Microbial degradation
 bone, 114
- Gamma radiation, 177, 252
- Garbage pits and dumps, 86, 223, 295
- Gardens, 233
- Gastropod shells. *See* Snail shells
- Gastropods, 159
- Gehlinite, 204
- Gelatin, 113, 308. *See also* Collagen degradation, 113, 308
- Genetic information, 34
- Geoarchaeology, 69
- Geogenic minerals
 calcite, 78
 definition, 69
 list, 321
 silica (opal), 136
- Gesher Benot Yaakov, Israel
 preserved wood, 310
- Gibbsite
 tropical soils, 95
- Gizzard stones, 154
- Glass, 168
 crystallization over time, 167
 product of supercooling, 167
- Glass production, 91
 ash soluble salts, 169
 mineral list, 321
 secondary use of ash, 166

- Glauconite
 transformation at elevated
 temperatures, 204
 Gleaning, 52
 Global Positioning Systems, 267
 Glue, gelatin, 308
 Goethite
 tropical soils, 95
 Gourds
 phytoliths, 147
 Graphite, 179, 205
 oxidation catalysts, 183
 Graphitelike crystallites, 179
 Graves
 land snails, 158
 Gravity sensing, 154
 Great temple, Petra, Jordan, 267
 Grog, 189, 195, 205
 Growth lines. *See* Rhythmic growth
 Guano, 116, 225
 authigenic phosphate mineral
 formation, 80
 degradation, 64, 183
 pH of freshly degrading, 66
 phosphate concentrations, 224
 rich in phosphate, 295
 Gum, 211, 312
 Gypsum, 59
 heated, 188
 plaster binder, 188

 Halite, 50
 Hasanabad village, Zagros Mountains,
 Iran, 231
 Haversian bone. *See* Osteonal bone
 Hayonim Cave, Israel, 96, 160
 clay degradation, 303
 on-site laboratory, 267
 phytolith dissolution, 173
 TL and ESR dating, 177, 252
 Hearths, 9, 96, 165, 235, 251, 253
 charcoal distribution, 183
 definition, 174
 deliberate control of fire, 175
 Eskimo winter house, 237
 Natufian, Hayonim Cave, 175
 oldest known, 176
 preservation process, 175
 Heating and cooling materials,
 166–167
 Heavy liquids, 142
 Hematite, 204
 tropical soils, 95
 Hemicellulose, 179, 309
 Hexahydrate, 282

Homo erectus, 74
 Hooves, 211
 Horn, 211
 Hornblende, 204
 House, two storied, 234
 Humic acid, 314
 Humic substances, 58, 72, 182, 312, 313
 Raman spectroscopy, 266, 313
 resemblance to lignin, 313
 Huxley, T. H., 46
 Hydraulic conductivity, 55
 Hydraulic mortar, 186
 Hydraulic plaster, 186, 188–189, 190
 authigenic silica, 90
 authigenic silicates, 189
 definition, 189
 grog, 189
 infrared spectrum, 189
 Pozzolana, 189
 Hydrogen peroxide, 142
 Hydrological regime, 55, 62, 225, 271
 bone preservation, 111
 diagenesis, 54–56
 Hydrolysis, 112
 Hydroxylapatite, 286, 287. *See also*
 Carbonate hydroxylapatite, 84
 atomic structure, 84, 85
 Hydroxyproline, 258
 Hyena, 231
 prehistoric den, 231
 Hypsodonty, 129

 ICP-OES. *See* Inductively Coupled
 Plasma-Optical Emission
 Spectrometry
 Ikkaitite, 77
 Illite
 iron-rich, 76
 soils in temperate zones, 95
 Illite group of clays, 93, 301
 Illuviation, 95
 Imogolite, 301
 India ink. *See* Ink
 Indigo, 158
 Inductively coupled plasma-optical
 emission spectrometry
 proveniencing ceramics, 39
 Infrared microscopy, 71, 281
 Infrared spectroscopy, 71, 275
 atomic disorder, 61
 basis, 276
 bone mineral crystallinity, 112
 clay structures, 97
 library of standard spectra, 282
 on-site, 265, 276

- Infrared spectroscopy interpretation of spectra, 278–281
- major classes of compounds, 279
 - mixtures of compounds, 280
 - peak at 1384 wavenumbers, 281
 - shifting of peak maximum, 279–280
 - variations in peak width, 281
- Infrared spectroscopy methods
- background, 278
 - grinding, 277
 - potassium bromide pellets, 276, 278
 - quantification, 278
 - reproducibility, 277
 - sample preparation, 276–277
 - sampling, 277
- Infrared spectrum of
- amber from different locations, 315
 - amorphous calcium carbonate, 284
 - aragonite, 284
 - asphalt, 313
 - bone (fossil), 293
 - bone (fresh), 293
 - bone burned, 295
 - calcite, 280, 284, 287
 - calcite geogenic crystal, 285
 - calcite, test (shell) of sea urchin, 285
 - calcite, shell of, brachiopod, 285
 - carbonate hydroxylapatite, 289, 296
 - cellulose, 311
 - charcoal, wood fossil, 310
 - charcoal, wood modern, 310
 - clay (mainly montmorillonite), 304
 - clay transforming, 304
 - collagen, fossil major contamination, 309
 - collagen, fresh, 309
 - collagen, minor contamination, 309
 - copal, 315
 - crandallite, 296
 - cristobolite, 301
 - dentin, 291
 - enamel, 291
 - flint (chert), 299
 - fluorapatite, 289
 - fulvic acid, 314
 - gum, 313
 - humic acid, 314
 - hydroxylapatite, 289
 - illite, 280, 302
 - kaolinite, 302
 - leucophosphite, 296
 - loess, 280, 287
 - monohydrocalcite, 284
 - montgomeryite (crystalline), 297
 - montgomeryite (disordered), 296, 297
 - montmorillonite, 302
 - montmorillonite heated to different temperatures, 306
 - montmorillonite with different associated ions, 303
 - nitrate, potassium, 316
 - nitrate, sodium, 316
 - quartz, 280, 299, 301
 - resin, 313, 315
 - silica (opal), 299
 - silica (opal) crystallizing, 304
 - silica (opal) geogenic, 300
 - silica (opal) biogenic, 300
 - siliceous aggregates, 299
 - taranakite, 296
 - tridymite, 301
 - variscite (crystalline), 297
 - variscite (disordered), 297
 - vaterite, 284
 - weddellite, 307
 - whewellite, 307
 - wood fossil (poorly preserved), 311
 - wood, fossil (well preserved), 311
 - wool, 313
- Ink, 184
- Installations for pyrotechnology, 165, 166, 205
- Intergrown crystals. *See* Crystal aggregates
- Intertubular dentin, 124
- Intracrystalline macromolecules, 100, 112, 156, 162, 212–215
- amino acid racemization dating, 214
 - amounts and composition, 213
 - embedded information, 214–215
 - mollusk shell, 213
 - paleoenvironmental reconstruction, 214–215
 - radiocarbon dating, 215
- Irrigation, 145–146
- diatoms, 150
- Isotherms. *See also* Stability fields of minerals, 110
- Isotope. *See also* Stable isotopic composition
- definition, 68
- Isotope fractionation
- paleodiet reconstruction, 28
- Kaolinite, 94, 203
- atomic structure, 93
 - degradation product, 95
 - soil in tropics, 95
- Kaolinite group of clays, 93, 301

- Karstic environments, 78
- Kebara Cave, Israel, 65, 88
 charcoal distribution, 64, 182
 diatoms, 151
 phytolith dissolution, 173
- Kenyon, K. M., 8, 47
- Keratin, 211, 312
- Kiln, 193, 200, 304
 dating, 25
 lime plaster, 187
- Kimmel Center for Archaeological Science, Weizmann Institute of Science, 268, 282
- Klisoura Cave, southern Greece, 96
- Kohl
 mineral list, 321
- La Quemada, Mexico, 150
- Lake Turkana, Kenya, 229
- Lamellar bone, 107
 circumferential, 107
- Land snails. *See* Snail shells
- Latrines, 58, 86, 223
 characteristic features in sediments, 236
 slaked lime, 194
- Lead isotope ratios
 provenience, 38
- Leather, 211, 307
- Leopards, 231
- Leucophosphate, 86
- Levigation, 195
- Libby, W. F., 5, 18
- Lichens, 306
- Life history reconstruction, 27
 bone, 123
 enamel, 132
- Lightning, 183
- Lignin, 18, 179, 321, 371
 content in wood using infrared spectroscopy, 311
 microbial degradation, 58
 preservation in fossil wood, 311
 resemblance to humic substances, 313
 structure, 58, 309
- Lime, 185
- Lime aggregate, 185
- Lime plaster, 185, 186, 193. *See also* Plaster
 ageing, 187
 calcite crystal morphology, 82
 calcite $\nu_2:\nu_4$ ratios, 171, 190
 formation, 79
 mollusk shells, 157
- Lipids, 36, 211. *See also* Fatty acids
 definition, 211
- Lithic tools. *See* Tools, lithic
- Livestock enclosures. *See* Animal enclosures
- Loess, 73, 279, 284
- Maasai villages, Kenya, 54
 animal enclosures, 239
 monohydrocalcite, 77, 283
 phytoliths, 148
- Magnesium oxide, 188, 193
- Maize
 paleodiet reconstruction, 28
 phytoliths, 147
- Mandible
 alveolar bone, 124
- Mantle (mollusks), 162
- Manure, 224
- Marble, 36
 provenience, 38
- Material culture, 227
- Melilite, 204
- Mercenaria, 164
- Metals, 36, 168, 205, 266
 provenience, 39
 site pollution, 272
- Mica
 transformation at elevated temperatures, 204
- Micrite, 75
- Microarchaeological record. *See* Microscopic record
- Microarchaeology, 1, 5
 integrating with macroarchaeology, 8–9
- Microartifacts, 30, 228–230
 site spatial organization, 44
 size cutoff, 229
 trampling, 229
- Microbial degradation
 absence of water or oxygen, 18
 affect of climate, 114
 bone, 110, 114, 115
 compasting, 57
 deserts, 49
 gelatin, 113
 lignin, 58
 plant material, 16
- Microcharcoal, 233
- Microchemical analysis. *See* Chemical elemental analysis
- Microcrystalline quartz. *See also* Flint, 252
- Microlaminated texture, 233
 animal enclosures, 240
 floors, 236
 living room floors, Sarakini, 242

- Micromorphology, 30, 69, 73–76
 ash types, 177
 fuel types used, 271
 infrared microscopy, 281
 plaster identification, 190
- Microscopic artifacts. *See* Microartifacts
- Microscopic record, 1, 6–8, 68
 Aliabad village, Zagros Mountains, Iran, 232–236
 definition, 13
 Eskimo winter house, 236–237
 ethnoarchaeological contribution, 228
 information categories embedded in the microscopic record, 16
 merging archaeobotanical and archaeozoological records, 237–238
 on-site laboratory, 10
 plant remains, 16
 rich in microartifacts, 229
 Sarakini village, Greece, 240–244
- Middens, 9, 41, 157, 158
- Migration, 27, 35, 118–119
 fish, 157
- Mineral assemblages
 diagenesis, 252
 in situ (micromorphology), 73–76
 site formation processes, 68, 97–98
- Mineral formation in biology. *See* Biomineralization
- Mineral identification, 70–72
 chemical elemental analysis, 72
 infrared spectroscopy, 71
 microchemical analysis
 optical mineralogy, 70
 petrographic microscope, 264
 Raman spectroscopy, 72
 X-ray diffraction, 33
- Mineral particles
 size and shape, 72–73
 size terminology, 73
- Mineralized collagen family of materials, 215
- Mineralized collagen fibril, 106
 dentin, 127
 tendon, 215
- Minerals
 authigenic. *See* Authigenic minerals
 categories, 69
 classification and nomenclature, 70
 diagenesis, 59–61
 disorder, 61, 167–168. *See also* Disorder in minerals
 dissolution-reprecipitation, 60
 stability and solubility, 59
 stability fields, 59, 60, 80, 85, 111
- Mining, 164
 flint raw materials, 91
 procurement strategies, 40
 tin, 39
- Mollusk shell, 157–164
 crossed lamellar structure, 159
 dating, 163
 heated, 162
 mantle, 162
 myostracum, 160
 paleoenvironmental reconstruction, 164
 paleotemperature analysis, 33
 pearly nacreous luster, 159
 periostracum, 159
 pseudomorphs, 115
 rhythmic growth, 41
 season of site occupation, 164
 site preservation, 164
 structure, 6, 159–160
 ultrastructural types, 159
- Mollusk shell mineral, 160–162
 aragonite, 63, 160
 assessing preservation, 81
 assessing preservation of calcite, 160
 atomic disorder, 161
 calcite, 80
 stability, 63
- Mollusk shell organic matrix, 162
 aspartic acid-rich proteins, 162
 intracrystalline macromolecules, 212
 silk fibroin, 162
 β -chitin, 162
- Mollusks
 taxonomy, 159
 uses in antiquity, 157
- Monohydrocalcite, 77, 282
 dung deposit, 283
- Montgomeryite, 86, 297
 bones dissolved, 88
 stability field, 59
- Montmorillonite, 301
 atomic structure, 93
- Mortar. *See* Plaster
 definition, 185
- Mud bricks, 52, 53, 92, 233, 301
- Mud plaster, 190
- Mullite, 204
- Munsell color chart, 203
- Muricidae, 158
- Muscovite, 93
- Mutations, 208, 209
- Myostracum, 160
- NAA. *See* Neutron activation analysis
- Nacre, 213

- Nanotubes, 180
- Natufian period, 158
- Natural organic materials. *See also* Humic substances and resins, 312–315
list, 321
list of common materials, 312
- Neanderthals
dental calculus, 130
DNA, 33, 35, 208
phytoliths, 140
- Neutron activation analysis
proveniencing ceramics, 39, 200
- Nilsson, S., 4
- Nitrates, 56
deposited on sediment surfaces, 316
- Nitrogen isotopic composition. *See* Stable isotopic composition
paleodiet, 27
- NMR
clay structures, 97
- Noncollagenous proteins
preservation in bone, 112, 308
radiocarbon dating, 122
- Nunamiut, 228
- Obsidian
dating, 19, 23
knapping, production of
microfragments, 229
provenience, 37
- Obsidian hydration dating, 23–24, 246, 247
- Occluded macromolecules. *See* Intracrystalline macromolecules
- Octacalcium phosphate, 130
- Odontoblasts, 124
- Old wood effect, 191, 255
- Olduvai Gorge, Tanzania
phytoliths, 147
- Olive pit, 17, 251
ancient DNA, 310
preservation, 309–311
- Ologesaille, Kenya, 32
- Onionlike structures, 180, 182. *See also* Charcoal structure
- On-site laboratory, 10, 11, 63, 267, 269
analysis times, 263
benefits, 261–262
choice of instruments, 263–268
conservation, 273
examples of questions to be addressed
on-site, 271–273
infrared spectrometers, 71
macroscopic record, 263
maps of boundaries, 261
mode of operation, 261
of Kimmel Center for Archaeological Science, Weizmann Institute of Science, 268
operation, 268–269
useful work program, 269–271
- Opal. *See* Silica
- Opal-A, 88
- Opal-CT, 88
- Optical mineralogy, 70, 199
- Optical stimulated luminescence dating,
18, 245, 246
context, 254
materials, 254
- Oral bacteria, 147
- Order in minerals. *See* Disorder in minerals
- Organic matrix
bone, 102, 105
bone diagenesis, 113
diagenesis in bone, 110, 112
eggshells, 152
enamel, 125
inter- and intracrystalline, 100
mollusk shells, 162
otoliths, 156
phytoliths, 136
two major groups, 100
- Organic matter
desiccated, 50
phosphate, 59
phosphorus concentrations, 224
removal by oxidation, 142
sulfur, 59
tanning, 50
- Organic matter concentrations, 59, 64, 223–225
Aliabad village house, 234
alleys between houses, 233
phytolith concentrations, 225
- Organic matter degradation, 57–59, 225
aerobic and anaerobic processes, 53
driving force for diagenesis, 56, 57
microbial action, 58
pH lowering, 50, 57
processes, 57
rapid phase, 53
tilted strata, 65
- Organic-rich sediments, 58
identification, 86–87
phosphate, 44, 86
- Ornamentation. *See* Beads
Dentalium, 158
- OSL. *See* Optically Stimulated Luminescence dating

- Osteocalcin, 105, 112, 216, 292, 308
- Osteon
size, 26
- Osteonal bone, 107–108
life history reconstruction, 123
- Ostriches
drinking water, 33
eggshells, 151, 214
- Ostwald's Rule of Stages, 80
bone, 104
- Otoconia. *See also* Otoliths, 154
- Otoliths, 154–157
3 chambers, 155
diagenesis, 156
embedded information, 156–157
growth lines, 154
mineralogy, 155
nomenclature, 154
paleoenvironmental reconstruction, 156
season of occupation, 42, 157
structure and organic matrix, 156
trace element variations, 157
- Overton Down, England, 114
- Owls, 231
- Oxidation
charcoal, 16, 182
charred organic matter, 58
organic matter, 57, 96, 114
removal of organic matter, 142
- Oxidizing agent. *See* Sodium hypochlorite
- Oxygen isotopic composition. *See also*
Stable Isotopic Composition
drinking water, 33, 35
migration, 27
phosphate, 87
- Oxyhornblende, 204
- Oysters, 80
shell mineralogy, 160
- Paleochemical environment, 68, 296
- Paleoclimate reconstruction. *See also*
Paleoenvironment reconstruction
carbonate hydroxylapatite, 87
charcoal in sediments, 183
phytoliths, 142, 147
- Paleodiet reconstruction, 30
basis for, 120
bone, 119–121
collagen in bone, 28
cooked and burned bone, 121
crystal aggregates, 218
individual amino acids, 29
isotope fraction, 28
maize, 28
marine derived food, 28
phytoliths, 147
residue analysis, 29–30
single amino acids of collagen, 120
Sr:Ca ratios in bone, 120–121
stable isotope compositions, 28–29
stable isotopes bone collagen, 119–120
strontium isotope ratios, 29
- Paleoenvironment reconstruction, 30–31
archaeobotany, 31
diatoms, 150, 151
eggshells, 153
intracrystalline macromolecules,
214–215
iron minerals, 66
micromorphology, 30
mollusk shells, 100, 163–164
otoliths, 156
phytoliths, 31
pollen, 32
rare earth elements (REE), 31–32
rare earth elements in bone, 122
stable isotope variations, 32–33
- Paleoenvironmental reconstruction
charcoal, 243
- Paleogenetics, 33–35, 121–122
ancient DNA, 34
ancient DNA in crystal aggregates, 218
fossil protein sequences, 34
Neanderthal DNA sequence, 35
protein, 122
- Paleomagnetic features in sediments, 176
- Paleomigration, 35, 118–119. *See also*
Migration
- Paleo-pH, 296
- Paleotemperature, 33
stable oxygen isotopic composition,
163
trace elements, 163
- Paleovegetation ecology
phytoliths, 147
- Palygorskite group of clays, 93
- Parallel fibered bone, 107
- Parchment, 211, 307
collagen-gelatin proportions, 113
Dead Sea Scrolls, 50
preservation, 50
- Parenchyma, 16
- Pastoral societies, 238, 239
- PCR. *See* Polymerase chain reaction
- PDI. *See* Phytolith Difference Index
- Pearly luster, 159
- Peat, 272
ash, 177
combustion material, 168
- Peking Man Site. *See* Zhoukoudian, China

- Peptides, 211
- Periclase, 204. *See also* Magnesium oxide, 193
- Periodontal ligament, 124, 129
- Periostracum, 159
- Peritubular dentin, 124, 128, 217
 - crystal aggregates, 216
 - matrix proteins, 216
- Petrographic microscope, 73, 264
 - micromorphology, 69
 - mineral identification, 70, 199, 264
 - phytolith identification, 264
- Petroleum residues, 312
- pH, 59
 - ash diagenesis, 172–174
 - carbonate buffer, 77, 160
 - drop in sediments, 58, 63, 225
 - microbial activity, 60, 98
 - organic matter degradation, 50, 57, 64, 66
 - phytolith stability, 143
 - silica dissolution rates, 90
 - slaked lime, 188
- Phase transformations
 - heating and cooling, 167
- Phosphate, 59, 223
- Phosphate concentrations. *See also*
 - Authigenic phosphate minerals, 44, 60, 223–225, 296
 - alleys between houses, 233
 - animal enclosures, 240
 - cave sediments, 88
 - colorimetric assay, 86
 - ethnoarchaeology, 244
 - fish processing site, 244
 - guard house, 244
 - organic matter, 224
 - sediments, 59, 86
 - site spatial organization, 44
 - UV-visible spectrophotometers, 266
- Phosphophoryn, 127
- Phosphorus, 223
 - content in organic matter, 224
- Photography, 268
- Photosynthetic systems, 214
 - C₃ and C₄, 28, 153
- Phreatic zone. *See* Saturated zone
- Phytolith assemblages, 139–141
 - identifying plant taxa, 146–147
 - information on plant parts, 140, 141
 - nonarchaeological sediments, 144
 - plant quantities brought to site, 148
 - rural-urban continuum, 273
 - Sarakini village, Greece, 240–243
 - taxonomic information, 140
- Phytolith Difference Index (PDI), 241, 243
- Phytolith record, 17, 238
- Phytoliths, 135–149. *See also*
 - Archaeobotanical record
 - absence of occluded DNA, 146, 214
 - bananas, 147
 - bark, 272
 - barley, 147
 - burned, 17, 136, 174, 233, 237, 272
 - cereal storage vs fodder storage, 140
 - cereals, 140, 147
 - concentrations, 141, 148, 234, 238
 - consistent and variable morphologies, 139
 - cooking pot residues, 147
 - dendritic, 140
 - dental calculus, 147
 - diagenesis, 143–144
 - dissolution, 144, 173
 - embedded information, 145–149
 - etched surfaces (weathered), 144, 271
 - floor types, 235, 242
 - formation and morphology, 137–139
 - fuel use, 145
 - functions, 137
 - genetic information, 146
 - genetic vs environmental control, 138
 - gourds, 147
 - grasses, 140, 146, 148
 - hardness, 136
 - irrigation, 145–146
 - location in cell, 137
 - material, 137
 - mechanical function, 137
 - mineral solubility, 143
 - morphotype classification, 139
 - morphotypes (morphologies), 138
 - multi-celled (silica skeletons), 145
 - nomenclature, 135
 - occluded macromolecules, 146, 213
 - organic matrix, 136, 214
 - paleodiet reconstruction, 147
 - paleovegetation ecology, 147
 - radiocarbon dating, 148, 260
 - reference collection, 141–142, 148
 - rice, 147
 - sampling and analysis, 142–143
 - site spatial organization, 148–149
 - squash, 147
 - stable oxygen isotopic composition, 145
 - strategy for studying phytoliths, 141–143
 - tooth abrasion, 137
 - two storied house, 242
 - wheat, 147

- Phytoliths (*cont.*)
 wood, 140, 148, 172
 wood and bark, 139
- Pigments
 analysis, 72
 list, 321
- Pitldown forgery, 5, 23, 288
- Pine tar, 312
- Plants. *See also* Archaeobotany
 archaeological sites, 16
 minerals produced, 135
 nitrogen incorporation, 28
 phytolith concentrations, 141
 phytolith producers, 138
 silica formation, 89
 soil formation, 94
 use of, 148
- Plaque. *See* Dental calculus
- Plaster. *See also* Lime plaster and
 Hydraulic plaster, 185–194
 dating problems, 192
 definition, 185
 diagenesis, 190–191
 early production (Natufian), 165
 embedded information, 191–194
 frescoes, 193
 gypsum, 185, 188
 identification, 190
 radiocarbon dating, 255, 260
 reconstructing production processes,
 193
 refractory materials, 193–194
 residue analysis, 194
- Plaster aggregates, 185, 189–190
 binder to aggregate proportions, 189
- Plaster binder, 185–189
 ageing, 187
 calcite, 186–188
 calcite production process, 186, 187
 gypsum, 188
- Plaster floors
 fatty acid concentrations, 44
- Plaster of Paris, 188
- Plexiform bone. *See* Fibrolamellar bone
- Pollen, 18, 32, 70, 211, 234, 338, 348, 351,
 365, 367
 outer exine layer, 18
 paleoenvironmental reconstruction, 32
 preservation, 31
 Tyrolean ice man, 48
- Pollen grains, 16
- Polymerase chain reaction, 34
- Polymorphs, 77
- Polymorphs of calcium carbonate, 282–283
- Polysaccharides, 162, 211, 312
- Pomaks, 240
- Porcupines, 231
- Porosity
 bone, 109, 110
 ceramics, 205
- Portlandite, 204. *See also* Plaster binder, 186
- Postholes, 239
- Potassium isotope ^{40}K
 siliceous aggregates, 177
- Pot-lid fracture of flints, 176
- Pottery. *See also* Ceramics, 194–206
 celadons, 205
 contents, 35–36, 219
 embedded information, 198–206
 furnace lining, 193, 205
 production areas, 202
 surface sealants, 219
 tuyeries, 205
- Pottery manufacture, 195–198
 bone powder decoration, 203
 cracking, 195, 197
 crucible production, 205
 drying, 197
 ethnographic observations, 197
 firing conditions, 197–198, 202–205
 fluxes, 195–196
 kinetic vs thermodynamic control, 202
 paddle and anvil technique, 196
 processes, 202–205
 raw materials, 195
 shaping and decorating, 196
 slip, 196
 soaking time, 198
 temper, 195
 wasters, 202
 wheel production, 196
- Pottery provenience, 39, 151, 198–200
 El Amarna tablets, 200
 mineralogical (petrographic) approach,
 199–200
 total element approach, 200
 two approaches, 199
 XRF, 266
- Pozzolana, Italy, 186
- Preservation
 ash, 175
 assessing mineral preservation, 81, 160
 atomic disorder, 162
 bones, 160
 charcoal distribution, 64
 charred material, 179
 clay-rich sediments, 66, 96
 context of uncharred organic materials,
 225
 deserts, 49

- dessicated, 49, 50
frozen, 48
- Procurement strategies, 40–41
cosmogenic isotopes, 40
flint, 91–92
mining, 40
- Protected niches, 207, 208
authigenic minerals, 226
ceramics, 219–222
charcoal, 226
crystal aggregates, 106, 215–219
enamel, 217
intracrystalline, 100, 152, 212–215
peritubular dentin, 217
starch grains, 222
- Proteins, 210, 312. *See also* Fossil proteins
and Noncollagenous proteins
brachiopod shells, 213
enamel, 125, 217
fossil amino acid sequences, 210
fossil genetic information, 122
inside crystals. *See* Intracrystalline
macromolecules
mineralized tissues, 100
mollusk shells, 162
peritubular dentin, 216
preservation, 49
- Provenance. *See* Provenience
definition, 36, 195
- Provenience, 36
amber, 37
clay, 96–97
definition, 36, 195
diatoms, 151
flint, 40, 91–92
lead isotope ratios, 38
marble, 38
obsidian, 37
pottery, 39, 198–200
quartz grain morphologies, 91
soapstone, 38
sources of raw materials, abundant,
39–40
sources of raw materials, limited, 37–39
steatite, 38
tin, 39
trace element analysis, 39
- Provenience and procurement strategies,
36–41
- Pseudomorphs, 83
bone, 115
bones vs shells, 101, 115
in ash, 174
wood ash, 82, 171, 173, 176, 272
- Pulp cavity, 124
- Pyrite, 59
- Pyrogenic minerals
aragonite, 81
ash, 60, 82
calcite, 77, 79, 82, 186, 188, 192
definition, 69
list, 321
- Pyrolysis, 179
- Pyrotechnology
ash, 168–178
ash and charcoal waste products, 166
basis, 165
cooking, 165
definition, 165
diagenesis of products, 168
plaster binders, 186
waste products, 166
- Qesem Cave, Israel, 83
- Quartz, 56, 88–89, 298
along coast of Israel, 201
beta quartz, 90
grain morphologies, 91
high temperature forms, 298
provenience, 91
soils in arid and desert zones, 95
- Quicklime. *See also* Plaster binder, 186
- Qumran 24 Cave, Dead Sea, 49
- Racemers, 24
- Racemization. *See* Amino acid
racemization
- Radiocarbon dating, 19–21, 245, 246, 259
acid-alkali-acid (AAA) treatment, 259
ash, 177
biases, 260
bone, 122–123, 254
bone collagen prescreening, 257, 258
calibration, 20, 245, 247, 249–250
charred material, 184, 254
charred material prescreening, 258
charred material purification, 258–259
clays associated with charcoal, 95, 259
collagen C/N ratio, 256
collagen in crystal aggregates, 219
collagen purification, 259
context, 250–252
cremated bone, 122, 255
effective range, 18
eggshells, 154
estimating uncertainties, 259
half-life, 19
hydroxyproline, 258
interlaboratory comparisons, 259
intracrystalline macromolecules, 215

- Radiocarbon dating (*cont.*)
 macrocontext, 250–251
 materials, 19, 251, 254–255
 microcontext, 251–252
 mollusk shells, 163, 255
 number of samples to analyze,
 255–256
 old wood effect, 21, 255
 organic matter in sediments, 255
 phytoliths, 148, 215, 260
 plaster, 191, 255
 prescreening samples, 256–258
 reservoir effect, 163
 sample collection in the field, 258
 sample purification methods,
 258–259
- Radiolaria, 89, 298
- Rainfall, 153
 multi-celled phytoliths, 145
- Raman spectroscopy, 72, 266
 clay structures, 97
 pigment analysis, 72
- Raphides, 170
- Rare earth elements
 bone, 122
 paleoenvironmental reconstruction,
 31–32
- Ratites
 eggshells, 151
- Reaction cascade, 60, 61, 173
- Reaction rim, 64, 65
- Recrystallization window, 111
 changes in bone mineral, 112
- Red brick colored nodules, 174
- Red soils. *See also* Soils, tropics
- REE. *See* Rare earth elements
- Refractive index, phytoliths, 17, 136, 144,
 237, 264, 272
- Refractory material, 193–194
 aragonite, 193
 ceramic, 17, 206
 magnesium oxide (periclase), 193
- Reservoir effect, 163
- Residue analysis, 27, 29, 36, 211
 beeswax, 236
 ceramics, 219–222
 plaster, 194
- Resins, 211, 226, 312, 314
 fossil (amber), 314
- Rhomb-shaped crystals
 calcite, 78, 82
- Rhythmic growth, 41–42
 cementum, 129
 enamel and dentin, 132
 mollusk shells, 163, 164
 otoliths, 154, 157
- Rice
 phytoliths, 147
- Rock paintings
 radiocarbon dating, 184
- Rural-urban continuum, 273
- Salinity variations
 otoliths, 156
- Salt deposition on sediment surfaces, 56,
 251, 315–316
- Sand dunes, 91
- Sanidine, 204
- Sarakini village, Greece, 234, 240–244
 animal enclosures, 242
 rye use, 242
 threshing floors, 242
- Saturated zone, 55
- Scaphopods, 159
- Schoningen, Germany
 wood preservation, 310
- Sea urchin test (shell). *See* Echinoderm
 skeletons
- Sea water
 aragonite precipitation, 78
 paleotemperatures, 33, 156, 163
- Season of occupation, 41–42
 archaeobotanical remains, 41
 cementum, 42
 mollusk shells, 164
 otoliths, 42, 157
 rhythmic growth, 42
- Seasonal increments. *See* Rhythmic growth
- Sediments
 absence of calcite, 77
 exposure to elevated temperatures, 97
 mineral assemblages and site
 preservation, 97–98
 water flow, 55
- Seed clusters, 251
- Sewers, 58, 86, 295
- Sharpey's fibers, 129
- Sherds. *See also* Ceramics, 196
 color, 203
 firing conditions, 202
 trace element analysis, 198
- Sibudu Cave, South Africa, 254
- Silica, 89–90, 298
 atomic structure, 88, 137
 authigenic, 90, 96, 298, 303
 biological production, 89
 bound water and hydroxyls, 136
 dehydration, 66

- diagenesis, 61, 90
 diatoms, 298
 high temperature polymorphs, 90
 luster, 136
 mesostructure, 136
 phytoliths, 89, 298
 plants, 135
 refractive index, 136
 solubility, 90
 Silica aggregates. *See* Siliceous aggregates
 Silicates layered, 93
 Silicates sheet, 93
 Siliceous aggregates, 139, 145, 169, 237, 253, 272, 298
 ⁴⁰K isotope, 177
 confusion with clay particles, 174
 Hayonim Cave, Israel, 173
 solubility, 173
 structure and formation, 171
 Siliceous phytoliths. *See* Phytoliths
 Silicon dioxide polymorphs, 88–92, 297–300
 diagenesis, 90
 embedded information, 91–92
 Silicon tetrahedra, 168
 Silk, 162, 312
 Sink hole, 65
 Sintering, 290
 Site formation processes, 42
 micromorphology, 69
 mineral assemblages, 68, 98
 size and shape of mineral particles, 72
 transformation processes, 43
 Site framework. *See* Site spatial organization
 Site spatial organization, 43–44, 230
 fatty acids, 44
 fire locations, 235
 floor types, 235
 microartifacts, 44
 phosphate concentrations, 44, 223–225, 296
 phytolith difference index (PDI), 242
 phytoliths, 141, 148–149
 size sorting of artifacts, 228
 two storied houses, 234
 Site use
 secondary, 52
 Skin, 105, 113, 184, 211, 307
 Slaked lime. *See also* Plaster binder, 186
 sewage treatment, 194
 tanning, 194
 Slip, 196
 Smectite
 soils in arid and desert zones, 95
 soils in temperate zones, 95
 Smectite group of clays, 93, 301
 Snail shells, 161, 214, 215
 aragonite, 63, 80
 dating, 24
 diagenetic mineral changes, 161
 intracrystalline macromolecules, 214
 Snails
 freshwater, 158
 land, 158
 Soapstone. *See* Steatite
 Sodium hypochlorite, 142, 213, 216
 Sodium nitrate, 269
 Sodium polytungstate, 142
 Soil. *See also* Sediments
 arid and desert zones, 95
 burned organic matter, 95
 charcoal fragments, 183
 definition, 73
 high latitudes, 95
 hydroxides and oxides, 95
 temperate latitudes, 95
 tropics, 95
 Solubility of minerals, 59
 Soot, 183
 fullerenes, 180
 Speleothems
 uranium series dating, 21
 Spherulites, 44
 dung, 44, 233, 234, 236, 240
 otoliths, 156
 Splitting factor, 116, 291. *See also* Bone mineral, crystallinity
 bone collagen content, 292
 bone mineral, 291
 enamel, 291
 measurement using infrared spectrum, 291
 Sponges, 89, 150
 Spongy bone, 108
 Springs, 96
 Squash
 phytoliths, 147
 Squid otoliths, 154
 Sr/Ca ratios
 bone, 120–121
 otoliths, 157
 weaning, 45
 Stability fields of minerals, 59, 60, 80, 295
 carbonate hydroxylapatite, 85

- Stable isotopic composition
 collagen in crystal aggregates, 217
 dung, 240
 eggshells, 153
 fractionation, 32
 individual amino acids, 28
 intracrystalline macromolecules, 214
 marble provenience, 38
 nitrogen, 27, 28, 45
 otoliths, 156
 oxygen, phytoliths, 145
 paleodiet, 119–120
 paleoenvironment reconstruction,
 32–33
 paleotemperatures (mollusk shells), 163
 water in sediments, 146
- Stables, 236
- Starch, 18, 211, 312
- Starch grains, 134, 222, 223
- Steatite, 36
 provenience, 38
- Sterkfontein Cave, South Africa, 230
 wood preserved, 310
- Storage bins, 236
- Storage sites, 58, 223
- Strontium isotope ratios, 119
 bone mineral, 29
 migration, 26, 119
 paleodiet reconstruction, 29
 paleomigration, 35
- Structural features. *See* Installations for
 pyrotechnology
- Stucco, 194. *See also* Plaster, 185
- Sugars. *See* Polysaccharides
- Supercooled state, 167
- Swartkrans Cave, South Africa, 230, 292
- Tanning, 50
 slaked lime, 194
- Taphonomy. *See also* Diagenesis, 53
 bones, 115, 116
- Taranakite, 64, 86, 183, 297
- Teeth. *See also* Tooth, 123–129
 abrasion by phytoliths, 136
 basic structure, 123
 brachydonty, 129
 dental calculus, 130
 design strategies, 129
 embedded information, 132–134
 fish, 288
 hypsodonty, 129
 strontium isotopes, 119
- Tel Dor, Israel, 65, 224
 ancient animal enclosures, 240
 aragonite refractory material, 194
 phytoliths, 140
 sediments exposed to elevated
 temperatures, 97
- Tell es Safi, Israel, 158
- Temper, 195
 types, 195
- Tendon mineralized, 107
- Terrestrial gastropods. *See* Snail shells
- Thames River, 151
- Theca, 149
- Thermoluminescence, 176
- Thermoluminescence dating, 92, 245, 246,
 350. *See also* TL, 18
 flint tools, 92
- Thomsen, C. J., 4
- Three-dimensional site reconstructions,
 267
- Threshing floors, 233, 241, 242
- Tilted strata, 65
 caves, 65
 organic matter degradation, 65
- Tin
 provenience, 39
- TL. *See also* Thermoluminescence
 dating
- Tools, lithic
 dating by TL, 22
 flint, 91
 obsidian proveniencing, 37
 procurement strategies, 41
 provenience, 36
 quartzite, 74, 76
- Tooth. *See also* Teeth, Enamel, Dentin, and
 Cementum
 development, 26
- Trabecular bone. *See* Spongy bone
- Trace elements, 68
 analysis, 37
 ceramic, 39
 flint, 40
 marble, 38
 otoliths, 157
 soapstone, 38
- Trade
 pottery, 198–200
- Trampling, 234. *See also* Microlaminated
 texture, 229, 230, 233
- Trapped charge dating, 22–23, 245. *See also*
 Thermoluminescence, Optical
 stimulated luminescence, Electron
 spin resonance, 18, 19
 affect of siliceous aggregates, 177
 context, 252–254

Cambridge University Press

978-0-521-88003-9 - Microarchaeology: Beyond the Visible Archaeological Record

Stephen Weiner

Index

[More information](#)

- dosimeters, 252
 gamma radiation, 252
 Travertine, 21, 80, 284
 uranium series dating, 21
 Tree rings
 radiocarbon concentrations, 250
 Tricalcium phosphate, 118
 Tridymite, 88, 90, 298
 Triple helical molecule. *See* Collagen
 Trona, 116
 Tubules. *See* Dentin, tubules
 Turkana homestead, Kenya, 47
 Tusk shells. *See also* Dentalium, 159
 Tuyierres, 205
 Tyrolean ice man, 48
- Unsaturated zone, 55
 Uranium series dating, 14, 19, 21, 246
 enamel, 132
 mollusk shells, 163
 range, 21
 Uranium uptake into enamel, 131, 253
 UV-Visible spectrophotometers, 267
- Vadose zone. *See* Unsaturated zone
 Variscite, 64, 297
 Vaterite, 77, 282
 otoliths, 42, 155
 plants, 135
 Vermiculite
 high latitude soils, 95
 Vermiculite group of clays, 93
 Vessel contents. *See* Pottery contents
 Vitruvius, 187
 Volcanic ash. *See also* Pozzolana, Italy, 186
 degradation into clay, 95
- Wash coat. *See also* Lime plaster, 185
 Waste products. *See also* Pyrotechnology
 pyrotechnology, 166
 Wasters, 202
 Water. *See also* Hydrological regime
 absence restricts microbial activity, 18, 114
 agent of diagenesis, 96
 anaerobic conditions, 32, 50
 clay-rich sediments, 93, 96
 drinking, 33, 132
 driving force of degradation, 52
 fluoride, 23
 hydrolysis reactions, 112
 irrigation, 150
 liquid vs vapor for preservation, 49
 saturated and unsaturated zones, 55
 standing vs flowing, 151
 Water-logged environments, 50
 Wax, 211, 312
 Weaning, 44–45
 age of, 121
 domestic animals, 45
 nitrogen isotopic composition, 45
 Sr/Ca ratios, 45
 Weddellite, 306
 Wells, 151, 236
 Wet sieving, 265
 Wheat phytoliths, 147
 Whewellite, 82, 306. *See* Calcium oxalate
 morphologies of crystals in wood and
 bark, 170
 wood, 79
 Wilson, E. O., 3
 Wood
 calcium oxalate crystals, 170
 charred vs uncharred, 309
 fire hardened sticks, 178, 310
 fossil, 58
 fuel, 145, 238
 fungal degradation, 309
 lignin and cellulose preservation, 311
 major components, 179
 phytoliths, 139, 140
 preservation, 309–311
 preserved in old sites, 310
 pyrolysis process, 179
 taxonomic identification, 184
 Wood ash, 83
 calcite crystal morphology, 82
 calcite degradation, 79
 calcium oxalate pyrolysis, 79
 cemented sediment, 83
 phytoliths, 178
 pseudomorphs, 82
 siliceous aggregates, 145
 Worsaae, J. A., 4
 Woven bone, 107
- X-ray diffraction, 70–71, 104, 168
 bone mineral, 116
 ceramics, 203
 charcoal, 179
 clay minerals, 94, 97, 301
 collagen to gelatin transformation, 113
 crystallinity, 290
 disorder in bone mineral, 64
 disorder in carbonate minerals, 82, 161

Cambridge University Press

978-0-521-88003-9 - Microarchaeology: Beyond the Visible Archaeological Record

Stephen Weiner

Index

[More information](#)

<p style="text-align: center;"><u>396</u></p> <p>INDEX</p>	<p>X-ray diffraction (<i>cont.</i>)</p> <p style="padding-left: 20px;">identifying authigenic phosphate minerals, 297</p> <p style="padding-left: 20px;">quantification of mineral assemblages, 278</p> <p>X-ray fluorescence spectroscopy (XRF), 265–266</p> <p>Yuchanyan Cave, China, 265</p>	<p>Zhoukoudian, China, 5, 31, 75, 174, 292</p> <p style="padding-left: 20px;">evidence for deliberate control of fire, 176</p> <p style="padding-left: 20px;">fossil ashes?, 74</p> <p style="padding-left: 20px;">Layer 10, Locality 1, 74–76</p> <p style="padding-left: 20px;">use of fire, 75</p> <p>$\nu_2:\nu_4$ ratio. <i>See</i> Calcite, $\nu_2:\nu_4$ ratio</p>
--	---	---