Index

5α-reductase deficiency, 173, 175 acrosomal response to ionophore challenge (ARIC) score, acrosome, 4-5 acrosome reaction assays, 14 - 15acupuncture, 190 adenohypophysis, 1 adolescents. See also pediatric issues fertility preservation issues, 2.71 varicocele, 262-3 agenesis, seminal vesicles, 48-50 aging, 2 AIDS, 197-8 alcohol abuse, 9, 189 alpha agonists, anejaculation treatment, 115 alpha blockers, retrograde ejaculation and, 131 amantadine, 115 amoxicillin, 289 anabolic steroids, 9 anastrazole, 162-3 empiric therapy, 189 Andrews Procedure, 153 androgen resistance, 173, 175 androgens. See also testosterone bone mass relationships, 182 replacement therapy, Klinefelter syndrome, 182 anejaculation, 105, 116 epidemiology, 106 evaluation, 112-14 idiopathic, 131-2 neurogenic, 131-2 treatment options, 114-16 medical treatment, 115 animal models, 303, See also rat use in training and research anorchia, 173 anorgasmia, 105 antiandrogen exposure, 257 antibiotics, 286-9 anti-epileptics, 289 anti-Müllerian hormone (AMH), 222

antioxidant therapy, 187-9 carnitine, 188 carotenoids, 188 folate, 188 lycopene, 188 N-acetylcysteine (NAC), 188 selenium, 189 vitamin C, 187-8 vitamin E, 188 anti-retroviral drugs, 289 antisperm antibodies, 234, See also autoimmunity to spermatozoa 27-8 cystic fibrosis and, 29-30 effects on fertility, 28-9 routine testing for, 33, 234 antral follicle count, 222 anxiety, sexual dysfunction and, 194 apoplexy of the pituitary, 172 aromatase inhibitors, 162-3, 183, 189 arousal disorders, 116 assisted reproductive technology (ART), 219, See also specific techniques indications, 219 risks, 228-9 statistics, 329 autoimmune testicular failure, 173 autoimmunity to spermatozoa, 27-8, See also antisperm antibodies etiology, 137-8 treatments, 30–2 corticosteroids, 31-2 in vitro fertilization (IVF), 32 - 3intrauterine insemination (IUI), 32-3autonomic dysreflexia (AD), 120-1home management, 125 azoospermia, 13 differential diagnosis, 73-4

nonobstructive, 19, 62, 161,

extraction (TESE)

161 - 2

See also testicular sperm

diagnostic testicular biopsy,

162 preoperative preparation, 162 - 3treatment considerations, 163 obstructive, 19, 61-2, See also epididymal sperm aspiration evaluation, 100 sperm retrieval, 101-3 testicular biopsy, 61 azoospermic factor (AZF) region, 5, 21 AZFa, 20 AZFb, 20AZFc, 20, 22 microdeletions, 22 genetic testing for, 166 transmission to male offspring, 22 balloon dilatation of the ejaculatory duct, 57 birth defects, IVF risks, 229 bladder extrophy, 265 blood-testis barrier, 4 body mass index (BMI), 190 bone mineral density, Klinefelter syndrome, 182 Bottle Operation, 153-4 bulbocavernosus reflex (BCR), 120 bulbospongiosus and ischiocavernosus muscle (BCM), 103, 106-10 bulbous urethra (BU) distention, 113 cadmium impact on fertility, 253 calcifications ejaculatory ducts, 57 seminal vesicles, 48 cancer, 197, 269,

See also chemotherapy;

radiotherapy; specific

types of cancer

direct effects on fertility, 269

fertility preservation, 269,

271 - 2

genetic testing, 20-2,

children, 271-2 experimental methods, 272 gonadal protection with hormonal suppression, 271 gonadal shielding with radiotherapy, 271 nursing issues, 326-7 sperm banking, 271, 281-4 fertility treatment after cancer therapy, 272-3 pediatric, 264 treatment effects on fertility, 269-70, 285, See also chemotherapy; radiotherapy anatomical obstruction, 269 hormonal and gonadotoxic therapies, 269-70 risks to offspring conceived following therapy, 270–1 safety to conceive, 286, 294-5 capacitation, 14 carboplatin, 286 carcinoma embryonal cell, 41 testicular, 42 carnitine, 188 carotenoids, 188 cavernosal arteries, 47 central pattern generator (CPG), 107-9 cerebral palsy, 247 cervical mucus complement system, 28-9 penetration by sperm, 29 antisperm antibody effects, 28 chemotherapy, 9, 197, See also cancer combination therapies, 285-6 effects on fertility, 297 spermatogenesis, 284-6 fertility treatment after, 272-3 testicular sperm extraction, 166 gonadotoxic effects, 269-70 pediatric, 264 risks to offspring conceived following therapy, 270-1 safety to conceive after, 286, 294 - 5

Index

children. See pediatric issues
Chlamidia tuadamentia 20
Chlamydia trachomatis, 30
chloroquine, 289
choriocarcinoma, 41
chromatin structure, 242-3
cigarette smoking, 9
cimetidine, 9
cisplatin, 286
classification problem, 339-40
clomiphene citrate, 175, 189,
200
ovarian stimulation, 223,
233-4
with gonadotropins, 224-5
cocaine, 189
cognitive impairment,
Klinefelter syndrome,
181-2
combined male sexual
dysfunction and
infertility, 193,
See also infertility; sexual
dysfunction
epidemiology, 193-4
cpideimology, 193
etiology, 194–8
cancer, 197
diabetes, 196-7
HIV and AIDS, 197–8
hormonal disorders, 194-6
metabolic syndrome and
obesity, 196
psychogenic sexual
dysfunction, 194
sexual dysfunction
pharmacotherapy,
198–200
COMET assay, 15, 240
complementary therapy, 187.
complementary therapy, 187,
189–90
189–90
189–90 acupuncture, 190
189–90 acupuncture, 190 environmental exposure
189–90 acupuncture, 190 environmental exposure
189–90 acupuncture, 190 environmental exposure prevention, 189–90
189–90 acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189
189–90 acupuncture, 190 environmental exposure prevention, 189–90
189–90 acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190
189–90 acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology,
189–90 acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40
189–90 acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40
189–90 acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT)
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48
189–90 acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT)
189–90 acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10 contraception, 341
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10 contraception, 341 controlled ovarian stimulation
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10 contraception, 341 controlled ovarian stimulation
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10 contraception, 341 controlled ovarian stimulation (COH). See in
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10 contraception, 341 controlled ovarian stimulation (COH). See in vitro fertilization
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10 contraception, 341 controlled ovarian stimulation (COH). See in vitro fertilization
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10 contraception, 341 controlled ovarian stimulation (COH). See in vitro fertilization (IVF); intrauterine
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10 contraception, 341 controlled ovarian stimulation (COH). See in vitro fertilization (IVF); intrauterine insemination (IUI)
acupuncture, 190 environmental exposure prevention, 189–90 lifestyle treatments, 189 obesity prevention, 190 computational technology, 339–40 computed tomography (CT) penis, 48 testis, 42 congenital adrenal hyperplasia (CAH), 43, 172 congenital bilateral absence of the vas deferens (CBAVD), 19, 23 azoospermia and, 61–2 differential diagnosis, 73 genetic testing, 20–1 findings, 22–3 physical examination, 10 contraception, 341 controlled ovarian stimulation (COH). See in vitro fertilization (IVF); intrauterine

```
autoimmunity to spermatozoa
       treatment, 31
cost identification analysis, 329
cost-benefit analysis, 329
cost-effectiveness analysis, 329
  IVF, 329-30
  varicocelectomy vs. sperm
       retrieval, 333-4
  vasectomy reversal vs. sperm
       retrieval, 333
costs, 328
  analysis and evaluation
       methods, 329
co-trimoxazole, 289
counter current heat exchange, 2
craniopharyngioma, 171
cryopreservation. See sperm
       cryopreservation;
       spermatogonial stem
       cells (SSCs)
cryoprotectants, 292
cryptorchidism, 157, 254, 263-4
  management, 264
cryptozoospermia, 246
cyclophosphamide, 285
cystic fibrosis, 9-10, 20
  antisperm antibodies and,
       29-30
  genetic testing, 20-1
    findings, 22–3
cystic fibrosis transmembrane
       conductance regulator
       (CFTR), 20-1
  mutation analysis, 22-3
cysts, 75
  ejaculatory duct, 70
  epididymal efferent ducts,
       42-5
  Müllerian duct, 57-8, 74
  prostate, 57, 74, 114
     ejaculatory function and,
       106
  seminal vesicles, 50, 74
  testicular, 41
dartos pouch creation, 158-9
DAZ (deleted in azoospermia)
       gene, 5
delayed ejaculation. See retarded
       ejaculation
depression, 208
diabetes mellitus, 9, 109, 111,
       196-7
  ejaculatory dysfunction, 131
dibromochloropropane (DBCP),
       253
dihydrotestosterone (DHT), 169
  5\alpha-reductase deficiency and,
       173
diminished ovarian reserve,
       220-1
direct costs, 328
discrimination, 339
DNA integrity, 15-16, 239-42
  FISH analysis, 15–16
```

following cancer therapy, 295

dopamine, 112, 172 dyspareunia, 213–14
effectiveness, 328–9 IVF, 329
surgical techniques, 330-3
ejaculation, 105, 107, 130,
See also anejaculation;
ejaculatory dysfunction;
sexual response ejaculatory force scale, 115
medications affecting, 114–15
neurochemical regulation,
111–12
dopamine, 112
oxytocin (OT), 112
serotonin, 112
neuromuscular regulation,
107-9
premature. See premature
ejaculation
retarded, 105, 211–12 retrograde. <i>See</i> retrograde
ejaculation
spinal ejaculatory center,
109–11
testosterone role, 112, 195
ejaculatory duct obstruction, 13,
44, 53, 55–6, 73, 94, 98
classification, 95
definition, 95
diagnosis, 96
history and physical
examination, 73 imaging, 74–5
vasography, 68, 70–1, 74
laboratory studies, 73–4
level of, 56–7
partial, 73, 75–6
treatment, 57, 95-6
complications, 97-8
outcomes, 97
ejaculatory ducts, 94,
See also ejaculatory duct
obstruction
anatomy, 94 calcifications, 57
cysts, 70
imaging, 55–7, 71
manometry device, 97
opening pressures, 97
physiology, 94-5
stricture, 52
ejaculatory dysfunction, 105,
116, See also specific
disorders classification, 131
decision-making, 134
etiologies, 130–1
evaluation, 131–2
hypoactive, 105
management, 132
nursing considerations, 326
ejaculodynia, 68
electroeiaculation, 115–16, 125,

132-4

Index

Iranian study, 193	GnRH therapy, 174	hypoactive sexual desire	oocyte retrieval, 225
metabolic syndrome and, 196	Kallman syndrome and, 171	disorder (HSDD),	ovarian stimulation, 223-5
nursing considerations, 326	output rhythms, 1	209-10	clomiphene citrate, 223
treatment, 206, 211	gonadotropins, ovarian	infertility and, 209	clomiphene citrate and
phosphodiesterase 5	stimulation, 223–4, 234	management, 209–10	gonadotropins, 224–5
inhibitors (PDE5i),	with clomiphene citrate,	partner/relationship issues,	gonadotropins, 223-4
198-9, 206, 211	224-5	209	natural cycle, 223
erythromycin, 289	gynecomastia, 170	hypogonadism, 73	patient selection, 221-2
estradiol		differential diagnosis, 171	pregnancy outcomes, 229
male sexual function and, 195	haat armagura 0	hypogonadotropic, 10, 171	risks, 228–9
	heat exposure, 9		
measurement, 170-1	hemangioendothelioma, 51	isolated (IHH), 171	indirect costs, 328
estrogen, regulatory role, 1	hematocele, 45	pituitary diseases, 171–2	infections, 222
evolutionary theory, 338-9	hematoma	treatment, 173–4	IVF complications, 228-9
examination. See physical	biopsy complications, 65	physical examination	infertility, 204,
examination	intratesticular, 40	implications, 170	See also combined male
		sexual dysfunction and, 194–5	sexual dysfunction and
executive skill impairment,	spermatic cord, 48		
Klinefelter syndrome, 181	hematospermia, 48	hypoorgasmia, 105	infertility
	herbal supplementations,	hypoosmotic sperm swelling	prevalence, 219
fallopian tubes, 219,	289-90	(HOS) assay, 14	sexual impact of, 204-5
See also tubal factor	hernia repair, 264,	hypospadias, 254-5	unexplained, 221
		hypothalamic-pituitary-testis	infliximab, 289
infertility	See also inguinal hernia		
family history 9	repair	axis. See male	inguinal hernia repair, 9, 70
Ferti Care, 120	hexachlorobiphenyl (CB-153),	reproductive hormonal	vasovasostomy and, 82
fertility preservation in cancer	254	axis	inhibin, 1, 3, 169
patients. see cancer	hip flexor response (HR), 120	hypothalamus, 1, 169	measurement, 171
fibrous sheath dysplasia, 23	history taking, 8–9	hypothyroidism, 196	intracytoplasmic sperm
			injection (ICSI), 222,
fine needle aspiration (FNA), 163	childhood illnesses, 8–9	hysterosalpingography (HSG),	
Fleshlight, 114	family history, 9	220	226, 237–8
fluorescence in situ hybridization	genitourinary infections, 222		chromosome content and, 243
(FISH), 227	medications, recreational drugs,	idiopathic primary epididymal	cryopreserved sperm.
sperm analysis, 16	and gonadotoxins, 9	obstruction.	See sperm
folate, 188	sexual and reproductive	See also epididymal	cryopreservation
follicle-stimulating hormone	history, 8	obstruction, 86	DNA integrity and
(FSH), 1, 169	surgical history, 9	immotile cilia syndrome, 9, 23	chromosome packaging,
as predictor of sperm retrieval	systemic medical illnesses, 9	Immunobead binding test (IBT),	239-43
success, 165-6	HIV infection, 197–8	27, 234	morphological sperm
hypogonadotropic	Hodgkin's disease, 284	immunoglobulin. See antisperm	selection, 243–4
hypogonadism, 171	hormonal therapy advances, 341	antibodies	oocyte activation, 238–9
isolated deficiency, 171	human chorionic gonadotropin	imperforate anus, 264	results, 244–7
measurement, 170	(hCG), 174	in vitro fertilization (IVF)	extended sperm search,
ovarian reserve testing, 222	ovulation induction, 224	autoimmunity to spermatozoa	246
ovarian stimulation, 223	side effects, 224	treatment, 32-3	pregnancy characteristics,
recombinant FSH treatment,	human menopausal	autologous endometrial	246-7
174	gonadotropin (hMG),	co-culture, 226	with ejaculated
regulation, 1	174	background, 219	spermatozoa, 244
freeze-drying of sperm, 293–4,	ovarian stimulation, 223	cost-effectiveness, 329-30	with non-obstructive
See also cryopreservation	with clomiphene citrate,	diagnostic work-up, 222	azoospermia, 246
of sperm	225	infections, 222	with obstructed
orsperm			azoospermia, 244
	hydrocele, 45–6, 150	ovarian reserve testing, 222	-
genetic testing	diagnosis, 151	uterus, 222	with virtual azoospermia,
candidates for, 19-20	etiology, 150–1	effectiveness, 329	246
CBAVD patients, 20–3	exudative, 46	embryo transfer, 227–8	safety, 247–8
findings, 21–3	treatment, 152	guidelines, 228	sperm genomic competence,
nonobstructive azoospermic	complications, 154	health maintenance, 222–3	237
	-		intrauterine insemination (IUI),
patients, 20–2, 162	excision techniques, 153–4	indications, 219	
Y chromosome	fluid aspiration and	diminished ovarian	220, 233
microdeletions, 166	sclerotherapy, 152	reserve, 220–1	autoimmunity to spermatozoa
severely oligospermic	indications, 152	endometriosis, 221	treatment, 32-3, 234
patients, 20–2	plication techniques, 154-5	male factor infertility, 220	complications, 235
	surgical management,	tubal factor infertility,	indications, 233
genital examination, 10–11			
genitourinary infections, 222	152-4	219–20	male factor infertility, 234
genomics, 337-8	hydroxyurea, 289	unexplained infertility, 221	number per cycle, 235
globozoospermia, 14, 23	hyperprolactinemia, 195-6	male partner evaluation, 222	ovarian stimulation, 233-4
gonadal suppression, 271	hyperthyroidism, 196	nursing considerations, 325-6	technique, 234-5
gonadotropin-releasing			
EDITAGOLI ODITI-I CICABILIZ	hypoactive ejacillatory	oocyte evaluation 225	type of catheter, 235
hormone (GnRH), 1, 169	hypoactive ejaculatory dysfunction, 105	oocyte evaluation, 225 oocyte insemination, 225–6	type of catheter, 235 timing, 235

Index

intravaginal insemination (IVI) penis, 47-8 home insemination following spermatic cords, 46 penile vibratory testis, 42 stimulation, 125-6 varicoceles, 46 isolated hypogonadotropic male contraception, 341 hypogonadism (IHH), male reproductive hormonal 171 axis, 1-2 development, 1-2 male sexual dysfunction (MSD). Kallmann syndrome, 9, 171 See combined male Kartagener's syndrome, 9-10 sexual dysfunction karyotypic anomalies, 21-2 KLHL10 gene, 337 and infertility; sexual Klinefelter syndrome, 9, 21, dysfunction male sexuality, 204-5 172 - 3, 179assisted reproductive marijuana, 189 Massachusetts Male Aging Study techniques, 181 cognitive function, 181-2 (MMAS), 193 masturbation retraining, 212 incidence, 179 laboratory evaluation, 180 medial preoptic area (MPOA), 111 low bone mineral density, 182 management, 182-3 meiotic spindle, 239 metabolic syndrome, 196 fertility, 183 pathophysiology, 179-80 micro-array technology, 337 microdissection TESE. testicular function development, 180-1 See testicular sperm adolescence and extraction (TESE) adulthood, 180-1 microlithiasis, testicular, 38-41 childhood, 180 microsurgical epididymal sperm aspiration (MESA), 291, fetal period, 180 testicular sperm extraction See also surgical sperm (TESE), 166 retrieval (SSR) 101-2 knot tying, 309-11 effectiveness, 325-6, 330-2 nursing considerations, 326 language skill impairment, microsurgical instruments, 305 Klinefelter syndrome, cleaning, 306 learning to use, 307-9 181 - 2maintenance, 305-6 lead impact on fertility, 253 Leydig cell tumors, 41–2 microsurgical laboratory Leydig cells, 2–3, establishment, 304-6 microsurgical table, 304 See also testosterone microsurgical training, 303-4 aging effects, 2 basic preparation, 306-9 antibodies to, 173 dysfunction in Klinefelter microsurgical instrument use, 307-9 syndrome, 180 operating microscope use, varicocele effects, 138 lifestyle complementary 307 laboratory rat use, 318-21 treatments, 189 postoperative evaluation, lipoma, 48 320 - 1liposarcoma, 48 vasal obstruction model, 318 longitudinal intussusception vasoepididymostomy, vasoepididymostomy 318 - 20(LIVE), 85, 92 vasovasostomy, 318 lubricants, 190 silicone tubing use, 312-15 lumbar spinothalamic tract (LSt) suturing technique, 309-12 neurons, 103-4, 108-10 training models, 303-4 luteinizing hormone (LH), 1, 169 hypogonadotropic animal models, 303 hypogonadism, 171 vasectomy segment use, 316-17 midronine, 115 isolated deficiency, 171 mixed antiglobulin reaction measurement, 170 regulation, 1 (MAR), 27, 234 molecular imaging, 340 lycopene, 188 motile sperm organelle

morphology

examination (MSOME),

müllerian duct cysts, 57-8, 74 müllerian inhibiting substance, 1 multiple gestations, 228 multiple sclerosis, 9 mumps orchitis, 8 myelomeningocele, 265 N-acetylcysteine (NAC), 188 nanotechnology, 340-1 National Health and Social Life Survey (NHSLS), 193 neurohypophysis, 1 nifedipine, 120, 125, 132 nitrofurantoin, 9 nocturnal emissions, 112-13 nursing considerations, 324 cancer patients, 326-7 erectile and ejaculatory dysfunction, 326 in vitro fertilization patients, 325-6 semen analysis testing, 324 varicocele patients, 324-5 obesity, 190, 196 oligospermia, 13, 19 genetic testing, 20 findings, 21–2 oocyte activation, 238-9 oocyte evaluation, 225 oocyte insemination, 225-6, See also intracytoplasmic sperm injection (ICSI) oocyte retrieval 225 operating microscope, 304 learning to use, 307 orchitis, 8 orgasm, 105 disorders, 116, 211 outcome metrics, 328-9 analysis and evaluation methods, 329 costs, 328 effectiveness, 328-9 ovarian hyperstimulation syndrome (OHSS), 224, 2.29 ovarian reserve testing anti-müllerian hormone (AMH), 222 antral follicle count, 222 FSH, 222 ovarian stimulation. See in vitro fertilization (IVF); intrauterine insemination (IUI) ovulation induction, 224 oxidative stress, 187, See also antioxidant therapy oxytocin (OT), 112 anejaculation treatment, 115

partner issues, 209

erectile dysfunction, 210

premature ejaculation, 213

retarded ejaculation, 212 sexual desire disorders, 209 pediatric issues bladder extrophy, 265 cancer, 264 fertility preservation, 271-2 practical and ethical issues, cryptorchidism, 263-4 iatrogenic injury to the vas deferens, 264 imperforate anus, 264 myelomeningocele, 265 posterior urethral valves, 265 prune belly syndrome, 265 retractile testis, 265 testicular torsion, 265 varicocele, 262-3 penile vibratory stimulation (PVS), 115, 119, 125-6, autonomic dysreflexia (AD) induction, 120-1 bladder preparation, 121 candidates for, 119-20 contraindications, 121 devices, 120 ejaculatory failure, 122-3 goals, 120 history of, 119 home insemination, 125 - 6personnel requirements, 121 responses, 122 retrograde ejaculation, 123 semen quality, 124 situating the patient, 121 success rate, 123 technique, 121-2 vibrator hygiene, 121 penis arterial flow, 50 hemangioendothelioma, 51 urinoma, 51 percutaneous epididymal sperm aspiration (PESA), 101-2, See also surgical sperm retrieval (SSR) percutaneous testicular fine needle aspiration, 64 pesticide exposure, 254 Peyronie's disease, 10, 50 imaging, 46-7 $phosp\bar{hodie} sterase\,5\,inhibitors$ (PDE5i), 198-9, 206, 211 phospholipase C- ζ 1 (PLC ζ 1), 238-9 phthalates, 254, 257 physical examination, 9-11endocrine-related infertility assessment, 170 genital examination, 10-11 rectal examination, 11 pituitary, 1, 169 diseases, 171-2

magnetic resonance imaging

(MRI), 58

ejaculatory ducts, 56

Index

congenital adrenal	gonadotoxic effects, 269-70	viscosity, 13	premature ejaculation,
hyperplasia, 172	pediatric, 264	semen quality	212–13
craniopharyngioma, 171	risks to offspring conceived	environmental impacts, 253,	prevention in infertile
critical and chronic	following therapy, 270–1	257–9	couples, 214
diseases, 172	safety to conceive after, 286,	pitfalls with	psychogenic, 194
drugs, 172	294–5	epidemiological studies,	sex status examination, 208
infarction/apoplexy, 172	rat use in training and research,	253-4	sexual aversion disorder
invasive diseases, 172	318–21	spinal cord injury and, 123–4 seminal vesicles, 48–50	(SAD), 210
traumatic brain injury, 172 tumors, 171–2	postoperative evaluation, 320–1	agenesis, 48–50	sexual pain disorders, 213–14 Sexual Tipping Point* (STP)
pollutant exposure prevention,	vasal obstruction model, 318	aspiration, 75	model, 206–8
189–90	vasoepididymostomy, 318–20	calcifications, 48	systemic diseases associated
polychlorinated biphenyl (PCB)	vasovasostomy, 318	congenital absence, 52	with, 196-8
exposure, 253–4	reactive oxygen species (ROS).	cysts, 50, 74	sexual history, 8
polyglandular failure	See also antioxidant	imaging, 48–50	sexual pain disorders, 213–14
syndromes, 173	therapy15, 187	spinal cord injury and, 124	sexual response, 106,
posterior urethral valves, 265	recombinant FSH, 174	seminal vesiculography, 75	See also ejaculation
posthumous sperm	rectal examination, 11	seminiferous tubules, 2–3	anatomy and physiology of,
cryopreservation, 290-1	Reifenstein's syndrome, 173	seminoma, 41	106–12
pre-implantation genetic	relationship issues, 209	serotonin, 112	neurochemical regulation
diagnosis (PGD), 226–7	premature ejaculation, 213	Sertoli cells, 3, 169	of CNS, 111–12
pre-implantation genetic screening (PGS), 227	sexual desire disorders, 209 reproductive history, 8	functions, 3, 5 sex hormone-binding globulin	spinal ejaculatory center, 109–11
premature ejaculation, 105, 130,	respiratory tract infections, 9	(SHBG), 170	supraspinal center and
194, 212–13	retarded ejaculation, 105,	sex status examination, 208	modulation, 111
etiology, 213	211–12	sex therapy, 204–5	phases of, 105, 107
infertility management, 132	etiology, 211–12	partner/relationship issues,	testosterone role, 195
management, 213	management, 212	209	Sexual Tipping Point® (STP)
partner/relationship issues, 213	partner issues, 212	referral, 206	model, 206-8
prevalence, 212–13	rete testis dilation, 44	sex-determining region on the	sildenafil, 198-9, 206
principle component analysis,	retractile testis, 157, 265	Y chromosome (SRY)	silicone tubing use in training,
339	infertility and, 157–8	gene, 2	312–15
processus vaginalis, 150	scrotal orchiopexy, 158–9	sexual arousal, 105	smoking, 9, 189, 222
closure abnormalities, 151	retrograde ejaculation, 131	male arousal disorder,	sonography, 58, 340
prolactin, 169 male sexual function and,	following penile vibratory stimulation, 123	210–11, <i>See also</i> erectile	ejaculatory ducts, 55–7 penis, 46–8
195–6	management, 132	dysfunction (ED) sexual aversion disorder (SAD),	prostate, 57
measurement, 170	retroperitoneal lymph node	210	scrotum, 38
prolactin-secreting tumors,	dissection (RPLND),	sexual desire, 105	testis, 38–42
171–2	9, 131	disorders, 209-10	varicocele, 140
SSRI effects, 200	obstructive effects, 269	infertility and, 209	vas deferens, 50-5
prolactinoma, 9	Robertsonian translocations, 21	management, 209–10	sperm, 4
prostate	round cells, 14	partner/relationship issues,	agglutination, 14
cysts, 57, 74, 114		209	cervical mucus penetration,
ejaculatory function and,	scrotal orchiopexy, 157–9	infertility impact, 193	29
106	scrotal pearls/macroliths, 45–6,	sexual dysfunction, 105–6,	antisperm antibody effects,
imaging, 57 spinal cord injury and, 124	150	193, <i>See also</i> combined male sexual dysfunction	28 chromatin structure, 242–3
ureter ectopic insertion, 58	scrotum imaging, 38	and infertility; specific	chromosome content, 240,
prostatitis, 8, 57	surgery, 9	conditions	243
granulomatous, 58	selective androgen receptor	delayed/retarded ejaculation,	DNA integrity, 15–16, 239–42
proteomics, 338	modulators (SARMs),	211–12	FISH analysis, 15–16
prune belly syndrome, 265	341	desire disorders, 209-10	genomic competence, 237
puberty, 180	selective serotonin reuptake	disorders leading to infertility,	maturation, 5
Klinefelter syndrome, 180-1	inhibitors (SSRIs),	205	morphology, 14
pudendal nerve, 109	199–200	ethical issues, 214	motility, 13–14
pyocele, 45	premature ejaculation	etiology, 206	antisperm antibody effects,
pyospermia, 8	management, 213	evaluation, 205	29
radiatharany 0 107	selenium, 189	follow-up, 209	spinal cord injury and,
radiotherapy, 9, 197,	semen analysis, 13–14 ejaculatory duct obstruction	male arousal disorder, 210–11, <i>See also</i> erectile	123–4 storage, 5
See also cancer effects on spermatogenesis, 286	eyaculatory duct obstruction evaluation, 73–4	dysfunction (ED)	viability, 14
fertility treatment after, 272	future advances, 341	male orgasmic disorder, 211	spinal cord injury and,
testicular sperm extraction,	nursing considerations, 324	management guidelines, 206	123-4
166	reference ranges, 13	partner/relationship issues,	zona pellucida binding assays,
gonadal shielding, 271	varicocele and, 263	209	15

Index

sperm "swim-up" technique, 235 sperm aspiration. *See* epididymal sperm aspiration sperm banking, 271, See also sperm cryopreservation Sperm Chromatin Dispersion (SCD), 15, 240–1 Sperm Chromatin Structure Assay (SCSA), 15, 240-1 sperm count, 13 sperm cryopreservation, 280 before cancer treatment, 197, 264, 271, 281-4 effects of, 294 following vasovasostomy, 82 for assisted reproduction procedures, 290 historical perspective, 280-1 indications, 281 malignant disease, 281-4 non-malignant disease, 286 length of storage time, 295-6 methodology, 292-4 freeze-drying, 293-4 media, 292 protocols, 292-3 vitrification, 293 posthumous, 290-1 quality of thawed sperm, 296 source of male gametes, 291-2 electroejaculation, 292 intra-operative cryopreservation, 292 MESA, 291 TESE, 291-2 tracking of specimens, 294 usage of cryopreserved sperm, 296 - 7sperm function testing, 14-15 sperm penetration assay, 15 sperm retrieval. See electroejaculation; microsurgical epididymal sperm aspiration (MESA); percutaneous epididymal sperm aspiration (PESA); surgical sperm retrieval (SSR); testicular sperm extraction (TESE) sperm washing, 234-5 spermatic cord block, 62 counter current heat exchange, 2 examination, 11 hematoma, 48 liposarcoma, 48 masses, 46 spermatocele, 11, 45 imaging, 45 spermatocytes, 4 spermatogenesis, 4-5

chemotherapy effects on, 284-6 genetic factors, 5 hormonal regulation, 5 medication effects on, 286-90 radiotherapy effects on, 286 stimulation of, 1 temperature and, 157 spermatogonia, 4 spermatogonial stem cells (SSCs), 338 cryopreservation, 272, 338 spinal cord injury (SCI), 119, 131 decision-making, 134 electroejaculation and, 115, 125 home insemination, 125-6 penile vibratory stimulation (PVS) and, 119, 125-6 autonomic dysreflexia (AD) induction, 120-1 candidates for, 119-20 success rate, 123 semen quality, 123-4 treating the couple, 124-6 spinal ejaculatory center, 109-11 steroid feedback loop, 1 stimulated acrosome reaction (SAR) score, 14-15 stress, sexual dysfunction and, 194 sulfasalazine, 9, 289 surgical history, 9 surgical sperm retrieval comparative costeffectiveness, 254 surgical sperm retrieval (SSR), 124, 134, See also microsurgical epididymal sperm aspiration (MESA); percutaneous epididymal sperm aspiration (PESA); testicular sperm extraction (TESE) comparative costeffectiveness, 333-4 suturing technique, 309-12 teratocarcinoma, 41 teratoma, 41 terminal deoxynucleotidyl transferase-mediated dUTP nick end-labeling (TUNEL), 15, 239 testicular arteries, 2 testicular biopsy, 61-4 complications, 65 indications, 61

nonobstructive azoospermia,

nursing considerations, 325-6

obstructive azoospermia,

62,161-2

61-2

open, 62-4 surgical technique, 62-4 percutaneous, 64 surgical technique, 64 results, 65 testicular cancer, 9, 42, 276 chemotherapy, 286 evaluation, 276 nonpalpable masses, 276-7 pathologic diagnosis, 278 testis-preserving surgical approach, 276-8 testis-sparing surgical approach, 277 indications, 277 testicular cysts, 41 testicular dysgenesis syndrome (TDS), 254-6, 258-9 testicular failure, 172 primary germ cell failure, 173 primary testicular failure, 172 - 3treatment, 174-5 testicular germ cell tumors, 173 testicular hematoma, 40 following biopsy, 65 testicular hypovascularity, 38 testicular microlithiasis, 38-41 testicular sperm aspiration, 64-5 testicular sperm extraction (TESE), 19, See also surgical sperm retrieval (SSR) azoospermia after chemotherapy/ radiotherapy, 166 effectiveness, 331-3 Klinefelter syndrome, 181, microdissection TESE (microTESE), 161, 164-5 after failed TESE, 165 Klinefelter syndrome, 166 predictors of success, 165-6 results, 165 sperm processing, 165 nursing considerations, 326 preoperative preparation, 162-3 sperm cryopreservation, 291 - 2surgical approaches, 163-4 treatment considerations, 163 testicular torsion, 173, 265 testis, 2, 38, 169 anatomy, 2 blood-testis barrier, 4 examination, 10-11 functional development in Klinefelter syndrome, 180-1imaging, 38–42 intratesticular arterial flow, 38 measurement, 10-11

retractile. See retractile testis tissue cryopreservation, 272 undescended (UDT), 157, 263 - 4varicocele effects, 138, 140, 262 testosterone, 169 aging effects, 2 androgen resistance, 173 assav, 170 cognitive impairment and, ejaculatory function and, 112, 195 Klinefelter syndrome, 180 production of, 1 regulatory function, 1 sexual dysfunction and, 194-5 treatment for low levels, 162-3, See also testosterone replacement therapy empiric therapy, 189 varicocele relationships, 200 testosterone replacement therapy, 174–5 effects on fertility, 200 Klinefelter syndrome, 182-3 tetracycline, 289 total sperm count, 13 toxicological studies abnormal fetal development, laboratory animals, 256-7 training. See microsurgical training translocations, 21-2 transrectal ultrasonography (TRUS), 58, 71 ejaculatory ducts, 57, 74-5, See also sonography transurethral endoscopy, 71 transurethral resection of the ejaculatory duct (TURED), 57, 95-6, 98 complications, 97–8 outcomes, 97 traumatic brain injury, 172 Trypan blue stain, 14 tubal factor infertility, 219-20 distal tubal disease, 220 proximal tubal disease, 220 ultrasound. See sonography undescended testis (UDT), 157, 263 - 4management, 264 unexplained infertility, 221 ureter, ectopic insertion, 58

urinary tract infections, 222

vanishing testes syndrome, 173

uterus evaluation, 222

varicocele, xi, 11, 47, 137

diagnosis, 139-40

urinoma, 51



Index

etiology, 137-8 examination, 11 fertility relationships, 138-9 grading, 11, 140 imaging, 45-6, 140 intratesticular, 46 nonobstructive azoospermia and, 162 nursing considerations, 324-5 pathophysiology, 138 pediatric aspects, 262-3 prevalence, 137 testicular growth retardation, 262 testosterone relationships, 200 treatment, 140-1, 145 alternative approaches, 143-4comparative costeffectiveness, 333-4 complications, 145-6 considerations, 140 effectiveness, 331-2

microsurgical sub-inguinal varicocelectomy, 141-2 outcomes, 144-5 pediatric varicocele, 262-3 vas deferens, 5, 68 congenital absence, 52, See also congenital bilateral absence of the vas deferens (CBAVD) ectopic insertion, 55 examination, 11 iatrogenic injuries, 264 imaging, 45, 50–5 mobilization and fixation, 88 obstruction, vasography, 68-70 vasectomy reversal, 62, 68, See also vasovasostomy (VV) comparative costeffectiveness, 333 effectiveness, 330-1vasectomy segment use in training, 316–17

vasoepididymostomy (VE), 79-80, 85 complications, 89-90 cost-effectiveness, 333 history of, 85 outcomes, 89 surgical techniques, 87-9 end-to-end anastomosis, 87-8 end-to-side techniques, 84 - 91vasography, 68, 71 alternatives, 71 anatomy, 68 complications, 71 indications, 68 ejaculatory duct obstruction, 74 technique, 68-9 vasovasostomy (VV), 79 inguinal hernia repair and, 82 new technical modifications, patient selection, 79

results, 80-2 technique, 79-80 ViagraTM, 198–9 vibrators. See penile vibratory stimulation (PVS) vitamin C, 187-8 vitamin E, 188 vitrification, 293 X-chromosome inactivation, Y chromosome, 20 microdeletions (YCMD), 22 assay, 20, 22 testicular sperm extraction and, 166 yolk sac tumors, 41 Young's syndrome, 9

zona pellucida induced acrosome reaction (ZPIAR), 15