

## Index

- $\alpha$  Cen, 14
- $\beta$ , 223
- $\delta$ , 256
- $k$ , 256
- 3-D reconstruction, 101, 156
- Abbé sine condition, 258
- absorption
  - induced, 65
- abundances
  - coronal, 78, 79
  - metals, 78
  - photospheric, 79
- Active Cavity Radiometer, 186
- active longitude, 310
- active region, 11, 168
  - activity complex, 91
  - density, 146, 155
  - electron density, 264
  - emission measure, 93
  - temperature, 93, 155, 193, 264
- active region transient brightening, 208
- activity complex, 91
- activity indicators, 207
- AIA, 271–273
  - DEM, 273
- Alfvén velocity, 227
- Alfvén wave, 228
- alkali atoms, 50, 62
- Aly Conjecture, 342
- Ampère’s law, 105
- anomalous month, 32
- aperture synthesis, 142
- Apollo Telescope Mount (ATM), 174–175
- Arago, F., 38
- ARTB, 208
- AS&E, 258
- aspect ratio, 12
- astronauts, 173
- atmosphere models, 197, 229
  - composite, 92
  - loop, 1, 229–235
    - cool, 232
    - scaling laws, 233
  - plane-parallel, 1, 347n
- atmospheric absorption, 165
  - terrestrial, 165
- Atmospheric Imaging Assembly, 271–273
- atom, 47
  - Bohr model, 55
  - energy levels, 57
  - nucleus, 55
- atomic scattering factor, 256
- atomic structure, 51
- avalanche models, 211
- AXAF, 168n, 258
- B-coefficient, 66
- Babcock–Leighton model, 88
- Baily, F., 26
- Baily’s beads, 26
- bald patch, 336
- Balmer, J., 49
- Balmer series, 49, 58
- basal flux level, 239
- BATSE, 323
- Becquerel, A.H., 38
- bent crystal spectrometer, 352
- Bessel, F., 34
- Bethe–Heitler cross-section, 309
- bipolar magnetic region, 11
- birefringent filter, 137
- black-body intensity, 65n
- black-body radiation, 65
- Bohr, N., 55
- Bohr atom, 55–60
  - finite mass correction, 59
  - postulates, 56
  - quantization rules, 57
- Boltzmann constant, 232
- Boltzmann kinetic equation, 216
- Bond, G., 39
- Bond, W., 39
- bound–bound emission, 70
- bow shock, 286
- BPSS model, 336
- branching ratio, 76
- Brattle, T., 25
- breakout model, 342
- Bremsstrahlung, 72n, 308

- thick target, 308
- thin target, 308
- bright points
  - G-band, 204
- brightness temperature, 69, 155–156
- Campbell, W., 42, 121
- Canon of Solar Eclipses, 34
- CAT, 157
- cathode ray tube, 51
- Cavendish Laboratory, 53
- CDS, 197
- CELIAS, 282
- cellular automaton, 211, 241
- CFHT telescope, 29
- CGRO*, 323, 326
- Chandra*, 168n, 258
- chromosphere, 43, 347n
- chromospheric evaporation, 324
- chromospheric heating, 239
- CI, 99
- CIR, 292
- Clementine*, 135
- climate forcing, 296
- Climax, 140
- CME, 157, 298, 303, 342
  - breakout model, 342
  - coronal dimming, 337
  - cycle dependence, 332
  - EIT wave, 337
  - flux rope, 337
  - in-out pair, 333
  - inflow, 333
  - magnetic cloud, 286
  - magnetic field, 164
  - radio spectrum, 162
  - sigmoid, 334
  - wave, 337
- collisionless kinetic equation, 216
- complex of activity, 310
- Compte, A., 51
- conductive cooling, 233
- conductivity
  - parallel, 227
- convection zone, 110, 329
- cool loops, 232
- Copernicus, 23
- corona
  - 3-D reconstruction, 156
  - active region, 168, 191–193, 198–201, 212
    - active longitude, 310
    - complex of activity, 310
    - DEM, 81
    - electron density, 146, 155, 264
    - emission measure, 93
    - interconnecting loop, 170, 201
    - temperature, 93, 155, 193, 264
    - transient loop brightenings, 192, 209
  - activity, 197–214
  - arcade, 202
  - avalanche models, 211
  - average energy, 12
  - CME, 182, 331–342
    - energy content, 182
    - mass content, 182
    - sigmoid, 334
  - cool loop solutions, 81, 232
  - coronal brightness, 4
  - coronal hole, 95, 172
    - formation, 179
  - coronium lines, 44
  - cusped loop, 202
  - dark threads, 202
  - definition of, 1–3
  - DEM, 193
  - density, 129
  - density diagnostics, 78
  - density irregularity, 264
  - electrical conductivity, 219
  - emission lines, 6
  - energy requirements, 12
    - extended, 275
  - filament cavity, 94, 171, 202
  - filamentary structure, 164
  - filling factor, 264, 265
  - flare, 193–194
    - CSHKP model, 303
    - definition, 298
    - electromagnetic emission, 301
    - homologous, 311
    - impulsive phase, 301
    - light curves, 300
    - loop-top hard x-ray source, 193
    - microflare, 326
    - nanoflare, 326
    - Neupert effect, 315
    - particle acceleration, 303
    - precursor, 301, 310
    - probability, 310
    - protons, 326
    - radiation, 297
    - sigmoid, 334
    - solar, 297–326
      - standard model, 297, 303
      - two-ribbon, 303
  - flare classification, 301
  - flare spectra
    - x-ray, 315
  - flash spectrum, 42
  - flows, 271
  - forbidden lines, 44, 133
  - force-free field, 226
  - green line, 35, 44, 137
  - heating, 204, 236–245
    - basal flux level, 239
    - forward modelling, 244
    - magnetic flipping layer, 243
    - nanoflare heating, 241
    - timescales, 233
    - topological dissipation, 238
  - helmet streamer, 7, 94, 95
  - history, 21–46
  - interplanetary scintillation, 163
  - intersystem lines, 78

- jets, 269
- large scale structure
  - emission measure, 93
  - temperature, 93
- large-scale structure, 172
- loop, 229
  - aspect ratio, 12
  - footpoint, 1
  - static, 230
  - transverse scale size, 203, 207, 237–238
- magnetic field, 164, 283
  - source surface, 285
- magnetic helicity, 226
- mass ejection, 331–342
- maximum, 89
- minimum, 89
- nanoflare heating, 241
- optical depth, 155, 348n
  - free-free, 155
- oscillations, 153
- polar jets, 269
- polar plume, 95
- power-law distribution, 211
- quiet corona
  - electron density, 264
  - temperature, 264
- quiet Sun
  - DEM, 81
- radial spikes, 202
- radio, 141–164
- radio sounding, 162
- reconnection, 306
- red line, 37, 44, 137
- rotation, 130
- scale height, 35, 231, 349n
- scaling laws, 233
- self-organized criticality, 211
- sigmoid, 334
- SOC models, 211
- solar wind, 164
- spectrum ultraviolet, 45
- stereo reconstruction, 130
- streamer, 93
  - polarization, 127
- structure, 93, 201
  - magnetic field, 198
- sunspot, 211–214
  - temperature, 2, 93, 133
- terminology, 168
- thermal conduction, 231n
- tomography, 156–157
- variability, 198, 207–211
  - timescales, 235
- wave, 337
- waves, 153, 269
- x-ray, 7, 168
- x-ray bright point, 172
- yellow line, 44
- corona, stellar, 13–20
  - dividing line, 14
  - rotation–activity connection, 17
- coronagraph, 135–139
  - external occulter, 138
  - Lyot stop, 136
  - occulting disk, 136
- coronagraph Mark-IV, 140
- coronal condensation, 93
- coronal density, 129
- coronal dimming, 337
- coronal energy losses, 12
- coronal enhancement, 93
- coronal heating, 12, 236–245
  - AC models, 239
  - acoustic, 16
  - body waves, 239
  - DC models, 239
  - field-aligned currents, 238
  - magnetic carpet, 240
  - MHD waves, 238
  - nanoflares, 241
  - Ohmic, 238
  - resonant cavity models, 239
  - wave, 238
- coronal hole, 90, 91, 95, 172, 176–181
  - high-speed stream, 178
  - polar, 90
  - rigid rotation, 179
  - temperature, 93
- coronal hole formation, 179
- coronal imaging
  - Fourier synthesis, 189
  - resolution limit, 264
  - radio, 266
  - x-ray, 256–261
- coronal index, 99
- coronal jets, 269
- coronal lines, 44
  - infrared, 44
- coronal loop, 168, 201, 229
  - footpoints, 11
- coronal magnetic field, 160
- coronal mass ejection, 181–182, 298, 331–342
- coronal seismology, 153
- coronal streamer, 93
- coronal temperature, 133
- coronal transient, 182, 331
- coronal variability
  - transient brightenings, 208
- coronal wave, 337
  - velocity, 339
- CORONAS, 194
- CORONAS-F, 194
- SPIRIT, 194
- CORONAS-I, 194
- CORONAS-PHOTON, 196
- coronium, 35–38, 44, 347n
- corotating interaction regions, 292
- cosmic rays, 289
- Coulomb logarithm, 151, 349n
- Coulomb's law, 106
- Crimean Astrophysical Observatory, 140
- critical radius, 279
- CSHKP model, 303
- current helicity, 224n

- current sheet, 238, 240  
 cyclotron frequency, 149
- Daguerre, J., 38  
 daguerreotype, 38  
 dark threads, 202  
 De la Rue, W., 39  
 Debye length, 145, 146  
 Debye shielding, 146  
 Debye sphere, 147  
 Debye–Waller factor, 261  
 delta-spot configuration, 310  
 DEM, 80, 194, 273  
   active region, 81  
   ill-conditioned, 81  
   quiet Sun, 81  
   transition region, 81  
 DEM analysis, 170  
 Democritus, 47  
 density, 129  
 difference image, 337  
 differential emission measure, 80, 81  
 differential rotation, 110, 179  
 diffusion time  
   magnetic, 220  
 distribution function, 215  
 Doppler dimming, 46  
 draconic month, 32  
 Draper, J.W., 38  
 Dreicer field, 152  
 Dufay, C.-F., 53  
 dynamo  
    $\alpha - \omega$ , 110–113  
   Cowling's theorem, 107  
   flux rope, 108  
   kinematic, 106  
   magnetic, 9, 86–115  
   mean-field, 113  
     propagating, 113  
   polarity reversal, 87  
   stellar, 114  
 dynamo number, 18, 114  
 dynamo theory, 108–115  
 dynamo wave, 114
- E-corona, 4, 6, 125  
 early solar photography, 38–41  
 eclipse, 35  
   Bessel elements, 35  
   circumstances, 34  
   Concorde, 120  
   diamond ring effect, 31  
   duration, 120  
   expeditions, 116–125  
   general relativity, 121  
   geometry, 29  
   Koenigsberg, 39  
   lunar, 30  
   path, 33, 117  
   prediction, 34  
   season, 31  
   solar, 8, 30  
   total, 116–133  
   year, 32  
 eclipse canon, 34  
 eclipse frequency, 34, 116  
 eclipse photography, 38  
   collodion, 39  
   coronal lines, 41  
   dry plate, 40  
   flash spectrum, 42  
   moving plate, 42  
 eclipse season, 31  
 Edlén, B., 36  
 Einstein, A., 52, 121  
 Einstein coefficients, 66  
*Einstein Observatory*, 14, 16, 327, 329  
 EIT, 8, 89, 91, 197, 209, 229, 249  
 EIT wave, 337  
 electric dipole transition, 64  
 electrical conductivity, 219  
 electromagnetic induction, 104  
 electron orbital, 60  
 emission integral, 81  
 emission measure, 76, 170  
 energy conservation equation, 218  
 ephemeral regions, 182  
 equation of continuity, 217  
 equation of motion, 217  
 equivalent black-body temperature, 143  
 eruptive prominence, 332  
 Euler potentials, 225  
 EUV Imaging Spectrometer, 269  
 EUV multilayer, 261  
   Debye–Waller factor, 261  
   roughness, 261  
 EUV resolution, 264  
 Evans, J., 139  
 Evershed flow, 214  
*Explorer-1*, 173  
*Explorer-10*, 286  
 extended corona, 275
- F-corona, 4, 5, 125  
 f-mode, 115  
 fan, 243  
 Faraday rotation, 164  
   coronal magnetic field, 164  
   rotation measure, 164  
 Faraday's law, 105  
 Faye, M., 39  
 FCS, 348  
 Federal Coordinator for Meteorology, 295  
 filament cavity, 94, 171  
 filling factor, 264, 265  
 FIP effect, 79  
 Fizeau, A., 38  
 flare  
   chromospheric evaporation, 305, 324  
   CME, 298  
   compact, 317  
   CSHKP model, 303  
   definition, 298  
   deuterium formation, 326

- electrons
  - time of flight differences, 323
- energy release timescale, 306
- explosive phase, 301
- Flare Myth, 334
- flare number problem, 317
- flaring arch, 319
- flash phase, 301
- footpoint motions, 320
- gamma radiation, 326
- gradual phase, 317–323
- hard x-rays
  - loop-top source, 323
- homologous, 311
- impulsive burst
  - x-ray spectrum, 313
- impulsive hard x-ray burst, 312
- impulsive microwave burst, 312
- impulsive phase, 312–315, 322
  - x-rays, 315
- loop-top bright knots, 193
- loop-top hard x-ray source, 193
- loop-top source, 322, 323
  - time of flight differences, 323
- magnetic connectivity, 320
- magnetic field, 319–320
  - corona, 320
  - photosphere, 319
  - transition region, 320
- microflare, 326
- nanoflare, 326
- Neupert effect, 315, 324
- neutral line, 303
- particles, 303
- positron annihilation, 326
- post-flare loops, 305
  - chromospheric evaporation, 305
- post-flare phase, 317–323
- power-law distribution, 211
- precursor, 312
  - $\delta$ -spot, 310
  - H $\alpha$  signature, 312
  - radio signature, 312
- pre-flare state, 310–312
- proton acceleration, 326
- radio, 157
- radio spectrum, 162
- reconnection, 194, 306
- return current, 317
- return flow, 317
- shear change, 320
- soft x-ray burst, 317
- solar, 297–326
  - electromagnetic emission, 301
  - explosive phase, 301
  - H $\alpha$  classification, 302
  - importance classification, 301
  - impulsive phase, 301
  - light curves, 300
  - precursor, 301, 310
  - radiation, 297
  - x-ray classification, 302
  - spectra, 315
  - standard model, 303
  - stellar, 326–330
    - T Tauri star, 330
    - x-ray, 328
  - two-ribbon, 303, 317
  - two-ribbon flare, 305
  - x-ray burst, 303
- flare classification, 301
- Flare Myth, 334
- flare spectra
  - x-ray, 315, 325
    - hydrogen-like, 315
- flare star, 327, 330
  - UV Ceti, 327
- flare turbulence, 324
- flare x-ray, 325
- flaring arches, 319
- flash spectrum, 28, 42
- flat crystal spectrometer, 352
- flipping layer, 243
- flows, 271
- fluted sunspot, 214
- flux bundles, 206
- flux rope, 9, 108
- footpoint motions, 320
- forbidden line, 36, 44, 64
- force-free field, 222–223, 226
- forward modelling, 244
- Foucault, J.-B., 38
- Fourier transform image, 324
- Franklin, B., 51
- Fraunhofer lines, 49
- Fraunhofer, J., 48
- free-bound continuum, 308
- free-free emission, 155
- Friedman, H., 167
- frozen-in field, 220–222
- FWHM, 249
  
- G-band, 204, 240
  - bright points, 204
- g-mode, 115
- g-mode oscillations, 249
- gamma ray, 300n
- Gaussian deconvolution, 156
- general relativity, 121
- generalized Ohm's law, 219
- geomagnetic disturbances, 176
- GLE, 331
- global warming, 296
  - solar forcing, 296
- Goddard, R., 167
- GOES, 193, 302
- GONG, 109, 110, 350n
- Google Earth, 35
- GPS, 294, 295
- grazing incidence optics, 257
- green line, 44
- Grotian, W., 36
- ground state, 57, 61
- GRS, 186, 325

- gyrofrequency, 149  
 gyroradius, 149  
 gyroresonance, 159
- $H\alpha$ , 49, 58  
 Haggard, H.R., 25  
 hairy ball model, 285n  
 Hale's law, 87, 91  
 Halley, E., 25, 32  
 halo orbit, 247  
 hard x-ray, 300n  
 hard x-ray spectrum, 325  
 Harkness, W., 44  
 Harvard College Observatory, 26, 39  
 Harvard University, 139  
*HEAO-1*, 14, 17  
 heating, 204  
 Heaviside, O., 142  
 Heaviside layer, 142  
 helical convection, 112  
 helicity, 224n, 225–226  
   gauge freedom, 350  
   relative, 350  
 heliograph, 38  
 heliopause, 4  
*Helios*, 289  
*Helios-1*, 286  
 helioseismology, 109, 110, 115, 179n, 247  
   f-mode, 115  
   g-mode, 115  
   p-mode, 115  
 heliosheath, 4  
 heliosphere, 4, 291  
 helium, 43  
 helmet streamer, 7, 94, 95, 171, 332  
 Herodotus, 22  
 Herschel, J., 38, 39  
 Hertz, H., 141  
 Hey, J.S., 142  
 High Altitude Observatory, 100, 102, 140, 333  
*Hinode*, 168n, 197, 253, 266–271  
   EIS, 266, 269–271  
   SOT, 266  
   XRT, 7, 197, 251, 266–269, 336  
*Hinotori*, 187  
 Holden, E.S., 41  
 homologous flare, 311  
 Hsi-Ho, 23  
 HST, 329  
 HXIS, 186  
 HXRBS, 186
- IAU Working Group on Eclipses, 34  
 ideal MHD, 224  
 ILWS, 196  
 imaging  
   resolution, 264  
*IMP-1*, 286  
*IMP-8*, 286  
 induction  
   magnetic, 105  
   induction equation, 220  
 infrared lines, 44  
 inner heliosphere, 288  
 intercombination transition, 78  
 interconnecting loop, 170, 201  
 internetwork, 241  
 interplanetary magnetic field, 283  
 interplanetary scintillation, 164  
 ion cyclotron resonance, 46  
 ionization, 57  
 ionization potential, 79  
 ionization time, 235  
 IPS, 163, 289  
 ISAS, 187  
 isoelectronic sequence, 63  
 ISTP, 247  
*IUE*, 13, 16, 327, 329  
 IZMIRAN, 194
- Jansky, K., 141  
 Janssen, P., 26, 41, 43  
 JAXA, 187, 266  
 jets, 269  
 Joy's law, 87
- K-corona, 4, 125  
   polarization, 125–127  
 K-coronameter, 99  
 Kagoshima Space Center, 187  
 Kepler, J., 23  
 Kiepenheuer, K., 167  
 kinetic equation  
   collisional, 216  
   moments, 216  
 kink mode, 153  
 Koenigsberg eclipse, 39  
 KORONAS, *see* CORONAS
- L1, 247  
 Lagrange point, 166, 246, 247  
 LASCO, 96, 123, 249, 251, 282  
 Lebedev Physical Institute, 173  
 Lindsay, J., 173  
 Lockyer, N., 26, 43  
 Lodge, Sir Oliver, 141  
 Lomnický Štít Coronal Observatory, 140  
 loop, 229  
   transverse structure, 203  
 loop footpoints, 11  
 loop model atmosphere, 229  
 loop-opening models, 282  
 loop-top hard x-ray source, 193, 322  
 Lorentz force, 106  
 low- $\beta$  plasma, 223  
 lower hybrid frequency, 152  
 LTE, 155  
 Ludendorff flattening coefficient, 96  
 luminosity  
   solar, 12  
 lunar months, 32  
*Lunik* satellites, 286  
 Luxel Corp., 268

- $\text{Ly}\alpha$ , 45, 58, 63  
 Lyman, T., 58  
 Lyot, B., 27, 36, 135  
 Lyot filter, 137  
 Lyot stop, 136
- M-dwarf, 327  
 M-regions, 176  
 magnetic bottle, 182  
 magnetic buoyancy, 108  
 magnetic canopy, 241  
 magnetic carpet, 240  
 magnetic cloud, 286  
 magnetic diffusivity, 220  
 magnetic dynamo, 86  
 magnetic field
  - coronal, 9, 206
  - helicity, 226
  - internetwork, 241
  - interplanetary, 283
  - network, 241
  - photospheric, 206
  - poloidal, 112
  - stellar, 328
  - toroidal, 112
 magnetic helicity, 225–226  
 magnetic induction, 104, 220  
 magnetic reconnection, 306, 308
  - standing shock, 308
 magnetic Reynolds number, 222, 307  
 magnetic sectors, 286  
 magnetic topology, 198
  - flipping layer, 243
  - null point, 242
  - separatrix, 241–243
  - slip-running reconnection, 243
  - squashing, 242
 magnetoacoustic waves, 229  
 magnetograph, 11n  
 magnetohydrodynamics, 215  
 magnetosphere, 274  
 Majocchi, G.A., 38  
 Mandel'shtam, S., 173  
 manned missions, 173  
*Mariner-2*, 286  
 Mark-IV, 140  
 mass flow, 271  
 Masuda flare, 322  
 Maul, A., 167  
 Mauna Kea Observatory, 29  
 Mauna Loa, 140  
 Mauna Loa Observatory, 98, 99, 138, 140, 337  
 Maunder minimum, 351n  
 Maxwell, J.C., 105  
 Maxwell's equations, 106  
 mean free path, 219  
 Mees Solar Observatory, 191  
 Menzel, D.H., 27, 42, 139  
 meridional flow, 115  
 metals, 78  
 MFI, 286
- MHD, 198, 215–229
  - electrical conductivity, 219
  - force-free field, 222
  - ideal, 224, 350n
  - kinetic equations, 216
  - magnetic diffusivity, 220
  - velocity distribution function, 215
 MHD approximation, 215  
 microflare, 209, 326  
 modulation collimator, 324  
 Moreton wave, 312, 337  
 MSFC, 268  
 MSSTA, 262  
 multilayer optics, 261  
 multiplicity, 63  
 multithermal plasma, 170
- Nançay radioheliograph, 162  
 nanoflare, 209, 326  
 nanoflare heating, 241  
 NAOJ, 140, 268  
 NASA, 246  
 National Solar Observatory, 139  
 National Space Weather Program, 295  
 Naval Research Laboratory, 173  
 NCAR, 140  
 network, 241  
 network bright points, 206  
 neutral line, 170, 303, 305  
 neutral point, 242  
 neutral sheet, 306  
 Newkirk, G., 99  
 Newkirk camera, 99  
 Newton, I., 48  
 Niépce, N., 38  
 NIXT, 262  
 nm, 36n  
 NOAO, 139  
 Nobeyama Radio Heliograph, 144  
 normal incidence x-ray optics, 261  
 NRO, 144  
 NSWP, 295  
 NSWPC, 295  
 null point, 242
- occulting disk, 136  
 Ohm's law, 219
  - generalized, 219
 Ondrejov Observatory, 160  
 opacity, 68  
 optical depth, 7, 68  
*Orbiting Solar Observatory (OSO)*, 173  
 oscillations, 153  
*OSO-1*, 173  
*OSO-3*, 315  
*OSO-7*, 325, 331  
*OSO-8*, 16, 173, 347n  
 Owens Valley Interferometer, 160
- p-mode, 115  
*P78-1*, 187, 286  
 penumbra, 213

- periodic table, 60  
 perpendicular transport, 203  
 Petschek reconnection, 308  
 photoelectric effect, 52  
 photoelectrons, 52  
 photography  
   solar, 38  
 photospheric bright points, 240  
 Pic du Midi, 27  
 PIL, 303, 320  
*Pioneer 6*, 181  
 Planck formula, 65  
 plasma  
   approximation, 145  
   cold, 152  
   conductivity, 219  
   electron plasma frequency, 147  
   electron runaway, 151  
   oscillations, 147, 148  
   parameter, 145, 147, 349n  
   pressure tensor, 217  
   screening, 146  
 plasma beta, 223  
 plasma frequency, 147  
 plasma physics, 144–153  
 Plutarch, 21  
 POISE, 99  
 polar jets, 269  
 polar orbit, 166  
 polar plume, 95  
 polarity inversion line, 303, 320  
 polarization  
   K-corona, 128  
 positivism, 51n  
 post-flare loops, 305  
 Potsdam radio spectrograph, 160  
 Poynting vector, 309  
 pre-Socratics, 47  
 pressure scale height, 231  
 pressure tensor, 217  
 principle quantum number, 57  
 prominence, 171n  
   eruptive, 332  
 Proxima Cen, 327  
  
 QSL, 242  
 quantum defect, 50, 64  
 quantum theory  
   old, 55  
 quasi-rigid rotation, 130  
 quasi-separatrix layer, 242  
 quiet corona, 172n  
  
 radial gradient filter, 99  
 radiative cooling, 233  
 radiative transfer, 64–68  
   source function, 68  
   transfer equation, 68  
 radio  
   IPS, 164  
   resolution limit, 266  
 radio astronomy, 141  
  
   antenna temperature, 143  
   coronal magnetic field, 160  
   stereoscopy, 156  
   tomography, 157  
 radio bursts, 157  
 radio emission  
   brightness temperature, 154, 155  
   cyclotron, 156  
   extraordinary mode, 153  
   noise storms, 157  
   optical depth, 155  
   ordinary mode, 153  
   scattering, 265  
   standard flux unit, 313  
   synchrotron, 156  
   Type I burst, 158  
   Type II burst, 158  
   Type III burst, 158  
   Type IV burst, 158  
 radio observations, 144  
 radio scintillation, 164  
 radio sounding measurements, 162  
 radioheliograph, 144, 156  
 radiospectrograph, 157  
 RATAN 600 telescope, 160  
 ratio of specific heats, 227  
 Rayleigh–Jeans law, 143  
 reconnection, 238, 306, 308  
 red line, 37, 44, 137  
 reduced mass, 59  
 refractive index  
   complex, 256  
 relative helicity, 350  
 relativity  
   tests, 121  
 Rense, W., 167  
 resonance scattering, 45, 348n  
*RHESSI*, 197, 324–326  
   flare spectra, 324  
   neutron capture line, 324  
   positron annihilation line, 324  
 rigid rotation, 110  
 Roberts, W.O., 140  
 Roentgen, W., 11  
*ROSAT*, 329  
 rotation measure, 164  
 rotational modulation, 207  
 Ruggierei, C., 167  
 runaway electrons, 151  
 Rutherford, E., 53  
 Rydberg, J., 50  
 Rydberg constant, 50, 57  
  
 Sacramento Peak Observatory, 139, 181  
 SAD, 317  
 Sagamore Hill Radio Observatory, 160  
 SAO, 268  
 saros, 32–34  
 saros series, 34  
 Sayan Solar Observatory, 140  
 scale height, 349n  
 scaling laws, 233

- scientific revolutions, 346n  
*SDO*, 271  
   AIA, 271  
   EVE, 272  
   HMI, 272  
 SECCHI, 275  
 Secchi, A., 39  
 seeing, 165  
 self-organized criticality, 211, 241  
 SEP event, 333  
 separation of the coronas, 125  
 separator, 243  
 separator reconnection, 243  
 separatrix, 242, 336  
 SERTS, 263  
 SFU, 313  
 shear change, 320  
 SID, 331  
 sidereal rotation period, 349  
 sigmoid, 334  
   twist, 334  
   writhe, 334  
*Skylab*, 16, 173–175, 197  
 slip-running reconnection, 243  
 slipping reconnection, 269  
 slitless spectrum, 43  
 SMEX, 197, 324  
 Smithsonian Astrophysical Observatory, 268  
*SMM*, 187, 325, 348  
 SOC models, 211  
 soft x-ray, 300n  
*SoHO*, 9, 46, 95, 109, 138–139, 197, 246–252, 331  
   *in-situ* measurements, 252  
   CDS, 197, 249  
   EIT, 8, 91, 162, 197, 209, 229, 249, 269  
   helioseismology investigations, 247  
   LASCO, 249, 269  
   remote sensing investigations, 249  
   SUMER, 209, 249  
   UVCS, 46, 249  
 solar constant, 248  
 solar coordinates, 350  
 solar cycle, 86–104  
   Babcock–Leighton model, 88  
   CME rate, 332  
   Hale’s law, 87  
   Joy’s law, 87  
   polar field reversal, 88  
   polarity reversal, 90  
   solar wind, 289  
   Spörer’s law, 87  
   tranequatorial loops, 88  
*Solar Dynamics Observatory*, 271  
 solar eclipse, 21–35  
 solar energetic particle event, 333  
 solar irradiance variations, 295  
 solar maximum, 89, 153, 187, 332  
   CME rate, 332  
*Solar Maximum Mission*, 186–187  
 solar minimum, 89, 153, 184, 332  
   CME rate, 332  
 Solar Polar Mission, 351n  
*solar radio emission*, 141  
 solar spectrum, 49  
 solar wind, 176, 275–287, 289  
   acceleration, 46, 282  
   core, 291  
   corotating interaction region, 292  
   critical radius, 279  
   equation of motion, 279  
   halo, 291  
   high-speed stream, 177, 275, 286  
   *in-situ* observations, 285–287  
   ion flux, 286  
   loop-opening models, 275, 282  
   magnetic cloud, 286  
   magnetic sectors, 284, 286  
   mass loss, 289  
   solutions, 280  
   speed, 286  
   strahl, 291  
   supersonic, 281  
   wave-turbulence models, 275, 282  
 solar-terrestrial physics, 274–342  
   coronal mass ejection, 331  
   ground-level enhancement, 331  
   space weather, 293  
   sudden ionospheric disturbance, 331  
 Solwind, 286  
 sounding rockets, 167–172, 261–264  
   history, 168  
 source function, 68  
 source surface, 176, 284–285, 288  
 Spörer’s law, 87  
 Space Shuttle, 45  
 Space Test Program, 187  
 space weather, 293  
   NSWP Council, 295  
   terrestrial effects, 294  
*Spartan*, 46  
*Spartan-201*, 46, 132, 282  
 specific intensity, 68  
 speckle phase diversity, 205  
 spectral hardness ratio, 170  
 spectral series, 61  
 spectral types, 347n  
 spectrometer  
   Bragg crystal, 190  
 spectroscopy, 42, 47–85, 324  
   coronium lines, 44  
   density-sensitive lines, 78  
   forbidden line, 315  
   ground state, 57  
   intercombination line, 315  
   level configuration, 60  
   metastable level, 78  
   nomenclature, 60–63  
   intersystem line, 62  
   ionization stage, 63  
   isoelectronic sequence, 63  
   multiplicity, 63  
   term designation, 62  
   principle quantum number, 60

390

radio, 160  
 resonance line, 315  
 series limit, 58  
 slitless spectrum, 43  
 spectral line series, 58, 61  
 spectrum  
   alkali, 50, 62  
   flare, 325  
   hydrogen, 49, 57  
   solar, 49  
 spine, 242  
*SPIRIT*, 194  
 Spitzer–Härm conductivity, 231, 231n  
 spontaneous emission, 65, 66  
*Sputnik-2*, 173  
*Sputnik-3*, 286  
 squashing degree, 242  
 standard model, 297  
 stars  
   basal flux level, 239  
   coronae, 13–20  
   early-type, 15, 347n  
   flares, 325–329  
   late-type, 347n  
   low-mass, 16  
   M-dwarf, 16  
   rotation–activity connection, 17, 329  
   RS CVn, 17  
   solar-type, 13  
   x-rays, 13–20  
*STEREO*, 95, 138–139, 197, 253, 331, 339, 342  
 stereo reconstruction, 130  
 stimulated emission, 65  
 Stonehenge, 22  
 strahl, 291  
 streamer, 7, 93  
 structure  
   transverse, 203, 207, 237–238  
 SUMER, 209  
 sunspot, 211  
   magnetic field, 214  
   Ohmic diffusion time, 221  
   penumbra, 213, 214  
   umbra, 212  
 supergranulation, 241  
 Swedish Vacuum Tower Telescope, 240  
 Sweet–Parker reconnection, 307  
 SXT, 197, 229  
 synodic month, 32  
 synodic rotation period, 349  
  
 T Tauri star, 330  
 T-corona, 6, 125  
 tachocline, 115  
 Talbot, W.H.F., 38  
 tangential discontinuities, 238  
*Telstar-401*, 295  
 Tenskwatawa, 25  
 term designation, 62  
 termination shock, 4  
 TESIS, 196

*Index*

Thales, 22  
 thermal conductivity, 231, 231n, 276  
 Thomson, J.J., 53  
 tomography, 101, 130, 156  
 topological discontinuities, 240  
 total external reflection, 256  
 total solar irradiance, 248  
 Tousey, R., 167  
*TRACE*, 2, 95, 153, 197, 209, 252–255, 269, 335  
 transequatorial loops, 88  
 transient brightening, 208  
 transient loop brightenings, 192, 209  
 transition  
   electric dipole, 64  
   electric quadrupole, 64  
   magnetic dipole, 64  
 transition corona, 196  
 transition region, 3  
 transverse structure, 203, 207, 237–238  
 TSI, 248  
 turbulent diffusion, 88, 288  
 Twain, M., 24  
 twist, 334  
 two-ribbon flare, 305  
  
*Ulysses*, 282, 289–292  
   mission, 290  
   orbit, 289  
   solar wind, 291  
 unipolar magnetic region, 177, 180  
 units, viii, 36n, 60n, 203n  
 upper hybrid frequency, 152  
 UV Ceti, 327  
 UVCS, 46, 132, 282  
 UVSP, 186  
  
 V-2, 167  
*Vanguard-3*, 173  
 VLA, 160  
 Vlasov equation, 216  
 VLBI, 121  
 void, 47  
*Voyager-1*, 286  
*Voyager-2*, 286  
  
 Wallops Flight Facility, 168  
 wave  
   coronal, 337  
 wave-turbulence models, 282  
 waves, 269  
   Alfvén, 228  
   extraordinary mode, 153  
   magnetoacoustic, 229  
   ordinary mode, 153  
 Westerbork Synthesis Radio Telescope, 160  
 Whipple, J.A., 39  
 Williams, S., 26  
*WIND*, 286  
 Winlock, J., 40  
 Wollaston, W.H., 48  
 writhe, 334

- x-ray bright point, 91, 172, 182–185, 199, 240
  - emission measure, 93
  - temperature, 93
- x-ray H-R diagram, 14
- x-ray imaging
  - grazing incidence, 256, 257
  - methods, 256–261
  - multilayer, 256
  - normal incidence, 256
  - resolution limit, 264
    - count-rate limit, 264
- x-ray jets, 269
- x-ray optics
  - grazing incidence, 190
  - multilayer, 261
- x-rays
  - atmospheric absorption, 165
  - XRCF, 268
  - XRT, 7, 251, 266, 271, 336
    - jets, 269
  - XUV
    - defined, 348n
  - XUV multilayer, 261
    - Debye–Waller factor, 261
    - roughness, 261
  - XUV resolution, 264
- yellow line, 44
- Yohkoh*, 168n, 187–194, 197
  - BCS, 188
  - HXT, 162, 188–189
  - SXT, 162, 188, 190, 201
  - WBS, 188
- Young, C.A., 27, 35, 42, 44