

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3:
Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowronski

Frontmatter

[More information](#)

LONDON MATHEMATICAL SOCIETY STUDENT TEXTS

Managing editor: Professor D. J. Benson,
Department of Mathematics, University of Aberdeen, UK

- 17 Aspects of quantum field theory in curved spacetime, S. A. FULLING
- 18 Braids and coverings: selected topics, VAGN LUNDSGAARD HANSEN
- 20 Communication theory, C. M. GOLDIE & R. G. E. PINCH
- 21 Representations of finite groups of Lie type, FRANCOIS DIGNE & JEAN MICHEL
- 22 Designs, graphs, codes and their links, P. J. CAMERON & J. H. VAN LINT
- 23 Complex algebraic curves, FRANCES KIRWAN
- 24 Lectures on elliptic curves, J. W. S. CASSELS
- 26 An introduction to the theory of L-functions and Eisenstein series, H. HIDA
- 27 Hilbert Space: compact operators and the trace theorem, J. R. RETHERFORD
- 28 Potential theory in the complex plane, T. RANSFORD
- 29 Undergraduate commutative algebra, M. REID
- 31 The Laplacian on a Riemannian manifold, S. ROSENBERG
- 32 Lectures on Lie groups and Lie algebras, R. CARTER, G. SEGAL & I. MACDONALD
- 33 A primer of algebraic D -modules, S. C. COUTINHO
- 34 Complex algebraic surfaces, A. BEAUVILLE
- 35 Young tableaux, W. FULTON
- 37 A mathematical introduction to wavelets, P. WOJTASZCZYK
- 38 Harmonic maps, loop groups, and integrable systems, M. GUEST
- 39 Set theory for the working mathematician, K. CIESIELSKI
- 40 Ergodic theory and dynamical systems, M. POLLICOTT & M. YURI
- 41 The algorithmic resolution of diophantine equations, N. P. SMART
- 42 Equilibrium states in ergodic theory, G. KELLER
- 43 Fourier analysis on finite groups and applications, AUDREY TERRAS
- 44 Classical invariant theory, PETER J. OLVER
- 45 Permutation groups, P. J. CAMERON
- 46 Riemann surfaces: A primer, A. BEARDON
- 47 Introductory lectures on rings and modules, J. BEACHY
- 48 Set theory, A HAJNAL & P. HAMBURGER
- 49 K -theory for C^* -algebras, M. RØRDAM, F. LARSEN & N. LAUSTSEN
- 50 A brief guide to algebraic number theory, H. P. F. SWINNERTON-DYER
- 51 Steps in commutative algebra: Second edition, R. Y. SHARP
- 52 Finite Markov chains and algorithmic applications, O. HÄGGSTRÖM
- 53 The prime number theorem, G. J. O. JAMESON
- 54 Topics in graph automorphisms and reconstruction, J. LAURI & R. SCAPELLATO
- 55 Elementary number theory, group theory, and Ramanujan graphs, G. DAVIDOFF,
P. SARNAK & A. VALETTE
- 56 Logic, induction and sets, T. FORSTER
- 57 Introduction to Banach algebras and harmonic analysis, H. G. DALES *et al.*
- 58 Computational algebraic geometry, HAL SCHENCK
- 59 Frobenius algebras and 2-D topological quantum field theories, J. KOCK
- 60 Linear operators and linear systems, J. R. PARTINGTON
- 61 An introduction to noncommutative Noetherian rings, K. R. GOODEARL &
R. B. WARFIELD
- 62 Topics from one dimensional dynamics, K. M. BRUCKS & H. BRUIN
- 63 Singularities of plane curves, C. T. C. WALL
- 64 A short course on Banach space theory, N. L. CAROTHERS
- 65 Elements of the representation theory of associative algebras Volume I, I. ASSEM,
A. SKOWROŃSKI & D. SIMSON
- 66 An introduction to sieve methods and their applications, A. C. COJOCARU &
M. R. MURTY
- 67 Elliptic functions, V. ARMITAGE & W. F. EBERLEIN
- 68 Hyperbolic geometry from a local viewpoint, L. KEEN & N. LAKIC
- 69 Lectures on Kähler geometry, A. MOROIANU
- 70 Dependence Logic, J. VÄÄNÄNEN

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3:
Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowron ´ski

Frontmatter

[More information](#)

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3:
Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowron 'ski

Frontmatter

[More information](#)

London Mathematical Society Student Texts 72

Elements of the Representation Theory
of Associative Algebras
Volume 3 Representation-Infinite
Tilted Algebras

DANIEL SIMSON

Nicolaus Copernicus University

ANDRZEJ SKOWROŃSKI

Nicolaus Copernicus University



CAMBRIDGE
UNIVERSITY PRESS

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3:
Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowroński

Frontmatter

[More information](#)

CAMBRIDGE UNIVERSITY PRESS

University Printing House, Cambridge CB2 8BS, United Kingdom

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org/9780521882187

© D. Simson and A. Skowroński 2007

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2007

A catalogue record for this publication is available from the British Library

LISBN 978-0-521-88218-7 Hardback

ISBN 978-0-521-70876-0 Paperback

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate.

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3:
Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowron 'ski

Frontmatter

[More information](#)

To our Wives

Sabina and Mirosława

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3:
Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowron ´ski

Frontmatter

[More information](#)

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3:
Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowronski

Frontmatter

[More information](#)

Contents

	Introduction	<i>page ix</i>
XV.	Tubular extensions and tubular coextensions of algebras	1
	XV.1. One-point extensions and one-point coextensions of algebras	2
	XV.2. Tubular extensions and tubular coextensions of algebras	19
	XV.3. Branch extensions and branch coextensions of algebras	39
	XV.4. Tubular extensions and tubular coextensions of concealed algebras of Euclidean type	45
	XV.5. Exercises	62
XVI.	Branch algebras	65
	XVI.1. Branches and finite line extensions	66
	XVI.2. Tilted algebras of an equioriented type \mathbb{A}_m	78
	XVI.3. Exercises	100
XVII.	Tilted algebras of Euclidean type	103
	XVII.1. Stone cones in hereditary standard stable tubes	104
	XVII.2. Tilting with hereditary standard stable tubes	108
	XVII.3. Representation-infinite tilted algebras of Euclidean type	131
	XVII.4. Domestic tubular extensions and domestic tubular coextensions of concealed algebras of Euclidean type	163
	XVII.5. A classification of tilted algebras of Euclidean type	184
	XVII.6. A controlled property of the Euler form of tilted algebras of Euclidean type	196
	XVII.7. Exercises	209

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3:
Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowronski

Frontmatter

[More information](#)

viii

CONTENTS

XVIII.	Wild hereditary algebras and tilted algebras of wild type	213
XVIII.1.	Regular components	215
XVIII.2.	Homomorphisms between regular modules	231
XVIII.3.	Perpendicular categories	249
XVIII.4.	Wild behaviour of the module category	269
XVIII.5.	Tilted algebras of wild type	279
XVIII.6.	Exercises	305
XIX.	Tame and wild representation type of algebras	309
XIX.1.	Wild representation type	310
XIX.2.	Indecomposable modules over the polynomial algebra $K[t]$	332
XIX.3.	Tame representation type	337
XIX.4.	Exercises	356
XX.	Perspectives	359
XX.1.	Components of the Auslander–Reiten quiver of an algebra	360
XX.2.	The Tits quadratic form of an algebra	366
XX.3.	Tilted and quasitilted algebras	374
XX.4.	Algebras of small homological dimensions	386
XX.5.	Selfinjective algebras of tilted and quasitilted type	396
XX.6.	Related topics and research directions	403
	Bibliography	405
	Index	451
	List of symbols	455

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3: Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowronski


Frontmatter

[More information](#)

Introduction

The first volume serves as a general introduction to some of the techniques most commonly used in representation theory. The quiver technique, the Auslander–Reiten theory and the tilting theory were presented with some application to finite dimensional algebras over a fixed algebraically closed field. In particular, a complete classification of those hereditary algebras that are representation-finite (that is, admit only finitely many isomorphism classes of indecomposable modules) is given. The result, known as Gabriel’s theorem, asserts that a basic connected hereditary algebra A is representation-finite if and only if the quiver Q_A of A is a Dynkin quiver.

In Volume 2 we study in detail the indecomposable modules and the shape of the Auslander–Reiten quiver $\Gamma(\text{mod } A)$ of the class of hereditary algebras A that are representation-infinite and minimal with respect to this property. They are just the hereditary algebras of Euclidean type, that is, the path algebras KQ , where Q is a connected acyclic quiver whose underlying non-oriented graph \bar{Q} is one of the following Euclidean diagrams



In Volume 2, we also study in detail the indecomposable modules and the shape of the Auslander–Reiten quiver $\Gamma(\text{mod } B)$ of concealed algebras of Euclidean type, that is, the tilted algebras B of the form

$$B = \text{End } T_{KQ},$$

where KQ is a hereditary algebra of Euclidean type and T_{KQ} is a postprojective tilting KQ -module.

The main aim of the first part of Volume 3 is to study arbitrary representation-infinite tilted algebras $B = \text{End } T_{KQ}$ of a Euclidean type Q , where T_{KQ} is a tilting T_{KQ} -module, and to give a fairly complete description of their indecomposable modules, their module categories $\text{mod } B$, and the Auslander–Reiten quivers $\Gamma(\text{mod } B)$.

For this purpose, we introduce in Chapters XV–XVII some concepts and tools that allow us to give in Chapter XVII a complete description of arbitrary representation-infinite tilted algebras B of Euclidean type and

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3: Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowronski

Frontmatter

[More information](#)

their module categories $\text{mod } B$, due to Ringel [525]. In particular, we show that:

- the Auslander–Reiten quiver $\Gamma(\text{mod } B)$ of any such an algebra B has a disjoint union decomposition

$$\Gamma(\text{mod } B) = \mathcal{P}(B) \cup \mathcal{T}^B \cup \mathcal{Q}(B),$$

where $\mathcal{P}(B)$ is a unique postprojective component, $\mathcal{Q}(B)$ is a unique preinjective component, and

$$\mathcal{T}^B = \{\mathcal{T}_\lambda^B\}_{\lambda \in \mathbb{P}_1(K)}$$

is a $\mathbb{P}_1(K)$ -family of pairwise orthogonal standard ray or coray tubes \mathcal{T}_λ^B separating $\mathcal{P}(B)$ from $\mathcal{Q}(B)$;

- the module category $\text{mod } B$ of a tilted algebra B of Euclidean type is controlled by the Euler quadratic form $q_B : K_0(B) \rightarrow \mathbb{Z}$ of B , and
- the number of the isomorphism classes of tilted algebras of Euclidean type of any fixed dimension is finite.

In Chapter XVIII, we turn our attention to the representation theory of wild hereditary algebras $A = KQ$, where Q is an acyclic quiver such that the underlying graph is neither a Dynkin nor a Euclidean diagram. The shape of the components of the regular part $\mathcal{R}(A)$ of $\Gamma(\text{mod } A)$ is described and, for any such an algebra A , a wild behaviour of the category $\text{mod } A$ is established. Moreover, an important theorem on homomorphisms between the regular modules over a wild hereditary algebra, due to Baer [35] and Kerner [343], is proved.

An essential rôle in the investigation is played by the notion of a perpendicular category associated to a partial tilting module, introduced by Geigle and Lenzing [247] and Schofield [559].

We also exhibit some classes of tilted algebras B of wild type and we discuss the structure of their module categories $\text{mod } B$. In particular, we prove a theorem of Ringel [526] on the existence of a regular tilting module over a hereditary algebra, and we present an efficient procedure of Baer [35], [36] allowing us to construct regular tilting modules over any wild hereditary algebra A with at least three pairwise non-isomorphic simple modules.

In Chapter XIX, we introduce the concepts of tame representation type and of wild representation type for algebras, and we discuss the tame and the wild nature of module categories $\text{mod } B$. We prove that the concealed algebras of Euclidean type are of tame representation type, and the concealed algebras of wild type are of wild representation type.

Cambridge University Press

978-0-521-88218-7 - Elements of the Representation Theory of Associative Algebras: Volume 3:
Representation-Infinite Tilted Algebras: London Mathematical Society Student Texts 72

Daniel Simson and Andrzej Skowronski

Frontmatter

[More information](#)

INTRODUCTION

xi

In the final Chapter XX, we present (without proofs) selected results of the representation theory of finite dimensional algebras that are related to the material discussed in the previous chapters. This, together with a rather long list of complementary references, should provide the reader with the right times for further study and interesting research directions.

Unfortunately, many important topics from the theory have been left out. Among the most notable omissions are covering techniques, the use of derived categories and partially ordered sets. Some other aspects of the theory presented here are discussed in the books [34], [53], [54], [242], [318], [276], [575], and especially [525].

We assume that the reader is familiar with Volumes 1 and 2, but otherwise the exposition is reasonably self-contained, making it suitable either for courses and seminars or for self-study. The text includes many illustrative examples and a large number of exercises at the end of each of the Chapters XV-XIX.

The book is addressed to graduate students, advanced undergraduates, and mathematicians and scientists working in representation theory, ring and module theory, commutative algebra, abelian group theory, and combinatorics. It should also, we hope, be of interest to mathematicians working in other fields.

Throughout this book we use freely the terminology and notation introduced in Volumes 1 and 2. We denote by K a fixed algebraically closed field. The symbols \mathbb{N} , \mathbb{Z} , \mathbb{Q} , \mathbb{R} , and \mathbb{C} mean the sets of natural numbers, integers, rational, real, and complex numbers. The cardinality of a set X is denoted by $|X|$. Given an algebra A , the A -module means a finite dimensional right A -module. We denote by $\text{Mod } A$ the category of all right A -modules, by $\text{mod } A$ the category of finite dimensional right A -modules, and by $\Gamma(\text{mod } A)$ the Auslander-Reiten translation quiver of A . The ordinary quiver of an algebra A is denoted by Q_A . Given a matrix $C = [c_{ij}]$, we denote by C^t the transpose of C .

A finite quiver $Q = (Q_0, Q_1)$ is called a **Euclidean quiver** if the underlying graph \overline{Q} of Q is any of the Euclidean diagrams $\tilde{\mathbb{A}}_m$, with $m \geq 1$, $\tilde{\mathbb{D}}_m$, with $m \geq 4$, $\tilde{\mathbb{E}}_6$, $\tilde{\mathbb{E}}_7$, and $\tilde{\mathbb{E}}_8$. Analogously, Q is called a **Dynkin quiver** if the underlying graph \overline{Q} of Q is any of the Dynkin diagrams \mathbb{A}_m , with $m \geq 1$, \mathbb{D}_m , with $m \geq 4$, \mathbb{E}_6 , \mathbb{E}_7 , and \mathbb{E}_8 .

We take pleasure in thanking all our colleagues and students who helped us with their useful comments and suggestions. We wish particularly to express our appreciation to Ibrahim Assem, Sheila Brenner, Otto Kerner, and Kunio Yamagata for their helpful discussions and suggestions. Particular thanks are due to Dr. Jerzy Białkowski and Dr. Rafał Bocian for their help in preparing a print-ready copy of the manuscript.