

Cambridge University Press

978-0-521-88336-8 - Harmonic Analysis on Finite Groups: Representation Theory,
Gelfand Pairs and Markov Chains

Tullio Ceccherini-Silberstein, Fabio Scarabotti and Filippo Tolli

Index

[More information](#)

Index

- 0-element in a poset, 209
- G -equivariant bijection, 80
- G -invariant subspace, 83
- G -space
 - homogeneous, 78
 - isomorphic, 80
- q -Hamming scheme, 251
- q -Johnson scheme, 245
- q -Vandermonde, 243
- q -binomial coefficients, 240

- abelian
 - algebra, 48
 - group
 - representations, 89, 274
 - structure theorem, 274
- abelianization of a group, 276
- action
 - 2-point homogeneous, 124
 - Cayley (left, right), 81
 - conjugacy
 - of a group on its subgroups, 82
 - of a group on itself, 81
 - diagonal, 82, 110
 - distance-transitive, 124
 - doubly transitive, 113
 - faithful, 80
 - fixed point, 78
 - kernel, 79
 - left, right, 77
 - orbit, 78
 - product, 82
 - restriction, 78
 - stabilizer, 78
 - transitive, 78
 - trivial, 81
- adjacency operator, 148, 400
- adjacent vertices, 26
- adjoint representation, 283
 - spherical, 143
- affine transformation, 291
- algebra, 48
 - abelian, 48
 - Bose–Mesner, 150
 - commutative, 48
 - group-, 99
 - incidence- (of a poset), 235
 - Schur, 310
 - unital, 48
- alternating representation, 88
- ambivalent
 - conjugacy class (in a group), 301
 - group, 286, 301
 - S_n , 313
- analytic techniques, 40
- anti-isomorphism, 120
- association scheme
 - symmetric, 160
- automorphism
 - of a poset, 218

- Bailey, R., 147
- Bayes sequential formula, 11
- Bernoulli scheme, 13
- Bernoulli–Laplace diffusion model, 7, 180
- bicolorable graph, 28
- bipartite graph, 27
- Boolean lattice, 214, 218, 236
- Bose–Mesner algebra, 150
- Burnside lemma, 106, 107

- Cauchy A.L., 106
- Cayley
 - action (left, right), 81
 - theorem, 81
- center
 - of $L(G)$, 99
 - of a group, 89

Cambridge University Press

978-0-521-88336-8 - Harmonic Analysis on Finite Groups: Representation Theory,
Gelfand Pairs and Markov Chains

Tullio Ceccherini-Silberstein, Fabio Scarabotti and Filippo Tolli

Index

[More information](#)

434

Index

- central element
 - in $L(G)$, 99
 - in a group, 81
- centralizer of a group element, 81
- chain in a poset, 210
 - maximal, 210
 - saturated, 210
- character
 - of C_n , 46
 - of Q_n , 58
 - of a representation, 92
 - permutation-, 106
- characteristic function, 3
- Chebyshev inequality, 41
- circulant matrix, 51
- closed path, 26
- column-stabilizer of a tableau, 326
- commutant of a representation, 278
- commutative algebra, 48
- commutator
 - of two elements in a group, 275
 - subgroup, 275
- comparable elements in a coset, 209
- complete graph, 34, 43, 109, 157
- cutoff phenomenon, 68
- complex representation, 294
- composition
 - of n , 335
 - of paths, 27
- conditional probability, 11
- conjugacy
 - action
 - of a group on its subgroups, 82
 - of a group on itself, 81
 - class of a group element, 81, 320
- conjugate
 - elements in a group, 320
 - partition, 323
 - representation, 283
 - spherical, 143
- connected
 - components of a graph, 27
 - graph, 27
- contained representation, 83
- convolution
 - in $L(C_n)$, 48
 - in $L(G)$, 98
 - in $L(Q_n)$, 59
 - of matrix coefficients, 103
- coset
 - double, 79, 111, 119
 - right, 78
- covering relation in a poset, 209
- cutoff phenomenon, 66, 67
 - absence for C_n , 68
 - for K_n , 68
 - for Bernoulli–Laplace model, 180
 - for Ehrenfest model, 68
- cycle, 319
 - g -, 107
- cyclic group, 46
 - dual of, 89, 96
 - representations, 87, 89
- de la Harpe, P., 21
- degree
 - of a graph, 26
 - of a representation, 83
 - of a vertex, 26
- Delsarte formula, 233
- Delsarte, Ph., 216, 229
- derived subgroup, 275
- detailed balance, 21
- Diaconis, P., 10, 39, 66, 180, 184, 348, 379–381, 388
- diagonal action, 82, 110
- Diedonné, J., 131
- differential poset, 359
- dihedral group, 97
- dimension of a representation, 83
- Dirac function, 3
- direct sum of representations, 85
- discrete
 - Fourier transform (DFT), 52
 - trigonometric transform, 394
 - cosine (DCT), 395
 - sine (DST), 395
- discrete circle, 5, 35, 45, 161
 - absence of cutoff phenomenon, 68
 - time to reach stationarity, 55
- distance
 - $L^1(X)$, 37
 - geodesic, 27
 - Hamming, 162
 - Johnson, 168
 - total variation, 37
- distance-regular graph, 147
- distance-transitive graph, 159
- distribution, 10
 - initial, 14
 - stationary, 18
 - strict, 10
 - uniform, 53, 104
- dominance relation
 - for compositions, 336
 - for partitions, 323
 - for tabloids associated with compositions, 337
- double coset, 79, 111
 - symmetric, 303
- doubly transitive action, 113
- dual of a group, 86

Cambridge University Press

978-0-521-88336-8 - Harmonic Analysis on Finite Groups: Representation Theory,
Gelfand Pairs and Markov Chains

Tullio Ceccherini-Silberstein, Fabio Scarabotti and Filippo Tolli

Index

[More information](#)*Index*

435

- dual relations
 - orthogonality for matrix coefficients, 91
 - for characters in C_n , 47
- edge, 26
 - incident, 26
- Ehrenfest diffusion model, 5, 35, 167
 - cutoff phenomenon, 68
 - time to reach stationarity, 61
- eigenvalue
 - multiplicity, 30
 - second largest, 33
- enumeration of finite graphs, 107
- equivalence of representations, 83
- ergodic stochastic matrix, 18
- even permutation, 88
- event, 11
 - independent, 12
- faithful action, 80
- Farley, J.D., 365
- fibers of a graded poset, 211
- fixed point, 78
 - character formula, 106
- Fomin, S., 365
- formula
 - Bayes sequential, 11
 - Delsarte, 233
 - fixed point character, 106
 - Fourier inversion
 - for C_n , 47
 - for Q_n , 59
 - for a group, 100
 - for distance-regular graphs, 155
 - spherical, 136, 281
 - Moebius inversion, 234
 - Boolean, 237
 - Plancherel
 - for C_n , 48
 - for Q_n , 59
 - for a group, 102
 - spherical, 136
 - Stirling, 357
 - Wallis, 357
- Fourier inversion formula
 - for C_n , 47
 - for Q_n , 59
 - for a group, 100
 - for distance-regular graphs, 155
 - spherical, 136, 281
- Fourier transform, 289, 290
 - discrete (DFT), 52
 - on C_n , 47
 - on Q_n , 59
 - on a group, 99
 - on distance regular graphs, 155
 - spherical, 135, 281
 - for Q_n , 73
- Frobenius reciprocity, 280
- Frobenius, G., 110, 299
- fully invariant subgroup, 276
- function
 - K -invariant, 118
 - bi- K -invariant, 118
 - characteristic, 3
 - Dirac, 3
 - mean value, 40
 - Moebius, of a poset, 234
 - radial, 72
 - spherical, 127
 - on a distance-regular graph, 151
 - variance, 40
 - zeta, of a poset, 234
- Garnir element, 339
- Garsia, A., 140
- Gaussian numbers, 240
- Gelfand lemma, 123
- Gelfand pair, 117, 123
 - nonsymmetric, 142
 - nonweakly symmetric, 291
 - orbit criterion, 124
 - symmetric, 123, 287
 - weakly symmetric, 123, 288
- Gelfand, I.M., 117
- general linear group, 243, 291
- geodesic distance in a graph, 27
- Godement, R., 117
- good tableau, 373
- graph
 - bicolorable, 28
 - bipartite, 27
 - complete, 34, 43, 109, 157
 - connected, 27
 - connected components, 27
 - degree, 26
 - distance-regular, 147
 - distance-transitive, 159
 - edges, 26
 - enumeration, 107
 - on five vertices, 110
 - on four vertices, 109
 - on three vertices, 108
 - geodesic distance, 27
 - recurrence, 199
 - regular, 26
 - simple, 26
 - star, 44
 - undirected, 26
 - unweighted, 30
 - vertices, 26
 - weighted, 29
 - with loops, 26

Cambridge University Press

978-0-521-88336-8 - Harmonic Analysis on Finite Groups: Representation Theory,
Gelfand Pairs and Markov Chains

Tullio Ceccherini-Silberstein, Fabio Scarabotti and Filippo Tolli

Index

[More information](#)

436

Index

- Grassmann
 - identity, 242
 - variety, 244
- Greenhalgebra, 304
- Greenhalgh, A., 267, 304
- Grigorchuk, R.I., 117, 194
- group
 - abelianization, 276
 - action, 77, 107
 - algebra, 99
 - ambivalent, 286, 301
 - bidual of, 274
 - center, 89
 - cyclic, 46
 - dihedral, 97
 - dual of, 86
 - dual of C_n , 89
 - general linear, 243, 291
 - linear, 83
 - quaternionic, 295
 - symmetric, 9, 79, 319
- Hahn polynomials, 179, 180
- Hamming
 - distance, 162
 - scheme, 162
 - q -analog, 251
- Hasse diagram, 210
- Hilbert–Schmidt
 - scalar product, 289
- Hilbert–Schmidt
 - norm, 316
- Holmes, S., 379, 381
- homogeneous G -space, 78
 - of S_n , 113
- homogeneous rooted tree, 191, 214, 216, 402
- hypercube, 36, 58, 71, 167, 214, 218, 236
- incident algebra of a poset, 235
- inclusion–exclusion principle, 238, 388
- independent
 - events, 12
 - random variables, 13
- inequality
 - Chebyshev, 41
 - Markov, 41
- initial distribution, 14
- intertwining operator, 88, 120
- invariant
 - Markov chain, 52
 - transition matrix, 52
- inverse path, 27
- irreducible
 - Markov chain, 199
 - representation, 83
- isolated vertex, 29
- isomorphic G -spaces, 80
- isotypic component of a representation, 278
- James intersection kernel theorem, 370
- James, G.D., 365
- Johnson
 - distance, 168
 - scheme, 168
 - q -analog, 245
 - nonbinary, 257
- join
 - of two elements in a poset, 210
 - semi-lattice, 210
- Jordan–Dedekind condition, 211
- kernel
 - of a convolution operator, 122
 - on C_n , 49
 - of an action, 79
- Krawtchouk polynomials, 73, 165
- Kronecker product, 270
- labeling
 - of an automorphisms of a rooted tree, 192
 - of leaves in a phylogenetic tree, 378
- Laplace operator, 148, 366, 395
- lattice, 210
- left regular representation, 87
- lemma
 - Burnside, 106, 107
 - Gelfand, 123
 - Schur, 88
 - converse, 89
 - upper bound, 39, 316
 - for C_n , 54
 - for Q_n , 61
 - for distance-regular graphs, 156
 - for Gelfand pairs, 144
 - Wielandt, 110, 111
 - generalization, 112
- length of a path, 26
- linear group, 83
- loop, 26
- lumpable, lumped
 - Markov chain, 42
 - stochastic matrix, 42
- Markov
 - chain, 10, 14
 - homogeneous, 14, 16
 - invariant, 52
 - irreducible, 199
 - lumpable, lumped, 42
 - reversible, 21
 - two states, 25

Cambridge University Press

978-0-521-88336-8 - Harmonic Analysis on Finite Groups: Representation Theory,
Gelfand Pairs and Markov Chains

Tullio Ceccherini-Silberstein, Fabio Scarabotti and Filippo Tolli

Index

[More information](#)

- ergodic theorem, 18, 33
- inequality, 41
- operator, 125
- matching, 379
- matrix
 - circulant, 51
 - coefficients, 89
 - convolution, 103
 - dual orthogonality relations, 91
 - orthogonality relations, 91
 - spherical, 281
 - spectrum, 30
 - stochastic, 14
 - transition, 14
- mean value of a function, 40
- measure
 - finite space, 11
 - probability, 10, 103
 - uniform, 53
- meet
 - of two elements in a poset, 210
 - semi-lattice, 210
- Moebius
 - function of a poset, 234
 - inversion, 234
 - inversion formula, 234
 - Boolean, 237
- multiplicity
 - of a sub-representation, 94
 - of an eigenvalue, 30
- multiplicity free representation, 125
- normal subgroup, 82
- normalizer of a subgroup, 82
- odd permutation, 88
- Okounkov, A., 314
- operator
 - adjacency, 148, 400
 - convolution, 49
 - convolution kernel, 122
 - on C_n , 49
 - Laplace, 148, 366, 395
 - Markov, 125
 - positive, 86
 - spectrum, 30
 - square root, 86
 - unitary, 84
- orbit criterion, 124
- orbit of an action, 78, 111
- orthogonal complement, 86
- orthogonality relations
 - for characters of C_n , 46
 - for characters of Q_n , 58
 - for matrix coefficients, 91
 - dual, 91
- parameters of a regular semi-lattice, 216
- part of a partition, 371
- partition, 321
 - conjugate, 323
 - dominance relation, 323
 - part of, 371
- partitions, 215
- path, 26, 199
 - closed, 26
 - composition, 27
 - initial vertex, 26
 - inverse, 27
 - length, 26
 - terminal vertex, 26
- perfect matching, 379
- permutation, 79
 - cycle, 319
 - cycle structure of, 320
 - even, 88
 - odd, 88
 - type of, 320
- permutation representation, 82, 105
 - character of, 106
 - of the symmetric group, 88
- Peter–Weyl theorem, 95
- phylogenetic tree, 378
- Plancherel formula
 - for C_n , 48
 - for Q_n , 59
 - for a group, 102
 - spherical, 136
- Pochhammer symbol, 171
- polar decomposition of an operator, 85, 86
- Polya–Redfield theory, 107
- polynomials
 - Hahn, 179, 180
 - Krawtchouk, 73
- polytabloid, 328
- Pontrjagin duality, 275
- poset, 209
 - 0-element, 209
 - automorphism, 218
 - Boolean lattice, 214, 218, 236
 - chain, 210
 - maximal, 210
 - saturated, 210
 - differential, 359
 - graded, 211
 - fibers, 211
 - top level, 211
 - Hasse diagram, 210
 - homogeneous rooted tree, 214, 216
 - join
 - of two elements, 210
 - semi-lattice, 210

Cambridge University Press

978-0-521-88336-8 - Harmonic Analysis on Finite Groups: Representation Theory,
Gelfand Pairs and Markov Chains

Tullio Ceccherini-Silberstein, Fabio Scarabotti and Filippo Tolli

Index

[More information](#)

438

Index

- poset (cont.)
 - lattice, 210
 - lower semi-modular, 211
 - meet
 - of two elements, 210
 - semi-lattice, 210
 - modular, 211
 - rank, 211
 - regular semi-lattice, 216
 - spherical, 218
 - upper semi-modular, 211
 - Young lattice, 215
- positive operator, 86
- principle of inclusion–exclusion, 238, 388
- probability
 - conditional, 11
 - measure, 10, 103
- product action, 82
- quaternionic
 - group, 295
 - representation, 294
- radial function, 72
- Radon transforms, 187
- random
 - transpositions, 8
 - variable, 13
 - independent, 13
 - walk
 - on a group, 104
 - on a weighted graph, 29
 - simple, 33
- rank of a graded poset, 211
- real
 - representation, 294
 - S_n , 332
 - spherical, 143
- recurrence
 - in finite graphs, 199
- regular
 - graph, 26
 - representation (left, right), 82
- replacement
 - choice with, 12
 - choice without, 12
- representation, 83
 - adjoint, 283
 - character, 92
 - commutant, 278
 - complex, 294
 - conjugate, 283
 - contained, 83
 - degree, 83
 - dimension, 83
 - direct sum, 85
 - equivalence, 83
 - unitary, 84
 - irreducible, 83
 - isotypic component, 278
 - matrix coefficients, 89
 - multiplicity free, 125
 - of abelian groups, 89
 - of the cyclic group, 87, 89
 - of the dihedral group, 97
 - of the symmetric group, 88, 113
 - alternating, 88
 - permutation, 88
 - sign, 88
 - trivial, 88
 - permutation, 82, 105
 - quaternionic, 294
 - real, 294
 - S_n , 332
 - regular
 - left, 82, 87
 - right, 82, 87
 - selfadjoint, 283
 - selfconjugate, 283
 - spherical, 133
 - sub-, 83
 - unitary, 83
- restriction
 - of an action, 78
- reversible Markov chain, 21
- Riesz map, 283
- right regular representation, 87
- row-stabilizer of a tableau, 326
- Schröder, E., 379
- Schur
 - algebra, 310
 - lemma, 88
 - converse, 89
- Schur, I., 110, 299
- second eigenvalue
 - and the cutoff phenomenon, 69
- selfadjoint representation, 283
- selfconjugate representation, 283
- Shahshahani, M., 10, 39, 66, 180, 348, 388
- sign representation, 88
- simple
 - graph, 26
 - random walk, 33
 - tensor, 268
- Specht module, 329
- spectrum of a matrix, 30
- spherical
 - Fourier transform, 135
 - for Q_n , 73
 - function, 127
 - on a distance-regular graph, 151

Cambridge University Press

978-0-521-88336-8 - Harmonic Analysis on Finite Groups: Representation Theory,
Gelfand Pairs and Markov Chains

Tullio Ceccherini-Silberstein, Fabio Scarabotti and Filippo Tolli

Index

[More information](#)*Index*

439

- matrix coefficients, 281
- poset, 218
- representation, 133
 - adjoint, 143
 - conjugate, 143
 - real, 143
- square root of an operator, 86
- stabilizer of a point under a group
 - action, 78
- standard
 - polytabloid, 335
 - tableau, 335
- Stanley, R., 358, 361
- Stanton, D., 218
- star graph, 44
- state space, 14
- stationary distribution, 18
- Stirling formula, 357
- stochastic matrix, 14
 - ergodic, 18
 - lumpable, lumped, 42
- strict distribution, 10
- sub-representation, 83
- subgroup
 - commutator, 275
 - derived, 275
 - fully invariant, 276
 - normal, 82
 - Young, 322
- subspace G -invariant, 83
- symmetric
 - K -invariant function, 143
 - association scheme, 160
 - double coset, 303
 - group, 9, 79, 319
 - alternating representation, 88
 - ambivalence, 313
 - permutation representation, 88
 - real representation, 332
 - representations, 88, 113
 - sign representation, 88
 - trivial representation, 88
 - orbit, 303
- tableau
 - λ -, 325
 - column-stabilizer, 326
 - Garnir element, 339
 - good, 373
 - row-stabilizer, 326
 - standard, 335
 - transposed, 333
 - Young, 325
- tabloid
 - λ -, 326
 - associated with a composition, 336
- poly-, 328
 - standard, 335
- tensor product
 - of representations
 - internal, 271
 - outer, 271
 - of vector spaces, 268
- theorem
 - Cayley, 81
 - convergence to equilibrium, 18
 - Frobenius and Schur, 299
 - for Gelfand pairs, 303
 - James intersection kernel, 370
 - Markov ergodic, 18, 33
 - Peter–Weyl, 95
 - structure for finite abelian groups, 274
- top level of a graded poset, 211
- total variation distance, 37
- transition matrix, 14
 - invariant, 52
- transitive action, 78
 - doubly, 113
- transposed tableau, 333
- transposition, 9
 - random, 8
- tree
 - homogeneous rooted, 191, 214, 216, 402
 - phylogenetic, 378
 - rooted binary, 378
- trivial
 - action, 81
 - representation
 - of the symmetric group, 88
- ultrametric
 - distance, 194
 - inequality, 194
 - space, 191, 194
- uncomparable elements in a coset, 209
- undirected graph, 26
- uniform
 - distribution, 53, 104
 - measure, 53
- unit, 48
- unital
 - algebra, 48
- unitary
 - equivalence, 84
 - operator, 84
 - representation, 83
- unweighted graph, 30
- variance of a function, 40
- Vershik, A.M., 314

Cambridge University Press

978-0-521-88336-8 - Harmonic Analysis on Finite Groups: Representation Theory,
Gelfand Pairs and Markov Chains

Tullio Ceccherini-Silberstein, Fabio Scarabotti and Filippo Tolli

Index

[More information](#)

440

Index

- vertex, 26
 - adjacent, 26
 - degree, 26
 - incident, 26
 - initial, 26
 - isolated, 29
 - neighbors, 26
 - terminal, 26
- Wallis formula, 357
- weight
 - of an element in Q_n , 61
 - on a graph, 28
 - trivial, 30
- Wielandt lemma, 110, 111
 - generalization, 112
- Wielandt, H., 110
- wreath product, 165
- Young diagram, 322, 362
 - associated with a composition, 336
 - inner corner, 363
 - outer corner, 363
- Young lattice, 215, 362
- Young subgroup, 322
- Young tableau, 325
- zeta function of a poset, 234