

Cambridge University Press

978-0-521-88362-7 - Rheophysics: The Deformation and Flow of Matter

Patrick Oswald

Index

[More information](#)

Index

8CB (4n-octyl-4'-cyanobiphenyl), 37

additivity (hydrodynamics), 115

adiabatic temperature gradient, 73

aeroelasticity, 207

angle of fall (cylinder in viscous fluid), 124

anharmonic correction

elasticity of columnar phases, 598

smectic elasticity, 561

antithixotropy, 10

Arrhenius law, 68

Arrhenius model, 477

asthenosphere, 73

atactic, 413

athermal behaviour, 27

Ball and Richmond model, 477

Bartolino–Durand experiment, 555

Beltrami conditions, 189

Bénard–von Karman vortex street, 84

Bénard, *see* Rayleigh–Bénard convection, instability, number

bending, 203, 515, 598

Bernoulli theorem, 88

Bingham fluid (yield stress), 12, 368

Bingham law, 12

Blasius profile, 106

blob (semi-dilute polymer), 456

boundary layer

permeation (smectics), 571

thermal (simple liquid), 113

viscous (simple liquid), 103

bubble (foam), 8, 27

buckling instability, 43, 202, 601

Burgers circuit (around a dislocation), 247

Burgers equation, 331

Burgers model, 331

Burgers vector, 246

capillary number

critical (droplet break-up), 490

emulsion droplet in simple shear, 488

emulsion droplet under elongational flow, 488

Saffman–Taylor finger, 137

Cates model, 469

Cauchy's equation, 51

Cauchy's postulate, 46

Cauchy tensor, 380

cellulose acetate, 411

cellulose nitrate, 410

cellulose xanthate, 411

chain

Gaussian (polymer), 425

primitive (entangled polymer), 441

Chaplygin–Kutta condition, 94

Clapeyron relation, 72

climb (dislocation), 292

CMC, *see* critical micellar concentration

Coanda effect, 89

Coble creep, 306

colloidal crystal, 36, 222

elastic moduli (measurement), 227

fabrication, 223

mechanisms of formation, 224

melting under shear, 319

plasticity, 318

collision cross-section (perfect gas), 65

colloidal suspension, 471

compliance

 complex shear J^* (viscoelastic

fluid), 344

 creep $J(t)$

viscoelastic fluid, 337

viscoelastic solid, 351

 equilibrium J_0 (viscoelastic fluid), 338 initial time $J(0)$ (viscoelastic

fluid), 338

condition

Beltrami compatibility, 189

- boundary conditions
 - immiscibility, 71
 - impermeability, 71
 - no-slip, 71
 - stress equilibrium (at an interface), 71
- Cauchy–Riemann, 91
- Chaplygin–Kutta, 94
- conservation, *see* law
- consistence, 9
- constant
 - Boltzmann, 66
 - Frank–Oseen elastic, 515, 605
 - Planck, 66
- construction
 - tetrahedron, 47
 - Volterra, 246
 - Wulff, 260
- continuous medium (definition), 46
- coordinance (of a crystal), 244
- copolymer, 408
- core (of a dislocation), 252
- Coriolis force, 80
- corotational derivative, 383
- Cottrell cloud, 290
- Couette flow, 365, 533
- Cox and Merz formula, 396
- CPCI (cetylpyrimidium chloride), 461
- crack tip stress, 315
- crack velocity, 316
- creep, *see also* compliance
 - α (or logarithmic) creep, 294, 303
 - β creep, 294
 - κ creep, 294
 - Coble creep, 306
 - compression normal to layers (smectics), 574
 - Harper–Dorn creep, 306
 - Nabarro creep, 307
 - Nabarro–Herring creep, 304
 - smectic B, 297
 - thermally activated obstacle crossing, 296
 - Weertman creep, 308
 - zero creep, 267
- critical compression
 - column buckling (columnar phase), 602
 - Euler instability of beams, 202
- critical micellar concentration, 460, 465
- critical shear stress (elasticity)
 - measurement, 178
 - theoretical, 181
- cross-slip (dislocation), 292
- curvature
 - Gaussian curvature (surface), 201, 558
 - total curvature (surface), 72, 201, 558
- D'' layer, 73
- d'Alembert paradox, 78, 97, 166
- Darcy law, 130, 401
- Debye frequency, 243
- Debye length, 224
- defects
 - linear, *see* dislocation, disclination line
 - point-like, *see* vacancy, interstitial, precipitate surface, *see* wall, grain boundary, sub-grain boundary
- deformation
 - bend (nematics), 515
 - droplet under shear, 489
 - elastic (definition), 1
 - elongational, 379
 - plastic, 2
 - shear, 4, 378
 - splay (nematics), 515
 - twist (nematics), 513, 515
- derivative
 - Gordon–Schowalter, 383, 395
 - Jaumann (or corotational), 383
 - lower-convected (or covariant) time, 383
 - material, 50
 - upper-convected (or contravariant) time, 383
- destructuring (thixotropic fluid), 16
- deviator of strain tensor, 174
- diagram
 - Cole–Cole (viscoelastic fluid), 342
 - orientation (sheared smectics), 596
 - phase diagram for CPCI/Sal/brine, 462
 - Wulff, 260
- diffusion coefficient
 - curvilinear
 - polymer in semi-dilute solution, 458
 - polymer melt, 443
 - heat, 73
 - molecular (Rouse model), 432
 - molecular orientation (nematics), 526
 - rotational (elongated ellipsoid), 483
 - radioactive isotope, 245
 - self-diffusion coefficient, 244
 - spherical particle, 472
 - vacancies, 243
- dilation
 - bulk dilation, 174, 556
 - critical dilation (undulation instability, smectics), 563
- director (nematic), 38
- disclination line (nematics)
 - annihilation time of two planar wedge lines, 553
 - aspect under microscope, 40
 - de Gennes–Friedel construction, 544
 - disclination loop, 545
 - planar wedge line, 546
 - dynamics, 549
 - twist line, 545
 - wedge line, 545

- dislocation, *see also* energy, field, mass, mobility, jog
 climb, 292
 crossing, 281
 forest, 281
 Frank network, 261
 glide, 276
 in crystals, 181
 edge, 245, 253, 254
 mixed, 245, 255
 screw, 245, 249, 250
 in smectic phases, 577
 edge, 577, 579, 580
 screw, 577
 interactions, 287, 322, 523
 kink, 280
 pile-up, 285
 tree, 281
 width, 278
 dislocation loop
 crystal, 256
 smectic film
 critical nucleation radius, 593
 growth or collapse dynamics, 593
 nucleation, 591
 dispersions, 471
 dissipation
 minimal dissipation principle, 115
 viscous
 nematics, 533
 simple liquid, 73
 smectics, 565
 viscoelastic fluid, 26, 346
 Doi–Edwards model, 439
 drag
 induced (airplane wing), 97
 on elongated cylinder, 123
 on moving plate, 112
 on moving sphere (Stokes formula), 122
 on moving sphere (smectics), 574
 shock wave drag, 165
 drainage (foam), 8
 droplet break-up, 487
 dumbbell model, 30, 421, 501
- Earth's core, 73, 222
 Earth's mantle, 24, 73, 154, 220
 earthquake waves, 219
 Einstein formula, 476, 506
 Einstein relation, 244
 elastic anisotropy (columnar phase), 599
 elastic limit σ_c (solid)
 of a colloidal crystal, 319
 of a monocrystal, 277, 278, 283
 of a polycrystal, 286
 of an alloy, 289, 291
 theoretical, 181
- elastic modulus, *see* modulus
 elasticity
 enthalpic, 1, 36, 226
 entropic, 2, 449
 elastomer, 33, 447
 emulsion, 25, 485
 energy
 bending (columnar phase), 598
 core of dislocation
 smectics (screw), 588
 solid, 252
 curvature (smectics), 558
 dissipated, 26, 55, 61, 77, 346, 533, 565
 elastic deformation
 columnar phase, 597
 cubic crystal, 186
 elastic solid, 183
 isotropic elastic solid, 184, 187
 smectics, 557
 stored in bent plate, 198
 stored in compressed beam, 193
 stored in viscoelastic fluid, 28, 340, 346
 equation, 58
 formation energy of vacancy, 242
 free energy
 activation, 68, 299
 Frank–Oseen, 515, 604
 micellisation, 464
 interaction between dislocation and coherent
 precipitate, 287, 322
 migration energy of vacancy, 243
 of dislocation (smectics)
 edge, 581
 mixed, 583
 screw, 582
 of dislocation (solid)
 edge, 255
 mixed, 256
 screw, 252
 of dislocation loop (solid), 257
 of grain boundary (solid), 264, 266
 of sub-grain boundary (solid), 264
 of wedge disclination (nematics), 547
 scission energy of micelle, 464
 self-diffusion energy, 244
 entanglement, 23, 414, 439
 entropy equation, 59
 entropy variation on crossing shock wave, 164
 equation, *see also* formula, law, relation
 Blasius, 108
 Burgers, 331
 Cauchy's, 51
 elasticity, in cylindrical and spherical coordinates, 235
 energy, 58
 entropy, 59
 Euler's (perfect fluid), 82, 87

- equation (*Cont.*)
 Falkner–Skan, 109
 heat (or temperature) (simple liquid), 72
 Hugoniot, 162
 hydrodynamic, in cylindrical and spherical coordinates, 166
 Langevin (motion for polymer chain)
 moving fluid, 432
 quiescent fluid, 429
 Lodge
 generalised, 395
 simple, 381
 Maxwell
 lower-convected (or covariant), 383
 n relaxation times, 332
 one relaxation time, 330
 upper-convected (or contravariant)
 definition, 383
 Rouse model (polymer), 438
 Navier
 dynamics, 213
 statics, 188
 Navier–Stokes
 simple liquid, 70
 smectics (generalisation), 566
 Oldroyd-A, 388
 Oldroyd-B, 388
 permeation, 566
 Prandtl (boundary layer), 103
 Reynolds (lubrication), 118
 Stokes, 114
 torque equilibrium (nematics)
 at surface, 518
 in bulk, 517, 524, 529, 531
 von Karman integral, 111
 vorticity, 80
 WLF (Williams, Landel, Ferry), 399
 Ericksen number, 539
 etching figure, 249
 Euler's equation, 82, 87
 Euler instability, 202
 Euler theorem, 70
 experiment
 Bartolino–Durand (smectics), 555
 Delaye, Ribotta, Durand, Clark and Meyer
 (smectics), 561
 Frederiks (nematics), 519
 Grupp (nematics), 513
 Miesowicz (nematics), 527
 Tanner (viscoelastic fluid), 362
 Eyring, 65
 Falkner–Skan equation, 109
 FENE model, 393, 503
 Fick's law, 243
 field
 critical (Frederiks instability), 522
 displacement around edge dislocation (solid), 253
 kinematically admissible displacement, 191
 kinematically admissible velocity, 86
 molecular (nematics), 516
 statically admissible stress, 191
 strain around edge dislocation
 smectics, 580
 solid, 253
 strain around screw dislocation
 smectics, 582
 solid, 250
 strain around mixed dislocation
 smectics, 583
 solid, 255
 stress around edge dislocation (solid), 254
 Finger tensor, 379
 flow
 around cylinder, 83, 92
 around wedge, 92
 Couette
 isotropic non-Newtonian fluid (stability), 365
 nematics, 533
 elongational, 372
 irrotational (or potential), 80, 90
 permeation (smectics), 569
 plane potential, 90
 ‘plug’, 368, 569
 Poiseuille
 nematics, 543
 non-Newtonian fluid, 367
 simple liquid, 128
 rotational, 80
 simple extension, 348
 viscoplastic, 10
 fluids *see also* liquids
 Jeffrey, 24
 Maxwell, 18
 Newtonian viscous, 4
 non-Newtonian viscous, 5
 shear-thickening, 6
 shear-thinning, 6
 viscoelastic, 17
 yield stress, 12, 311
 fluttering, 207
 foam, 8, 27
 force
 buoyancy, 74
 capillary, 71
 Coriolis, 80
 drag, *see* drag
 elastic force normal to layers (smectics), 565
 electromagnetic, 80
 lift (wing), 94
 Magnus, 101
 normal
 elastic (viscoelastic fluid), 30, 358

- force (*Cont.*)
 lubrication (simple liquid), 119
 lubrication (smectics), 594
- Peach and Koehler (on dislocation), 272, 320
- stochastic Langevin, 429, 498
- surface, 46
- tangent
 lubrication (simple liquid), 119
 lubrication (smectics), 595
- trapping force between dislocation and coherent precipitate, 289
- forest (of dislocations), 281
- formula
 Cox and Merz, 396
 Einstein, 476, 506
 Laun, 396
 Maxwell, 19
 Pal (emulsion), 491
 Peach and Koehler, 272, 320
 Stokes, 122
 Taylor (emulsion), 491
- fracture (solid), 311
- Frank network, 261
- Frank–Oseen free energy, 515, 604
- Frank–Read source (or mill), 282
- Frederiks experiment, 519
- function
 Blasius, 108
 distribution of the end-to-end vector (polymer chain), 425
 Falkner–Skan, 110
 holomorphic, 91
 linear viscoelasticity, *see* moduli G' and G''
 memory $m(t)$ (viscoelastic fluid), 334, 395
 stream, 91
 stress energy, 395
 torsion stress, 196
- viscometric
 calculation, 384, 390, 392
 measurement, 370, 418
- fundamental (or elementary) invariants (elasticity), 175
- Gibbs–Thomson law, 265
- Giesekus model, 392, 503
- glide (dislocation), 272, 276
- glider, 209
- Goodyear, 33
- Gordon–Schowalter derivative, 383, 395
- grain (crystal), 8, 262
- grain boundary (crystal), 263–64
- gravitational acceleration (Earth), 74
- Green tensor, 379
- Griffith criterion, 315
- growth spirals, 249
- Grupp experiment, 513
- Guinier–Preston zone, 288
- hardening (metal)
 by alloying, 286
 by quenching, 292
 work hardening, 7, 303
- Harper–Dorn creep, 307
- head (hydrodynamics), 88
- heating (during fluid flow), 156
- Hele–Shaw cell, 130
- hevea, 33
- hodograph of a wedge line (nematics), 546
- homopolymer, 408
- Hooke's law, 3, 183
- Hugoniot curve, 162
- hydrostatic pressure
 simple liquids and liquid crystals, 49, 70, 564, 598
- viscoelastic fluid, 348
- ice, 22, 24
- induced drag, 97
- instability
 aeroelastic, 207
 buckling (columnar phase), 42, 602
 column undulation (columnar phase), 599
 elastic (viscoelastic fluid), 144, 146
 Euler (buckling of beam), 202
 flutter, 207
 Frederiks (nematics), 519
 helical, of screw dislocations (smectics), 586
 Kelvin–Helmholtz, 159
 layer undulation (smectics), 561
 Rayleigh–Bénard, 73
 Saffman–Taylor, 130, 399
- instantaneity (concept of), 17
- interstitial, 240
- irreversible entropy production
 general expression, 53
 in isotropic liquid, 59
 in nematics, 533
 in smectics, 565
- isotactic, 413
- Jaumann derivative, 383
- Jeffery orbit, 482
- Jeffrey fluid, 24
- Jeffrey model
 convected, 387
 simple, 24, 331
- jog, on dislocation, 281
 equilibrium density, 293
 induced by crossing, 281
- Jump frequency, 66, 243, 300
- Kelvin theorem, 89
- kink on dislocation, 280
- knot rule (dislocations), 247
- Kuhn segment, 423, 439, 449

- Lamé coefficient, 184
 Langevin force, 429, 498
 latex, 33
 Laun formula, 396
 law, *see also* equation, formula, relation
 adiabatic expansion, 73
 Arrhenius, 68, 296
 Bingham, 12, 368
 Casson, 12
 conservation
 of energy, 59
 discontinuity surface, 158
 of mass, 50, 69
 discontinuity surface, 158
 of momentum, 50, 69
 discontinuity surface, 159
 constitutive
 definition, 53
 of elastic solid, 183
 of nematics, 532
 of smectics, 566
 of viscous fluid, 60
 of viscoelastic fluid, 347
 Coulomb, 28
 Darcy
 Newtonian liquid, 130
 non-Newtonian liquid, 400
 Fick's, 243
 Fourier, 60
 Gibbs-Thomson, 265
 Hall and Petch, 286
 Herschel-Bulkley, 12
 Hooke's, 3, 184
 mass action, 464
 Newton's
 in rheology, 4
 second (mechanics), 50
 third (mechanics), 47
 Ostwald-de Waehle, 9
 Poiseuille
 Newtonian fluid, 128
 non-Newtonian fluid, 367
 yield stress fluid, 369
 Reynolds' similarity, 82, 121
 stress-optic, 504
 leek shape (smectics), 596
 length
 capillary (Saffman-Taylor finger), 137
 correlation (semi-dilute polymer), 455
 Debye, 224
 magnetic coherence (nematics), 521
 penetration
 columnar phase, 599
 nematics (anchoring), 554
 smectics, 559
 permeation, 570
 slippage, 153
 viscous, 86
 Leslie viscosity, 531
 light scattering, 356, 527
 line, *see* dislocation, disclination line
 liquid, *see also* fluid
 anomalous, 68
 oriented, *see* phase (nematic)
 'torque', 38
 viscoelastic, 17
 yield stress, 12, 367
 liquid crystal, 37, 511
 lithosphere, 73
 longitudinal waves, 214
 loss angle (viscoelastic fluid), 345
 lubrication
 simple liquid, 116
 smectics, 593
 Mach number, 77
 mass of dislocation
 edge (crystal), 270
 screw (crystal)
 at rest, 269
 in motion ('relativistic' mass), 269
 Maxwell, *see* equation, fluid, model, time
 MBBA (N-(p-methoxybenzylidene)-p-butylaniline), 528
 mean free path (perfect gas), 64
 memory, 4, 5, 20
 mesomorphism, 37
 micelle, 461
 micro-organism propulsion, 124
 microstructure
 columnar phases, 43
 nematics, 40
 smectics, 41, 578, 579
 solid, 8, 46, 250, 251, 259, 261, 263
 Miesowicz viscosity, 527, 534
 mobility
 of disclination (nematics), 550
 of dislocation
 crystal, 293
 smectics (edge), 576, 584
 smectics (screw), 587
 modes
 hydrodynamic (liquid crystals), 525, 568
 normal, 430, 498
 model, *see also* law
 Arrhenius (suspension), 477
 Ball and Richmond (suspension), 477
 Burgers, 331
 Cates ('living polymer'), 469
 Doi-Edwards (entangled polymers), 439
 dumbbell, 30, 501, 503
 Eyring (simple liquid), 65
 FENE, 394, 504
 Gaussian chain, 425
 Giesekus, 392, 503

- model (*Cont.*)
 Green and Tobolsky, 394
 KBKZ, 395
 Kelvin–Voigt, 36, 350
 lifting line, 97
 Lodge, 381, 395
 Maxwell
 continuous distribution of relaxation times, 333
 finite distribution of relaxation times, 332
 single relaxation time, 18, 329
 Mott and Nabarro, 287
 Oldroyd 8-constant, 389
 Oldroyd A and B, 387
 Orowan, 290
 Orsay group on liquid crystals, 575
 Phan-Thien and Tanner, 395
 random walk, 423
 Rouse, 31, 428
 seismological model of Earth, 221
 Zimm, 496
- modulus, *see also* constant
 bending of circular beam, 203
 complex shear G^* (viscoelastic fluid)
 definition, 341
 dilute emulsion, 494
 compression
 beam, 194
 isotropic elastic solid, 185, 187
 smectics (in bulk and of the layers), 557, 558
 viscoelastic fluid, 347
 elastic, G' (viscoelastic fluid)
 definition and general expression, 341
 dilute emulsion, 494
 Doi–Edwards model, 446
 ‘living polymer’, 463
 measurement, 352
 Rouse model, 436
 suspension of spherical particles, 478
 Gaussian curvature (smectics), 558
 intrinsic elastic [G'] (polymer solution)
 definition, 496
 polymer solution in Θ solvent, 495
 Zimm model, 499, 501
- intrinsic loss [G''] (polymer solution)
 definition, 496
 polymer solution in Θ solvent, 495
 Zimm model, 499, 501
- layer bending (smectics), 558
- loss, G'' (viscoelastic fluid)
 definition, 341
 ‘living polymer’, 463
 measurement, 352
 Rouse model (polymer), 436
 suspension of spherical particles, 480
- plateau (Doi–Edwards model)
 ‘living polymer’, 470
 polymer in semi-dilute solution, 458
- polymer melt, 445
- relaxation, $G(t)$ (viscoelastic fluid)
 definition, 333
 Doi–Edwards model, 445
 measurement, 334
 Rouse model (polymer), 435
- relaxation, $K(t)$ (viscoelastic fluid), 347
- shear
 of elastomer, 451
 of isotropic elastic solid, 185
 viscoelastic fluid, *see* relaxation modulus $G(t)$
- storage, *see* elastic modulus G'
- torsion
 definition, 195
 of circular rod, 198
 of rod with elliptical cross-section, 197
 of rod with triangular cross-section, 198
- Young, 187, 193, 228, 451
- Mohr circles, 177
- molecular frustration, 37
- molecules
 calamitic, 37
 discoidal, 42
- Mott and Nabarro model, 287
- Mott carpet, 182
- Nabarro creep, 306
- NaSal (sodium salicylate), 461
- Navier equation, 188, 213
- nematic phase, 37, 513
- network
 Frank (dislocations), 261
 reticulated (elastomer), 35, 448
 transient, elastic junctions (viscoelastic fluid), 393
- Newton's laws, 4, 47, 50
- normal stress difference (viscoelastic fluid)
 first
 definition, 358
 nematics, 541
 Rouse model, 438
 second
 definition, 358
 nematics, 541
 Rouse model, 438
- number
 Ericksen (nematics), 539
 Mach, 77
 Nusselt, 73
 Péclet, 472–73, 478, 484
 Prandtl, 113
 Rayleigh, 74

- number (*Cont.*)
 Reynolds , 81, 82, 539
 critical, 85
 Taylor, 144
 Weissenberg, 144
- Oldroyd models, 387, 389
 olivine, 14, 16, 221
 onion (smectics), 597
 orientational order, 37
 Orsay group on liquid crystals, 575
 Oseen tensor, 497
 Ostwald–de Waehle law, 9
 Ostwald ripening, 8
- Pal formula, 491
 PBLG (poly(γ -benzyl-L-glutamate)), 484
 PDMS, 22
 PE (polyethylene), 411
 Peach and Koehler formula, 272, 320
 Péclet number, 472–73, 478, 484
 Peierls valley, 277
 Peierls–Nabarro stress, 278
 PEO (polyethylene oxide), 404
 permeability
 cylindrical tube, 129
 porous medium, 130
 permeation equation, 566
 Phan–Thien and Tanner model, 395
 phases
 columnar, 42, 597
 nematic, 37, 513
 smectic A, 37, 555
 smectic B, 297
 plasticity, 5, 294, 318
 plateau, *see* modulus
 PMMA (polymethyl methacrylate), 411
 Poiseuille, *see* flow, law
 Poisson coefficient, 187
 polycarbonate, 413
 polygonisation (of dislocations)
 smectics, 583
 solid, 257
 polymers
 inorganic, 413
 ‘living’, 460
 melt, 408
 elastic and loss moduli, 415
 entangled, unentangled, 416
 viscosity under continuous shear, 414
 organic, 413
 reticulated, 33, 447
 semi-crystalline, 409
 semi-dilute solution, 451
 vinyl, 411
 polypropylene, 411
 polysiloxane, 22, 413
- polystyrene, 411
 porosity (of a porous medium), 130
 potential
 chemical potential of molecule in aggregate, 465
 complex potential (hydrodynamics), 91
 Prandtl equation, 103
 Prandtl number, 113
 precipitate, 241
 coherent (Guinier–Preston zone), 288
 incoherent, 290
 principle
 first principle of thermodynamics, 58
 objectivity, 374
 Saint-Venant’s, 189
 second principle of thermodynamics, 53
 ‘time–temperature’ superposition, 397
 PVC (polyvinyl chloride), 413
 pyroxene, 221
- radius
 Flory radius (polymer chain)
 ‘living’ polymer in dilute regime, 466
 dilute solution (good solvent), 454
 semi-dilute solution (good solvent), 457
 polymer melt, 424
 gyration radius (polymer chain)
 definition, 426
 Gaussian chain, 427
 hydrodynamic radius (polymer coil in dilute solution), 500
- rate
 absolute reaction (theory of), 66, 299
 local rotation, 54, 80, 531
 shear, 4
 strain, 54
 Rayleigh number, 74
 Rayleigh waves, 216
 Rayleigh–Bénard convection, 74
 ‘rayon’, 411
 regime
 elastic, 7
 glassy, 418
 linear and nonlinear, 20, 328
 plastic, 7
 Rouse (viscoelasticity), 418
 terminal (viscoelasticity), 418
- relation
 Clapeyron (second), 72
 dispersion
 Couette flow, 366
 hydrodynamic modes (nematics), 526
 hydrodynamic modes (smectics), 568
 instability of vortex in external flow, 102
 Kelvin–Helmholtz instability, 159
 Rayleigh surface waves, 218
 Saffman–Taylor instability, 136
 transverse waves in colloidal
 crystal, 231

- relation (*Cont.*)
 Einstein (diffusion during random walk), 244
 Orowan, 295
 Stokes–Einstein, 472
- reptation (polymer), 441
- resonance peaks (colloidal crystal), 233
- restructuring (thixotropic fluid), 16
- reversibility (hydrodynamics), 115
- Reynolds, *see* equation, law, number, stress, theorem
- rheometer, 6
 capillary, 146, 354
 cone-plate, 145, 370
 double-cylinder, 142
 magnetic bead, 355
 opposed jet, 374
 piezoelectric, 149
- rheopexy, 10
- rubber, 33, 448
- rubber plateau, *see also* modulus, 23, 416, 445
- Saffman–Taylor finger
 relative width
 Newtonian liquid, 141
 non-Newtonian liquid, 402
- shape
 Newtonian liquid, 132, 140
 Newtonian liquid in presence of wire, 401
 non-Newtonian liquid, 402
- Saffman–Taylor instability, 130, 399
- Saint-Venant, principle, 189
- scintillation (nematics), 525
- sedimentation, *see also* Péclet number, 473
- seismology, 219
- separation (of fluid streamlines in hydrodynamics), 94, 105
- shock adiabatic, 161
- silicone oil, 5, 22
- Silly Putty, 17, 414
- slippage, surface (simple or complex fluids), 8, 153
- smectic film, 589
- smectic phase, 37, 297, 555
- solids
 ideal plastic, 7
 plastic, 5
 viscoelastic, 33
 viscoplastic, 7
- solvent
 concept of good and bad solvents, 451
 Θ solvent, 452
- sound
 first sound (smectics), 569
 second sound (smectics), 569
 simple liquid, 74
- specific heat capacity
 at constant pressure, 72
 at constant volume, 76, 164
- spin-coating, 119
- spinodal limit, 486
- splay, 516
- Stokes equation, 114
- Stokes formula, 122
- Stokes–Einstein relation, 472
- stress, *see also* field
 acting on head dislocation, 285
 critical (plastic solids), *see also* elastic limit, 7
 elastic, 30, 49, 175
 Ericksen (nematics), 39, 530
 viscoelastic fluid, 356
- Frank–Read, 283
- Griffith, 315, 316
- internal
 crystal (precipitates), 289
 crystal (dislocations), 276
 smectics, 576, 585
- normal and tangent (elasticity), 176
 maximum tangent, 177
- normal (viscoelasticity), 358
- microscopic origin, 30, 421
- Peierls–Nabarro, 278
- Reynolds, 85
- theoretical cleavage, 312
- tip of crack, 315
- transverse shear (nematics), 39, 542
- viscous, 49
- yield, in fluids, 12, 311
- sub-grain boundary, 262
- surface force apparatus, 151
- surface tension (metals), 266
- swelling (jet of viscoelastic fluid), 31
- syndiotactic, 413
- T1 process (foam), 27
- Tacoma Narrows bridge, 212
- tacticity, 413
- tangential discontinuities, 157
- Taylor formulas, 490–91
- TEM (Transmission Electron Microscopy), 249, 254
- temperature
 boiling, 68
 brittle–ductile transition, 171, 311
 glass transition temperature, 409
 Θ temperature, 453
 temperature coefficient α_T , 398
- tension
 Brownian, polymer chain, 427
- line tension
 dislocation, 257
 edge dislocation (smectics), 583
 screw dislocation (smectics), 583
 vortex, 101
- tensor
 Cauchy, 380

- tensor (*Cont.*)
 - configuration (dumbbell model), 501
 - deformation (viscoelastic fluid), 347
 - distortion, 172
 - elastic stress, 175
 - isotropic elastic solid, 184
 - microscopic expression (polymer), 428, 433
 - nematics, 530, 532
 - smectics, 564
 - Finger, 379
 - Green, 378
 - momentum flux density, 51
 - Oseen, 497
 - rotation rate, 79
 - strain rate, 79, 382
 - strain
 - definition, 172
 - versus stress tensor, 187
 - stress (total)
 - construction, 48
 - nematics, 530, 532
 - smectics, 564
 - symmetry, 53
 - viscoelastic fluid, 356
 - surface torque
 - construction, 49
 - nematics, 517
 - velocity gradient, 382
 - viscous stress
 - nematics, 531
 - Newtonian isotropic liquid, 61
 - smectics, 566
 - texture
 - developable domain texture (columnar phase), 43
 - focal conic texture (smectics), 41
 - thread texture (nematics), 40
 - theorem
 - angular momentum, 51
 - Bernoulli's, 88
 - 'derivation under the integral', 55
 - dissipation (hydrodynamics), 77
 - Euler's (or momentum theorem), 70
 - Joukovski, 94
 - Kelvin's circulation, 89
 - polar decomposition, 377
 - potential energy (elasticity), 191
 - reciprocity
 - elasticity, 191
 - hydrodynamics, 116
 - Reynolds', 56
 - work (elasticity), 190
 - thermal conductivity, 60
 - thermal dilation coefficient, 76
 - thermal expansion coefficient, 72
 - thickness
 - boundary layer
 - permeation (smectics), 573
 - thermal (simple liquid), 113
 - viscous (simple liquid), 107
 - displacement (hydrodynamics), 111
 - momentum (hydrodynamics), 111
 - thixotropy, 10
 - thread (nematics), 40
 - time
 - breaking-recombination for giant micelle, 469
 - Maxwell viscoelastic relaxation
 - definition, 19, 330, 332
 - Doi-Edwards model, 444, 459
 - 'living polymer' (Cates model), 470
 - Rouse model, 434
 - Zimm model, 499
 - number-average relaxation, 339
 - relaxation, Frederiks instability, 523
 - reptation
 - 'living polymer', 468
 - polymer melt, 442, 443
 - semi-dilute polymer, 459
 - retardation (Jeffrey fluid), 332, 339, 388
 - rotational diffusion
 - Rouse model, 431
 - Zimm model, 499
 - terminal relaxation, 419
 - Doi-Edwards model, 443
 - Rouse model, 431
 - weight-average relaxation time, 339
 - topological rank (nematic disclination), 546
 - torque
 - bulk
 - elastic (nematics), 517, 533
 - general expression, 52
 - magnetic (nematics), 52, 518, 533
 - viscous (nematics), 523, 533
 - drag (on a rotating sphere), 122
 - surface, 38, 46, 49, 513, 518
 - torsion pendulum, 513
 - transverse pressure gradient (nematics), 544
 - transverse shear stress (nematics), 39, 542
 - tree (dislocation), 281
 - Tresca criterion, 178
 - Trouton
 - ratio, 350
 - rule, 305, 350, 373
 - truxene, 42
 - tube (entangled polymer), 439
 - tubeless siphon, 32, 34
 - tumbling parameter (nematics), 537
 - twist, *see* deformation, disclination
 - unicity (hydrodynamics), 115
 - unit elongation, 173
 - vector
 - Burgers, 246

- vector (*Cont.*)
 critical wave (undulation instability, smectics), 563
 displacement (elasticity), 172
 end-to-end (polymer chain), 424
 energy flux, 59
 heat flux, 53
 local rotation rate of director, 54, 531
- velocity
 complex (hydrodynamics), 91
 crack, 316
 dislocation climb
 crystal, 293
 smectics, 584
 dislocation glide
 smectics, 587
 solid, 300
 mean absolute (perfect gas), 64
 mean square (perfect gas), 64
 profile
 Blasius, 106
 Falkner–Skan, 110
 permeation boundary layer (smectics), 572
- velocity circulation (hydrodynamics), 92, 95
- vibration eigenfrequencies
 elastic system, 215
 rod, 216
 wing, 211
- viscoelasticity
 linear, 328
 nonlinear, 356
- viscosity
 complex η^* (viscoelastic fluid), 344
 dynamic bulk (isotropic viscous fluid), 61
 dynamic, continuous shear (η)
 concentrated emulsion, 491
 definition, 4
 dilute emulsion, 491
 isotropic viscous fluid, 61, 67
 perfect gas, 64
 suspension of spherical particles, 474
 viscoelastic fluid, 434
 Cates model, 471
 Doi–Edwards model, 446, 459
 living polymer, 462
 dynamic, oscillating shear (η')
 suspension of spherical particles, 478
 viscoelastic fluid, 345
- elongational
 calculation (viscoelastic fluid), 386, 388, 390, 393
 definition, 373
- intrinsic $[\eta]$
 definition, 481, 500
 polymer solution, 500
 suspension of rods under continuous
 shear, 484, 485
- kinematic (simple liquid), 62
- Leslie (nematics), 531
 Miesowicz (nematics), 527, 528, 534
 plastic (Bingham fluid), 12
 rotational (nematics), 523, 531
 transient $\eta^+(t)$ (viscoelastic fluid), 336
 transient $\eta^-(t)$ (viscoelastic fluid), 335
- volume
 activation (simple liquid), 157
 excluded, 453
- Von Karman equation, 111
- vortex
 dynamics of collection, 98
 initial (theory of), 96
 Rankine, 92
 stability in outer flow, 100
 trailing, 97
 vortex sheet, 97
- vorticity
 definition, 79
 vorticity line source, 86
- wake, 86
- wall (crystal), *see also* grain boundary, sub-grain boundary, 262
- water, 22
- wave, *see also* relation (dispersion)
 earthquake, 219
 in colloidal crystal, 229
 in finite medium (elastic solid), 215
 in infinite medium (elastic solid), 213
 in smectics (*see* sound), 567
 Rayleigh surface, 216
 shock (in a gas), 160
- wedge (inclination), 546
- Weissenberg effect, 30, 32, 359
- Weissenberg number, 144
- Williams–Landel–Ferry (WLF)
 equation, 399
- wing
 aeroelastic model, 210
 flutter, 209
 lift force, 95
 typical section, 210
- work hardening, 7, 303, 312
- Wulff construction, 260
- Wulff diagram, 260
- Xanthane, 401
- Young modulus
 colloidal crystal, 228
 elastomer, 451
 isotropic elastic solid, 187, 193
 viscoelastic fluid, 349, 350
- zigzag of the columns (columnar phase), 599