

Cambridge University Press

978-0-521-88374-0 - Intervention and Resilience after Mass Trauma

Edited by Michael Blumenfield and Robert J. Ursano

Index

[More information](#)

Index

Note: The following abbreviations are used: ASD: acute stress disorder; CBT: cognitive behavioral therapy; CISD: Critical Incident Stress Debriefing; DSM-IV: *Diagnostic and Statistical Manual of Mental Disorders*; PTSD: post-traumatic stress disorder

- accident survivors
 - positive effect of CBT 97–98
 - see also* motor vehicle accident survivors
- acute stress disorder (ASD)
 - assessment of 92–93
 - criticism of ASD diagnosis 87–88, 93
 - definition of 86–87
 - and dissociation 87
 - future challenges 98
 - history of 86
 - incidence of 88
 - and subsequent development of PTSD 88–90
 - treatment of 93–98, 118–119
 - see also* post-traumatic stress disorder (PTSD)
- Adams, R. E. 131
- adaptation
 - nature of normal 160, 163–164
 - through rule-driven behavior 161
 - trauma as challenge to 161–163
- adrenergic mechanisms, human stress response 109
- apathy, potential barrier to community resilience 60
- ASD *see* acute stress disorder
- assessment
 - of acute stress disorder 92–93
 - clinical assessments 36–37
 - cultural factors 37
 - at population levels 35–36
 - of underlying vulnerabilities 38
- atypical antipsychotic medications 117–118
- belief systems
 - of different cultures 139–141
 - mourning rituals 142
 - protective nature of 135–136
 - and natural disasters 3, 7–8
- Bell, C. C. xv, 134, 136
- benzodiazepines, ineffective for PTSD 118
- bereavement 15–16
 - clinical interventions 27
 - early interventions 21–22
- Bernal, G. 130
- bioterrorism response, role of public in 61–63
- Blacks
 - cultural responses to trauma and loss 139–140
 - experiences with terrorism 135
 - help-seeking tendencies 137
 - higher rates of previous exposure to violence 132
 - National Trauma Survey findings 135
 - victimization of 134–135
- Boscarino, J. A. 131
- brain function *see* human stress response, psychobiology of
- Bryant, R. A. xv, 96–97
- business systems 10
- calming, promotion of 75
- Carter, R. T. 130
- CBT *see* cognitive behavioral therapy
- children
 - assessment of 36
 - early life cycle interventions 18–19
 - resilience studies 155–156
 - school systems 10
 - trauma exposure 26

Cambridge University Press

978-0-521-88374-0 - Intervention and Resilience after Mass Trauma

Edited by Michael Blumenfield and Robert J. Ursano

Index

[More information](#)**180** Index

- CISD *see* Critical Incident Stress Debriefing
- clinical intervention
- bereavement interventions 27
 - children and families 28, 36
 - delivery of early intervention services 33–34
 - early intervention, assessment for 36–37
 - evolving disorders 28
 - guidelines for PTSD 23
 - other stressor exposures 27
 - rehabilitation 28
 - self-care and information 28–29
 - service providers, accreditation of 34
 - for trauma exposures 26–27, 36–37
 - see also* pharmacotherapy
- cognitive-behavioral therapy (CBT)
- effective in treatment of PTSD 72, 94–98
 - limitations of 72, 98, 175
 - modifications of CBT model 73
- Cohen, A. P. 50
- communication
- and community resilience 56
 - systems for 12
- communities
- characteristics of 50–51
 - early intervention agenda 38–39
 - effect of disasters on 51
 - response to disaster 12–13
 - spontaneous community actions 25
 - see also* community resilience
- community resilience 49, 52–53, 65
- assumptions 58–59
 - barriers to 59–60
 - contributing factors 53, 62–63
 - communication 56
 - connectedness, commitment and shared values 53–54
 - critical reflection and skill building 55
 - disaster prevention, mitigation, preparedness and response 56
 - participation 54
 - resources 54–55
 - structure, roles and responsibilities 54
 - support and nurturance 55
- individual resilience overriding 52
- properties of resilience 56
- rapidity 58
 - redundancy 57
 - resourcefulness 57–58
 - robustness 56–57
- ways of enhancing 60–61
- adopt a holistic wellness approach 64
 - create consciousness about community resilience 61
 - develop and practice disaster plans 64–65
 - input and engagement 61–63
 - see also* resilience
- Community Resilience Summit 59–60
- complex systems 2, 6
- connectedness, promoting 53–54, 76
- “coping efficacy” view 160
- corticotropin releasing factor (CRF) 110
- CRASH, cultural competence model 130
- Critical Incidence Stress Debriefing (CISD) 20–21, 71–72
- cultural issues 127
- Blacks, trauma experienced by 134–135
 - care-seeking tendencies of different ethnic groups 137
 - CRASH, cultural competence model 130
 - cultural assessments 37
 - diversity within America 127–128
 - higher rates of PTSD in veterans 132–133
 - Hispanic immigrants, rates of PTSD 133–134
 - immigrants and refugees 133
 - influencing treatment response 129–130
 - involvement of target culture in early interventions 138
 - medication, tolerance for 137–138
 - mental health disaster response 18
 - monocultural ethnocentrism 128–129
 - native Americans 135
 - protective effect of culture 135–137
 - race-based traumatic stress 130–132
 - resources 139–143
 - Southeast Asian refugees 134
 - violence, rates of exposure to 132
- Davidson, J. R. T. 90
- debriefing models 20–21, 71–72
- diagnosis of acute stress disorder (ASD) 86–87
- criticisms of 87–88, 93
- Diagnostic and Statistical Manual of Mental Disorders* (APA) 86–87, 92, 142–143
- “disaster culture” 3
- Disaster Victim Identification (DVI) 21–22
- disasters
- and community resilience 56

Cambridge University Press

978-0-521-88374-0 - Intervention and Resilience after Mass Trauma

Edited by Michael Blumenfield and Robert J. Ursano

Index

[More information](#)

- developing and practicing emergency plans 64–65
- effect on communities 51
- expert consensus recommendations 73–74
 - behavioral interventions 74–75
 - intervention principles 75–76
- looking after those involved in 39
- psychological effects of 69
 - commonly observed effects 70–71
 - epidemiological studies 69–70
 - factors influencing severe 70
- response planning, systems for 7–8
 - governance and co-ordination 4–5
 - international 5
 - organizations, USA 6
- tracking those affected by 38
- victim identification 21–22
 - see also* natural disasters; terrorism
- dislocation, effects of 16
- dissociation 87
 - beneficial effects of 92
 - biochemical model 112
 - during trauma *see* peritraumatic dissociation
- diversity of culture, race and ethnicity within America 127–128
- documentation, collecting 38
- dopaminergic system, stress response 114
- DSM-IV (*Diagnostic and Statistical Manual of Mental Disorders*)
 - cultural guidelines 142–143
 - diagnosis of acute stress disorder 86–87
 - criticisms of 87–88, 93
 - and peritraumatic dissociation 92
- early intervention xiii, 14
 - assessing needs for 35
 - clinical assessments 36–37
 - cultural assessments 37
 - population assessments 35–36
 - underlying vulnerabilities 38
- badging and selling 40
- clinical platforms 26
 - bereavement 27
 - children and families 28
 - evolving disorders 28
 - other stressor exposures 27
 - pharmacological 28
 - rehabilitation 28
 - trauma exposures 26–27
- critical issues in 174–175
- delivery of 1, 30
 - accredited providers, need for 34
 - briefing and mobilization 35
 - clinical services 33–34
 - by communities and NGOs 38–39
 - education and training 34
 - government policy and planning 30–31
 - implementing the mental health response plan 39–40
 - and looking after those involved 39
 - population and public health strategies 32–33
 - systems, engagement with 31–32
 - tracking and documentation 38
- involvement of target culture's population in 138
- meaning of term 14
- planning future of 175–177
- population/public health platforms
 - capacity for mental health, building 26, 29
 - consultancy models 25
 - early childhood prevention programs 14, 18–19
 - information as intervention 24
 - occupational mental health systems 25
 - preparation and planning 24
 - psychological first aid (PFA) 22–23
 - spontaneous community actions 25
 - strengthening positive aspects of system response 25
- science of 1, 29–30
 - clinical programs 14
 - cultural variables 18
 - and human malevolence 23–24
 - intervention for the bereaved 21–22
 - intervention with children 18–19
 - population-focused approach 14, 22–23
 - PTSD, clinical intervention guidelines for 23
 - research focus 15–17, 71–73
 - scientific methodologies 14–15
 - trauma studies 19–21
 - vulnerable individuals 17–18
 - vulnerable populations 17
- systems for 1, 2–13
- earthquakes xiii, 52
- education
 - for disaster response 34
 - schools 10, 31

Cambridge University Press

978-0-521-88374-0 - Intervention and Resilience after Mass Trauma

Edited by Michael Blumenfield and Robert J. Ursano

Index

[More information](#)**182** Index

- emergency response systems 5, 149
 early intervention programs for workers 20–21
 formal and informal 4
 in the USA 6–7
 ethnicity *see* cultural issues
 evolving disorders, early clinical interventions for 28
 expert consensus conferences, recommendations from 73–76
- families
 assessment of 36
 early intervention 28
 school systems 10
 trauma exposure 26
 Foa, E. B. 90, 94–95
 Frank, Sidney E. 13–14
 Friedman, M. J. xv, 64
- GABA (gamma-aminobutyric acid), effect on stress response 112–113
 Galea, S. 70, 86, 131, 149
 Glass, T. A. 61–63
 glucocorticoids, effect on brain function 110–111
 glutamate, role in human stress response 111–112
- governments
 and complex systems 6
 disaster responses 4–5, 6–7
 mental health response plan, implementation of 39–40
 policy, planning, preparation and programs 30–31
 political leadership 13
- grief
 complicated grief 21
 counseling 27, 33
 and mourning, cultural norms 142
- health systems 11–12, 32
 Herman, J. 129
 Hispanic immigrants, risk of PTSD 133–134
 holistic wellness approach, community resilience 64
Honoring Differences: Cultural Issues in the Treatment of Trauma and Loss 139–141
 hope, instilling 76
 human malevolence 23–24
 human stress response, psychobiology of
 adrenergic mechanisms 109
 corticotropin releasing factor (CRF) 110
 dopaminergic system 114
 evidence from clinical trials 114–115
 GABA neurotransmitter 112–113
 glucocorticoids 110–111
 glutamate 111–112
 neurocircuitry 108–109
 neuropeptide Y (NPY) 110
 serotonergic system 113
 treatment of acute stress responses 108–119
 hydrocortisone, positive effect on PTSD 116–117
 hypnosis with CBT, positive effect on PTSD 97
- ICD-10 diagnosis of acute stress reaction 86
 imipramine, role in reducing stress 117
 immigrants, risk of PTSD 133–134
 information
 communication systems 12
 on coping support, providing 78
 dissemination of 74
 as intervention 24
 manipulation of 166
 on self-care 28–29
 for tracking “victims” 38
 institutional systems 8
 international response 5
 intervention 173–174
 critical issues in 174–175
 principles identified by expert consensus 75–76
 target culture involvement 138
 see also clinical intervention early intervention
 Israeli’s ways of coping with terrorism 162–163
- Janet, P. 87
 Jenkins, E. J. 134
 Jerusalem, M. 58
- King, D. W. 14–15
 Kinzie, J. D. 134
 Kretzmann, J. P. 61
- Labonte, R. 61, 62–63
 Latinos
 coping with trauma 140–141
 exposure to traumatic events 131–132
 Laverack, G. 61, 62–63

Cambridge University Press

978-0-521-88374-0 - Intervention and Resilience after Mass Trauma

Edited by Michael Blumenfield and Robert J. Ursano

Index

[More information](#)

- Lavizzo, E. A. 131
 Layne, C. M. 153
 leadership, political 13
 loss *see* bereavement
- Marshall, G. N. 131
 Masten, A. S. 155–156
 McKnight, J. L. 61
 McNally, R. J. 26, 80
 media
 dramatization of reporting 165
 early intervention role 24, 39
 influence of 12
 medication
 tolerance variability in different ethnic groups 137–138
 see also pharmacotherapy
 mental health
 cultural guidelines 142–143
 disaster response plans
 implementing and evaluating 39–40
 low priority of 7
 organizations in the USA 6
 US Department of Health guidelines 6–7
 World Health Organization guidelines 5
 systems for protection of 8, 9, 11
 see also early intervention
Mental Health All Hazards Disaster Planning Guidelines (US Department of Health and Human Services) 6–7
Mental Health: Culture, Race, and Ethnicity – A Supplement to Mental Health: A Report of the Surgeon General (US Dept of Health and Human Services) 142
 military settings
 early intervention in 19–20
 effects of stressful exposure 157
 use of CISTD 71
 see also veterans
 monocultural ethnocentrism 128–129
 motor vehicle accident survivors
 benefits of CBT 96–97
 propranolol treatment protecting against PTSD 115
 reduced cortisol levels and later PTSD 116
 mourning, cultural norms 142
- National Child Traumatic Stress Network (NCTSN) 19
 Field Operations Guide 22, 76, 77, 141–142
 National Trauma Survey (NTS) 135
 native Americans 135, 140
 natural disasters xiii
 community resilience to 52
 impact of repeated 3
 systems for preparation and recovery 3, 7–8
 Neighbors, H. W. 137
 neurocircuitry underlying response to stress 108–109
 neurogenesis, agents promoting 113
 neuropeptide Y (NPY) 110
 neurotoxicity, prevention of 111
 neurotransmitters
 corticotropin releasing factor (CRF) 110
 GABA (gamma-aminobutyric acid) 112–113
 glutamate 111–112
 neuropeptide Y (NPY) 110
 non-government organizations (NGOs) 3, 38–39
- occupational mental health systems 25
 “ordinary magic” view of resilience 155–156
 implications of 161–163
 organizational systems 8
 Orlando, M. 131
- panic attacks 91
 Parra, C. G. 140–141
 Perilla, J. L. 131
 peritraumatic dissociation 87
 adaptive nature of 92
 catastrophic appraisals of 91, 92
 and subsequent development of PTSD 90–91
 differing from persistent dissociation 92
 and hyperarousal following trauma 91
 and panic attacks 91
 personal resilience 52
 PFA *see* psychological first aid
 pharmacotherapy 107–108
 clinical trials evidence 114–115
 atypical antipsychotic medications 117–118
 benzodiazepines 118
 hydrocortisone 116–117
 imipramine 117
 propranolol 115–116
 human stress response
 adrenergic mechanisms 109

Cambridge University Press

978-0-521-88374-0 - Intervention and Resilience after Mass Trauma

Edited by Michael Blumenfield and Robert J. Ursano

Index

[More information](#)**184** Index

- pharmacotherapy (cont.)
 - corticotropin releasing factor (CRF) 110
 - dopaminergic system 114
 - GABA (gamma-aminobutyric acid) 112–113
 - glucocorticoids 110–111
 - glutamate 111–112
 - neurocircuitry 108–109
 - neuropeptide Y (NPY) 110
 - serotonin system 113
 - treatment of acute stress responses 118–119
- Pole, N. 132
- political systems 13
- population assessments 35–36
- population-focused early intervention 14, 22–23
- population health models 14, 19, 26
- population health strategies 32–33
- post-traumatic stress disorder (PTSD)
 - and September 11, 2001 terrorist attacks 150
 - and catastrophic appraisals of trauma 91
 - clinical intervention guidelines 23
 - and DSM-IV diagnosis 86
 - early intervention research 15
 - guidelines for treatment of 142
 - in immigrants and refugees 133–134
 - linked to hyperarousal following trauma 91
 - management program 73
 - medication for *see* pharmacotherapy
 - predicted by acute dissociation 90–91
 - predicted by ASD 88–90
 - prevalence of 152
 - and resilience 149–150
 - transient nature of 85–86
 - treatment with CBT 72, 93–98
- Practice Guideline for the Treatment of Patients with ASD and PTSD* (APA) 142
- programs for early intervention 14, 19
- propranolol pharmacotherapy 115–116
- psychological first aid (PFA) 22–23, 24–25, 69
 - background research
 - early post-trauma intervention 71–73
 - effects of disasters 69–71
 - context of 79
 - coping strategies 78
 - core actions of 77
 - cultural sensitivity issues 141–142
 - definition of 76
 - disaster response, expert recommendations 73–76
 - evaluation of effectiveness, need for 79
 - Field Operations Guide* 22, 76, 77, 141–142
 - group application of 77
 - long-term impact unknown 78, 79
 - principles of 75, 175
 - calming, promotion of 75
 - connectedness, promoting 76
 - hope, instilling 76
 - self-efficacy, promoting 76
 - sense of safety, promoting 75
 - self-help advice 78
- Psychological First Aid: Field Operations Guide* (National Child Traumatic Stress Network and National Center for PTSD) 141–142
- PTSD *see* post-traumatic stress disorder
- public health perspective xiii
 - education and training 34
 - information provision 24
 - need for skilled providers 34
 - occupational mental health systems 25
 - preparation and planning 24
 - psychological first aid (PFA) 24–25
 - spontaneous community actions 25
 - strategies for early intervention 14, 32–33
 - strengthening positive aspects of system response 25
- Pynoos, R. S. 21, 26–27
- racism
 - experienced by Blacks 134–135
 - impact on mental health 131
 - and rates of PTSD 131–132
- rape victims, effects of CBT on PTSD 94–95
- Raphael, B. xiv
- rapidity, property of resilience 58
- redundancy, property of resilience 57
- refugees, higher rates of PTSD in 133–134
- rehabilitation 23, 28
- Reissman, D. B. xiv
- research
 - early post-trauma intervention 71–73
 - prevailing focus of 15–17
 - psychological effects of disasters 69–71
- resilience xiv, 51–52
 - bio-ecological studies 150–151
 - in child development studies 150
 - definitions of 152–153, 153–155
 - generic characteristics of 156
 - boundaries and failure to cope 159–160

Cambridge University Press

978-0-521-88374-0 - Intervention and Resilience after Mass Trauma

Edited by Michael Blumenfield and Robert J. Ursano

Index

[More information](#)

- domain-, time- and situation-specific 159
- follows stressful exposure 156–157
- individual as active agent 160–161
- multifactorial view 158–159
- normal adaptation to change 160
- rule-driven behavior, maintaining 161
- stressful events and life transitions 157–158
- historical perspective 155–156
- identifying boundaries of 164–165
- “ordinary magic” view of 155–156, 161–163
- perceived as “the default” 153
- properties of 56–58
- versus PTSD 149–150
- ways to miss or weaken 165–166
- see also* community resilience
- resourcefulness, property of resilience 57–58
- response systems 4
 - mental health 32
 - for terrorism and disaster 7–8
 - see also* emergency response systems
- robustness, property of resilience 56–57
- rule-driven behavior, adaptive role of 161
- Rutter, M., characteristics of resilience 156–161
- safety, promoting sense of 75
- Schoch-Spana, M. 61–63
- school systems 10, 31
- scientific methodologies 14–15
- screening 37
- self-efficacy, promoting 76
- self-help programs 78
- September 11 terrorism attacks, New York 69–70, 86, 131, 135, 150
- serotonergic system, human stress response 113
- sexual assault victims, treatment using CBT 94–95
- Shalev, A. Y. xv, 129, 149
- Sidney E. Frank conference xiv
- Silver, R. C. 149
- social capital 2, 15
- soldiers *see* military settings; veterans
- Solomon, Z. 19, 157
- somatization disorders 16–17
- Southeast Asian refugees 134, 141
- Stamm, B. H. 140
- Stamm, H. E. 140
- stressful exposures 152
 - bereavement and loss 15–16
 - bi-directional effect of 157–158
 - clinical interventions for 27
 - dislocation from home 16
 - effect on non-white cultural, racial and ethnic groups 131–132
 - multiple-causation/multiple-outcome view of 158–159
 - resilience following 156–157
 - see also* military settings; trauma/traumatic events
- supportive-counseling, CBT trials 95–97
- systems 1, 2
 - business 10
 - communication 12
 - community 12–13
 - contexts and related systems 2–3
 - disaster and terrorism prevention 3–4
 - health 11–12, 32
 - political 13
 - relevance for early intervention 2
 - school 10, 31
 - traumatogenic 9–10
 - variables 13
 - see also* belief systems; response systems
- terrorism
 - bioterrorism response, role of public 61–63
 - Black people’s experiences with 135
 - Israeli’s ways of coping with 162–163
 - planning systems for 4–7
 - response systems for 7–8
 - September 11 attacks, New York 69–70, 86, 131, 135, 150
 - systems for prevention 3–4
- training 34, 75
- trauma/traumatic events
 - adaptation to 161–163
 - assessment measures 36–37
 - behavioral consequences 26–27
 - dimensional view of early responses 163–164
 - and early intervention 19–21
 - grief counseling for 33
 - interventions for 26–27
 - paradoxical findings from research 149
 - and psychiatric disorders, risk of 85
 - rape victims, CBT treatment 94–95
 - response of Blacks to 135
 - survivor preferences, importance of 79–80
 - “transition generating events” 157–158

186 Index

- trauma/traumatic events (cont.)
 - traumatic brain injury, positive effect of CBT 97
 - see also* post-traumatic stress disorder
- traumatogenic systems 9–10
- Tully, M. A. 139–140
- Vega, W. A. 131
- Velez-Ibanez, C. G. 140–141
- veterans
 - racial differences in rates of PTSD 132–133
 - resilience following stress exposure 157
 - see also* military settings
 - violence, previous exposure to 132
- vulnerability
 - assessment of underlying 38
 - vulnerable individuals 17–18
 - vulnerable populations 17
- war stress *see* military settings
- Watson, P. xv, xvii
- World Health Organization (WHO),
 - guidelines for disaster planning 5