

## Subject Index

---

- algebra
  - Banach, 257
  - Baxter, 242
    - free, 247, 252
    - standard, 243
  - Boolean, 4, 304
    - complete, 4
  - closure, 28
  - co-invariant, 233
  - exterior, 159, 304
  - Heyting, 28
  - incidence, 106, 118
  - Möbius, 175
  - Orlik–Solomon, 310
  - Poisson, 201
  - relation, 48
- algorithm, 341
  - Gale, 99
  - Whitman, 23, 324
- alternant, 232, 267
- antichain, 25, 126, 331, 347, 348
  - invariant, 131
  - maximum-size, 130
- apolarity, 278, 283
- approximation, Stirling, 39, 137
- argument, 321
- arrangement of hyperplanes, 234
- atom, 3, 18
- automorphism, 21, 123, 341
  - order, 131, 138
- axiom,
  - distributive, 2, 27, 28, 330
  - infinite, 8
  - Huntington, 7
- basis
  - Gröbner, 223, 229, 326
  - standard, 303
- bimatroid, 103, 336
- block, 30
- branch, principal, 328
- calculus, umbral, 185, 211, 274
- chain, 9, 347
  - ascending, 14, 327
  - descending, 14
  - maximal, 9
  - symmetric, 139
- change of variables, 278, 289
- character, 219
- characteristic, Euler, 116
- characteristic-free, 277
- chessboard, 34, 53
- circuit, 310
- closure, 45, 122, 168
  - transitive, 11, 30
- coalgebra, 202
- coassociativity, 204
- coclosure, 46, 236
- coefficient
  - central Gaussian, 323
  - multinomial, 39, 241
  - normalized, 272
  - $q$ -binomial, 182, 352
  - section, 203
- coimage, 30, 226
- comparability, 9, 133, 346
- complement, 1, 26, 117, 126
  - pseudo-, 28
- complex, chain, 116

- composition
  - of relations, 48
  - Szegö, 292
  - umbral, 211
- concavity, logarithmic, 273, 276
- concordant sets, 165, 170, 353
- condition
  - Hall, 55
  - hexagonal, 49
  - Higgins–Hall, 95
  - Jordan–Dedekind, 162
  - Mac Lane–Steinitz exchange, 163
- matching, 146
- Ore, 269
- Rado–Hall, 69
- congruence, 241
- conjecture
  - Huntington, 27
  - Rota’s basis, 74
  - top-heaviness, 170
  - unimodality, 170, 276
  - van der Waerden, 93
- conjunction, 25
- connection, Galois, 46, 50, 112, 235
- contraction, 69, 72
- convolution, 13, 106, 245, 256
- coset, 61, 332, 341
- covariant, polar, 282
- cover, 9, 64, 162
- crosscut, 113
  - upper, 112
- cryptomorphism, 153
- cutset, 121
- cycle, 29, 239
  - Hamiltonian, 341
  - index, 240, 241
- decomposition
  - irredundant, 22
  - symmetric chain, 348
- Dedekind transposition principle, 149, 162, 167
- density, arithmetic, 221
- depth, 134, 346
- derivative
  - Pincherle, 196
  - polar, 288
- determinant, 62, 67, 80, 125, 183, 217, 266, 279, 291, 296, 310, 343, 367
  - van der Monde, 232, 268, 299
- diagram, Hasse, 9
- diamond, 7, 324
- difference, 200, 217
- dimension, 67
  - order, 11, 12, 129, 134
- discriminant, 233, 275, 281
- disjunction, 25
  - conditional, 7
- distance, lattice-valued, 40
- distinct, projectively, 267, 272
- domain, 44
- duality, order, 3
- eigenvalue, 88, 300, 309, 311
- elimination, Gaussian, 72
- endomorphism, 242
- entropy, 32, 42
  - conditional, 35
- equivalence
  - combinatorial, 75
  - projective, 267, 289
- evaluation, umbral, 275
- expansion, 193, 207
  - Boolean, 76
  - Laplace, 64, 307
- expectation, 367
  - conditional, 161
- extension, linear, 10, 130, 326
- extreme point, 80, 100, 333
- factorial
  - falling, 182, 200
  - rising, 200
- field of sets, 1
- filter, 10
  - principal, 10, 176
- fixed point, 21, 300
- forest, rooted, 198
- form
  - binary, 272
  - cubic, 281
  - polar bilinear, 278, 365
- formula
  - Binet–Cauchy, 72, 306, 310, 333
  - Boole, 189, 357
  - Cauchy, 299
  - Crapo, 233, 358
  - Dobinski, 188
  - Euler partition, 225
  - exponential, 180
  - interpolation, 217, 259
  - inversion, 125

- Jacobi, 307
- Lindström–Wilf, 124, 344
- Mehler, 210
- Möbius inversion, 108
- product, 108, 178, 180
- quadratic, 271
- Rodrigues, 198
- Ryser, 122, 341
- Spitzer, 257
- Waring, 228
- function
  - alternating, 232
  - aperiodic, 360
  - delta, 107, 165, 260
  - elementary matrix, 107, 339, 340
  - Eulerian, 122
    - of a group, 123
  - generating
    - ordinary, 178, 317
    - exponential, 179
  - Hilbert, 225, 234
  - indicator, 5
  - Möbius, 107
  - multiplicity, 75
  - Ore excess, 73
  - parking, 218
  - polynomial, 259
  - rank, 9, 162
  - reluctant, 198, 356
  - Riemann zeta, 218
  - submodular, 67, 100, 333
  - symmetric. *See* symmetric function
  - zeta, 107, 338, 343
- functional, linear, 172
- functor, 118, 176, 306
  
- generator, 24, 246
- geometry, line, 42, 331
- gluing, Dilworth–Hall, 169
- graph
  - bipartite, 44
  - comparability, 133
  - connected, 181
  - of a function, 29, 198
  - perfect, 133
- group
  - Abelian, elementary, 342
  - action, 235
  - alternating, 240
  - automorphism, 123
  - cyclic, 123, 219, 241
  - dihedral, 123, 342
  - general linear, 240, 267
  - $p$ -, 123, 342
  - permutation, 235
  - simple, 123, 343
  - symmetric, 222, 234, 241
  - universal entropy, 43
- hemimorphism, 45
- Hessian, 283
- homomorphism
  - algebra, 119, 176, 242
  - Boolean, 3
  - lattice, 17, 21
- ideal
  - monomial, 15
  - order, 9, 331, 339
- idempotent, orthogonal, 119, 173, 353
- identity
  - Abel, 270
  - Baxter, 242, 360
  - binomial, Abel, 197
  - binomial, generalized, 189
  - Bohnenblust–Spitzer, 257
  - Cartier, 250, 361
  - convolution, 13
  - Euler, 257
  - Grassmann, 67, 337
  - Kac, 258
  - Newton, 230, 261, 363, 364
  - $q$ -binomial, 182
  - shearing, 22
  - shuffle, 245, 361
  - Spitzer, 257
  - standard, 120
  - Stirling, 186
  - van der Monde–Chu, 144
- image, 28
  - inverse, 29
- implication, 7
- independence, 68
  - algebraic, 154, 160
  - stochastic, 33, 160, 201
- indicator, 191
- inequality
  - arithmetic–geometric mean, 84
  - Dilworth, 134
  - distributive, 6
  - Dowling–Wilson, 166
  - Frobenius, 104

- Ingleton, 104
- Jensen, 35
- LYM, 138, 146, 348
- MacLaurin, 91
- Muirhead, 84
- Newton, 91, 272
- shearing, 6
- submodular, 103
- triangle, 40, 301
- information, 30, 36, 160
- integration, 245
  - by parts, 244
- interchange, 100
- interior, 28
- interval, 109, 345
- invariant
  - Dickson, 267
  - Gundelfinger, 283
  - relative, 232, 267, 270, 279
- inventory, 238
- inversion, 354
- irreducible
  - join, 18, 162, 168, 171, 329
    - consistent, 22
  - meet, 18, 162, 171
- join, 2
- $k$ -family, 132, 134
  - Sperner, 135
- $k$ -positive, 320
- lattice, 2
  - of antichains, 130
  - Arguesian, 153
  - atomic, 18, 162
  - Boolean  $\sigma$ -subalgebras, 43
  - coatomic, 18, 170
  - complemented, 26
    - modularly, 234
  - consistent, 22, 170
  - distributive, 18
    - free, 349
  - of divisors, 108, 240
  - Dowling, 235, 240
  - of flats, 163
  - free, 23, 149, 351
  - geometric, 163, 310
  - of intersections, 234
  - of intervals, 109, 126
  - of  $k$ -families, 134
  - linear, 155
    - free, 156
  - locally distributive, 135
  - modular, 20, 162
    - free, 149, 158, 350
  - of  $n$ -partitions, 41
  - of partitions, 30, 41, 225
  - of periods, 235, 254
  - semimodular, 162
  - of subgroups, 42, 235, 341
  - of subnormal subgroups, 171
  - of subspaces, 169, 352
  - type-1, -2, -3, 159
  - with unique complements, 26, 330
- law
  - Arguesian, 151, 159
  - De Morgan, 2, 330
  - modular, 22, 147
  - of symmetry, 233, 358
- lemma
  - Dickson, 15
  - Gordan, 15
  - Higman, 16
  - Lucas, 284
  - Rado, 57
  - Schur, 293
  - Sylvester, 298
  - Szpilrajn, 11
  - umbral composition, 213
  - unique factorization, 19
- length, 9
- line, 296
- map
  - admissible, 16
  - order-preserving, 9
    - proper, 118, 338
    - strict, 13
  - order-reversing, 9
  - residuated, 354
- matching, 54, 132
  - Higgins, 95
  - independent, 69
  - partial, 54
- matrix
  - $\Delta$ , 182, 317
  - (0, 1)-, 62
  - compound, 305
  - connection, 213
  - diagonalizable, 310
  - doubly stochastic, 78, 93

- even, 90
- infinite-dimensional, 93
- symmetric, 90
- doubly substochastic, 89, 333
- free, 62
- incidence, 62, 165
- irreducible, 66
- nonnegative, totally, 296
- normal, 88
- permutation, 79, 334, 336
  - symmetrized, 334
- positive, totally, 296
- Redheffer, 125
- of a relation, 44
- representation, 336
- umbral notation, 277
- upper-triangular, 106
- variation-decreasing, 314, 322
- matroid, 68
  - cycle, 168
  - transversal, 69
  - Vámos, 338
- matroid minor project, 17, 328
- mean, symmetric, 84
- meet, 2
- meet-semilattice, 124
- method, Hungarian, 61
- minor, 296
- moment, 188
- monomial
  - coding, 236, 341
  - image, 226
  - leading, 326
  - meet, 25
- multichain, 340
- multilinearity, 303, 332
- multiset, 6, 256
- normal form, disjunctive, 25
- notation
  - bracket, 140
  - square, 250
  - letter-place, 222
  - umbral, 274
- number
  - Bell, 181, 186
  - chromatic, 133
  - clique, 133
  - Stirling, 181, 214
  - Whitney, 145, 276
- occurrence, 247, 260
- operator
  - Baxter, 242
  - delta, 190
  - embedding, 51
  - Laguerre, 197
  - shift-invariant, 190
  - umbral, 211
- orbit, 235
- order
  - lexicographic, 223, 326
  - linear, 9
  - majorization, 82
  - partial, 2, 9
    - completion, 50
    - locally finite, 106
    - ranked, 9
  - quasi, 14
    - well-quasi, 14, 325
  - subword, 16, 327
- orthogonality, 47
- partition, 30
  - canonical, 134
  - chain, 126
    - $k$ -saturated, 136
    - symmetric, 139, 142, 169, 348
  - Hartmanis, 41
  - ordered, 180
- path, alternating, 59
- pentagon, 7, 324
- period, 235
- permanent, 67, 92, 104, 233
- permutation, 29, 181, 332
  - complementing, 126, 345
  - conjugate, 29
  - cycle decomposition, 29, 236, 255, 256
- picnic, 99
- placing, 231, 357
- plane, projective, 150, 352
- polynomial
  - Abel, 197
  - Appell, 209, 295, 366
  - Bernoulli, 211
  - biorthogonal, 216
  - Boolean, 25
    - monotone, 26
  - chain, 116
  - characteristic, 334
  - chromatic, 168, 203, 276, 277
  - difference-Abel, 215

- Dirichlet, 122
- exponential, 214
- Gončarov, 217
- Gould, 215
- Hermite, 209, 366
- Laguerre, 198, 214, 216, 357, 367
- lattice, 23
- Legendre, 366
- order, 13
- Ore, 269
- permutation, 266, 363
- sequence, 189
  - binomial type, 188
  - Sheffer, 205
- zeta, 121
- polytope, assignment, 88
- power, exterior, 303
- problem
  - assignment, 89
  - Dedekind, 147
  - Easterfield demobilization, 62
  - Goblin coin-weighing, 30
  - Littlewood–Offord, 140, 145
  - Putnam, 53
  - word, 23
- process, Poisson, 201
- product
  - Cartesian, 11, 12, 34, 120, 346
  - cyclomatic, 184
  - exterior, 303
  - infinite, 319
  - matrix, 72
  - relative, 48
  - tensor, 101, 120
- property
  - Kurosh–Ore, 22
  - normalized matching, 145
  - Pierce, 27
  - Sperner, 146
  - universal, 24, 43, 246
- puzzle, Gomory, 53
- $q$ -analog, 44
- $q$ -integral, 257
- quermassintegral, 276
- quotient, 46, 247
- radical, Jacobson, 339
- rank
  - matrix, 101
  - tensor, 102
- ratio, golden, 277
- rectangle, Latin, 61
- recurrence, 209, 357
  - three-term, 277
- refinement, reverse, 30
- relation, 44
  - Appell, 217
  - contrary, 48
  - converse, 48
  - difunctional (self-transitive), 49
  - equivalence, 40,
    - commuting, 49, 153
  - Ferrers, 49
  - inverse, 153, 185
  - isomorphism of, 45
  - mutually transitive, 49
  - number of, 50
  - regular, 61
  - symmetric, 49
  - transitive, 49
- residual, 46
- restriction, 69
- resultant, 358
- ring
  - of sets, 1
  - valuation, 172
  - universal, 8
- rule
  - Cramer, 360
  - deduction, 23
  - De Morgan, 52
- $\sigma$ -algebra, 43, 160
- semigroup, interval, 120
- sequence, 15
  - bad, 14, 328
  - basic, 190
  - inverse, 213
  - multiplier, 291
  - permutable, 215
  - Pólya frequency, 317
  - polynomial, 189
  - Sheffer, 205
- series
  - Dirichlet, 218
  - formal power, 182
  - Lambert, 184
- set
  - clopen, 4
  - finite, 40
- sign change, 311

- space
  - disconnected, totally, 4
  - projective, 148, 151, 159, 168
  - Stone, 4
- species, 200
- statistic
  - order, 218
  - sufficient, 31
- step, 304
- stroke, Sheffer, 7, 325
- subgroup, 42, 159
  - Frattini, 123, 341, 342
  - normal, 123,
  - stabilizer, 236
  - subnormal, 171
  - Young, 236
- subrelation, 54, 77
- sum
  - relative, 48, 52
  - telescoping, 85
- summation
  - Euler, alternating series, 200
  - Euler–MacLaurin, 211
- superadditivity, 17
- symmetric function, 222, 223, 262
  - complete homogeneous, 224, 231
  - elementary, 91, 224, 243, 262, 265, 270
  - monomial, 223
  - positive, 92
  - power-sum, 92, 224, 270
  - Schur, 232, 270
- system of distinct representatives, 54
  
- table, truth, 26
- tensor
  - decomposable, 101
  - free, 103
  - skew-symmetric, 303
- theorem
  - Amitsur–Levitski, 120
  - Appell, 270
  - automorphism, 212
  - Bapat, 65
  - Birkhoff, 79, 88, 163
  - Birkhoff representation, 19, 175
  - Birkhoff–Schreier–Zassenhaus, 158
  - Birkhoff–Ward, 27
  - Brouwer fixed-point, 300
  - Carathéodory, 333
  - Cauchy, 362
  - Chevalley, 234, 268, 270
  - closure, 110
  - Crapo complementation, 117
  - crosscut, 113, 114
  - Desargues, 151, 159, 352
  - Dilworth
    - chain decomposition, 126
    - covering, 162, 167
    - dimension, 129
    - unique complements, 27
  - Dubreil–Jacotin, 155
  - Edmonds, 63
  - Edrei, 317
  - Erdős–Szekeres, 132
  - expansion,
    - first, 193
    - second, 207
  - Fermat, little, 260, 263, 365
  - Ford–Fulkerson, 71
  - Frobenius irreducibility, 66
  - fundamental
    - of geometry, 168
    - of symmetric functions, 229, 262, 264, 270
  - Gale, 99
  - Gale–Ryser, 95
  - Galois coconnection, 112, 121
  - Gantmacher–Krein, 311
  - Gaschütz, 123, 341, 342
  - Grace, 285, 290
  - Greene, 136, 176
  - Greene–Kleitman, 132
  - Griggs, 147
  - Hall, Marshall, 56
  - Hall, Philip, 112, 115, 344
  - Hardy–Littlewood–Pólya, 82
  - harem, 74
  - Hermite, 266
  - Higgins, 95
  - Hilbert basis, 15
  - isomorphism, 194
  - Jónsson, 41, 159, 352
  - Kasteleyn, 67
  - Katona–Kleitman, 140
  - Knaster–Tarski, 21
  - König, 54, 61, 92
  - König–Egerváry, 64, 65, 103
  - Krein–Milman, 80
  - Kruskal, 17
  - Laguerre, 233, 289, 359
  - Lee–Yang, 291

- Lucas, 265  
 marriage, 55, 348  
   defect form, 60  
   matroid, 69  
 McKinsey–Tarski, 28  
 McLaughlin, 158, 330  
 Mešalkin, 44  
 Motzkin, 315  
 Perron–Frobenius, 300  
 Pierce, 27  
 Pólya, 297  
 Pólya enumeration, 240  
 Potter, 182  
 Procesi, 92  
 Pudlák–Tůma, 41  
 Rado subrelation, 77  
 Robertson–Seymour, 17  
 Rohlin, 161  
 Rolle, 273  
 Rota, 164  
 Schoenberg, 320  
 set-closure, 111  
 Solomon, 173  
 Sperner, 44, 136, 138  
   two-part, 142  
 Stone, 4  
 Sylvester, 282  
 Szegő, 292  
   determinant, 291  
 Titchmarsh, 245  
 Tutte, 203, 277  
 Weisner, 111, 164, 226  
 Welsh, 72  
 Whitman, 41  
 theory  
   Nevanlinna, 317  
   Pólya enumeration, 235  
   Ramsey, 126  
   Sperner, 145, 169  
 topology  
   finite, 12, 325  
   standard, 120  
   Zariski, 5  
 transfer, 85  
 transform  
   Fourier, 257  
   Laplace, 179, 335  
 transformation, linear fractional, 284  
 transversal, 54  
   common, 71  
 tree, rooted, 16, 199  
 type  
   binomial, 189  
   of a partition, 30, 225  
   Sheffer, 216  
 umbra, 186, 274, 277  
 unimodality, 146, 274, 276  
 valuation, 1, 171, 336  
   Poisson, 201  
 variable, random, 30, 42, 188,  
   310  
 variation, 311  
 variety, 23, 51, 281  
 width, 126, 134  
 Wronskian, 269  
 zero  
   interlacing, 365  
   real, 140, 272, 273, 366