

Index

- E(t), see also Young's modulus, relaxation, 6*
- AC coupling, 159
Acoustic emission, 255
Activation energy, 31
 in asphalt, 215
 in CdMg, 223
 in experiment, 194
 in metals, 219
 in polymer, 210
Active material, 37
 artery, 247
 ear, 249
 muscle, 241
 stress strain curve, 67
 tissue, 233
Active structures, 409
Adaptive materials, 36
Aging materials, 35
Alfrey approximation, 96
Aluminum, 208, 216, 219
Aluminum alloys, 217
Aluminum-zinc alloy, 220, 223
Andrade creep, 28, 323
Anelastic material, 1, 299
Anisotropy, 33, 111, 170, 325, 342, 343, 358
Arrhenius equation, 30, 172, 194, 215, 253, 296
Arteries, 247
Asphalt, 214
Asphalt as a composite, 360
Attenuation measurement, 184
Attenuation of waves, 77
- Baby heads, 393
Baseball, 422
Bending, 112
 bar damping layer, 134
 by correspondence principle, 116
cell ribs in foam, 363
experiment, 181
Gorsky relaxation, 299
- in nonlinear material, 133
plant seeds, 252
plate, 138
satellite structure, 428
thermoelastic damping, 220, 277, 329
waves, 128
 waves in experiment, 186
Biological composites, 233
Biot theory, 281
Birnboim apparatus, 179
BKZ relation, 39
Bolts, 382
Boltzmann superposition integral, 16
Boltzmann superposition principle, 14
Bone, 234
Bordoni relaxation, 303
Bounds on composite moduli, 346
Bounds on composite viscoelasticity, 353
Box spectrum, 93
Brain, 243
Brass, 216
Bridge vibration, 398
Broadband viscoelastic spectroscopy, 180
Building sag, 378
Building tilt, 385
Building vibration, 398
Bulk modulus, 35, 111, 119, 123, 141, 212, 451
 from shear and tensile properties, 196
 waves, 213
Bulk relaxation, 212
Bumpers, 418
- Cadmium, 223
Capacitive transducers, 153
Cartilage, 244
Cavendish balance, 413
Cellular solids, 120
 damping calculation, 369
 damping due to air flow, 281
 experiment, 181
 stiffness, 364

- Cellular solids (*cont.*)
 - structure, 363
 - theoretical damping, 285
- Ceramics, 227
 - piezoelectric, 232
- Clang, 102
- Coefficient of restitution, 84, 421–423
- Collagen, 236
- Compliance, 1
 - bulk, 119
 - creep, 3, 17
 - related to spectrum, 92
 - structural, 68, 69, 71
- Composites, 341
 - asphalt, 360
 - biological, 233, 356
 - cellular, 363
 - extremal, 354
 - fiber inclusions, 349
 - fibrous, 361
 - Hashin–Shtrikman, 346
 - inclusion shape, 350
 - localized resonance, 367
 - metamaterials, 367
 - metal matrix, 362
 - nanofillers, 359
 - piezoelectric, 366
 - platelet inclusions, 349
 - Poisson’s ratio, 357
 - Reuss, 345
 - spherical inclusions, 347
 - Voigt, 341, 345
 - wave dispersion, 366
- Compression of a block, 151
- Concrete, 229, 378
- Constant strain rate, 20
- Constrained modulus, 130, 141
- Constraint in compression, 141
- Convolution, 102, 449
 - Boltzmann integral, 16
 - definition, 446
 - inversion, 450
 - theorem, 446, 448
 - theorem, Laplace transform, 19
- Copper, 216
- Copper-manganese alloy, 219, 401
- Correspondence principle, 114
 - composites, 345
- Coupled fields, 273
- Creep, 3, 391
 - experiments, 146
 - compliance, 3
 - compliance in Boltzmann integral, 17
 - damage, rupture, 394
 - in nonlinear media, 148
 - primary, 5
 - relaxation relation, 99
 - secondary, 5
- standard linear solid, 25
- tertiary, 5
- Creep-resistant alloys, 224, 326, 381, 382, 387
- Crystalline polymers, 213
- Cushions, 388
- Damping layer analysis, 134
- Damping layers, 399
- Damping measures, 79
- Damping, 59, *see also* tan δ
- Dashpot, 22
- Deborah number, 7
- Debye peak, 62, 71, 87, 93, 107, 109, 223, 234, 236, 273, 277, 285, 296, 299, 303, 312, 314, 370, 429
- Decay of vibration, 74, *see also* free decay
- Deformation mechanism maps, 323
- Delta as phase between stress and strain, 59, *see also* tan δ
- Dental materials, 389
- Dielectric relaxation, 35
- Dirac delta, 442
- Disk drive, 384, 397
- Dislocation kinks, 303
- Dislocation motion, 300
- Dispersion, 64, 78, 87, 88, 98, 101
- Distributed oscillator, 71
- Doublet, 443
- Droop, 2, 102, 392
- Durometer experiment, 188
- Dynamic compliance, 58, 64, 97, 101
- Dynamic modulus, 57, 58, 62, 77, 98, 100, 101
- Dynamic response, 8
- Ear, 248
- Earplugs, 377
- Elastin, 236
- Electromagnetic methods, 155, 157, 158, 163, 164, 176, 177, 180
- Energy storage and dissipation, 65
- Experiment, 145
 - creep, 146
 - environmental control, 157
 - low loss materials, 166
 - nonlinear, 160
 - phase errors, 159
 - rebound, 161
 - resonant, 161
 - resonant ultrasound spectroscopy, 168
 - subresonant, 158
- Exponential response, 21, 22, 27, 84, 273, 285, 312
- Eye, 249
- Fading memory, 18
- Fat, 243
- Fluctuation–dissipation relation, 182
- Fluid flow relaxation, 280
- Foam, 120, *see also* cellular solids
- Fourier transform, 63, 64, 76, 103, 115, 402, 446

Index

459

- Fractional derivatives, 27
- Free decay of vibration, 74
- Functionals, 441
- Gamma function, 42, 99, 445
- Gaskets, 390
- Glass, 231, 425
- Glass sag, 380
- Glassy region, 286
- Golf ball, 423
- Gorsky relaxation, 299
- Grain boundary relaxation, 292
- Granato–Lücke relaxation, 300
- Granular materials, 402
- Hand strength exerciser, 424
- Hashin–Shtrikman bounds, 343, 346
- Hashin–Shtrikman composite, 346
- Head, 393
- Heart muscle, 240
- Heaviside step function, 3, 20, 28, 40, 50, 96, 122, 441, 443
- Helmets, 418
- Helmholtz coil, 175, 180
- High-temperature background, 254, 314
- Hooke's law, three-dimensional, 33
- Hysteresis loop, 59, *see also* Lissajous figure
- Ice, 231, 385
- Impact absorption, 414
- Indentation analysis, 117
- Indentation experiment, 183, 188
- Indium, 223
- Indium tin alloy, 224
- Interface motion, 292
- Iron, 218, 224
- Kidney, 246
- Kramers–Kronig relations, 63
- Kuhn model, 29
- Kuhn model $\tan\delta$, 99
- Laplace transform, 19, 26, 448
 - to relate creep, relaxation, 19
- Layer in compression, 140
- Layers for damping, 134
- Layers in composites, 342, 352, 361
- Lead, 208, 216, 217, 219, 223, 402
- Lead metaniobate, 220, 232, 402
- Lead titanate zirconate, 222, 232, 408, 429
- Ligament, 237
- Light bulbs, 387
- Liquids, 7
- Lissajous figure, 59
 - active material, 67
 - experimental phase measurement, 158
 - negative stiffness, 67
 - saturation, 193
- $\tan\delta$, 61
- wiggly, 193
- Liver, 246
- Load application, 157
- Load cell, 156
- Lock in amplifier, 158, 181
- Log decrement, 75, 79, 168
- Logarithmic creep, 29
- Lognormal spectrum, 93
- Loss modulus, 62
- Loss tangent, 57, *see also* $\tan\delta$
- Lumped oscillator, 67
- Lung, 248
- LVDT, 152
- Magnesium, 221
- Magnetic media, 316
- Master curve, 31, 172, 179, 211–213, 215, 225, 252
- Maxwell model, 22
- Measurement of displacement, 152
- Measurement of force, 156
- Measurement of phase, 158
- Measurement of strain, 152
- Metals, 215
 - high-damping, 219
 - low-damping, 225
- Molecular rearrangement, 286
- Muscle, 240
- Musical instruments, 390
- Nanofillers, 359
- Nanograin structure, 226
- Nanoscale resonators, 414
- Nickel, 222, 317, 318
- Nickel titanium alloy, 222
- NiTi alloys, 222
- No-slip floor, 425
- Nonlinearity, sinusoidal input, 79
- Nonlinear superposition, 38
- Nonlinear viscoelasticity, 37
- Nose, 392
- Optical methods, 154, 167, 181
- Particle inclusions, 342, 347, 348, 352–354, 359, 360, 362
- Passivity, 17
- Period of waveform, 8
- Phase between stress and strain, 57, *see also* $\tan\delta$
- Phase errors, 156, 159, 166, 197
- Phase measurement, 158
- Phase transformations, 305
- Piezoelectric damping, 401, 404, 407, 409, 429
- Piezoelectric materials, 232, 402
 - table of properties, 233
- Piezoelectric oscillator experiment, 164
- Piezoelectric polymers, 214
- Piezoelectric relaxation, 318

460

Index

- Piezoelectric semiconductors, 226
- Plazek apparatus, 180
- PMMA, 208, 210, 211
- Poisson's ratio, 35, 451
 - in deformation analysis, 121
 - of composites, 357
- Polyethylene, 213, 214
- Polymer matrix composites, 358
- Polymers, 208
- Power law
 - in stress, 218, 236, 382
 - in time, 28, 30, 218, 253, 286, 323, 378
- Primary creep, 5
- Prony series, 26
- PUCOT, 164
- PZT, 232, *see also* lead titanate zirconate
- Q, quality factor, 70, 79, 168, 406, 412–414
- QLV, 38, 148
- Quartz, 164, 185, 208, 225, 233, 315, 320, 402, 412
- Rayleigh scattering, 316
- Rebound, 82, 414
- Rebound experiment, 161
- Recovery, 14, 377
- Relaxation, 6
 - modulus, 6
 - modulus in Boltzmann integral, 16
 - standard linear solid, 24
- Relaxation instrument, 174
 - spectrum, 92
 - strength, 25, 62, 107, 273, 276, 278, 280, 284, 285, 296, 299, 312, 319
- Resonance, 67
- Resonance experiment, 161
- Resonant ultrasound spectroscopy, 168
- Retardation spectrum, 92
- Reuss composite, 341, 345
- Riemann integral, 15
- Risetime, 146, 198
- Road rutting, 380
- Rock, 227, 385
- Rolling, 409
- Rubber elasticity, 289
- Rubbery region, 289
- RUS, 168
- Sapphire, 208
- Satellite stability, 426
- Schrag apparatus, 179, 180
- Secondary creep, 5, 382
- Selenium, 225
- Servohydraulic devices in experiment, 173
- Shape memory materials, 222, 306, 355, 408
- Shear modulus, 14, 34, 67, 71, 151, 170, 184, 190, 210, 212, 214, 342, 411, 451
- Shoe insoles, 211, 419
- Shoes, 381
- Silicon, 208
- Silly Putty, 10, 425
- Sinusoidal load, 55
- Skin, 392
- Smart material, 36, 37, 274, 407
- Snoek relaxation, 294
- Solder, 219, 223, 386
- Solids, 7
- Sound and $\tan\delta$, 102
- Spacecraft explosion, 390
- Specific damping capacity, 65
- Spectra, 92
- Spectral hole-burning experiment, 160
- Spinal discs, 244
- Sports, 422
- Squash ball, 423
- Standard linear solid, 22
 - and spectra, 94
 - comparison of creep, relaxation, 103
- Debye peak, 95
- dynamic behavior, 62
- Steel, 208, 217, 224, 225, 255, 295, 380, 382
- Stieltjes integral, 17, 20, 40, 441
- Stiffness-loss maps, 208, 209
 - of composites, 350
- Storage compliance, 61
- Storage modulus, 57, 61
- Strain gages, 152
- Stretched exponential, 29
 - causes, 322
 - in complex materials, 315
 - in polymers, 286
- Subresonant experiments, 158
- Super ball, 423
- $\tan\delta$, 57
 - and energy, 65
 - and Lissajous figure, 61
 - and rebound, 82
 - and resonance, 69
 - and waves, 78
 - from creep curve slope, 100
 - from modulus change, 100
- Temperature control, 157
- Temperature effect, 30, *see also* time temperature superposition, WLF equation, Arrhenius equation
- Tendon, 239
- Tertiary creep, 5
- Thermal properties, 280
- Thermoelastic relaxation, 274
- Thermorheologically simple, 31
- Thud, 102
- Time–temperature superposition, 31
 - in experiments, 172
 - Zener relaxation, 310
- Timepieces, 412
- Tin, 219

Index

461

- Tires, 388, 409
Torsion, 67, 71, 146, 160, 162–164, 170, 174, 176,
 179, 180
Torsion pendulum, 174
Transition region, 287
Tuning forks, 10, 76, 101, 413
Turbine blades, 381

Ultrasonics, 184, 402, 407, 409, 412
Uterus, 246

Vibration, 67
 control, 394
 distributed system, 71
 free decay, 74
 in experiment, 161, 163, 164, 166
 in musical instruments, 390
isolation, 388, 394
lumped system, 67

musical instruments, 73
rotating equipment, 397
transmission, 394
width of amplitude curve, 70
Voigt composite, 341, 345
Voigt model, 22

Watches, 412
Wave scattering, 316
Waves, 77, 124
Waves in experiment, 184
Wedge spectrum, 93
WLF equation, 30
Wood, 252, 378

Young's modulus, 6, 34, 210, 342, 451

Zener relaxation, 298, 309
Zinc, 217, 220