

Cambridge University Press

978-0-521-88572-0 — Exact and Approximate Controllability for Distributed Parameter Systems:

A Numerical Approach

Roland Glowinski , Jacques-Louis Lions , Jiwen He

Frontmatter

[More Information](#)

---

EXACT AND APPROXIMATE CONTROLLABILITY FOR  
DISTRIBUTED PARAMETER SYSTEMS

The behavior of systems occurring in real life is often modeled by partial differential equations. This book investigates how a user or observer can influence the behavior of such systems mathematically and computationally. A thorough mathematical analysis of controllability problems is combined with a detailed investigation of methods used to solve them numerically, these methods being validated by the results of numerical experiments. In Part I of the book, the authors discuss the mathematics and numerics relating to the controllability of systems modeled by linear and nonlinear diffusion equations; Part II is dedicated to the controllability of vibrating systems, typical ones being those modeled by linear wave equations; finally, Part III covers flow control for systems governed by the Navier–Stokes equations modeling incompressible viscous flow. The book is accessible to graduate students in applied and computational mathematics, engineering, and physics; it will also be of use to more advanced practitioners.

Cambridge University Press

978-0-521-88572-0 — Exact and Approximate Controllability for Distributed Parameter Systems:

A Numerical Approach

Roland Glowinski, Jacques-Louis Lions, Jiwen He

Frontmatter

[More Information](#)

## ENCYCLOPEDIA OF MATHEMATICS AND ITS APPLICATIONS

All the titles listed below can be obtained from good booksellers or from Cambridge University Press. For a complete series listing

visit <http://www.cambridge.org/uk/series/sSeries.asp?code=EOM>

- 62 H. O. Fattorini *Infinite Dimensional Optimization and Control Theory*
- 63 A. C. Thompson *Minkowski Geometry*
- 64 R. B. Bapat and T. E. S. Raghavan *Nonnegative Matrices with Applications*
- 65 K. Engel *Sperner Theory*
- 66 D. Cvetkovic, P. Rowlinson, and S. Simic *Eigenspaces of Graphs*
- 67 F. Bergeron, G. Labelle, and P. Leroux *Combinational Species and Tree-Like Structures*
- 68 R. Goodman and N. Wallach *Representations and Invariants of the Classical Groups*
- 69 T. Beth, D. Jungnickel, and H. Lenz *Design Theory I, 2nd edn*
- 70 A. Pietsch and J. Wenzel *Orthonormal Systems for Banach Space Geometry*
- 71 G. E. Andrews, R. Askey, and R. Roy *Special Functions*
- 72 R. Ticciati *Quantum Field Theory for Mathematicians*
- 73 M. Stern *Semimodular Lattices*
- 74 I. Lasiecka and R. Triggiani *Control Theory for Partial Differential Equations I*
- 75 I. Lasiecka and R. Triggiani *Control Theory for Partial Differential Equations II*
- 76 A. A. Ivanov *Geometry of Sporadic Groups I*
- 77 A. Schinzel *Polynomials with Special Regard to Reducibility*
- 78 H. Lenz, T. Beth, and D. Jungnickel *Design Theory II, 2nd edn*
- 79 T. Palmer *Banach Algebras and the General Theory of \*-Algebras II*
- 80 O. Stormark *Lie's Structural Approach to PDE Systems*
- 81 C. F. Dunkl and Y. Xu *Orthogonal Polynomials of Several Variables*
- 82 J. P. Mayberry *The Foundations of Mathematics in the Theory of Sets*
- 83 C. Foias, O. Manley, R. Rosa, and R. Temam *Navier–Stokes Equations and Turbulence*
- 84 B. Polster and G. Steinke *Geometries on Surfaces*
- 85 R. B. Paris and D. Kaminski *Asymptotics and Mellin–Barnes Integrals*
- 86 R. McEliece *The Theory of Information and Coding, 2nd edn*
- 87 B. Magurn *Algebraic Introduction to K-Theory*
- 88 T. Mora *Solving Polynomial Equation Systems I*
- 89 K. Bichteler *Stochastic Integration with Jumps*
- 90 M. Lothaire *Algebraic Combinatorics on Words*
- 91 A. A. Ivanov and S. V. Shpectorov *Geometry of Sporadic Groups II*
- 92 P. McMullen and E. Schulte *Abstract Regular Polytopes*
- 93 G. Gierz et al. *Continuous Lattices and Domains*
- 94 S. Finch *Mathematical Constants*
- 95 Y. Jabri *The Mountain Pass Theorem*
- 96 G. Gasper and M. Rahman *Basic Hypergeometric Series, 2nd edn*
- 97 M. C. Pedicchio and W. Tholen (eds.) *Categorical Foundations*
- 98 M. E. H. Ismail *Classical and Quantum Orthogonal Polynomials in One Variable*
- 99 T. Mora *Solving Polynomial Equation Systems II*
- 100 E. Olivier and M. Eulália Vares *Large Deviations and Metastability*
- 101 A. Kushner, V. Lychagin, and V. Rubtsov *Contact Geometry and Nonlinear Differential Equations*
- 102 L. W. Beineke, R. J. Wilson, and P. J. Cameron. (eds.) *Topics in Algebraic Graph Theory*
- 103 O. Staffans *Well-Posed Linear Systems*
- 104 J. M. Lewis, S. Lakshmivarahan, and S. Dhall *Dynamic Data Assimilation*
- 105 M. Lothaire *Applied Combinatorics on Words*
- 106 A. Markoe *Analytic Tomography*
- 107 P. A. Martin *Multiple Scattering*
- 108 R. A. Brualdi *Combinatorial Matrix Classes*
- 110 M.-J. Lai and L. L. Schumaker *Spline Functions on Triangulations*
- 111 R. T. Curtis *Symmetric Generation of Groups*
- 112 H. Salzmann, T. Grundhöfer, H. Hähl, and R. Löwen *The Classical Fields*
- 113 S. Peszat and J. Zabczyk *Stochastic Partial Differential Equations with Lévy Noise*
- 114 J. Beck *Combinatorial Games*
- 115 L. Barreira and Y. Pesin *Nonuniform Hyperbolicity*
- 116 D. Z. Arov and H. Dym *J-Contractive Matrix Valued Functions and Related Topics*
- 117 R. Glowinski, J.-L. Lions, and J. He *Exact and Approximate Controllability for Distributed Parameter Systems*

Cambridge University Press

978-0-521-88572-0 — Exact and Approximate Controllability for Distributed Parameter Systems:

A Numerical Approach

Roland Glowinski , Jacques-Louis Lions , Jiwen He

Frontmatter

[More Information](#)

---

# Exact and Approximate Controllability for Distributed Parameter Systems

A Numerical Approach

ROLAND GLOWINSKI

*University of Houston*

JACQUES-LOUIS LIONS

*College de France, Paris*

JIWEN HE

*University of Houston*



**CAMBRIDGE**  
UNIVERSITY PRESS

Cambridge University Press  
 978-0-521-88572-0 — Exact and Approximate Controllability for Distributed Parameter Systems:  
 A Numerical Approach  
 Roland Glowinski , Jacques-Louis Lions , Jiwen He  
 Frontmatter  
[More Information](#)

**CAMBRIDGE**  
 UNIVERSITY PRESS

University Printing House, Cambridge CB2 8BS, United Kingdom  
 One Liberty Plaza, 20th Floor, New York, NY 10006, USA  
 477 Williamstown Road, Port Melbourne, VIC 3207, Australia  
 314-321, 3rd Floor, Plot 3, Splendor Forum, Jasola District Centre, New Delhi - 110025, India  
 103 Penang Road, #05-06/07, Visioncrest Commercial, Singapore 238467

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning and research at the highest international levels of excellence.

[www.cambridge.org](http://www.cambridge.org)

Information on this title: [www.cambridge.org/9780521885720](http://www.cambridge.org/9780521885720)

© R. Glowinski, J.-L. Lions and J. He 2008

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2008

*A catalogue record for this publication is available from the British Library*

*Library of Congress Cataloging in Publication data*

Glowinski, R.

Exact and approximate controllability for distributed parameter systems : a numerical approach / Roland Glowinski, Jacques-Louis Lions, Jiwen He.

p. cm.

Includes bibliographical references and index.

ISBN 978-0-521-88572-0 (hardback : alk. paper)

1. Control theory. 2. Distributed parameter systems. 3. Differential equations, Partial-Numerical solutions. I. Lions, Jacques Louis. II. He, Jiwen. III. Title.

QA402.3.G56 2008

515'.642-dc22

2007042032

ISBN 978-0-521-88572-0 Hardback

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate.

Cambridge University Press

978-0-521-88572-0 — Exact and Approximate Controllability for Distributed Parameter Systems:

A Numerical Approach

Roland Glowinski , Jacques-Louis Lions , Jiwen He

Frontmatter

[More Information](#)

---

*To Andrée, Angela, and April, and to Dorian Lions*

Cambridge University Press

978-0-521-88572-0 — Exact and Approximate Controllability for Distributed Parameter Systems:

A Numerical Approach

Roland Glowinski , Jacques-Louis Lions , Jiwen He

Frontmatter

[More Information](#)

---

LENS LARQUE-homonyms, with definitions.

1. Lencilorqua: a village of 657 inhabitants on Vasselona Continent, Reis, sixth planet to Gamma Eridani.
2. Lanslarke: a predacious winged creature of Dar Sai, third planet of Cora, Argo Navis 961.
3. Laenzle arc: the locus of a point generated by the *seventh theorem of triskoïd dynamics*, as defined by the mathematician Palo Laenzle (907–1070).
4. Linslurk: a mosslike . . .

Jack Vance, *The Face*. In *The Demon Princes*, Volume II,  
Tom Doherty Associates, Inc., New York, NY, 1997

The most challenging course I took in high school was calculus.

Bill Clinton, *My Life*, Knopf, New York, NY, 2004

The real trick to writing a book is writing. Until you have a book.

Adam Felber, *Schrödinger's Ball*, Random House, New York, NY, 2006

## Contents

---

<i>Preface</i>	<i>page xi</i>
<b>Introduction</b>	<b>1</b>
I.1 What it is all about?	1
I.2 Motivation	2
I.3 Topologies and numerical methods	3
I.4 Choice of the control	4
I.5 Relaxation of the controllability notion	4
I.6 Various remarks	5
<b>Part I Diffusion Models</b>	
<b>1 Distributed and pointwise control for linear diffusion equations</b>	<b>9</b>
1.1 First example	9
1.2 Approximate controllability	12
1.3 Formulation of the approximate controllability problem	14
1.4 Dual problem	15
1.5 Direct solution to the dual problem	17
1.6 Penalty arguments	19
1.7 $L^\infty$ cost functions and bang-bang controls	22
1.8 Numerical methods	28
1.9 Relaxation of controllability	57
1.10 Pointwise control	62
1.11 Further remarks (I): Additional constraints on the state function	96
1.12 Further remarks (II): A bisection based memory saving method for the solution of time dependent control problems by adjoint equation based methodologies	112
1.13 Further remarks (III): A brief introduction to Riccati equations based control methods	117

<b>2</b>	<b>Boundary control</b>	124
2.1	Dirichlet control (I): Formulation of the control problem	124
2.2	Dirichlet control (II): Optimality conditions and dual formulations	126
2.3	Dirichlet control (III): Iterative solution of the control problems	128
2.4	Dirichlet control (IV): Approximation of the control problems	133
2.5	Dirichlet control (V): Iterative solution of the fully discrete dual problem (2.124)	143
2.6	Dirichlet control (VI): Numerical experiments	146
2.7	Neumann control (I): Formulation of the control problems and synopsis	155
2.8	Neumann control (II): Optimality conditions and dual formulations	163
2.9	Neumann control (III): Conjugate gradient solution of the dual problem (2.192)	176
2.10	Neumann control (IV): Iterative solution of the dual problem (2.208), (2.209)	178
2.11	Neumann control of unstable parabolic systems: a numerical approach	178
2.12	Closed-loop Neumann control of unstable parabolic systems via the Riccati equation approach	223
<b>3</b>	<b>Control of the Stokes system</b>	231
3.1	Generalities. Synopsis	231
3.2	Formulation of the Stokes system. A fundamental controllability result	231
3.3	Two approximate controllability problems	234
3.4	Optimality conditions and dual problems	234
3.5	Iterative solution of the control problem (3.19)	236
3.6	Time discretization of the control problem (3.19)	238
3.7	Numerical experiments	239
<b>4</b>	<b>Control of nonlinear diffusion systems</b>	243
4.1	Generalities. Synopsis	243
4.2	Example of a noncontrollable nonlinear system	243
4.3	Pointwise control of the viscous Burgers equation	245
4.4	On the controllability and the stabilization of the Kuramoto-Sivashinsky equation in one space dimension	259
<b>5</b>	<b>Dynamic programming for linear diffusion equations</b>	277
5.1	Introduction. Synopsis	277
5.2	Derivation of the Hamilton–Jacobi–Bellman equation	278
5.3	Some remarks	279

**Part II Wave Models**

<b>6 Wave equations</b>	283
6.1 Wave equations: Dirichlet boundary control	283
6.2 Approximate controllability	285
6.3 Formulation of the approximate controllability problem	286
6.4 Dual problems	287
6.5 Direct solution of the dual problem	288
6.6 Exact controllability and new functional spaces	289
6.7 On the structure of space $E$	291
6.8 Numerical methods for the Dirichlet boundary controllability of the wave equation	291
6.9 Experimental validation of the filtering procedure of Section 6.8.7 via the solution of the test problem of Section 6.8.5	315
6.10 Some references on alternative approximation methods	319
6.11 Other boundary controls	320
6.12 Distributed controls for wave equations	328
6.13 Dynamic programming	329
<b>7 On the application of controllability methods to the solution of the Helmholtz equation at large wave numbers</b>	332
7.1 Introduction	332
7.2 The Helmholtz equation and its equivalent wave problem	332
7.3 Exact controllability methods for the calculation of time-periodic solutions to the wave equation	334
7.4 Least-squares formulation of the problem (7.8)–(7.11)	334
7.5 Calculation of $J'$	336
7.6 Conjugate gradient solution of the least-squares problem (7.14)	337
7.7 A finite element–finite difference implementation	340
7.8 Numerical experiments	341
7.9 Further comments. Description of a mixed formulation based variant of the controllability method	349
7.10 A final comment	355
<b>8 Other wave and vibration problems. Coupled systems</b>	356
8.1 Generalities and further references	356
8.2 Coupled Systems (I): a problem from thermo-elasticity	359
8.3 Coupled systems (II): Other systems	367

**Part III Flow Control****9 Optimal control of systems modelled by the Navier–Stokes equations:**

<b>Application to drag reduction</b>	371
9.1 Introduction. Synopsis	371
9.2 Formulation of the control problem	373
9.3 Time discretization of the control problem	377
9.4 Full discretization of the control problem	379
9.5 Gradient calculation	384
9.6 A BFGS algorithm for solving the discrete control problem	388
9.7 Validation of the flow simulator	389
9.8 Active control by rotation	394
9.9 Active control by blowing and suction	408
9.10 Further comments on flow control and conclusion	419
<i>Epilogue</i>	426
<i>Further Acknowledgements</i>	429
<i>References</i>	430
<i>Index of names</i>	450
<i>Index of subjects</i>	454

---

## Preface

---

During ICIAM 1995, in Hamburg, David Tranah approached Jacques-Louis Lions and myself and asked us if we were interested in publishing in book form our two-part article “*Exact and approximate controllability for distributed parameter systems*” which had appeared in *Acta Numerica* 1994 and 1995. The length of the article (almost 300 pages) was a justification, among several others, for such an initiative. While I was very enthusiastic about this project, J.L. Lions was more cautious, without being against it. Actually, his reservation concerning this book project was stemming from recent important developments on controllability related issues, justifying, in his opinion an in-depth revision of our article. Both of us being quite busy, the project was practically forgotten. As everyone knows in the Scientific Community, and elsewhere, Jacques-Lions passed away in June 2001, while still active scientifically. He largely contributed in making the *Control of Distributed Parameter Systems* a most important field where sophisticated mathematical and computational techniques meet with advanced applications. Therefore, when David Tranah renewed his 1995 suggestion during a conference of the European Mathematical Society held in Nice in February 2003, we thought that it would be a very nice way to pay to J.L. Lions the tribute he fully deserves. The idea was to respect as much as possible the original text, since it largely reflects J.L. Lions’ inspired scientific vision, and also its inimitable way at making simple complicated notions. On the other hand, it was also agreed that additional material should be included to make the text more up to date. Most of these additions are concerned with *flow control*; indeed, for J.L. Lions, the control of flow modeled by the Navier–Stokes equations was a kind of scientific Holy Grail and we are most happy that he could witness the first real mathematical and computational successes in that direction, all taking place in the late 1990s.

The present volume is structured as follows:

- Motivations and some broad generalities are given in the Introduction.
- Part I is dedicated to the control of *linear* and *nonlinear diffusion models*; it contains Sections 1–5 of the *Acta Numerica* article, with additional materials such as the Neumann control of unstable advection–reaction–diffusion models, and a discussion of computer memory saving methods for the solution of time-dependent control problems by adjoint-equation-based methods. A short introduction to *Riccati-equation*-based control methods is also provided.

- Part II is concerned with the controllability of *wave equation* type models and of *coupled systems*. This material corresponds essentially to Sections 6 and 7 of the *Acta Numerica* article.
- Part III is the main addition to the original text; it is dedicated to the *boundary control*, by either rotation or blowing and suction, of *Newtonian incompressible viscous flow* modeled by the *Navier–Stokes equations*.

Since most of the additional material follows from investigations conducted jointly with Professor Jiwen He, a former collaborator of J.L. Lions, all the parties involved found it quite natural to have him as a coauthor of this volume.

Acknowledgments and warmest thanks should go first to David Tranah, Ken Blake, and Cambridge University Press for encouraging the publication of this augmented version of the *Acta Numerica* article, and also to Mrs Andrée Lions and Professor Pierre-Louis Lions for their acceptance of this project. The invaluable help of Dr H.L. Juárez (UAM-Mexico City) and of his collaborators (Bety Arce, in particular) is also acknowledged; they converted large parts of a text initially written in Word<sup>®</sup> to a L<sup>A</sup>T<sub>E</sub>X<sup>®</sup> file, a nontrivial task indeed considering the size of this volume.

Special thanks are due to S. Barck-Holst, M. Berggren, H.Q. Chen, J.M. Coron, J.I. Diaz, S. Gomez, M. Gorman, A.J. Kearsley, B. Mantel, R. Metcalfe, J. Périaux, T.-W. Pan, O. Pironneau, J.-P. Puel, A.M. Ramos, T. Rossi, D. Sorensen, J. Toivanen, and E. Zuazua for very helpful comments and suggestions concerning the additions to the original article (further acknowledgments may be found at the end of this volume; they concern the original *Acta Numerica* article).

We will conclude this preface with further thanks to Cambridge University Press for authorizing the reprinting of the above *Acta Numerica* article in Volume III of J.L. Lions, *Oeuvres Choisies*, SMAI / EDP Sciences, Paris, 2003, a three-volume testimony of the outstanding scientific contributions of Jacques-Louis Lions.

Guanajuato, Mexico

Roland Glowinski

## Introduction

---

### I.1 What it is all about?

We consider a system whose *state* is given by the solution  $y$  to a partial differential equation (PDE) of evolution, and which contains *control functions*, denoted by  $v$ .

Let us write all that in a formal fashion for the time being. The *state equation* is written as

$$\frac{\partial y}{\partial t} + \mathcal{A}(y) = \mathcal{B}v, \quad (\text{I.1})$$

where  $y$  is a scalar- or vector-valued function.

In (I.1),  $\mathcal{A}$  is a set of partial differential operators (PDOs), linear or nonlinear (at least for the time being). In (I.1),  $v$  denotes the *control* and  $\mathcal{B}$  maps the “space of controls” into the “state space”. It goes without saying that all this has to be made more precise. This will be the task of the following sections.

The PDE (I.1) should include *boundary conditions*. We do not make them explicit here. They are supposed to be contained in the abstract formulation (I.1), where  $v$  can be either applied *inside* the domain  $\Omega \subset \mathbb{R}^d$ , where (I.1) is considered ( $v$  is then a *distributed control*), or on the boundary  $\Gamma$  of  $\Omega$  – or on a part of it ( $v$  is then a *boundary control*). If  $v$  is applied at points of  $\Omega$ ,  $v$  is said to be a *pointwise control*.

One has to add also *initial conditions* to (I.1): if we assume that  $t = 0$  is the initial time, then these initial conditions are given by

$$y|_{t=0} = y_0, \quad (\text{I.2})$$

with  $y_0$  being a given element of the state space.

It will be assumed that, given  $v$  (in a suitable space), problem (I.1)–(I.2) (and the boundary conditions included in the formulation (I.1)) *uniquely defines a solution*. This solution is a function (scalar- or vector-valued) of  $x \in \Omega$ ,  $t > 0$ , and of  $y_0$  and  $v$ . We shall denote this solution by  $y(v)$  ( $= \{x, t\} \rightarrow y(x, t; v)$ ). Similarly, we shall denote by  $y(t; v)$  the function  $x \rightarrow y(x, t; v)$ . Then, the initial condition (I.2) can be written as

$$y(0; v) = y_0. \quad (\text{I.2*})$$

**Remark I.1** The notions to be introduced below can be generalized to situations where the *uniqueness* of the solution to problem (I.1)–(I.2) is *not known*. We are thinking here of the Navier–Stokes equations (and related models) when the flow region  $\Omega$  is a subset of  $\mathbb{R}^3$  (and the *Reynolds number* is sufficiently large).

We can now introduce the notion of *controllability*, either *exact* or *approximate*.

Let  $T > 0$  be *given* and let  $y_T$  (the *target function*) be a *given element* of the state space. We want to “drive the system” from  $y_0$  at  $t = 0$  to  $y_T$  at  $t = T$ , that is, we want to find  $v$  such that

$$y(T; v) = y_T. \quad (\text{I.3})$$

If this is possible for *any* target function  $y_T$  in the state space, one can say that the system is *controllable* (or *exactly controllable*). If – as we shall see in most of the examples – condition (I.3) is too strict, it is natural to replace it by the less demanding one

$$y(T; v) \text{ belongs to a “small” neighborhood of } y_T. \quad (\text{I.4})$$

If this is possible, one says that the system is *approximately controllable*; otherwise, the system is *not controllable*.

Before giving precise examples, we want to say a few words concerning the motivation for studying these controllability problems.

## I.2 Motivation

There are several aspects that make controllability problems important in practice.

**Aspect # 1** At a *given time-horizon*, we want the system under study to behave *exactly* as we wish (or in a manner arbitrary close to it).

Problems of this type are common in Science and Engineering: we would like, for example, to have the temperature (or pressure) of a system equal, or very close, to a given value – globally or locally – at a given time. *Chemical Engineering* is an important source of such problems, a typical example in that direction being the design of *car catalytic converters*; in this example chemical reactions have to take place leading to the “destruction” at a given time-horizon (very small in practice) of the polluting chemicals contained in the exhaust gases (the modeling and numerical simulation of catalytic converter systems are discussed in, for example, Engquist, Gustafsson, and Vreeburg (1978), Friedman (1988, Chapter 7), and Friend (1993)).

**Aspect # 2** For *linear* systems, it is known (cf. Russel (1978)) that exact controllability is equivalent to the possibility of *stabilizing* the system.

*Stabilization problems* abound, in particular in (large) composite structures – the so-called “multibody” systems made of many different parts which can be considered

as three-, two-, or one-dimensional and which are linked together by *junctions* and *joints*. The modeling and analysis of such systems are the subject of many interesting studies. We want to mention here the contributions of P.G. Ciarlet and his collaborators (see, for example, Ciarlet, Le Dret, and Nzenywa, 1989, Ciarlet, 1990a,b), and those of Sanchez-Hubert and Sanchez-Palencia (1989), Lagnese, Leugering, and Schmidt (1992, 1994), J. Simo and his collaborators (see, for example, Laursen and Simo, 1993), Park and his collaborators (see, for example, Park, Chiou, and Downer, 1990 and Downer, Park, and Chiou, 1992).

Studying *controllability* is one approach to *stabilization* as shown in, for example, J.L. Lions (1988a).

**Aspect #3** (On *controllability* and *reversibility*): Suppose we have a system that was in a state  $z_1$  at time  $t = -t_0$ ,  $t_0 > 0$ , and that is *now* (that is, at  $t = 0$ ) in the state  $y_0$ .

We would like to have the system *returning* to a state as close as possible to  $z_1$ , that is,  $y_T = z_1$ . If this is possible, it means some kind of “reversibility” property for the system under consideration. What we have in mind here are *environmental systems*; should they be “local” or “global” in the space variables?

*Noncontrollable* (sub)systems can suffer “irreversible” changes (cf. J.L. Lions, 1990 and Diaz, 1991).

We return now to the general questions of Section I.1, making them more precise before giving examples.

### I.3 Topologies and numerical methods

The topology of the state space appears explicitly in condition (I.4). It is obvious that approximate controllability *depends* on the choice of the topology on the state space, that is, of the state space itself. Actually, *exact* controllability depends on the choice of the state space as well. The choice of the state space is therefore an obviously fundamental issue for the *theory*. We want to emphasize that it is also a fundamental issue from the *numerical point of view*. Indeed, if one has (as we shall see in several situations) exact or approximate controllability in a very general space (which can include elements that are not distributions but “ultra-distributions”) but *not* in a classical space of smooth (or sufficiently smooth) functions, then the numerical approximation will *necessarily* develop singularities; “remedies” should be based on the knowledge of the topology where the theoretical convergence is taking place. We shall return on these issues in the following sections; actually, some of them have been addressed in, for example, Dean, Glowinski, and Li (1989), Glowinski and Li (1990), Glowinski, Li, and Lions (1990), Glowinski (1992a), where various *filtering* techniques are discussed in order to eliminate the numerical singularities mentioned above.

In the next section we shall address the following question (of general nature also), namely,

*How to choose the control?*

**I.4 Choice of the control**

Let us return to the general formulation (I.1), (I.2), (I.3), (or (I.4)). If there exists, *one* control  $v$  achieving these conditions, then there exist, in general, *infinitely many other* controls,  $vs$ , also achieving these conditions. Which one should we choose and how?

A most important question is: how to *norm* (we are always working in Banach or Hilbert spaces) the  $vs$ ? This is related to the *topology* of the state space. It is indeed clear that the regularity (or irregularity!) properties of  $v$  and  $y$  in (I.1) are related. Let us assume that a norm  $v \mapsto \|v\|$  is chosen. Once this choice is made, a natural formulation of the problem is then to find

$$\inf \|v\|, \tag{I.5}$$

among all those  $vs$  such that (I.1), (I.2), (I.3), or (I.4) take place.

**Remark I.2** There is still some flexibility here since problem (0.5) still makes sense if one replaces  $\|\cdot\|$  by a *stronger* norm. This remark will be of practical interest as we shall see later on.

**Remark I.3** One can encounter questions of controllability for systems depending on “small” parameters. Two classical (by now) examples are

- (i) *Singular perturbations.*
- (ii) *Homogenization* which is important for the controllability of structures made of *composite materials.*

In these situations one has to introduce either *families* of norms in (I.5) or norms *equivalent* to  $\|\cdot\|$ , but which depend on the homogenization parameter.

**I.5 Relaxation of the controllability notion**

Let us return again to (I.1) and (I.2):

Condition (I.3) concerns the state  $y$  itself. In a “complex system” this condition can be (and will be in general) unnecessarily strong. We may want some *subsystems* to behave according to our wishes. We may also want some *average* values to behave accordingly, and so on. A general formulation is as follows:

We consider an operator

$$C \in \mathcal{L}(Y, \mathcal{H}), \tag{I.6}$$

where  $Y$  is the state space (chosen!) and where  $\mathcal{H}$  is another Banach or Hilbert space (the *observation* space). Think, for instance, of  $C$  as being an *averaging* operator. Then, we “relax” condition (I.3) (respectively (I.4)) as follows:

$$Cy(T; v) = h_T, \quad h_T \text{ given in } \mathcal{H} \tag{I.7}$$

(respectively

$$C_y(T; v) \text{ belongs to a neighborhood of } h_T \text{ in } \mathcal{H} \quad (\text{I.8})$$

and consider (I.5) where  $v$  is subject to (I.7) (respectively (I.8)).

### I.6 Various remarks

**Remark I.4** For most examples considered in this book, the control function is either distributed (or pointwise) or of a boundary nature. It can also be a *geometrical* one. Namely, we can consider the domain  $\Omega$  as variable or, to be more precise, at least a part of the boundary of  $\Omega$  is variable, and we want to “move this part of the boundary” in order to drive the system from a given state to another one. In summary, we look for *controllability by a suitable variable geometry*. Problems of this type are discussed in Buschnell and Hefner (1990); they mostly concern *drag reduction* for viscous flow (see also Sellin and Moses, 1989); we will return on drag reduction in Part III.

**Remark I.5** Recent events have shown the importance of *stealth technologies*. The related problems are very complicated from the modeling, mathematical, computational, and engineering points of view; several approaches can be considered (they do not exclude one another) such as active control, passive control via well-chosen coating materials and/or well-chosen shape, use of decoy strategies, and so on. Indeed, these methods can apply for planes and submarines as well. These problems justify a book by themselves and will not be specifically addressed here. We think, however, that various notions related to controllability, including the concept of *sentinels* can be most helpful in the formulation and solution of stealth related problems as shown in, for example, J.L. Lions (1989), (1990), and (1992a) (see also the references therein). It is also worth mentioning that the *exact controllability* based solution methods for the *Helmholtz equation at large wave numbers*, described in Chapter 7, have been motivated by stealth issues.

**Remark I.6** We would like to conclude this introductory chapter by mentioning Zuazua (2007). This very recent and most remarkable publication contains an in-depth discussion of several of the controllability related topics discussed in the present volume.