

Index

- Agropyron flaveolatum*
(parasitoid) 360
- Agrostis ipsilon* (dark sword-grass moth),
distribution 347–348
- alanine
cryoprotective properties 16, 104–105
role in rapid cold-hardening 45
- Alaskozetes antarcticus* (mite)
biochemical trade-offs 310
hemolymph thermal hysteresis 68
- alpine habitats *see* life-history adaptations in cold regions
- amino acids
cryoprotectant properties 16
-omics studies of low-temperature responses 104–105
role in rapid cold-hardening 45
- anaerobiosis 150
- anhydrobiosis 150
- anhydrobiotic larvae 19, 22
- anoxia-tolerance and freezing survival 143–144
- antifreeze glycoproteins (AFGPs) 64, 65
- antifreeze proteins (AFPs)
(thermal hysteresis proteins) 20, 63–81, 168
- antifreeze glycoproteins (AFGPs) 64, 65
- arthropods which have evolved AFPs 68–69
- CcAFP (*Cucujus clavipes*)
structure 69
- control of AFP production and activity 79–80
- DAFP (*Dendroides canadensis*) structure 69, 70, 71
- determining the presence of AFPs 66–68
- effects on ice-crystal morphology 67
- enhancement of DAFP activity 72–73
- expression and functions of DAFPs 73–75, 76
- extending the larval feeding period 76
- freeze-avoidance functions 73–76
- freeze-tolerance functions 76–78
- functions not related to cold-tolerance 78–79
- functions of CcAFPs 75–76
- future directions 80–81
- high-molecular-mass cryoprotectants 16
- history 63–65
- in Antarctic fish 63–65
- in winter-active species 76
- intracellular AFPs in insects 76
- measuring thermal hysteresis (TH) 66–67
- mechanism(s) of freezing inhibition 65–66
- recrystallization inhibition (RI)
activity 67–68
- sbwAFP (spruce budworm) structure 69–71
- sfAFP (snow flea) structure 71
- structural characterization of arthropod AFPs 69–72
- thermal hysteresis 63–65

- thermal hysteresis factor
 which is not a
 protein 71–72
- TmAFP (*Tenebrio molitor*)
 structure 69, 70
- antifreezes *see* cryoprotectants
- antioxidants 153–159
- Aphelinus mali* (parasitoid)
 360
- Aphidius colemani* (parasitic
 wasp)
 enzyme responses to
 intermittent chilling
 110
- heat-shock protein
 responses 107
- proteomic study 100
- aphids, asexual and sexual
 reproduction
 308–309
- apoptosis
 blocked by rapid cold-
 hardening
 50–51
- cold-induced 50–51
- aquaporins 21, 179–180
- aquatic insects, oxygen
 challenges in winter
 142–143
- asexual reproduction in cold
 regions 302,
 308–309
- ATP generation, effects of
 rapid cold-hardening
 46
- Autographa gamma* (silver-Y
 moth), temperature
 effects on
 distribution 349
- bacteria
 ice-nucleating active (INA)
 bacteria 11–13
- protein ice nucleators 60
- Bactrocera dorsalis* (fruit fly),
 quarantine cold
 treatment 357
- Bactrocera oleae* (olive fruit fly)
 predicted distribution
 356
- rapid cold-hardening 40,
 43
- Belgica antarctica* (Antarctic
 midge)
 absence of RCH response
 in adults 205
- cold-sensing at cellular
 level 48
- cryoprotective
 dehydration 19,
 176
- drought-acclimation and
 cold-tolerance 177
- life cycle 307
- metabolomic study 102
- rapid cold-hardening
 37–38
- role of calcium in RCH 49
- role of dehydrins 22
- beta-alanine, role in rapid
 cold-hardening 45
- biochemical processes
 costs and trade-offs in
 cold regions
 309–311
- effects of temperature
 (Q_{10} value) 167
- biological control agents
 establishment of
 non-native species
 180, 358–365
- use of INA micro-
 organisms 11,
 12–13
- biological membrane
 cold-induced
 restructuring
 118–121
- changing GPL/cholesterol
 ratio 118–119, 121
- desaturation (UFA/SFA
 ratio) 118–119, 120
- GPL headgroup
 restructuring
 (GPEtn/GPChol ratio)
 118–119, 120–121
- reshuffling of fatty-acyl
 chains 118–119, 120
- shortening of fatty-acyl
 chain length
 118–119, 120
- biological membrane
 restructuring in
 insects
 changes to physical
 properties and
 functions 129–130
- cholesterol content 127
- fatty-acyl chain length
 123, 124, 125
- GPL headgroups
 (GPEtn/GPChol ratio)
 125, 126
- GPL molecular species
 remodeling
 125–127
- lipid composition of
 insect membranes
 121–122
- lipid metabolism in
 insects 121
- metabolic pathways
 involved 127–129
- UFA/SFA ratio in insects
 122–123, 124
- biological membranes
 dynamic phase behavior
 118
- fluidity (order) of lipid
 bilayers 117–118
- functions in cellular
 physiology 117

376 Index

- biological membranes (*cont.*)
 homeophasic adaptation 118
 homeoviscous adaptation 117–118
 phase states of membrane lipids 117–118
- Bogert effect 205, 206
- Bombyx mori* (silk moth), EST projects 93, 94
- Cacopsylla pyricola* (pear psylla), effects of surfactants 181
- calcium flux, role in rapid cold-hardening 49–50, 51
- capacity adaptation to cold 116–117
- capillary technique, TH and AFP determination 66, 67
- CcAFPs *see Cucujus clavipes*
- Celatoblatta quinque maculata* (alpine cockroach)
 effects of slow rates of cooling 199
 thermal hysteresis 68
 year-round cold-tolerance 203
- cell membranes *see* biological membranes
- cell organelles, cold-acclimation responses 130–131
- cell structural components, cold-acclimation responses 116–117
- cell structural elements, cold-acclimation responses 131
- cell structure, cold-acclimation responses 130
- cellular-acclimation responses 116–117
- biological membrane restructuring 118–121
- biological membrane restructuring in insects 121–130
- capacity adaptation 116–117
- cell structural elements 131
- cytoskeleton 130
- future directions 131–132
- gene transcription 131
- mitochondria 130–131
- resistance adaptation 116–117
- cellular respiration, -omics studies of low-temperature effects 109–111
- Ceratitis capitata* (fruit fly), quarantine cold treatment 357
- Ceruchus piceus* (stag beetle), seasonal removal of LPINs 63
- chaperone proteins, heat-shock proteins (Hsps) 152–153
- chill coma 3–4
- chill-coma temperature, effect of rapid cold-hardening 41–42
- chilling, temperature variation between species 3–4
- chilling-intolerant species 4–6
- Chilo suppressalis* (rice stem borer) 21
- mercury toxicity effects 179–180
- Choristoneura fumiferana* (spruce budworm)
 control of AFP production and activity 79
 structure of sbwAFPs 69–71
- Chrysomela aeneicollis* (beetle), PGI gene variation 286
- Chymomyza costata* (drosophilid), extreme cold-tolerance 14, 202
- Ciseps fulvicollis* (moth), inoculative freezing 62
- climate change responses
 biodiversity responses 192
 effects of warmer winter temperatures 257–259
 effects of warming at temperate and polar latitudes 243, 247–248
 effects on abundance and distribution of pests 350–356
 effects on diapause maintenance and termination 257–259
 future of pest management 366–367
 genes responsible for photoperiodism 254–257
 genetic correlations and response to selection 253

- genetic variability and
response to selection
252–253
- photoperiodic versus
thermal adaptation
243, 248–252
- photoperiodism in
Drosophila 262–264
- predictions and
implications 266
- relative roles of day
length and
temperature
247–252
- selection on response to
day length 243,
247–248
- selection on timing of
seasonal events 243,
248–252
- climate warming, effects on
cold-adapted insects
233–235
- climate-warming implications
259–262
- fitness at a single locality
260–261
- range expansion and
depletion of
heterozygosity
259–260
- relative fitness of
immigrants and
residents 260, 261
- climatic stressors, influence
on distribution of
species 166
- Cochliomyia hominivorax*
(screwworm)
control in the wild
325–326
- cryopreservation 325–326
see also
cryopreservation
- protocol
development
- cold-acclimation responses
116–117
- biological membrane
restructuring
118–121
- biological membrane
restructuring in
insects 121–130
- capacity adaptation
116–117
- cell structural elements
131
- cytoskeleton 130
- future directions
131–132
- gene transcription 131
- mitochondria 130–131
- resistance adaptation
116–117
- cold-adapted insects, effects of
climate warming
233–235
- cold effects, temperature
variation between
species 3–4
- cold-hardening, definition 4
- cold-hardiness strategies,
spatial patterns in
193, 208–210
- cold-induced apoptosis,
blocking by rapid
cold-hardening
50–51
- cold-sensing at cellular level
48
- cold-sensing mechanism in
rapid cold-hardening
49–50, 51
- cold-shock injury (direct
chilling injury) 4
protection with rapid
cold-hardening 35
- cold-stress 167–169
damaging effects on
insects 167–168
freeze-avoidance strategy
168
freeze-tolerance strategy
168–169
interactions with
dehydration and
toxic stresses
178–181
rate of biochemical
processes (Q_{10} value)
167
- cold-stupor temperature *see*
chill-coma
temperature
- cold-tolerance in insects
categories of insect
response 3–6
chilling-intolerant species
4–6
cryoprotectants 15–17
determination using SCP
5, 7–9
direct chilling injury
(cold-shock injury) 4
effects of drought
acclimation 176–178
freezing initiation 5,
9–15
freezing-intolerant (or
-avoidant) species 6
freezing-susceptible
species 6
freezing-tolerant species
5, 6
future directions 22–23
ice-nucleation agents 5,
9–13
indirect chilling injury
4–6
inoculative freezing
13–15

378 Index

- cold-tolerance in insects (*cont.*)
- link with desiccation 172–178
 - link with latitude 243
 - mechanisms of freezing injury 6–7
 - role of LEA (late embryogenesis abundant) proteins 177–178
 - role of proteins 19–22
 - supercooling 5, 7–9
 - temperature variation between species 3–4
 - water and ice management 17–19
- Colias* butterflies, PGI gene variation 286
- colligative effects of cryoprotectants 16–17
- Colorado potato beetle (*Leptinotarsa decemlineata*)
- biological control using INA bacteria 11, 12–13
 - EST projects 93, 94
 - heat-shock protein responses 106
- competition levels in cold regions 302, 312
- cryoinjury *see* freezing injury
- cryopreservation of insects
- benefits of indefinite storage of insects 325–326
- Cochliomyia hominivorax* (screwworm) 325–326 *see also* cryopreservation protocol development
- practical application of the technology 325–326
 - species-specific protocols 326
- cryopreservation protocol
- development 326–327, 332
 - cryoprotective agents 330–331
 - developmental-stage tolerance 328
 - embryo permeabilization 329–330
 - future directions 337–338
 - intracellular ice 328
 - pre- and post-storage treatment 331–332
 - slow versus rapid cooling 330
- cryopreservation protocol optimization
- fitness testing 337
 - larval diet 335–337
 - larval environment 335–337
 - osmotic equilibrium 333–334
 - pre-treatment incubation 332–337
 - strain variation 334–335
- cryoprotectants 15–17
- colligative effects 16–17
 - definition 16
 - effects on supercooling capacity 16–17
 - omics studies of low-temperature responses 106
 - penetrating cryoprotectants 16
 - specific (non-colligative) roles in cold-tolerance 17
 - transporters for 16
- cryoprotective dehydration 18–19, 172–176
- Cryptochaetum iceryae* (parasitoid) 358
- Cryptopygus antarcticus* (collembolan), cryoprotective dehydration 176
- crystallization temperature *see* supercooling point
- crystalloid inorganic compounds, ice-nucleation agents 10–11
- Cucujus clavipes* (beetle) CcAFP structure 69
- dehydration and cold-tolerance 172
- freeze-avoiding strategy 75–76
- functions of CcAFPs 75–76
- vitrification 19
- Culex pipiens* (mosquito)
- cytoskeletal responses to low temperature 108
 - enzyme responses to intermittent chilling 110
 - suppressive subtractive hybridization study 93–95
- cytoskeleton
- cold-acclimation responses 130
 - omics studies of low temperature effects 108
- Cyzenis albicans* (parasitoid) 360
- DAFPs *see* *Dendroides canadensis* daily torpor 150

- Danaus plexippus* (monarch butterfly), inoculative freezing 13, 14
- day length
role in climate change responses 247–252
selection on response to 243, 247–248
variation with latitude 243, 244–245
- dehydration, cryoprotective 18–19, 172–176
- dehydration stress 169–172
features of 169
interactions with cold and toxic stresses 178–181
mechanisms of evaporative loss 169–170
mechanisms to counter water loss 171–172
vapor saturation deficit 169–170
- dehydrins 21–22 (*see also* LEA proteins)
- Delia radicum* (cabbage root fly), effects of climate change 353
- Dendrobaena octaedra* (earthworm)
copper toxicity effects 179, 180
cryoprotective dehydration of cocoons 172, 173, 175
- Dendroctonus frontalis* (pine beetle), range expansion 354–355
- Dendroctonus ponderosae* (pine beetle), predicted distribution 355–356
- Dendroides canadensis* (beetle)
AFPs 67
control of DAFP production and activity 79–80
DAFP structure 69, 70, 71
enhancement of DAFP activity 72–73
expression and functions of DAFPs 73–75, 76
freeze-avoiding strategy 73–75
functions of DAFPs 78–79
recrystallization inhibition in hemolymph 68
seasonal removal of protein ice nucleators 63
- desiccation
cryoprotective dehydration strategy 172–176
links with cold-tolerance 172–178
role in freeze-avoiding insects 172
- desiccation stress tolerance, link with cold-tolerance 309
- diapause 130, 150, 171, 230, 245, 257–258
diapause and quiescence in cold regions 305–306
diapause maintenance and termination, effects of climate change 257–259
- Diaprepes abbreviatus* (root weevil), temperature effects on distribution 351
- Diatraea saccharalis* (sugar cane borer), biological control 358
- differential scanning calorimeter, use in TH and AFP determination 67
- Dinarmus basalis* (parasitoid wasp) 4
- direct chilling injury (cold-shock injury) 4
protection with rapid cold-hardening 35
- distribution, effects of cold-tolerance variability 280–282
- Drosophila* spp.
artificial selection for cold-tolerance traits 286–288
climate change responses 262–264
effects of cold-tolerance on distribution 281–282
evolution of cold-adaptation strategies 281–282
genetic studies on cold-adaptation 278–280
genetic variability for cold-tolerance 284–285, 286–288
intraspecific variation in cold-tolerance traits 284–285
linking genotype, phenotype and fitness 285
photoperiodism 262–264
quantitative trait loci (QTL) studies 280
reproductive diapause 284–285

380 Index

- Drosophila littoralis*, evolution
of critical photoperiod 255
- Drosophila melanogaster*
cold-induced apoptosis 50–51
effects of rapid cold-hardening 43–44
effects of slow rates of cooling 199
induction of rapid cold-hardening 39–40, 41–42, 43
membrane changes related to RCH 46–47
metabolomic study 101
microarray analysis 96
rapid cold-hardening response 37
responses to rapid cold-hardening 44–45
suppressive subtractive hybridization study 95
- drought acclimation, effects on cold-tolerance 176–178
- drought tolerance, role of LEA proteins 177–178
- dynamic phase behavior of membranes 118
- Embryonosis halticella* (ermine moth)
hemolymph thermal hysteresis 68
life-history adaptations 307
- Encarsia formosa* (parasitoid) 361
- environmental stressors
cold-, drought-, and toxic-stress interactions 178–181
cold-stress 167–169
cryoprotective dehydration strategy 172–176
dehydration stress 169–172
drought acclimation and cold-tolerance 176–178
effects of multiple stressors 166
environmental toxins 166
future directions 182
heavy-metal toxicity studies 179–181
ice-induced dehydration 170, 172–176
influence on distribution of species 166
interaction between stressor effects 166
links between desiccation and cold-tolerance 172–178
role of desiccation in freeze-avoiding insects 172
surfactants 179, 181
- environmental toxins 166
interactions with climatic stresses 178–181
environmental variation 194–200
frequency (return time) 196–197
magnitude and duration of thermal events 194–195
predictability 197–199
rates of change 199–200
- statistical analysis of variation 195
- Epiblema scudderiana* (gall moth),
low-temperature glucose response 109
- Epirrita autumnata* (autumnal moth)
effects of temperature on abundance 344
expansion of outbreak areas 354
- Eriosoma lanigerum* (woolly apple aphid),
biological control 360
- Erwinia herbicola*, ice-nucleating active bacterium 12
- erythritol 15–17
- EST (expressed sequence tag) projects 92–93, 94
- estivation 150
- ethylene glycol 15–17
- Eurosta solidaginis* (goldenrod gall fly)
crystalloid inorganic ice-nucleating agents 10–11
freeze-tolerance of fat body cells 18
frozen larvae 10, 11
ice nucleators 62
larval susceptibility to inoculative freezing 15
mercury toxicity effects 180
polyol production in winter 109
role of aquaporins 21
role of dehydrins 22
supercooling of larvae 8, 10, 11

- Euseius finlandicus* (mite), effects
of rapid cold-hardening 43
- evaporative loss
mechanisms 169–170
mechanisms to counter 171–172
- evolution of cold-tolerance in insects
artificial selection studies 286–288
comparison between northern and southern hemispheres 280–282
effects of cold-tolerance on distribution 280–282
effects of phenotypic plasticity 282–286
factors affecting cold-tolerance 276–277
future directions 288–289
interspecific variation studies 280–282
intraspecific variation study approaches 282–286
linking genotype, phenotype and fitness 278–280, 285–286
phylogenetic effects 281–282
range of cold-tolerance strategies 277
repeated evolution of cold adaptation strategies 280–282
study approaches 278–280
- traits associated with cold-tolerance evolution 277
- evolution of life histories, drivers 299–300
- evolutionary physiology of cold-adaptation analysis of data 224–225
conceptual background 225–226, 227
empirical patterns of thermal sensitivity 227–230
fate of cold-adapted insects in a warming world 233–235
latitudinal pattern of optimal body temperatures 228–229
latitudinal pattern of thermal performance breadth 228, 229–230
latitudinal patterns of heat- and cold-tolerance 227–228
macrophysiological approach 223–225
performance consequences of cold-adaptation 225–226, 227, 230–233
population-level approach 223–225
warmer versus colder optimum temperature 229, 230–233
- Exechia nugatoria* (fungus gnat), two freezing events 62
- expressed sequence tag (EST) projects 92–93, 94
- extracellular versus intracellular freezing 17–18
- fecundity, effect of rapid cold-hardening 43–44
- fish, AFPs in Antarctic fish 63–65
- fitness consequences of cold-adaptation 225–226, 227, 230–233
- fluidity (order) of membrane lipid bilayers 117–118
- Folsomia candida* (white springtail)
drought acclimation and cold-tolerance 177
EST projects 93, 94
mercury toxicity effects 181
responses to environmental stressors 179
- free radicals *see* oxidative stress
- freeze-avoidance 6, 168
functions of antifreeze proteins (AFPs) 73–76
functions of ice-nucleator proteins 63
protein ice nucleators 60
role of desiccation 172
- freeze concentration cryoinjury caused by 6–7
in freezing-tolerant species 5, 6

382 Index

- freeze-thaw consequences, ischemia-reperfusion events 156–159
- freeze-tolerance 5, 6, 168–169
- functions of antifreeze proteins (AFPs) 76–78
- functions of ice-nucleator proteins 61–63
- protein ice nucleators 60
- rapid cold-hardening 37–38
- freezing initiation 5, 9–15
- freezing injury
- caused by
- recrystallization 7
- due to freeze concentration 6–7
- mechanical injury caused by ice 7
- freezing-intolerance *see* freeze avoidance
- freezing-susceptible species 6
- fungi, ice-nucleating active (INA) fungi 11–13
- Fusarium* sp., ice-nucleating activity 11–13
- Gamasellus racovitzai* (mite), life cycle 307
- gas chromatography-mass spectrometry
- technique, -omics studies 101
- gene transcription,
- cold-acclimation responses 131
- genes responsible for
- photoperiodism 254–257
- genetic correlations and
- response to selection 253
- genetic variability and response to selection 252–253
- genetic variability in insect cold-tolerance
- artificial selection studies 286–288
- comparison between northern and southern hemispheres 280–282
- effects of cold-tolerance on distribution 280–282
- factors affecting cold-tolerance 276–277
- future directions 288–289
- interspecific variation studies 280–282
- intraspecific variation study approaches 282–286
- linking genotype, phenotype and fitness 278–280, 285–286
- phylogenetic effects 281–282
- range of cold-tolerance strategies 277
- repeated evolution of cold-adaptation strategies 280–282
- separating effects of phenotypic plasticity 282–286
- study approaches 278–280
- traits associated with cold-tolerance evolution 277
- genomics 92–93, 94
- Glaucias subpunctatus* (fruit bug), effects of climate change 354
- Glossinia pallidipes*, effects of slow rates of cooling 199
- glucose
- cryoprotectant properties 15–17
- role in rapid cold-hardening 44–45
- glutamine, role in rapid cold-hardening 45
- glycerol
- cryoprotectant properties 15–17
- role in rapid cold-hardening 44
- glycerophospholipids (GPLs)
- in membranes cold-induced restructuring 118–121
- restructuring in insects 121–127
- glycolysis, -omics studies of low-temperature effects 109–111
- glycolytic pathway, role in rapid cold-hardening 44–45
- Gynaephora groenlandica* (arctic woolly bear caterpillar)
- cold-induced degradation of mitochondria 109, 130–131, 310
- ice nucleators 62
- reduction of biochemical costs 310

- Halyomorpha halys* (fruit bug), effects of climate change 354
- Harmonia axyridis* (harlequin ladybird), spread across Europe 364
- heat shock proteins (Hsps) (stress proteins) 20, 149
- as chaperone proteins 152–153
- omics studies of low-temperature responses 106–107, 108
- role in rapid cold-hardening 45–46, 108
- heat-shock transcription factor (HSF-1) 153
- heavy-metal toxicity, interactions with climatic stressors 179–181
- Helicomiza borealis*, extreme cold-tolerance 202
- heterogeneous nucleation of water 59–60
- hibernation 150
- HIF-1 (hypoxia-inducible transcription factor) 144–146, 153
- high-molecular-mass cryoprotectants 16
- homeophasic adaptation of membranes 118
- homeoviscous adaptation of membranes 46, 117–118
- homogeneous nucleation of water 59–60
- Hydromedion sparsutum* (beetle), flexible strategies for cold survival 310
- Hypogastrura harveyi* (snow flea), sfAFP structure 71
- hypometabolism *see* metabolic rate depression
- hypoxia-inducible transcription factor (HIF-1) 144–146, 153
- hypoxia-tolerance and freezing survival 143–144
- ice-binding factors (IBFs) 76–78
- ice-crystal morphology, effects of AFPs 67
- ice-induced dehydration 170, 172–176
- ice management *see* water and ice management
- ice-nucleating active (INA) micro-organisms 11–13
- use in insect pest control 11, 12–13
- ice-nucleation agents 5, 9–13, 168
- crystalloid inorganic compounds 10–11
- heterogeneous nucleation 59–60
- ice-nucleating active (INA) micro-organisms 11–13
- mode of action 59–60
- see also* ice-nucleator proteins
- ice-nucleator proteins 9–10, 11, 59–63
- bacterial 60
- freeze-avoidance strategies 63
- freeze-tolerance strategies 61–63, 168
- future directions 80
- heterogeneous nucleation of water 59–60
- high-molecular-mass cryoprotectants 16
- homogeneous nucleation of water 59–60
- in freeze-avoiding arthropods 60
- in freeze-tolerant arthropods 60
- lipoprotein ice nucleator (LPIN) 60–61
- mode of action 59–60
- seasonal removal by insects 63
- selection against 63
- structural characterization 60–61
- Icerya purchasi* (scale insect), biological control 358
- indirect chilling injury 4–6
- inoculative freezing 13–15
- insect pest control *see* pest management
- internal freezing *see* water and ice management
- intracellular AFPs in insects 76
- intracellular versus extracellular freezing 17–18
- ischemia-reperfusion events 156–159
- ischemia-tolerance and freezing survival 143–144
- late embryogenesis abundant (LEA) proteins 21–22, 177–178
- latitude association with cold-tolerance 243

384 Index

- latitude (*cont.*)
 day length variation with
 243, 244–245
- latitudinal patterns
 heat- and cold-tolerance
 227–228
 optimal body
 temperatures
 228–229
 thermal performance
 breadth 228,
 229–230
- LEA (late embryogenesis
 abundant) proteins
 21–22, 177–178
- Leptinotarsa decemlineata*
 (Colorado potato
 beetle)
 biological control using
 INA bacteria 11,
 12–13
 EST projects 93, 94
 heat-shock protein
 responses 106
- lethal thermal limits, spatial
 covariation in 210
- life-cycle length in cold
 regions 300–305
- life-history adaptations in cold
 regions
 absence of liquid water
 298
 asexual reproduction
 302, 308–309
 biochemical costs and
 trade-offs 309–311
 competition levels 302,
 312
 costs of sublethal stresses
 310–311
 diapause and quiescence
 305–306
 drivers of life-history
 evolution 299–300
- environmental selection
 pressures 297–299
- extremes in the terrestrial
 environment
 297–299
- flexibility of strategies
 302–305
- future directions 312–313
- general life-history
 strategy models
 299–300
- investment in
 physiological stress
 responses 302,
 309–311
- life-cycle length 300–305
- link with desiccation
 stress-tolerance 309
- overwintering life stages
 300–305
- parthenogenetic
 reproduction 302,
 308–309
- polar and alpine habitats
 297–299
- predation levels 302, 312
- reproduction 302,
 308–309
- solar-radiation effects
 298
- synchronization of
 life-cycle events
 306–308
- variability in the thermal
 environment
 297–298
- life-history strategy models
 299–300
- lipoprotein ice nucleators
 (LPINs)
 crane fly larvae 60–61
 seasonal removal by
 insects 63
- liquid chromatography-mass
 spectrometry
 technique, -omics
 studies 101
- Lithobius forficatus* (centipede)
 14
- ice-binding factors 77–78
- inoculative freezing 62
- Locusta migratoria* (migratory
 locust) 15
- rapid cold-hardening 40
- longevity, effect of rapid
 cold-hardening
 43–44
- low-temperature responses
 over space
 spatial covariation in
 lethal thermal limits
 210
 spatial patterns in
 cold-hardiness
 strategies 193,
 208–210
 spatial patterns in lower
 lethal limits
 207–208
- low-temperature responses
 through time
 long-term 200–202
 rapid cold-hardening
 205–207
 role of phenotypic
 plasticity 202–207
 short-term 202–207
- low-temperature-stress *see*
 cold-stress
- Lymantria dispar* (gypsy moth),
 heat-shock protein
 responses 106
- Macrolophus caliginosus* (mirid)
 361–362, 363,
 365
- macrophysiology 191–194

- approach to insect
 cold-hardiness
 192–194
 biodiversity responses to
 climate change 192
 definition 192
 macrophysiology of insect
 cold-hardiness
 ecological implications
 210–211
 environmental variation
 194–200
 future directions
 210–211
 low-temperature
 responses through
 time 200–207
 low-temperature
 responses over space
 207–210
 see also evolutionary
 physiology of
 cold-adaptation
Manduca sexta (tobacco
 hornworm),
 heat-shock protein
 responses 106
 mannitol 15–17
Martyrhilda ciniflonella (Alaskan
 moth), hemolymph
 thermal hysteresis 68
Megaphorura arctica (*Onychiurus*
arcticus, Arctic
 springtail)
 cryoprotective
 dehydration 19, 174,
 175
 EST projects 93, 94
 membranes, changes related
 to rapid
 cold-hardening
 46–47
Merarantha contracta (beetle)
 AFPs 65
 control of AFP production
 and activity 79
 metabolic disruption, -omics
 studies of
 low-temperature
 effects 109–111
 metabolic pathways involved
 in membrane
 restructuring
 127–129
 metabolic rate depression
 cell preservation and life
 extension 152–153
 control of metabolic
 suppression 150–152
 environmental stress
 survival strategies
 150–153
 metabolomics 100
 metal ion-induced ROS
 generation 156
 metal toxicity, interactions
 with climatic
 stressors 179–181
 microarray analysis 94,
 95–97
 mitochondria, cold-
 acclimation
 responses 130–131,
 147–150
Musca domestica (house fly)
 effects of rapid cold-
 hardening 43
 rapid cold-hardening in
 pupae 40
Myzus persicae (aphid)
 effects of temperature on
 abundance 344–347
 winter-survival strategies
 344–347
 nanoliter osmometer, use in
 TH and AFP
 determination 66–67
Nemoura arctica (stonefly),
 freeze-tolerant
 nymphs 78
Neoseiulus californicus
 (predatory mite)
 361–362, 363
Nezara viridula (stinkbug),
 range expansion
 350–351, 354
Noctua pronuba (large yellow
 underwing moth),
 larval cold-hardiness
 347–348
 nonylphenol toxicity studies
 179, 181
 nuclear magnetic resonance
 (NMR) analysis,
 -omics studies 101
 nucleation temperature see
 supercooling point
 -omics approaches to insect
 cryobiology 91–92
 expressed sequence tag
 (EST) projects 92–93,
 94
 future directions 111
 gas chromatography-mass
 spectrometry
 technique 101
 genomics 92–93, 94
 liquid chromatography-
 mass spectrometry
 technique 101
 metabolomics 100
 microarray analysis 94,
 95–97
 nuclear magnetic
 resonance (NMR)
 analysis 101
 proteomics 97–98,
 100
 statistical considerations
 103–104

386 Index

- omics approaches (*cont.*)
 - suppressive subtractive hybridization 93–95
 - transcriptomics 93–94, 97, 98
- omics studies low-temperature responses 104–111
- amino acids 104–105
- cryoprotectants 106
- cytoskeleton 108
- effects on cellular respiration 109–111
- effects on glycolysis 109–111
- heat-shock proteins 106–107, 108
- metabolic disruption 109–111
- Onychiurus arcticus* (Arctic springtail)
 - cryoprotective dehydration 19, 174, 175
 - EST projects 93, 94
- Operophtera brumata* (winter moth)
 - biological control 360
 - expansion of outbreak areas 354
- ornithine, role in rapid cold-hardening 45
- osmotic pressure of ice 172–176
- osmotically inactive water 169
- Ostrinia nubilalis* (European corn borer)
 - biological control 358
 - heat-shock protein responses 106
- overwintering life stages in cold regions 300–305
- oxidative stress 153–159
 - antioxidants 153–159
 - freeze-thaw consequences 156–159
 - ischemia-reperfusion events 156–159
 - metal ion-induced ROS generation 156
 - peroxidation of polyunsaturated fatty acids (PUFAs) 155–156
 - reactive oxygen species (ROS) 141
- oxygen challenges in winter 141–161
 - and winter-survival strategies 141–143
 - anoxia-tolerance and freezing survival 143–144
 - antioxidants 153–159
 - aquatic insects 142–143
 - freeze-thaw consequences 156–159
 - future directions 159–161
 - HIF-1 (hypoxia inducible transcription factor) 144–146
 - hypoxia-tolerance and freezing survival 143–144
 - ischemia-reperfusion events 156–159
 - ischemia-tolerance and freezing survival 143–144
 - metabolic rate depression strategies for survival 150–153
 - metal-ion-induced ROS generation 156
 - mitochondrial responses 147–150
 - oxidative stress and antioxidants 153–159
 - peroxidation of polyunsaturated fatty acids (PUFAs) 155–156
 - reactive oxygen species (ROS)
- p38 MAPK activation, role in rapid cold-hardening 49–50, 51
 - Palirhoes eatoni* (weevil), life-history adaptations 307
 - Paragrolaimus davidi* (Antarctic nematode) 18
 - Paractora dreuxi* (sub-Antarctic kelp fly), responses to acclimation 203, 205, 206
- parthenogenetic reproduction in cold regions 302, 308–309
 - Pectinophora gossypiella* (pink bollworm), predicted distribution 356
- performance consequences of cold-adaptation 225–226, 227, 230–233
- pest management
 - climate change effects on abundance and distribution 350–356
 - effects of temperature on abundance 344–347
 - effects of temperature on distribution 347–350

- establishment of non-native biological control agents 358–365
- future of pest management 366–367
- implications of insect thermal biology 343
- migratory pests 347–350
- range of pest organisms 342
- situations where species may become pests 342–343
- thermal treatment of quarantine pests 356–357
- use of INA micro-organisms 11, 12–13
- phase states of membrane lipids 117–118
- phenotypic plasticity separation from genetic effects 282–286
- short-term responses to low temperature 202–207
- Philosamia ricini* (silk moth), disruption of central metabolism by cold 109
- phosphoglucose isomerase (PGI) gene, geographic variations 285–286
- photoperiodic versus thermal adaptation to climate change 243, 248–252
- photoperiodism and timing of seasonal activities 243, 244–246
- genes responsible for 254–257
- in *Drosophila* 262–264
- phylogenetic inertia 281–282
- physiological stress responses, costs of 302, 309–311
- Phytoseiulus persimilis* (predatory mite) 361
- Planococcus ficus* (mealy bug), effectiveness of biological control agents 356
- Plautia crossota stali* (fruit bug), effects of climate change 354
- Plutella xylostella* (diamond-back moth), temperature effects on distribution 348–349
- polar habitats *see* life-history adaptations in cold regions
- polyols (polyhydric alcohols) cryoprotectant properties 15–17
- role in rapid cold-hardening 44–45
- Polypedilum vanderplanki* (midge) cold-sensing at cellular level 48
- LEA protein 22
- vitrification 19
- polyunsaturated fatty acids (PUFAs), peroxidation 155–156
- Populus balsamifera* (poplar) 19
- predation levels in cold regions 302, 312
- Pringleophaga marioni* (moth), costs of sublethal stresses 310–311
- programmed cell death *see* apoptosis
- proline, cryoprotective properties 16
- proteins role in cold-tolerance 19–22
- see also* antifreeze proteins (AFPs); ice-nucleator proteins
- proteomics 97–98, 100
- Psacotha hilaris* (beetle), rapid cold-hardening response 37
- Pseudomonas* spp., as biological control for insect pests 11, 12–13
- Pseudomonas syringae* (bacterium) protein ice nucleators 60
- ice-nucleating active bacterium 12
- Pyrrhocoris apterus* (bug) 17 heat-shock protein responses 107
- pyruvate, role in rapid cold-hardening 44–45
- Pytho americanus* (beetle), extreme freeze-tolerance 62
- Pytho deplanatus* (beetle), dehydration and cold-tolerance 172
- Pytho depressus* (beetle), desiccation and freeze-tolerance 171
- Q₁₀ value (effects of temperature on biochemical processes) 167

388 Index

- quantitative trait loci (QTL) studies, *Drosophila* 280
- Rana sylvatica* (wood frog) distribution of ice during freezing 18
INA bacteria isolated from 12
urea as cryoprotectant 16
- range expansion and depletion of heterozygosity 259–260
fitness at a single locality 260–261
relative fitness of immigrants and residents 260, 261
- rapid cold-hardening and phenotypic plasticity 205–207
applications for research information 51–52
comparison to other types of cold- and winter-hardening 38–39
ecological significance 39–44
effect on chill-coma temperature 41–42
effect on fecundity 43–44
effect on longevity 43–44
effects of high temperature and anoxia 40
future directions 51–52
in freeze-tolerant insects 37–38
induction triggers 39–40
life-stage diversity 36, 37
protection against cold-shock injury 35
- short-term organismal effects 40, 41
step-transfer method of induction 39–40
taxonomic diversity 36–37
under field conditions 43
use of ecologically relevant conditions and measures 41–42
- rapid cold-hardening mechanisms 44–51
amino acids 45
ATP generation 46
blocking of cold-induced apoptosis 50–51
calcium flux 49–50, 51
cold-sensing at cellular level 48
cold-sensing mechanism 49–50, 51
heat-shock proteins 45–46
isolated cells and tissues 48
membrane changes 46–47
p38 MAPK activation 49–50, 51
polyols and sugars 44–45
signal-transduction pathways 49–50, 51
- reactive oxygen species (ROS) 141
recrystallization, damaging effects 7
recrystallization inhibition (RI) activity of AFPs 67–68
reproduction, adaptations in cold regions 302, 308–309
resistance adaptation to cold 116–117
- Rhabdophaga strobiloides* (willow cone gall midge), extreme supercooling of larvae 63
Rhagoletis inquisitor (longhorn beetle) intracellular AFPs 76
structure of AFPs 69
Rhagoletis pomonella (apple maggot), quarantine cold treatment 357
ribitol 15–17
Rodolia cardinalis (ladybird), biological control agent 358
- Sarcophaga crassipalpis* (flesh fly) effects of rapid cold-hardening 43
EST projects 93, 94
heat-shock protein responses 106–108
membrane changes related to RCH 46–47
metabolomic study 101–102
proteomic studies 97–98, 100
pupal susceptibility to inoculative freezing 14–15
rapid cold-hardening 40
responses to rapid cold-hardening 44–45
role of p38 MAPK in RCH 49–50
suppressive subtractive hybridization study 95
water content of fat body cells 18
sbwAFP *see* *Choristoneura fumiferana* 69–71

- SCP *see* supercooling point
- screwworm cryopreservation
see cryopreservation
 of insects
- seasonal activities
 photoperiodism 243,
 244–246
 selection on timing of
 243, 248–252
 timing by insects 243,
 244–246
- seasonality, changes with
 geography 243
- secondary nucleation *see*
 inoculative freezing
- sfAFP *see* *Hypogastrura harveyi*
 71
- Sitobion avenae* (grain aphid)
 effects of rapid
 cold-hardening 43
 winter-survival strategies
 346–347
- Solanum dulcamara* (bittersweet
 nightshade), thermal
 hysteresis protein
 78–79
- solar radiation effects in cold
 regions 298
- sorbitol 15–17, 44
- spatial covariation in lethal
 thermal limits 210
- spatial patterns in
 cold-hardiness
 strategies 193,
 208–210
- spatial patterns in lower
 lethal limits
 207–208
- statistical analysis of
 environmental
 variation 195
- statistical considerations in
 -omics studies
 103–104
- Stenotus rubrovittatus* (mirid),
 effects of climate
 change 354
- stress proteins *see* heat-shock
 proteins
- sublethal stresses, costs of
 310–311
- sugars
 cryoprotectant properties
 15–17
 role in rapid
 cold-hardening
 44–45
- supercooling 5,
 7–9
 effects of cryoprotectants
 16–17
- supercooling point (SCP),
 freeze-tolerance
 determination 5, 7–9
- suppressive subtractive
 hybridization 93–95
- surfactants, toxicity studies
 179, 181
- synchronization of life cycle
 events in cold
 regions 306–308
- temperate zone climate
 association between
 cold-tolerance and
 latitude 243
 changes in seasonality
 with geography 243
 day length variation with
 latitude 243,
 244–245
 definition of fitness in
 insects 242
 insect timing of seasonal
 activities 243,
 244–246
 patterns of heat and light
 243–247
- photoperiodism and
 timing of seasonal
 activities 243,
 244–246
- temperature, role in climate
 change responses
 247–252
- temperature of crystallization
 (T_c) 5, 7–9 *see also*
 supercooling point
 (SCP)
- Tenebrio molitor* (beetle)
 AFPs 65
 control of AFP production
 and activity 79
 effects of heavy-metal
 exposure 181
 functions of TmAFPs
 78–79
 thermal hysteresis 64
 TmAFP structure 69, 70
- Tetranychus urticae* (spider
 mite), biological
 control 361
- Thaumetopoea pilyocampa*
 (winter pine
 processionary moth),
 range expansion
 351–352
- Thecodiplosis japonensis* (pine
 needle gall midge)
 AFPs 71
 thermal hysteresis 68
- thermal hysteresis (TH)
 arthropod species which
 show 68–69
 effects of AFPs 63–65
 future directions
 80–81
 TH factor from a
 freeze-tolerant insect
 71–72
 TH factor which is not a
 protein 71–72

390 Index

- thermal hysteresis
 measurement 66–67
 capillary technique 66, 67
 differential scanning calorimeter method 67
 nanoliter osmometer method 66–67
 use for the vapor pressure osmometer 67
- thermal hysteresis proteins *see* antifreeze proteins (AFPs)
- thermal variability in cold regions 297–298
- thermal versus photoperiodic adaptation to climate change 243, 248–252
- threitol 15–17
- Tipula trivittata* (crane fly), lipoprotein ice nucleator in larvae 60–61
- TmAFP *see* *Tenebrio molitor* 69, 70
- toxic stress, interactions with cold and dehydration stresses 178–181
- transcriptomics 93–94, 97, 98
- trehalose
 cryoprotectant properties 15–17, 19
 role in rapid cold-hardening 44–45
- Trialeurodes vaporariorum* (whitefly), biological control 361
- Trichogramma* (parasitoid) 358
- Upis ceramboides* (beetle)
 desiccation and freeze-tolerance 171
 ice-binding factor 78
 TH-producing factor 77, 78
 thermal hysteresis factor 71–72
- urea, cryoprotective properties 16
- vapor pressure osmometer, role in TH determination 67
- vapor saturation deficit 169–170
- Vespula maculata* (hornet), protein ice nucleator 61
- vitrification 19, 328
- water
 absence of liquid water in cold regions 298
 osmotically inactive water 169
 water and ice management 17–19
 cryoprotective dehydration 18–19
 intracellular versus extracellular freezing 17–18
 vitrification 19
 western flower thrips 38
 rapid cold-hardening 40
 winter, effects of warmer temperatures 257–259
- Wyeomyia smithii* (pitcher-plant mosquito)
 evolution of critical photoperiod 255–256
 responses to rapid climate warming 243, 248–251