

Cambridge University Press

978-0-521-88680-2 - A First Course in Continuum Mechanics

Oscar Gonzalez and Andrew M. Stuart

Index

[More information](#)

Index

- acceleration, 132
- acoustic equations, 244
- adiabatic, 336, 364
- admissible, 114
- Archimedes' Principle, 97
- atoms, 75, 167, 169, 172, 176, 177

- balance law, 169, 221, 271, 324, 355
 - integral form, 170
 - local form, 179
- Bernoulli's Theorem, 229, 233, 239, 241, 336
- bifurcation, 302
- biharmonic equation, 259
- boundary condition, 89
 - compressible Newtonian fluid, 346, 347, 350
 - elastic fluid, 238, 239
 - elastic solid, 278
 - ideal fluid, 227, 228
 - Newtonian fluid, 251, 252, 260, 350
 - perfect gas, 330
 - thermoelastic solid, 368
- boundary layer, 248
- boundary-value problem
 - elastic fluid, 243
 - elastic solid, 279
 - ideal fluid, 234, 257
 - linearized elastic solid, 291
 - linearized thermoelastic solid, 375
 - thermoelastic solid, 370
- buckling, 279

- Cauchy's Laws of Motion, 95
- Cauchy's Lemma, 95
- Cauchy's Postulate, 79, 95
- Cauchy's Theorem, 82, 95
- Cauchy–Green strain tensor, 120, 273, 365, 368
- Cayley–Hamilton Theorem, 25

- Center of Mass Theorem, 209
- change of variables, 136
 - surface, 141
 - volume, 137
- characteristic polynomial, 23
- circulation, 57
- Clausius–Duhem inequality, 177, 178, 187, 197, 205, 287, 325, 327, 331, 338, 343, 355, 356, 359, 361, 366
 - reduced, 188, 197
- Clausius–Planck inequality, 177
- compatibility conditions, 309
 - Beltrami–Michell, 311
- compression, 90
- configuration, 75, 112
 - deformed, 113
 - equilibrium, 279
 - reference, 113
 - rest, 279
- connected, 230
 - simply, 230
- conservation law, 256, 329, 347
- constitutive equations, 89, 112, 167, 189, 198
 - isothermal fluid, 221
 - isothermal solid, 271
 - thermal fluid, 324
 - thermal solid, 355
- constraint, 202
 - internal, 202
 - material, 202
- continuum, 75
- coordinates
 - Euclidean space, 5
 - Eulerian, 179
 - Lagrangian, 179
 - material, 112, 113, 179, 291, 376
 - spatial, 112, 113, 179, 291, 376
- curl, 52

- deformation, 112
 - admissible, 114, 129
 - extension, 118
 - gradient, 114
 - homogeneous, 115
 - infinitesimally rigid, 128
 - map, 113
 - planar, 311
 - rigid, 124
 - rotation, 117
 - simple shear, 148, 149
 - small, 125, 126
 - stretch, 117
 - translation, 116
- derivative
 - co-rotational, 69, 212
 - convective, 131
 - Jaumann, 69, 212
 - material, 112, 131
 - point mapping, 50
 - scalar field, 47
 - scalar-valued tensor function, 60
 - substantial, 131
 - tensor-valued tensor function, 63
 - total time, 130, 132
 - vector field, 48
- determinant, 8, 10, 22, 36, 59
- displacement, 99, 114
- divergence
 - second-order tensor field, 51
 - vector field, 50
- Divergence Theorem
 - second-order tensor fields, 56
 - vector fields, 55
- Duhamel–Neumann model, 376
- eigenpair, 23
 - eigenvalue, 23
 - eigenvector, 23
- elastodynamics equations, 274
 - linearized, 290, 301
- elastostatics equations, 275
 - linearized, 291, 301
- elliptic, 291, 300, 301
- energetically passive, 205, 222, 226, 237, 250, 271, 285, 358
- energy, 167
 - dissipation, 178, 187
 - free, 188, 197, 205, 358, 362, 366
 - internal, 175, 326, 357, 358
 - kinetic, 174, 252, 253
 - potential, 176
- entropy, 167, 177, 334, 358
 - density, 178
 - parameter, 372
 - response function, 326, 357
- equations of state, 235
 - caloric, 327, 358, 362
 - thermal, 326, 357, 362
- equilibrium, 75, 85–87
 - thermoelastic, 369
- Euclidean space, 1
 - coordinate frame, 5
 - coordinates, 5
 - origin, 5
 - points, 1
- Euler equations, 224
- Euler’s Laws of Motion, 95
- Euler–Cauchy Cut Principle, 95
- field
 - harmonic, 66
 - material, 130
 - point mapping, 50
 - scalar, 46
 - second-order tensor, 46
 - spatial, 130
 - vector, 46
- fixed point, 116
- fluid
 - compressible Newtonian, 325, 336
 - elastic, 235, 236, 325, 326
 - ideal, 222, 226, 231, 233, 253
 - incompressible Newtonian, 337
 - Newtonian, 245, 252, 253, 358
 - Non-Newtonian, 302
- flux, 55
- force, 75, 77, 86
 - body, 75, 77
 - conservative, 231, 233, 240, 241, 252, 254, 262
 - external, 78
 - internal, 78
 - per unit mass, 78
 - surface, 75, 77–79
 - traction, 79
- Fourier’s Law, 338, 358
- frame-indifferent, 199, 200, 221, 225, 236, 249, 271, 275, 297, 325, 341, 355, 356, 364, 365
 - axiom, 200
 - material, 201
- function
 - determinant, 22, 36, 59
 - exponential, 22
 - isotropic
 - representation theorems, 31
 - scalar-valued, 31
 - tensor-valued, 31
 - principal invariants, 24
 - square root, 25
 - trace, 21, 59
- gas

392

ideal, 328
 perfect, 325, 358
 gas dynamics equations, 328, 329
 isentropic, 336
 gradient
 point mapping, 50
 scalar field, 47
 vector field, 48
 heat, 170
 conduction, 173, 327, 338
 content, 172
 convection, 173
 flow, 178
 flux vector, 173, 186, 327, 338
 supply, 173
 transfer, 173
 heat equation, 212
 Hooke's Law, 114, 273, 287
 incompressible, 202, 222, 225, 236, 287
 index notation
 dummy index, 7
 free index, 7
 summation convention, 6
 inelastic, 302
 initial condition
 compressible Newtonian fluid, 346
 elastic fluid, 238
 elastic solid, 278
 ideal fluid, 227
 Newtonian fluid, 251
 thermoelastic solid, 368
 initial-boundary value problem
 compressible Newtonian fluid, 345
 elastic fluid, 238, 242
 elastic solid, 277
 ideal fluid, 226
 linearized elastic fluid, 244
 linearized elastic solid, 290
 linearized thermoelastic solid, 374
 Newtonian fluid, 250
 perfect gas, 330
 thermoelastic solid, 367
 irreversible, 334, 363
 irrotational, 229–231, 233, 239–241
 isentropic, 335, 336, 364
 isochoric, 144
 isothermal, 204, 271, 324, 355, 363
 isotropic, *see* function
 elastic solid, 279
 linear elastic solid, 297
 mechanically, 367
 thermally, 367
 Jacobian, 139

Index

kinematics, 112
 Kronecker delta
 δ_{ij} , 8
 index transposition, 8
 transfer property, 8
 Lamé constants, 297, 376, 379
 laminar, 248, 341
 Laplace's equation, 234
 Laplacian
 scalar field, 54
 vector field, 54
 Law of Action and Reaction, 80, 95
 Laws of Inertia, 77, 171
 Laws of Thermodynamics
 First Law, 172, 175
 Second Law, 172, 176, 178
 linearization, 243, 272, 288, 289, 336,
 370, 371
 Localization Theorem, 59
 Mach number, 330, 349
 mass, 75, 76, 167
 center of, 77, 209
 conservation, 171, 179, 190, 223
 density, 76
 matrix representation
 change of, 21
 dyadic product, 15
 fourth-order tensor, 29
 second-order tensor, 13
 transpose, 5, 13
 vector, 5
 Maxwell relation, 362
 mechanical energy inequality, 205, 222,
 226, 237, 238, 250, 271, 285, 287,
 299
 Mises yield function, 102
 Mohr's circles, 95
 momentum, 167
 angular, 171, 183, 209, 210, 293, 326,
 337, 357
 linear, 171, 182, 191, 193, 223
 Mooney–Rivlin model, 287
 motion, 112, 128, 228
 multiplier, 203, 221
 Navier equation, 296
 Navier–Stokes equations, 246, 247
 compressible, 339, 340
 Neo-Hookean model, 287
 net heating, 173
 net working, 174, 185, 193, 195
 Newton's Second Law, 168
 norm
 tensor, 45
 vector, 45

- Ogden model, 287
 order symbols o , \mathcal{O} , 46
- particle systems, 167
 passive tracer, 228
 pathline, 228
 permutation symbol
 ϵ_{ijk} , 8
 index transposition, 8
 plasticity, 95, 302
 plate theory, 302
 Poincaré Inequality, 253, 261
 Poisson's ratio, 310
 Polar Decomposition Theorem, 25
 potential, 230, 257
 power of external forces, 174
 pressure, 94, 234, 245–247, 325
 response function, 326
 thermodynamic, 337, 339
 process
 closed, 205
 thermo-mechanical, 204
- quiescent state, 243
- radiation, 173
 regular region, 54
 reversible, 334, 363
 Reynolds number, 248, 341
 Reynolds Transport Theorem, 141, 145
 rigid motion, 136, 144
 superposed, 199, 225, 236
 rod theory, 302
 rotation
 angle, 37
 axis, 36
 rigid, 135
 tensor, 17
- rubber, 287, 302
- scalars, 1
 shear, 91, 124
 shell theory, 302
 shock layer, 341
 shock wave, 239, 329, 341
 Signorini's Theorem, 101
 skew gradient, 259
 solid
 elastic, 272
 homogeneous elastic, 273
 hyperelastic, 272, 282, 285, 287
 isentropic, 364
 isothermal, 363
 isotropic elastic, 272, 279, 295
 linear elastic, 272, 296
 linear hyperelastic, 298
 linear isotropic elastic, 297, 300
 thermoelastic, 356
 specific heat, 327, 358
 Spectral Decomposition Theorem, 24
 speed of sound, 235, 245, 327, 336, 349
 spin, 134, 229, 230
 St. Venant–Kirchhoff model, 273, 285,
 287, 303
 steady, 234
 Stokes equations, 248
 Stokes' Theorem, 57, 229
 strain, 112, 114, 126, 357
 Cauchy–Green, 120, 121
 energy, 99, 282, 285, 286, 298
 Green–St. Venant, 303
 infinitesimal, 99, 125
 rate of, 112, 134
 volume, 139
 streamfunction, 259
 streamline, 228
 stress, 112, 357
 active, 203, 246, 248, 249
 Airy function, 312
 Cauchy, 75, 82, 87, 183, 184, 211, 221,
 223, 235, 245, 272, 275, 289, 293,
 325, 327, 337
 deviatoric, 94, 246
 Eulerian, 90, 223, 235, 325
 first Piola–Kirchhoff, 192, 258, 271,
 272, 356
 hyperelastic, 283
 isotropic, 280
 nominal, 192
 normal, 92, 95, 350
 Piola–Kirchhoff, 289, 293
 plane, 91
 power, 186, 211
 principal, 92
 reactive, 203, 223, 225, 246, 248
 response function, 272, 304, 356
 second Piola–Kirchhoff, 192, 272
 shear, 91, 92, 95, 224, 236, 248, 252,
 255, 350
 spherical, 90, 94, 223, 235, 246, 325,
 327
 tensor, 75, 84
 uniaxial, 90
 stress-free, 288, 370
 stress-strain relation, 273, 357
 stretch, 117, 123
 principal, 119
 tensor, 119
 subsonic, 330, 349
 supersonic, 330, 349
- Taylor's Theorem
 scalar fields, 48
 scalar-valued tensor function, 61

Cambridge University Press

978-0-521-88680-2 - A First Course in Continuum Mechanics

Oscar Gonzalez and Andrew M. Stuart

Index

[More information](#)

394

Index

- tensor-valued tensor function, 64
- vector fields, 49
- Taylor–Green solutions, 261
- temperature, 170, 172, 357, 358
- tension, 90
- tensor, 2, 33
 - compliance, 376
 - elasticity, 289, 291, 293–296, 372, 373
 - first-order, 2
 - fourth-order, 27
 - components, 28
 - dyadic basis, 29
 - identity, 27
 - left minor symmetry, 30, 293
 - major symmetry, 30, 291, 301
 - positive, 291, 300, 301
 - right minor symmetry, 30, 294
 - space \mathcal{V}^4 , 28
 - strongly elliptic, 291, 300, 301
 - symmetric, 30
 - zero, 27
- inertia, 96
- second-order, 11
 - axial, 18
 - change of basis, 19
 - components, 13
 - dyadic basis, 15
 - identity, 11
 - inverse, 16
 - orthogonal, 16
 - perpendicular projection, 35
 - positive-definite, 16
 - rotation, 17
 - scalar product, 26
 - skew-symmetric, 16
 - space \mathcal{V}^2 , 11
 - symmetric, 16
 - transpose, 16
 - zero, 11
- spin, 134
- strain, 99
- stress, 75, 84
- thermal strain, 376
- thermal stress, 372
- thermoelasticity, 371
- zeroth-order, 2
- thermal conductivity, 338, 357, 376
- thermal energy, 172
- thermal expansion, 381
- thermal stress coefficient, 376
- thermoelastic equilibrium, 369
- thermoelastodynamics equations, 360
 - linearized, 374
- thermoelastostatics equations, 360
 - linearized, 375
- torque, 75, 77, 86
- trace, 21, 59
- traction
 - force, 79
 - function, 80
 - normal, 92
 - shear, 92
- turbulent, 248, 341
- vector, 1
 - axial, 17
 - basis, 4
 - components, 4
 - dyadic product \otimes , 14, 29
 - orthogonal, 3
 - parallel, 3
 - projection, 4
 - scalar product, 3, 9
 - space \mathcal{V} , 2
 - triple scalar product, 9
 - triple vector product, 10
 - unit, 1
 - vector product, 3, 9
 - zero, 1
- velocity, 131
 - angular, 136
- viscoelastic, 302, 307, 308
- viscosity, 246, 255
 - bulk, 338
 - shear, 338
- volume
 - center of, 77
- volume-preserving, 144
- vorticity, 135, 229, 350
- wave
 - damped, 381
 - dispersed, 381
 - longitudinal, 307, 380
 - plane, 258, 306, 380
 - progressive, 306, 380
 - shock, 239, 329
 - transverse, 307, 380
- wave equation, 245, 258
- yield, 102
 - conditions, 95
- Young's modulus, 310