CAMBRIDGE

Cambridge University Press
978-0-521-88720-5 - Kazhdan's Property (T)
Bachir Bekka, Pierre de la Harpe and Alain Valette
Index
More information

Index

absolute value on a field, 377
action of a group on a graph, 82
adjacent vertices of a graph, 81
adjoint of an operator, 27, 289
adjoint representation, 305
affine action associated to a cocycle, 77
affine action of a group, 423
affine isometric action of a topological group, 75
affine real Hilbert space, 74
almost **K**-simple algebraic group, 58
almost having fixed points (for an affine action), 137
almost having invariant vectors (for a unitary representation), 28
almost having invariant vectors (for an orthogonal representation), 87
amenable homogeneous space in the sense of Eymard, 432
amenable topological group, 423
approximate eigenvalue, 433
archimedean order on a group, 116
asymptotically invariant sequence of measurable sets, 266
a-T-menable group in Gromov's sense, 104
automorphism of a graph, 82
$\widetilde{A}_2$-building, 246
$\widetilde{A}_2$-group, 250
$(ax + b)$-group, 303

Banach–Ruziewicz problem, 276
barycentre of a measure, 424
Bernoulli shift, 272
bi-Lipschitz equivalence, 180
Bochner's Theorem, 372
Borel fundamental domain, 333
Borel measure, 299
boundary of a subset of a graph, 254, 444
boundary of hyperbolic space, 100
bounded elementary generation for $SL_n(R)$, 185
bounded generation of a group, 184
Burnside group, 282
Busemann cocycle, 101

Cartan decomposition of a semisimple Lie algebra, 161
Cartan involution on a semisimple Lie group, 161
Carter–Keller Theorem, 185
Cayley graph of a finitely generated group, 438
centered random variable, 312
centre of a bounded set, 79
character of a Banach algebra, 370
character of a relatively invariant measure, 329
Chasles' relation, 80
coboundary, 76
cocycle, 76
cocycle relation, 76, 308
commutant of a subset of $\mathcal{L}(\mathcal{H})$, 296
compactly generated locally compact group, 400
complex-valued kernel conditionally of negative type, 367
complexification of an orthogonal representation, 312
conductance in a graph, 218
conjugate Hilbert space, 293

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-88720-5 - Kazhdan's Property (T)
Bachir Bekka, Pierre de la Harpe and Alain Valette
Index
More information

conjugate representation, 294
conjugation representation, 306
connected graph, 81
Connes–Weiss Theorem, 267
contained (for unitary representations), 291
continuity of induction, 408
contraction, 433
contragredient representation, 294
convolution of two functions on a locally compact group, 352
convolution of two random walks, 221
cortex of a locally compact group, 150
coupling for two measure equivalent groups, *see* measure equivalent groups, 273
Crofton formula, 97
C^*-algebra, 411
cycle in a graph, 82
cyclic representation, 354
cyclic vector for a representation, 354

degree of a vertex in a graph, 218
Delorme–Guichardet Theorem, 129
density function of a random variable, 312
direct integral of Hilbert spaces, 414
direct integral of representations, 416
direct sum of groups, 86
direct sum of representations, 292
Dirichlet finite function, 221
discrete group, 299
distance in a graph, 81
distribution of a random variable, 312
dual group of an abelian group, 298

edge of a graph, 81
elementary matrix, 44, 185
elementary operation on a matrix, 185
equivalent measures, 308
equivalent representations, 290
ergodic action of a group, 265
essentially free action of a group on a measure space, 271
expander graphs, 254
expanding constant of a family of expanders, 254
expanding constant of a graph, 254
expectation of a random variable, 312
exponential growth, 443
extremely amenable topological group, 365

Følner sequence, 443
Følner's Property, 440
Fell's topology, 33, 403
field of Hilbert spaces over a measure space, 413
final space of a partial isometry, 290
finite range for a random walk, 218
finitely additive measure, 276
first cohomology group, 77
Fixed point property (for an amenable group), 423
Fourier Inversion Theorem, 371
Fourier transform, 370
function conditionally of negative type on a group, 122, 357
function of positive type, 351
function of positive type associated to a representation, 352
function vanishing at infinity on a topological space, 353
functional calculus, 296
fundamental domain, 225
fundamental family of measurable vector fields over a measure space, 414

Gaussian Hilbert space, 313
Gaussian random variable, 313
Gelfand pair, 151
Gelfand transform, 370
Gelfand–Raikov Theorem, 364
geodesic current, 112
geometric property, 179
geometric edge of a graph, 81
GNS construction, 341, 346, 354
GNS triple associated to a function of positive type, 355
graph, 81, 217
graph associated to a generating set, 242
growth of a finitely generated group, 443

Haagerup Property, 104
Haar measure, 300
half-space in real hyperbolic space, 95
Hamilton quaternions, 337
harmonic function, 221, 229
harmonic mapping, 159
Heisenberg group, 69, 172, 304
Hilbert space, 27, 289
Hilbert–Schmidt operators, 294
Hulanicki–Reiter Theorem, 430

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-88720-5 - Kazhdan's Property (T)
Bachir Bekka, Pierre de la Harpe and Alain Valette
Index
More information

hyperbolic space, 100
hyperplane in real hyperbolic space, 94

I-sequence of measurable sets, 267
incidence graph of a projective plane, 245
independent random variables, 312
induced affine isometric action, 91
induced representation, 274, 388
induction by stages, 390
infinitely small representation, *see* cortex of a locally compact group, 150
initial space of a partial isometry, 290
intertwining operator, 290
interval in a tree, 82
invariant mean, 42, 421, 422
invariant vector, 28
irreducible, 292
irreducible random walk, 217
isolated point in a topological space, 33
Iwasawa decomposition, 58, 180

Jacobson topology, 412

Kazhdan constant, 29
Kazhdan constant associated to a representation, 29
Kazhdan group, 29
Kazhdan pair, 29
Kazhdan pair for (G, H), 42
Kazhdan set, 29
Kazhdan's Property (T), 29
kernel conditionally of negative type, 345
kernel of positive type, 340
Kesten's Theorem, 436
K-rank of an algebraic group, 58

Laplace operator for a random walk, 221
Laplace operator for an equivariant random walk, 229
Laplacian, 159
lattice, 60, 246, 332
law of a random variable, 312
left regular representation, 28, 305
left-right regular representation, 306
lemma of the centre, 78
linear part of an affine action, 75
link of a vertex in a graph, 237
local Property (T), 71
local criterion for Property (T), 238
local criterion for groups acting on a simplicial complex, 241
local field, 40, 377
locally almost everywhere, 359
locally Borel set, 359
locally measurable function, 359
locally null set, 359
loop group of a topological group, 210

mapping class group, 282
Markov kernel, *see* random walk, 217
Markov operator for a random walk, 221
Markov operator for an equivariant random walk, 229
Markov–Kakutani Theorem, 424
matrix coefficient of a representation, 290
Mautner's Lemma, 45
maximal C^*-algebra of a locally compact group, 412
Mazur–Ulam Theorem, 74
mean on a set, 421
mean on a space of functions, 421
mean value of random variable, 312
measurable field of Hilbert spaces over a measure space, 414
measurable field of operators over a measure space, 415
measurable field of unitary representations over a measure space, 415
measurable group action, 307
measurable vector field over a measure space, 414
measure algebra of a probability space, 316
measure equivalent groups, 273
measure preserving transformation, 316
measure space, 307
mock discrete series representations of $SL_2(\mathbf{R})$, 410
modular function of a locally compact group, 301
modular group, 336

non-abelian free group, 39
non-archimedean absolute value, 378
non-degenerate representation of $L^1(G)$, 411
non-trivial asymptotically invariant sequence, *see* asymptotically invariant sequence of measurable sets, 266
normalised function of positive type, 396

orbit equivalent actions of a group, 271
order of a projective plane, 245

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-88720-5 - Kazhdan's Property (T)
Bachir Bekka, Pierre de la Harpe and Alain Valette
Index
More information

orderable group, 116
oriented edge of a graph, 81
orthogonal representation, 75, 311
orthogonal group of real Hilbert space, 74
outer automorphisms, 282
outer tensor product of representations, 294

p-adic absolute value on $\mathbf{Q}$, 377
p-adic integers, 378
p-adic numbers, 377
partial isometry, 290
Peter–Weyl Theorem, 307
Plancherel Theorem, 371
Poincaré disc, 111
Poincaré half-plane, 331
Poincaré inequality, 234
polar decomposition of an operator, 291
polynomial growth, 305, 443
Pontrjagin Duality Theorem, 371
positive linear functional on $\mathcal{L}(\mathcal{H})$, 40
positive matrix, 344
primitive ideal space of a C^*-algebra, 412
principal series of $SL_2(\mathbf{R})$, 388
projection valued measure, 374
projective plane, 245
proper cocycle on a group, 103
Property (F_B) for a Banach space B, 135
Property (T_B) for a Banach space B, 72
Property (FA), 84
Property (FH) for a group, 75
Property (FH) for a pair (G, H), 80
Property (T), *see* Kazhdan's Property (T), 29
Property (T) for a pair (G, H), 41
pure function of positive type, 358

(Q, ε)-invariant vector, 28
quasi-invariant measure, 308
quasi-isometric groups, 180
quasi-isometric metric spaces, 179
quasi-regular representation, 37, 331

radial function on a symmetric space, 164
Radon measure, 300
Radon–Nikodym derivative, 308
Raikov's Theorem, 362
random variable, 312
random walk, 217
range of an edge, 218
real hyperbolic space, 93
reduced 1-cohomology, 137
reduced C^*-algebra of a locally compact group, 413
regular Borel measure, 299
regular projection valued measure, 375
Reiter's Property (P_1), 427
Reiter's Property (P_1^*), 428
relatively invariant measure on G/H, 328
residual field, 246
reversible random walk, 217
rho-function for a pair (G, H), 328
Riemann–Lebesgue Lemma, 371
Riesz Representation Theorem, 300
right regular representation, 306
ring of sets, 421

Schoenberg Theorem, 350, 357
Schreier graph, 255
Schur product of two matrices, 344
Schur's Lemma, 297
Schwarz' group, 85
Shalom's Theorem, 141
σ-algebra generated by random variables, 312
σ-finite measure, 308
simple graph, 82
simple random walk on a graph, 218
SNAG Theorem, 375
source of an edge, 218
special linear group, 40
spectral radius formula, 370
spectral radius of an element in a Banach algebra, 370
spectrum of an element in a Banach algebra, 369
spectrum of an operator, 296
spherical principal series representations, 389
spherical representation, 152
square-integrable vector field over a measure space, 414
stably orbit equivalent group actions, 273
standard Borel space, 416
standard embedding of $SL_m(\mathbf{K})$, 46
standard Gaussian measure on $\mathbf{R}$, 314
stationary measure for a random walk, 217
strongly contained, *see* contained, 291
strongly continuous, 27, 289
strongly ergodic action of a group, 266
strongly mixing action of a group, 281
subexponential growth, 323, 443
subrepresentation, 28, 290
support of a measure, 300

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-88720-5 - Kazhdan's Property (T)
Bachir Bekka, Pierre de la Harpe and Alain Valette
Index
More information

support of a representation, 404
symmetric difference, 310
symmetric Fock space of a Hilbert space, 315
symmetric tensor powers of a Hilbert space, 315
symmetric tensor powers of a representation, 320
symplectic group, 50

tensor product of representations, 294
Thompson group, 118
translation on an affine Hilbert space, 74
tree, 82
triple associated to a function conditionally of negative type, 138

uniform Property (T), 284
uniformly continuous mapping on a topological group, 301
unimodular locally compact group, 303
unit character, 293
unit representation, 28, 293
unitary character, 293
unitary dual of a group, 33, 292
unitary group of a Hilbert space, 27, 289
unitary operator, 289
unitary representation, 27, 289
universal representation of a locally compact group, 412

variance of a random variable, 312
vector field over a measure space, 414
vector valued integral, 384
vertex of a graph, 81

weak containment for representations, 28, 395
weak containment in the sense of Zimmer, 397
weak operator topology, 445
weakly equivalent representations, 396
weakly mixing action of a group, 266
word metric on a finitely generated group, 443
wreath product of two groups, 105

Zuk's criterion for Property (T), 244

© in this web service Cambridge University Press www.cambridge.org