

Index of notation

- | | |
|---|--|
| <p>1, 5</p> <p>A^*, 5</p> <p>A^+, 5</p> <p>A°, 10</p> <p>A^\oplus, 10, 512</p> <p>$A^{(n)}$, 5, 460</p> <p>$A^{[n]}$, 5</p> <p>\mathcal{A}, 11</p> <p>$\mathcal{A}(X)$, 13</p> <p>\mathcal{A}/ρ, 14</p> <p>\mathcal{A}^*, 33</p> <p>$\mathcal{A}_D^*(X)$, 182</p> <p>$\mathcal{A}_D(X)$, 182</p> <p>\mathcal{A}, 32, 36</p> <p>$\text{alph}(X)$, 5</p> <p>$\text{alph}(w)$, 5</p> <p>α, 86</p> <p>$\alpha(\sigma)$, 179</p> <p>\mathcal{B}, 20</p> <p>$C(w)$, 483</p> <p>$C_\ell(w)$, 485</p> <p>$C_a(w)$, 440</p> <p>$C_r(w)$, 221, 485</p> <p>$c : p \xrightarrow{w} q$, 11, 36</p> <p>D, 65</p> <p>$D(m)$, 43</p> <p>D^*, 65</p> <p>D_4, 342, 400</p> <p>D_X, 480</p> <p>D_n, 65</p> <p>\mathcal{D}, 43</p> | <p>$\text{deg}(p)$, 23</p> <p>$\delta(L)$, 461</p> <p>$\delta(f)$, 462</p> <p>$\delta_X(w)$, 361</p> <p>$d(X)$, 239</p> <p>E, 11</p> <p>$E(X)$, 204</p> <p>ε, 5</p> <p>$F(X)$, 4, 237</p> <p>$F_X(t)$, 40</p> <p>$\text{Fix}(m)$, 330</p> <p>$\bar{F}(X)$, 4</p> <p>$\varphi_{\mathcal{A}}(w)$, 11</p> <p>G_X, 480</p> <p>G_θ, 50</p> <p>G_e, 331</p> <p>$[G : H]$, 48</p> <p>$\Gamma(w)$, 15</p> <p>$H(X)$, 237</p> <p>$H(m)$, 43</p> <p>\mathcal{H}, 42</p> <p>$\bar{H}(X)$, 237</p> <p>$\langle H \rangle$, 438</p> <p>$I(w)$, 360</p> <p>I_Q, 22, 32</p> <p>$\text{Im}(a)$, 341</p> <p>id_Q, 22</p> <p>\mathcal{J}, 42</p> |
|---|--|

610

Index of notation

- $K[A]$, 26
 $K[[A]]$, 26
 $K\langle\langle A \rangle\rangle$, 23
 $K\langle A \rangle$, 23
 $\text{Ker}(a)$, 341
 $\text{Ker}(m)$, 355

 $L(\mathcal{A})$, 11, 32
 $L(m)$, 43
 L_X , 228
 \mathcal{L} , 42
 $\ell(X)$, 90
 $\ell_n(k)$, 8
 $\lambda(X)$, 465

 M_e , 331
 $M_{i,p}$, 3
 \min , 250
 μ , 9
 $\mu(Y)$, 250
 μ_A , 32
 m_{*q} , 22
 m_{p*} , 22
 $m_{p,q}$, 22

 \mathcal{N} , 21

 $\mathfrak{P}(X)$, 1
 $\pi(X)$, 40
 \prec , 312
 (p, m, q) , 22, 328
 pmq , 328

 $R(m)$, 43
 \mathcal{R} , 42
 $\text{rank}(m)$, 343
 rank_K , 344
 $\text{rank}_A(x)$, 139
 ρ , 185
 ρ_L , 462
 $r(M)$, 346

 $\text{Stab}(q)$, 117, 346
 supp , 23
 $\mathcal{S}(\mathcal{A})$, 178
 \mathfrak{S}_n , 48
 (σ, w) , 23
 $\sigma(X)$, 377
 $\sigma \leq \tau$, 26
 $\sigma \odot \tau$, 25
 σ^* , 24
 σ^+ , 24

 \mathcal{T} , 19

 $u \prec v$, 6
 $u^*(z)$, 38

 $|w|$, 5
 $|w|_B$, 5
 \tilde{w} , 6
 w^- , 6

 A^-X , 108
 XA^- , 108
 XY^{-1} , 4
 X^* , 6
 X^+ , 6
 $X^{(n)}$, 245
 $X^{-1}Y$, 4
 \sim_X , 15
 \tilde{X} , 6
 \underline{X} , 24
 \bar{X} , 1
 $[x, y]$, 1
 $x < y$, 108
 $x \leq y$, 5, 108
 $x^{-1}y$, 4
 xy^{-1} , 4

 $Y \circ Z$, 87
 $Y \circ_\beta Z$, 87

Index

- absorbing pair, 376
- accessible state, 11
- adjacency matrix, 28, 38, 40
- adjacent interpretations, 360
- alphabet, 4
 - channel, 56
 - source, 56
- alphabetic
 - coding, 161
 - order, 6, 312
 - tree, 161
- alternating group, 48, 426
- anticipation, 385
- aperiodic monoid, 297
- approximate eigenvector, 31
- asynchronous automaton, 17
- automaton, 11, 117
 - asynchronous, 17
 - behavior, 32
 - bidelay, 221
 - complete, 12
 - congruence, 14
 - d -complete, 215
 - delay, 214
 - deterministic, 12
 - edge, 11
 - extended, 221
 - finite, 11
 - flower, 182, 277
 - free local, 385
 - input, 20
 - literal, 114, 119
 - local, 385
 - minimal, 13, 115
 - next-state function, 12
 - normalized weighted, 37
 - of a prefix code, 114
 - order, 386
 - ordered, 283
 - path, 11
 - period, 388
 - quotient, 14
 - reduced, 13
 - reduction, 185
 - representation associated with, 32
 - square, 178
 - star, 33
 - stochastic, 40
 - strongly connected, 11
 - synchronized, 139
 - synchronizing word, 139
 - transition monoid, 11, 14
 - trim, 11
 - trim part of, 11
 - unambiguous, 177
 - underlying graph, 11
 - weakly complete, 215
 - weakly deterministic, 214
 - weighted, 35
- average length, 149, 158, 464, 509
- backward boundary edge, 221
- balance, 222
- base
 - of a submonoid, 61
 - right ideal, 109
- bayonet
 - code, 534
 - word, 439
- behavior, 177
 - of a weighted automaton, 36
 - of an automaton, 32
- Bernoulli distribution, 40, 246, 257
 - positive, 40
 - uniform, 40
- bidelay of an automaton, 221
- bideterministic automaton, 230
- bifix code, 58, 226
 - degree, 239
 - derived, 245
 - group, 397
 - indicator, 264
 - insufficient, 258
 - internal transformation, 235, 256
 - kernel, 248, 425
 - maximal, 231
 - tower over, 240
- bifix set, 58
- biological code, 299
- bisection, 313, 318
- biunitary submonoid, 62
- Boolean
 - algebra, 451
 - semiring, 20

612

Borel subset, 453
 boundary edge, 221
 backward, 221
 forward, 221
 box
 separating, 530
 bunch state, 390

 Césari's theorem, 256
 Catalan numbers, 129
 Cayley graph, 111
 Černý's conjecture, 175, 591
 chain, 170
 channel alphabet, 56
 characteristic series, 24
 circular code, 275, 324
 clique, 368
 coaccessible state, 11
 code, 55
 average length, 158, 464, 509
 bayonet, 534
 bifix, 58, 226
 circular, 275, 324
 coding morphism, 56
 comma-free, 285, 324
 commutatively prefix, 512
 complete, 76
 composed, 188
 deciphering delay, 200, 417
 degree, 359, 480
 elementary, 431
 Elias, 126
 exponential Golomb
 reversible, 232
 finite deciphering delay, 417
 Golomb, 124, 174
 exponential, 126
 Golomb–Rice, 125, 150, 152
 reversible, 232
 group of, 358
 indecomposable, 89
 limited, 282
 literal deciphering delay, 213
 literal synchronization delay, 382
 locally parsable, 382
 maximal, 59
 positive factorization, 495
 positively factorizing, 494
 prefix, 58, 108
 prefix-synchronized, 299
 run-length limited, 159
 semaphore, 131, 150, 172, 246, 395,
 404
 separating, 530
 suffix, 58
 synchronized, 375, 404
 prefix, 138
 thin, 77
 two elements, 66, 324
 uniform, 56
 uniformly synchronized, 377
 verbal deciphering delay, 200
 verbal synchronization delay,
 377

Index

very thin, 349
 weakly prefix, 213
 codes
 composable, 87
 composition of, 87
 codeword, 55
 coding
 alphabetic, 161
 morphism, 56, 147
 ordered, 161
 prefix, problem, 158
 coherence condition, 40
 column, 328
 column-row decomposition, 330
 comma-free code, 285, 324
 commutative
 equivalence conjecture, 512
 image, 179
 monoid, free, 10
 commutative equivalence
 conjecture, 593
 commutative equivalence conjecture,
 593
 commutatively
 equivalent series, 512
 prefix, 512
 companion, 264
 compatibility conditions, 222
 completable
 strongly left, 369
 strongly right, 204, 441, 487
 word, 75
 word, left, 480
 word, right, 120, 441, 480
 complete
 automaton, 12
 code, 76
 factorization, 310
 semiring, 21
 set, 76
 set, right, 120
 completely reducible monoid, 522
 composable codes, 87
 composed
 code, 188
 transducer, 196
 composition of codes, 87
 congruence, 2
 automaton, 14
 nuclear, 2
 syntactic, 15
 conjecture
 3/4, 273, 592
 Černý's, 175, 591
 commutative equivalence, 512
 factorization, 495, 593
 inclusion, 83, 593
 conjugacy
 class, 7, 279
 equivalence, 7
 conjugate words, 7, 276
 constant
 term, 24
 word, 374

- context, 15
 - strict, 483, 510
 - strict left, 485
 - strict right, 221, 485
- contextual probability, 485, 490
- continuant polynomial, 500
- continuous morphism, 303
- cosets, right, 48
- cost, weighted, 158
- countably additive function, 452
- cyclic
 - monoid, 3
 - index, 3
 - set, 324
- cyclically null series, 304
- cyclotomic identity, 298

- D*-class, 43, 332
 - regular, 46
- d*-complete automaton, 215
- de Bruijn automaton, 385
- deciphering delay, 200, 417
 - literal, 213
 - minimal, 200
 - verbal, 200
- decoding function, 191
- decomposition
 - maximal, 144
 - minimal, 343
- defect theorem, 66
- degree
 - minimal, of a permutation group, 414
 - of a bifix code, 239
 - of a code, 359, 480
 - of a permutation group, 49
 - of a polynomial, 23
 - of a word, 361
- delay
 - literal
 - deciphering, 213
 - synchronization, 382
 - of an automaton, 214
 - verbal
 - deciphering, 200
 - synchronization, 377
 - verbal synchronization, 377
- dense, 76
 - set, right, 120
- density, 460, 462, 464
- depth of a semigroup, 416
- derived code, 245
- deterministic
 - automaton, 12
 - transducer, 192
- dihedral group, 342, 398, 400
- direct
 - modulo n , 439
 - sum, 435
- disjoint
 - factorizations, 94
 - interpretations, 361
- distribution, 460
 - invariant, 489
 - length, 27, 152
 - positive, 40, 509
- divisor, weak left, 499
- doubly transitive permutation group, 52, 424
- Dyck code, 65, 74, 76, 78, 81, 150, 240, 461
 - one-sided, 358

- edge
 - boundary, 221
 - of a transducer, 19
 - of an automaton, 11
- Ehrenfeucht–Rozenberg’s theorem, 83
- eigenvalue, 28
- eigenvector, 28
 - approximate, 31
- elementary
 - code, 431
- Elias code, 108, 126
- elimination method of Lazard, 299
- empty word, 5
- encoding
 - run-length, 176
- end of a path, 11, 19
- entropy, 173
 - topological, 467
- equivalence
 - conjugacy, 7
 - imprimitivity, 50, 397
 - maximal nuclear, 355
 - nuclear, 341, 355
- equivalent
 - permutation groups, 50
 - series, commutatively, 512
 - unambiguous monoids of relations, 333
- ergodic representation, 419
- even permutation, 48
- excedance, 432
- exponent of a word, 8
- exponential Golomb code, 126
 - reversible, 232
- expression
 - rational, 19
 - regular, 19
 - unambiguous rational, 181
- extended automaton, 221

- factor, 5
 - internal, 237, 416
- factorization, 6
 - conjecture, 495, 593
 - disjoint, 94
 - multiple, 446
 - of a group, 435
 - of the free monoid, 301
 - complete, 310
 - finite, 313
 - ordered, 301
 - periodic, 437
 - positive, 493, 495
 - standard, of a Lyndon word, 323
- failure function, 98
- Fibonacci number, 33
- final state, 11
- Fine–Wilf theorem, 297

614

finite
 automaton, 11
 deciphering delay, 199, 417
 factorization, 313
 locally, 23
 transducer, 19
 finite-to-one map, 198
 fixed point of a relation, 330
 flipping equivalent, 394
 flower automaton, 182, 277
 forward boundary edge, 221
 Franaszek code, 382
 free
 commutative monoid, 10
 group, 10, 64
 hull, 66
 local automaton, 385
 monoid, 5
 monoid, factorization, 301, 310
 Frobenius group, 414, 422
 full word, 258
 function
 image, 341
 next-state, 12
 nuclear equivalence of, 341
 transition, 12
 future of a state, 217
 Gauss' lemma, 502
 generating series, 26, 152
 probability, 40
 geometric distribution, 174
 Golay code, 434
 Golomb code, 124, 174
 exponential, 126
 reversible exponential, 232
 Golomb–Rice code, 125, 150, 152
 reversible, 232
 good
 pair, 207
 word, 212
 graph
 prefix, 93
 underlying an automaton, 11
 group
 alternating, 48, 426
 dihedral, 342, 398, 400
 factorization, 435
 free, 10, 64
 induced, 50, 51, 398
 of a bifix code, 397
 of a code, 358
 permutation, 48
 primitive, 51, 402
 symmetric, 48
 transitive, 49
 group code, 64, 82, 410
 group of units, 3, 45
 \mathcal{H} -class, 42
 Hadamard product, 25
 Hajós
 number, 437
 property, 437

Index

Hall sequence, 289
 height
 of an element, 266
 of a partially ordered set, 266
 homing sequence, 396
 hook, 445
 Huffman encoding, 158
 hull, free, 66
 ideal
 left, 41
 minimal, 42
 right, 41
 two-sided, 41
 0-minimal, 42
 idempotent, 3
 column-row decomposition of,
 330
 monoid localized at, 331
 probability measure, 490
 identity relation, 4
 image
 commutative, 179
 minimal, 355
 of a function, 341
 imprimitivity
 equivalence, 50, 397
 quotient, 50, 398
 inclusion conjecture, 83, 591
 incomparable words, 108
 indecomposable code, 89
 index
 cyclic monoid, 3
 subgroup, 48, 82, 410
 indicator
 bifix code, 264
 set, 228
 induced group, 50, 51, 398
 initial
 part of a set, 109
 state, 11, 19
 input
 automaton, 20
 label of a path, 19
 -simple transducer, 20
 inseparable states, 13
 insufficient
 bifix code, 258
 kernel, 426
 internal
 factor, 237, 416
 transformation, 235, 256
 interpretation, 227, 360
 adjacent, 360
 disjoint, 361
 invariant
 distribution, 489
 subspace, 522
 invertible relation, 329
 irreducible
 matrix, 29
 space, 522
 \mathcal{J} -class, 42

- K*-rational series, 36
- K*-relations, monoid, 22
- k*-transitive permutation group, 52
- kernel, 248, 425
 - insufficient, 426
- Kleene's theorem, 18
- Kolmogorov's extension theorem, 454
- Kraft inequality, 75
- Kraft–McMillan's theorem, 75

- \mathcal{L} -class, 42
- \mathcal{L} -representation of a monoid, 338
- label of a path, 11
- Lazard
 - elimination method, 299
 - set, 311
- left
 - completable word, 480
 - strongly, 369
 - context, strict, 485
 - divisor, weak, 499
 - ideal, 41
 - minimal pair, 163
 - unitary submonoid, 62
- length
 - distribution, 27, 152
 - of a word, 5
- letter, 5
 - order, 80, 141, 255, 440, 487
- lexicographic order, 6, 312
- limited code, 282
 - run-length, 159
- linear representation, 522
- literal
 - automaton, 114, 119
 - deciphering delay, 213
 - synchronization delay, 382
 - transducer, 20
- local automaton, 385
 - free, 385
- locally
 - finite, 23
 - parsable, 382
 - testable, 395
- logarithm of a series, 302
- Lyndon word, 312
 - standard factorization, 323
- Lyndon–Schützenberger theorem, 324

- Möbius
 - function, 9
 - inversion formula, 9
- machine, pattern matching, 105
- Markov chain, 41
- Maschke's theorem, 523
- Mathieu group, 433
- matrix
 - adjacency, 28
 - irreducible, 29
 - nonnegative, 28
 - positive, 28
 - representation, 36
 - spectral radius, 28
 - stochastic, 28
- maximal
 - bifix code, 231
 - decomposition, 144
 - nuclear equivalence, 355
 - prefix code, 120
- mean value, 452
- measure, probability, 452
- meet of two codes, 370
- memory, 385
- minimal
 - automaton, 13, 115
 - deciphering delay, 200
 - decomposition of a relation, 343
 - degree of a permutation group, 414
 - ideal, 42
 - image, 355
 - pair, 163
 - rank, 346
 - synchronization delay, 377
- 0-minimal ideal, 42
- molecule, 224
- monoid, 2
 - aperiodic, 297
 - completely reducible, 522
 - cyclic, 3
 - index, 3
 - \mathcal{D} -class, 43
 - \mathcal{D} -class in, 332
 - free, 5
 - free commutative, 10
 - \mathcal{H} -class, 42
 - \mathcal{J} -class, 42
 - \mathcal{L} -class, 42
 - \mathcal{L} -representation of, 338
 - localized at an idempotent, 331
 - of *K*-relations, 22
 - of relations, 4
 - transitive, 4, 329
 - prime, 46, 347
 - \mathcal{R} -class, 42
 - \mathcal{R} -representation, 338
 - Schützenberger representation
 - left, 338
 - right, 338
 - stabilizer, 346
 - syntactic, 15, 368, 369, 412
 - transition, 11, 14
 - transitive, of relations, 329
 - unambiguous, of relations, 329
 - minimal rank, 346
 - very transitive, 367
 - well founded, 472
 - zero, 3
- monoids
 - equivalent unambiguous, of relations, 333
- morphism, 2
 - associated with a reduction, 185
 - continuous, 303
 - recognizing, 14
- Morse code, 58
- Motzkin code, 102
- multiple factorization, 446

necklace, 7
 primitive, 7, 310
 Newton's formula, 287
 next-state function, 12
 nil-simple semigroup, 417
 nonnegative
 matrix, 28
 vector, 28
 normalized weighted automaton, 37
 nuclear
 congruence, 2
 equivalence, 341, 355
 maximal, 355
 null relation, 4
 one-sided Dyck code, 358
 operations
 rational, 18
 unambiguous rational, 181
 order, 386
 alphabetic, 6, 312
 lexicographic, 6, 312
 of a letter, 80, 141, 255, 440,
 487
 prefix, 5, 108
 radix, 6
 ordered
 automaton, 283
 coding, 161
 factorization of a word, 301
 semiring, 21
 tree, 161
 origin of a path, 11, 19
 output label of a path, 19
 pair
 absorbing, 376
 good, 207
 synchronizing, 373
 very good, 207
 palindrome word, 270
 parsable, locally, 382
 parse, 226
 passing system, 332
 path, 11, 19
 end, 11, 19
 input label, 19
 label, 11
 origin, 11, 19
 output label, 19
 simple, 34
 successful, 11, 19, 32
 pattern matching machine, 97, 105
 period, 437, 516
 of a cyclic monoid, 3
 of an automaton, 388
 periodic subset of a group, 437
 permutation
 even, 48
 excedance, 432
 signature, 180
 permutation group, 48
 degree, 49
 doubly transitive, 52, 424

equivalent, 50
 k -transitive, 52
 minimal degree, 414
 primitive, 51, 402, 416
 realizable, 425
 regular, 51, 404, 411
 transitive, 49
 Perron–Frobenius theorem, 29
 persistent recurrent event, 146
 point in a word, 227
 polynomial, 23
 degree, 23
 primitive, 502
 positive
 Bernoulli distribution, 40
 distribution, 40, 509
 factorization, 493, 495
 matrix, 28
 probability distribution, 40
 vector, 28
 positively factorizing code, 494
 power series, 26
 prefix
 -closed set, 6
 code, 58, 108
 automaton, 114
 maximal, 120
 synchronized, 138
 weakly, 213
 coding problem, 158
 graph, 93
 of a word, 5
 order, 5, 108
 set, 58
 -synchronized code, 299
 transducer, 193
 prime monoid, 46, 347
 primitive
 necklace, 7, 310
 permutation group, 51, 402,
 416
 polynomial, 502
 word, 7
 probability, 452
 distribution, 40, 460
 defined by an automaton, 41
 invariant, 489
 generating series, 40
 measure, 452
 idempotent, 490
 space, 452
 probability distribution
 associated, 454
 product
 of relations, 4, 328
 unambiguous, 25
 unambiguous, of relations, 328
 pure submonoid, 276, 297
 quasideterminant, 198
 quasipower, 272
 quotient
 automaton, 14
 imprimitivity, 50, 398

- \mathcal{R} -class, 42
- \mathcal{R} -representation of a monoid, 338
- Rédei
 - number, 438
 - property, 437
- radius
 - convergence, 26, 462
 - spectral, 28
- radix order, 6
- random variable, 452
- rank
 - minimal, 346
 - of a relation, 343
 - of a word, 139, 350
 - over a field, 344
- rational
 - expression, 19
 - unambiguous, 181
- operations, 18
 - unambiguous, 181
- set, 17
 - unambiguous, 181
- realizable permutation group, 425
- recognizable set, 15, 82, 171, 197, 270, 297
- recognized
 - series, 36
 - set, 11
- recognizing morphism, 14
- recurrent
 - state, 123
- recurrent event, 146
 - persistent, 146, 466
 - transient, 146
- reduced automaton, 13
- reducible matrix, 29
- reduction
 - morphism associated to, 185
 - of automata, 185
 - unambiguous, 364
- regular
 - expression, 19
 - permutation group, 51, 404, 411
 - set, 19
- relation, 4, 328
 - column, 328
 - fixed point, 330
 - identity, 4
 - invertible, 329
 - minimal decomposition, 343
 - minimal rank, 346
 - monoid, 4
 - null, 4
 - product, 4, 328
 - rank, 343
 - realized by a transducer, 19
 - row, 328
- relations
 - equivalent unambiguous monoids, 333
 - trim pair, 344
 - unambiguous monoid, 329
 - unambiguous product, 328
- remainder, 195, 499
- representation
 - associated with an automaton, 32
 - matrix, 36
 - Schützenberger, 338
 - syntactic, 520
- residual, 4
- reversal, 6, 270
- reversible
 - exponential Golomb code, 232
 - Golomb–Rice code, 232
 - variable-length codes, 273
- right
 - closing map, 224
 - completable, strongly, 204, 441, 487
 - completable word, 120, 441, 480
 - complete set, 120
 - context, strict, 221, 485
 - cosets, 48
 - dense set, 120
 - ideal, 41
 - base of, 109
 - thin set, 120
 - unitary submonoid, 62
- road coloring problem, 373
- root of a word, 8
- row, 328
- run-length
 - encoding, 176
 - limited code, 159
- Sands factorization, 446
- sandwich matrix, 365
- Schützenberger
 - covering, 198
 - representation, 338
- Schützenberger’s theorem
 - on codes with finite delay, 205
 - on factorizations, 302
 - on semaphore codes, 143
- scope of a sequence, 163
- semaphore code, 131, 150, 172, 246, 395, 404
- semigroup, 2
 - depth, 416
 - nil-simple, 416
 - syntactic, 395
- semiring, 20
 - Boolean, 20
 - complete, 21
 - ordered, 21
- separating
 - box, 530
 - code, 530
 - word, 530, 583
- sequence
 - 2-descending, 163
- sequential transducer, 194
- series, 23
 - characteristic, 24
 - commutative image, 179
 - commutatively equivalent, 512
 - cyclically null, 304
 - density, 462
 - K -rational, 36
 - logarithm, 302
 - probability generating, 40

- series, (*cont.*)
 - recognized, 36
 - star, 24
 - support, 23
- set
 - bifix, 58
 - indicator, 228
 - initial part, 109
 - prefix, 58
 - suffix, 58
- σ -algebra, 451
- signature of a permutation, 180
- simple path, 34
- simplifying word, 201, 441, 487
- sofic system, 105
- source alphabet, 56
- space
 - invariant, 523
 - irreducible, 522
 - probability, 452
- spectral radius, 28
- square of an automaton, 178
- stabilizer
 - in a relation, 346
 - of a state, 117
- stable
 - set, 368
 - submonoid, 61, 276, 363
- standard factorization of a Lyndon word, 323
- star
 - of a series, 24
 - of an automaton, 33
 - operation, 18
- star-free set, 395
- state, 11
 - accessible, 11
 - bunch, 390
 - coaccessible, 11
 - future of a, 217
 - initial, 11, 19
 - recurrent, 123
 - stabilizer of a, 117
 - terminal, 11, 19
- states
 - inseparable, 13
 - strongly synchronizable, 389
 - synchronizable, 139, 389
- stationary vector, 489
- Stirling's formula, 461
- stochastic
 - automaton, 40
 - probability distribution, 41
 - matrix, 28
- strict
 - context, 483, 510
 - left context, 485
 - right context, 221, 485
- strictly locally testable set, 384
- strongly
 - connected automaton, 11
 - left completable, 369
 - right completable, 204, 441, 487
 - synchronizable states, 389
- subgroup, index, 48, 82, 410
- submonoid, 2
 - base of, 61
 - biunitary, 62
 - left unitary, 62
 - pure, 276, 297
 - right unitary, 62
 - stable, 61, 276, 363
 - very pure, 276
- subspace
 - invariant, 522
- successful path, 11, 19, 32
- suffix, 6
 - code, 58
 - set, 58
- support of a series, 23
- Suschkewitch group, 349, 358
- symmetric group, 48
- synchronizable
 - states, 139, 389
 - strongly, 389
- synchronization delay
 - literal, 382
 - minimal, 377
 - verbal, 377
- synchronized
 - automaton, 139
 - code, 375, 404
 - uniformly, 377
 - prefix code, 138
- synchronizing
 - pair, 373
 - word, 137, 139, 374
- syntactic
 - congruence, 15
 - monoid, 15, 368, 369, 412
 - representation, 520
 - semigroup, 395
- system of coordinates, 336, 338
- telegraph channel, 159
- terminal state, 11, 19
- testable, locally, 395
- thin
 - code, very, 349
 - set, 77, 462
 - right, 120
- 3/4-conjecture, 273
- topological entropy, 467
- tower over a bifix code, 240
- trace coding problem, 105
- transducer, 19
 - composed, 196
 - deterministic, 192
 - finite, 19
 - input-simple, 20
 - literal, 20
 - path, 19
 - prefix, 193
 - relation realized by, 19
 - sequential, 194
 - unambiguous, 192
- transformation, internal, 235, 256
- transient recurrent event, 146

- transition
 - function, 12
 - monoid, 11, 14
- transitive
 - monoid of relations, 4, 329
 - monoid, very, 367
 - permutation group, 49
- tree
 - alphabetic, 161
 - ordered, 161
- trie, 97
- trim
 - automaton, 11
 - pair of relations, 344
 - part of an automaton, 11
 - weighted automaton, 37
- trisection, 319
- two elements code, 66, 324
- 2-descending sequence, 163
- two-sided ideal, 41
- unambiguous
 - automaton, 177
 - monoid of relations, 329
 - monoids of relations
 - equivalent, 333
 - product, 25
 - product of relations, 328
 - rational expression, 181
 - rational operations, 181
 - rational set, 181
 - reduction, 364
 - transducer, 192
- unbordered word, 10, 83, 272
- uniform
 - Bernoulli distribution, 40
 - code, 56
- uniformly synchronized code, 377
- variance, 273
- Varn coding problem, 160
- vector
 - nonnegative, 28
 - positive, 28
 - stationary, 489
- verbal
 - deciphering delay, 200
 - synchronization delay, 377
- very
 - good
 - pair, 207
 - word, 212
 - pure submonoid, 276
 - thin code, 349
 - transitive monoid, 367
- weak
 - left divisor, 499
- weakly
 - complete automaton, 215
 - deterministic automaton, 214
 - prefix code, 213
- Wedderburn relation, 500
- weighted automaton, 35
 - behavior, 36
 - normalized, 37
 - trim, 37
- weighted, cost, 158
- well-founded monoid, 472
- Wielandt function, 52
- Witt
 - numbers, 298
 - vector, 299
- word, 4
 - bayonet, 439
 - completable, 75
 - empty, 5
 - exponent, 8
 - factor, 5
 - full, 258
 - good, 212
 - interpretation, 360
 - left completable, 480
 - length, 5
 - ordered factorization, 301
 - palindrome, 270
 - point, 227
 - prefix, 5
 - primitive, 7
 - rank, 139, 350
 - reversal, 6
 - right completable, 120, 441, 480
 - root, 8
 - separating, 530, 583
 - simplifying, 201, 441, 487
 - strongly
 - left completable, 369
 - right completable, 204, 441, 487
 - suffix, 6
 - synchronizing, 137, 374
 - in an automaton, 139
 - unbordered, 10, 83, 272
 - very good, 212
 - X-exponent, 278
 - X-factorization, 6
 - X-primitive, 278
- words
 - conjugate, 7, 276
 - incomparable, 108
 - X-conjugate, 278
- X-conjugate, 278
- X-exponent, 278
- X-factorization, 6
- X-primitive, 278
- zero of a monoid, 3
- 0-minimal ideal, 42
- zeta function, 298, 324