

Contents

<i>List of Illustrations</i>	<i>page</i> xi
<i>List of Tables</i>	xiii
<i>Preface</i>	xv
<i>Notation</i>	xvii
Part I Sieves	1
1 Introduction	3
1.1 The sieve problem	3
1.2 Some basic hypotheses	4
1.3 Prime g -tuples	6
1.4 The $\Omega(\kappa)$ condition	8
1.5 Notes on Chapter 1	11
2 Selberg's sieve method	13
2.1 Improving the Eratosthenes–Legendre sieve	13
2.2 A new parameter	14
2.3 Notes on Chapter 2	17
3 Combinatorial foundations	19
3.1 The fundamental sieve identity	19
3.2 Efficacy of the Selberg sieve	22
3.3 Multiplicative structure of modifying functions	25
3.4 Notation: \mathcal{P} , $S(\mathcal{A}, \mathcal{P}, z)$, and V	26
3.5 Notes on Chapter 3	27
4 The Fundamental Lemma	29
4.1 A start: an asymptotic formula for $S(\mathcal{A}_q, \mathcal{P}, z)$	29
4.2 A lower bound for $S(\mathcal{A}_q, \mathcal{P}, z)$	33
4.3 Notes on Chapter 4	42

Cambridge University Press

978-0-521-89487-6 – A Higher-Dimensional Sieve Method

Harold G. Diamond , H. Halberstam , William F. Galway

Table of Contents

[More Information](#)

viii

Contents

5	Selberg's sieve method (continued)	43
5.1	A lower bound for $G(\xi, z)$	43
5.2	Asymptotics for $G^*(\xi, z)$	52
5.3	The j and σ functions	56
5.4	Prime values of polynomials	64
5.5	Notes on Chapter 5	66
6	Combinatorial foundations (continued)	67
6.1	Statement of the main analytic theorem	67
6.2	The $S(x)$ functions	70
6.3	The “linear” case $\kappa = 1$	71
6.4	The cases $\kappa > 1$	73
6.5	Notes on Chapter 6	79
7	The case $\kappa = 1$: the linear sieve	81
7.1	The theorem and first steps	81
7.2	Bounds for $V \Sigma^\pm$: the set-up	85
7.3	Bounds for $V \Sigma^\pm$: conclusion	88
7.4	Completion of the proof of Theorem 7.1	92
7.5	Notes on Chapter 7	95
8	An application of the linear sieve	97
8.1	Toward the twin prime conjecture	97
8.2	Notes on Chapter 8	102
9	A sieve method for $\kappa > 1$	103
9.1	The main theorem and start of the proof	103
9.2	The S_{21} and S_{22} sums	107
9.3	Bounds on Σ^\pm	110
9.4	Completion of the proof of Theorem 9.1	120
9.5	Notes on Chapter 9	122
10	Some applications of Theorem 9.1	125
10.1	A Mertens-type approximation	125
10.2	The sieve setup and examples	129
11	A weighted sieve method	135
11.1	Introduction and additional conditions	135
11.2	A set of weights	137
11.3	Arithmetic interpretation	140
11.4	A simple estimate	144
11.5	Products of irreducible polynomials	147
11.6	Polynomials at prime arguments	149
11.7	Other weights	150
11.8	Notes on Chapter 11	151

Cambridge University Press

978-0-521-89487-6 – A Higher-Dimensional Sieve Method

Harold G. Diamond , H. Halberstam , William F. Galway

Table of Contents

[More Information](#)

	<i>Contents</i>	ix
	Part II Proof of the Main Analytic Theorem	153
12	Dramatis personae and preliminaries	155
12.1	P and Q and their adjoints	155
12.2	Rapidly vanishing functions	158
12.3	The Π and Ξ functions	160
12.4	Notes on Chapter 12	161
13	Strategy and a necessary condition	163
13.1	Two different sieve situations	163
13.2	A necessary condition	164
13.3	A program for determining F and f	166
14	Estimates of $\sigma_\kappa(u) = j_\kappa(u/2)$	169
14.1	Lower bounds on σ	169
14.2	Differential relations	173
14.3	The adjoint function of j	177
14.4	Inequalities for $1 - j$	178
14.5	Relations between σ' and $1 - \sigma$	183
14.6	The ξ function	184
14.7	An improved upper bound for $1 - j$	190
14.8	Notes on Chapter 14	190
15	The p_κ and q_κ functions	193
15.1	The p functions	193
15.2	The q functions	195
15.3	Zeros of the q functions	196
15.4	Monotonicity and convexity relations	197
15.5	Some lower bounds for ρ_κ	199
15.6	An upper bound for ρ_κ	201
15.7	The integrands of $\tilde{\Pi}$ and $\tilde{\Xi}$	202
16	The zeros of $\tilde{\Pi}-2$ and $\tilde{\Xi}$	207
16.1	Properties of the Π and Ξ functions	207
16.2	Solution of some Π and Ξ equations	209
16.3	Estimation of $\tilde{\Pi}(2.7\kappa)$	214
17	The parameters α_κ and β_κ	217
17.1	The cases $\kappa = 1, 1.5$	217
17.2	The cases $\kappa = 2, 2.5, 3, \dots$	220
17.3	Proof of Proposition 17.3	222
17.4	Notes on Chapter 17	227
18	Properties of F_κ and f_κ	229
18.1	F_κ and $f_\kappa \rightarrow 1$ at ∞	229
18.2	$Q_\kappa(u) > 0$ for $u > 0$	229

Cambridge University Press

978-0-521-89487-6 – A Higher-Dimensional Sieve Method

Harold G. Diamond , H. Halberstam , William F. Galway

Table of Contents

[More Information](#)

x

Contents

Appendix 1	Procedures for computing sieve functions	233
A1.1	DDEs and the Iwaniec inner product	234
A1.2	The upper and lower bound sieve functions	235
A1.3	Using the Iwaniec inner product	236
A1.4	Some features of <i>Mathematica</i>	239
A1.5	Computing $F_\kappa(u)$ and $f_\kappa(u)$	240
A1.6	The function $\text{Ein}(z)$	241
A1.7	Computing the adjoint functions	242
A1.8	Computing $j_\kappa(u)$	250
A1.9	Computing α_κ and β_κ	254
A1.10	Weighted-sieve computations	255
<i>Bibliography</i>		259
<i>Index</i>		265