

# Index

- 
- Absence  
atypical, 39  
childhood, 5  
diagnosis, 5  
sudden falls, 33
- Acetylsalicylic acid (ASA), 49–50
- Acute alcohol myopathy, 108
- Acute double vision, 98–99
- Acute dystonic reaction, 126
- Acute nerve root compression, 100
- Agoraphobia, 181
- Akinetic postural, 38
- Almotriptan, 47–49
- Alternating hemiplegia, 94, 124
- American Academy of Ophthalmology and Otolaryngology, 61
- Amnesia. *See also* Transient global amnesia (TGA)  
anterograde, 160  
DS, 169  
retrograde, 160
- Analgesics, 49–50
- Anterograde amnesia, 160
- Anterograde memory  
non-verbal material, 160  
verbal material, 160
- Anticoagulation, 93
- Antiemetics, 49
- Anti-epileptic medication, 40–41
- Anxiety  
agoraphobia, 181  
classification, 180  
co-morbidity, 185  
definition, 180  
depressive disorders, 185  
diagnosis, examiner perspective, 184  
diagnosis, patient perspective, 182  
epidemiology, 182  
hypochondriasis, 181  
management, 185–186
- neurological differential diagnosis, 184  
panic disorder, 180–181  
phobia, 181  
psychiatric therapy, 186  
psychotherapy, 186  
social phobia, 181  
somatoform disorders, 184–185
- Arrhythmias, 20
- ASA. *See* Acetylsalicylic acid
- Atonic astatic seizures, 39–40
- ATPase6 gene mutation, 204
- Atypical benign epilepsy, childhood, 149
- Aura  
abdominal, 189  
complex visual hallucinations, 87  
EA1, 197  
epigastric, 189  
epileptic, 3, 87  
localizing value, 191  
migraine, 45  
vegetative, 189–190  
visceral, 189
- Automatisms, 15
- Axial tonic seizures, 39
- Axonhizomelic tonic seizures, 39
- Ballistic overflow myoclonus, 154
- Baltic myoclonus, 149
- Basal ganglia disorders, 122–123
- Basilar migraine  
Menière's disease, 61  
paroxysmal headaches, 45–46  
vertigo, 66
- Behavioral therapy  
DS, 175  
non-medical migraine prophylaxis, 52  
phobias, 186
- Bell phenomenon, 169
- Benign dystonia, 124–125
- Benign early infantile myoclonus, 8
- Benign paroxysmal dizziness, 9
- Benign paroxysmal positioning vertigo (BPPV)  
canalolithiasis hypothesis, 57  
cupulolithiasis model, 57  
diagnosis, 56–57  
differential diagnosis, 57  
epidemiology, 56  
Epley liberatory maneuvers, 58  
pathophysiology, 57  
physical liberatory maneuvers, 58  
Semont liberatory maneuver, 58  
surgery, 58–59  
vestibular migraine, 67  
vestibular paroxysmia, 65
- Benign paroxysmal torticollis, 9
- Benign sleep myoclonus, 8
- Benign tonic upward gazing, 10
- Binswanger syndrome, 32
- Blepharospasm, 136
- Blind field vision, 75
- Botulism, 103
- BPPV. *See* Benign paroxysmal positioning vertigo
- BPPV of the horizontal canal (hBPPV)  
features, 60  
therapy, 60
- Bradycardias, 192
- Brainstem lesion, 90, 96
- Breath-holding spell attacks, 7–8
- CACNA1A, 200–201
- Calcitonin-gene-related peptide (CGRP), 46
- Calcium channel diseases, 105  
diagnosis, 105  
hypokalemic episodic paresis, 105  
therapy, course,
- Callosotomy, 42
- Canalolithiasis hypothesis, 57

## Index

- Carcinoid syndrome, 188–189
- Cardiac embolism, 92
- Cardiac syncope
  - causes, 19–20, 22
  - treatment, 26
- Cardiologic diagnostic procedures, 25
- Carotid and Vertebral Artery Transluminal Angioplasty Study (CAVATAS), 93
- Carotid endarterectomy, 93
- Carotid sinus pressure test, 24
- Carotid sinus syndrome, 18, 22
- Carpet burns, 170
- Case history, 1
  - diagnostic interview, 1–2
  - epileptic aura, 3
  - hallucinations, 3
  - linguistic criteria, 1
  - patient understanding, 2
  - seizure history checklist, witnesses, 4
- Cataplexia
  - childhood disorders, 8
  - sleep paresis, 103–104
  - sudden falls, 30–31
  - syncope, 25
- CAVATAS. *See* Carotid and Vertebral Artery Transluminal Angioplasty Study
- CBT. *See* Cognitive behavioral therapy
- Central vestibular syndromes
  - causes, 69–70
  - DBN, 71
  - horizontal (yaw) plane, 70–71
  - lesions, 70
  - sagittal (pitch) plane, 71
  - UBN, 71
  - vertical (roll) plane, 71–72
  - VOR, 69–70
- Central vestibular vertigo forms, 66
- Cerebral hypoxia, 151
- Cerebral-vein thrombosis, 93
- Cervical myelopathy, 96
- CGRP. *See* Calcitonin-gene-related peptide
- Charles Bonnet syndrome, 85
- Childhood disorders
  - benign early infantile myoclonus, 8
  - benign paroxysmal dizziness, 9
  - benign paroxysmal torticollis, 9
  - benign sleep myoclonus, 8
- benign tonic upward gazing, 10
- breath-holding spell attacks, 7–8
- cataplexy/narcolepsy, 8
- hyperekplexia, 12
- infant epilepsy syndromes, 5
- jactatio capitis et corporis nocturna, 6
- Munchausen syndrome, 12
- nodding spasm, 10
- non-epileptic movement disorders, 5
  - paroxysmal dyskinesia, 5
  - paroxysmal kinesigenic choreo-athetosis, 10
  - pavor nocturnus, 8
  - PNES, 10–11
  - prevalence, 5
  - Sandifer syndrome, 9–10
  - self-stimulation, 10
  - shuddering attacks, 9
  - spasmus nutans, 10
  - spheno-orbital dysplasia, 11–12
  - syncope, 6–7
  - tic disorders, 8–9
- Chronic paroxysmal hemicrania, 53
- Chronic post-hypoxic myoclonus, 151
- Classic migraine, 45
- Cluster headaches
  - clinical symptoms, 52
  - differential diagnosis, 52
  - pathophysiology, 52
  - therapy, 52–53
- Cogan's syndrome, 61
- Cognitive behavioral therapy (CBT)
  - DS, 175
  - phobia, 186
- Common cramps, 130–131
- Compression syndromes, anatomical narrowings
  - acute nerve root compression, 100
  - diagnosis, therapy, 100
  - latent compartment syndrome, 99
  - neuralgic amyotrophy (brachial neuropathy), 100
  - TOS, 99–100
- Cortical lesions, 89–90
- Cortical myoclonus, 152, 154
- Cortical-subcortical myoclonus, 154
- Corticobasal degeneration, 151
- Cramping disorders, 131
- Cramps, 130
  - case report, 131–133
  - common cramps, 130–131
- cramping disorders, 131
  - definition, 130
  - EMG, 131
  - hemifacial spasm, 133–134
  - manifestations, 130
  - McArdle disease, 133
  - metabolic myopathy, 133
  - myokymia, 135
  - myotonia, 133
  - neuromyotonia, 134–135
  - Pompe diseases, 133
  - symptomatic cramps, 131
  - tetany, 133
  - treatment, 135–136
- Cupulolithiasis model, 57
- DBN. *See* Downbeat nystagmus syndrome
- Déjà vu
  - visual illusions, 77
  - visual perseveration, 77
- Delusions, 75
- Depressive disorders, 185
- DHE. *See* Dihydroergotamine
- Diagnostic and Statistical Manual of Mental Disorders (DSM-IV), 165–166
- Diagnostic interview, 1–2
- Dihydroergotamine (DHE), 49
- Disc prolapse
  - paraparesis/paraplegia, 96
  - tetraparesis, 97
- Dissociative (psychogenic) movement disorder, 124
- Dissociative seizures (DS)
  - age onset, 166
  - amnesia, 169
  - Bell phenomenon, 169
  - carpet burns, 170
  - conversion, 165
  - corneal reflex, 169
  - deescalating approach, 174
  - definition, 164–165
  - diagnosis, 164, 167
  - dissociation, 165
  - doctor/patient relationship, 173–174
  - driving restrictions, 174–175
  - DSM-IV, 165–166
  - EEG, 172
  - emotional triggers, 170
  - epidemiology, 166–167
  - epilepsy, borderline-personality disorder and, 176–177

- epileptic seizures and, 169–170
- history, taking of, 167–168
- hypermotor seizures and, 170–171
- ICD-10, 165
- ictal semiology, 169
- neurological diagnosis, 174
- neurological investigations, 172–173
- organic seizure disorder, 164
- PNES, 164
- post-hoc diagnostic tools, 171
- prognosis, 175–176
- prolactin, 171–172
- pseudo status epilepticus, 173
- psychiatric co-morbidity, 173
- psychogenic non epileptic seizures, 164, 176
- psychogenic seizure terminology, 165
- psychological diagnosis, 174
- psychologically-induced somatic reactions, 174
- psychotherapeutic interventions, 175
- psychotropic medication, 175
- somatiform disorder, 165
- stereotyped semiology absence, 169
- suggestion, 172
- symptomatology, 168–169
- trauma history, 174
- treatment approach, 175
- Dopa-responsive dystonia (DRD), 126
- Downbeat nystagmus syndrome (DBN), 71
- DRD. *See* Dopa-responsive dystonia
- Drop attacks
  - paroxysmal paresis, 97
  - sudden falls, 30
  - syncope, 25
  - vestibular, 62
- DS. *See* Dissociative seizures
- DSM-IV. *See* Diagnostic and Statistical Manual of Mental Disorders
- Dystonia
  - benign, 124–125
  - dopa-responsive, 126
  - drug-induced acute reaction, 126
  - focal, 126
- EA1. *See* Episodic ataxia type 1
- EA2. *See* Episodic ataxia type 2
- EA3. *See* Episodic ataxia type 3
- EA4. *See* Episodic ataxia type 4
- EA5. *See* Episodic ataxia type 5
- EA6. *See* Episodic ataxia type 6
- Early myoclonic encephalopathy, 148
- ECG. *See* Electrocardiogram
- EEG. *See* Electroencephalogram
- Electrocardiogram (ECG), 24
- Electroencephalogram (EEG)
  - absence epilepsy, 5
  - DS, 172
  - epileptic seizure, 5
  - interictal referential, 194
  - non-epileptic paroxysmal dyskinesia, 5
  - syncope, 25
- Electromyography (EMG), 131
- Eletroiptan, 47–49
- EMG. *See* Electromyography
- Encephalitis, 93
- Endarterectomy *v.* stenting (EVA3S), 93
- Endocrine myopathies, 107
- Epidural abscess, 96
- Epilepsia partialis continua, 149
- Epilepsy
  - absence, 5, 33
  - atypical benign, childhood, 149
  - aura, 3, 87
  - case report, 83–85
  - childhood prevalence, 5
  - complex hallucinations, 83
  - diagnosis, 5
  - DS, 169–170, 176–177
  - focal, 199
  - frontal lobe, 37
  - hallucination, 79, 83
  - IGE, 148
  - infant syndromes, 5
  - infantile myoclonic, 148
  - JME, 34
  - mesial temporal lobe, 36–37
  - myoclonus, 148
  - PME, 34, 149
  - resective surgery, 41–42
  - seizures, 5, 16, 169–170
  - startle, 40, 151–152
  - visual perseveration, 79
- Epileptic drop attacks
  - anti-epileptic medication, 40–41
  - tonic astatic seizures, 39–40
  - axial tonic seizures, 39
  - axorhizomelic tonic seizures, 39
  - callosotomy, 42
  - drug therapy, 41
  - Lenox-Gastaut syndrome, 39
  - myoclonic astatic seizures, 39–40
- palliative epilepsy surgery, 42
- startle epilepsies, 40
- tonic drop seizures, 39
- vagal nerve stimulation, 42
- Epileptic myoclonus, 148
- atypical benign epilepsy of childhood, 149
- Baltic, 149
- early myoclonic encephalopathy, 148
- epilepsia partialis continua, 149
- epilepsy, myoclonic absense, 148
- IGE, 148
- infantile myoclonic epilepsy, 148
- JME, 148
- LGS, 149
- Mediterranean, 149
- photoparoxysmal reactions, 148–149
- PMA, 149
- PME, 149
- Unverricht-Lundborg disease, 149
- Episodic ataxia type 1 (EA1)
  - attack characteristics, 197
  - attack frequency, 197
  - aura, 197
  - concomitant epilepsy, 198
  - definition, 196
  - diagnosis, 198
  - episodic kinesigenic dyskinesia, 199
  - focal epilepsy, 199
  - molecular pathogenesis, 196–197
  - MS, 198–199
  - muscle activity diseases, 199
  - myokymia, 197–198, 199
  - natural history, 199
  - non-kinesigenic dyskinesia, 199
  - phenotypic variants, 198
  - therapy, 199
  - transient ischemic attacks, 198
  - vestibular migraine, 198
  - vestibular paroxysms, 198
- Episodic ataxia type 2 (EA2)
  - 4-AP, 203
  - acetazolamide, 202–203
  - clinical features, 201–202
  - definition, 199
  - diagnosis, 202
  - differential diagnosis, 202
  - epidemiology, 200
  - laboratory examinations, 202
  - molecular pathogenesis, 200–201
  - natural history, 203
  - therapy, 202–203
  - vestibular migraine, 67
- Episodic ataxia type 3 (EA3), 203–204
- Episodic ataxia type 4 (EA4), 204
- Episodic ataxia type 5 (EA5), 204

## Index

- Episodic ataxia type 6 (EA6), 204
- Episodic ataxias. *See also* Episodic ataxia type 1 (EA1); Episodic ataxia type 2 (EA2)
- ATPase6 gene mutation, 204
  - case example, 205
  - definition, 196
  - EA3, 203–204
  - EA4, 204
  - EA5, 204
  - EA6, 204
  - sporadic late onset paroxysmal cerebellar, 204
- Episodic kinesigenic dyskinesia, 199
- Episodic pareses, 104
- Epley liberatory maneuvers, 58
- Ergot alkaloids, 49
- Ergotamine, 49
- ESO. *See* European Stroke Organisation
- Essential myoclonus, 147–148, 154
- European Stroke Organisation (ESO), 92
- EVA3S. *See* Endarterectomy v. stenting
- Exaggerated startle
- definition, 140–141
  - epidemiology, 140
  - hyperekplexia, 141–142
  - psychogenic movement disorder, 142–143
- Extrapyramidal movement disorders, 32
- FDA. *See* Food and Drug Administration
- 5-HT 1B/1D-agonists (triptans)
- comparison, 48–49
  - migraine attack therapy, 47–48
- Flexor spasms, 136–137
- Focal dystonias, 126
- Focal epilepsy, 199
- Focal seizures
- akinetic postural, 38
  - hypermotor, 38
  - secondary generalization, 38
  - sudden falls, 36
  - temporal syncope, 38
- Food and Drug Administration (FDA), 92
- 4-aminopyridine (4-AP), 203
- Frontal lobe epilepsy, 37
- Frovatriptan
- comparison, 48–49
  - migraine attack therapy, 47–48
- Functional pareses, 101
- GBS. *See* Guillain Barre syndrome
- Generalized anxiety disorder, 182
- Generalized tonic-clonic seizures
- primary, 35–36
  - secondary, 36
  - sudden falls, 34–35
- Generalized weakness (paresis), 101
- acute alcohol myopathy, 108
  - botulism, 103
  - calcium channel diseases, 105
  - case history, compression syndrome, 109–110
  - cataplexy, sleep paresis, 103–104
  - differential diagnosis, 107
  - electrolyte disturbance, 106
  - endocrine myopathies, 107
  - episodic pareses, 104
  - Glykogenose Typ V, 106–107
  - Glykogenose Typ VII, 107
  - hyperkalemic episodic paresis, 104–105
  - hypokalemic episodic paresis, 108
  - inflammatory myopathies, 108
  - Lambert-Eaton syndrome, 102–103
  - malignant hyperthermia, 108
  - malignant neuroleptic syndrome, 108
  - metabolic myopathies, 106
  - muscular, toxic influence, 103
  - myasthenia gravis, 101–102
  - non-organic origin, 108–109
  - normokalemic periodic paresis, 106
  - paramyotonia congenita, 104
  - sodium channel disease, 104, 105
  - therapy, 107
  - thyrotoxic episodic weakness, 107–108
  - toxic myopathies, drug-induced, 108
- Glykogenose Typ V, 106–107
- Glykogenose Typ VII, 107
- Guillain Barre syndrome (GBS), 97–98
- Hallucinations
- case history, 3
  - case report, 81–82, 83–85
  - complex, epilepsy and, 83
  - complex, in hemianopic field, 86–87
  - epileptic aura, 87
  - homonymous hemianopsia, 83
  - hypnagogic, 87
  - hypnopompic, 87
- occipitomesial brain infarction, 82
- peduncular, 85–86
- photopsias, 80, 83
- photopsias, in hemianopic field, 82–83
- photopsias, in migraine, 80–81
- syncope, 16
- visual, 80
- Hallucinatory palinopsia, 79
- HBPPV. *See* BPPV of the horizontal canal
- Hemifacial spasm, 133–134
- Hemiparesis/hemiplegia, 89
- brainstem lesion, 90
  - cortical lesions, 89–90
  - differential diagnosis, 90
  - internal capsule lesions, 90
  - spinal lesion, 90
  - subcortical lesions, 89–90
- Homonymous hemianopsia, 83
- Horizontal (yaw) plane, 70–71
- Huntington's disease, 151
- Hyperekplexia
- childhood disorders, 12
  - exaggerated startle, 141–142
  - myoclonus, 154
  - paroxysmal dyskinesias, 124
  - startle reaction, 31–32
- Hyperkalemic episodic paresis, 104–105
- Hypermotor seizures
- DS and, 170–171
  - focal, 38
- Hyperventilation
- paroxysmal dyskinesias, 125
  - syncopes, 19
- Hypnagogic hallucinations, 87
- Hypnic headache, 53
- Hypnopompic hallucinations, 87
- Hypoadrenergic orthostatic hypotension, 18–19
- Hypochondriasis, 181
- Hypoglycemia, 26
- Hypokalemic episodic paresis
- clinical symptoms, 105
  - diagnosis, 105
  - therapy, course, 105–106
- ICCA syndrome. *See* Infantile convulsions and choreoathetosis syndrome

- ICD-10.** *See* International Statistical Classification of Diseases and Related Health Problems
- Ictal paresis,** 94
- Idiopathic generalized epilepsies (IGE),** 148
- IHS.** *See* International Headache Society
- Immediate perseveration,** 77–78
- Infantile convulsions and choreoathetosis (ICCA) syndrome,** 116
- Infantile myoclonic epilepsy,** 148
- Inflammatory myopathies,** 108
- Internal capsule lesions,** 90
- International Headache Society (IHS),** 45
- International League Against Epilepsy,** 36
- International Statistical Classification of Diseases and Related Health Problems (ICD-10),** 165
- Ion-channel-disease,** 47
- Ischemia**
- alternating hemiplegia, of childhood, 94
  - anticoagulation, 93
  - cardiac embolism, 92
  - carotid endarterectomy, 93
  - cerebral-vein thrombosis, 93
  - coagulation disturbances, 92
  - diagnostic procedures, 91
  - encephalitis, 93
  - ictal paresis, 94
  - large vessel disease, 92
  - metabolic disturbances, 94
  - migraine, 94
  - multiple sclerosis, 94
  - postictal paresis, 94
  - rare causes, 92
  - risk-factor treatment, 92
  - sinus thrombosis, 93
  - small vessel disease, 92
  - tetraparesis, 96
  - thrombocytic aggregation inhibitors, 92–93
  - TIA, 90–91
  - transient cerebral ischemia, 90
  - vascular malformations, 93
- Jackson march,** 37
- Jactatio capitis et corporis nocturna,** 6
- Juvenile myoclonic epilepsy (JME),** 34, 148
- Lafora-body disease,** 150
- Lambert-Eaton syndrome,** 102–103
- Large vessel disease,** 92
- Latent compartment syndrome,** 99
- Lennox-Gastaut syndrome (LGS),** 39, 149
- Lewy body dementia,** 76
- LGS.** *See* Lennox-Gastaut syndrome
- Lhermitte, Jean,** 85
- Long Q-T syndrome,** 20
- Malignant hyperthermia,** 108
- Malignant neuroleptic syndrome,** 108
- McArdle disease**
- cramps, 133
  - therapy, 107
- Mediterranean myoclonus,** 149
- Menière's disease**
- American Academy of Ophthalmology and Otolaryngology, 61
  - basilar/vestibular migraine, 61
  - certain, 61
  - Cogan's syndrome, 61
  - definite, 61
  - definition, 60
  - diagnosis, 60–61
  - differential diagnosis, 61
  - epidemiology, 60
  - pathophysiology, 61–62
  - probable, 61
  - prophylactic therapy, 62
  - treatment of attack, 62
  - Tumarkin's otolithic crisis, 61
  - vestibular neuritis, 61
  - vestibular paroxysmia, 61
- MERRF.** *See* Myoclonus epilepsy and ragged-red fibers
- Mesial temporal lobe epilepsy,** 36–37
- Metabolic myopathy,** 106, 133
- Migraine**
- aura, with, 45
  - aura, without, 45
  - basilar, 45–46, 66
  - classic, 45
  - ischemia, 94
  - photopsias, 80–82
  - TIA, 94
  - vestibular, 66–68
- Monocular diplopia,** 80
- Monoparesis/monoplegia,** 98
- acute double vision, 98–99
  - acute nerve root compression, 100
  - diagnosis, therapy, 100
  - functional pareses, 101
  - latent compartment syndrome, 99
  - neuralgic amyotrophy (brachial neuropathy), 100
  - peripheral facial nerve palsy, 99
  - subclavian steal syndrome, 99
  - topodiagnosis, 98
  - TOS, 99–100
- Multiple sclerosis (MS)**
- EA1, 198–199
  - paroxysmal dyskinesias, 120
  - TIA, 94
- Munchausen syndrome,** 12
- Muscular weakness, toxic influence,** 103
- Myasthenia gravis,** 101–102
- first aid procedures, 102
  - pathophysiology, 102
- Myelitis,** 95
- Myoclonic-astatic seizures,** 39–40
- Myoclonus**
- atypical benign epilepsy, childhood, 149
  - ballistic overflow, 154
  - Baltic, 149
  - benign early infantile, 8
  - benign sleep, 8
  - chronic post-hypoxic, 151
  - classification, 146
  - clinical sign, 146
  - cortical, 152, 154
  - cortical-subcortical, 154
  - corticobasal degeneration, 151
  - diagnosis, 145–146
  - encephalopathy, 148
  - epidemiology, 145
  - epileptic, 148, 149
  - essential, 147–148, 154
  - hemifacial spasm, therapy, 154–155
  - Huntington's disease, 151
  - hyperekplexia, 154
  - IGE, 148
  - infantile epilepsy, 148
  - JME, 148
  - Lafora-body disease, 150
  - LGS, 149
  - Mediterranean, 149
  - MERRF, 150
  - negative, 151, 152
  - neurodegenerative disorders, 151
  - neuronal ceroid-lipofuscinosis, 150

## Index

- Myoclonus (*cont.*)**  
 neurophysiology, 152  
 Opsoclonus-myoclonus-syndrome, 151  
 palatale, 153  
 paroxysmal dyskinesias, 126  
 photoparoxysmal reactions, 148–149  
 physiological, in healthy individuals, 146–147  
 PMA, 149  
 PME, 149  
 proprio spinal, 154  
 psychogenic, 152  
 seizures, 34  
 sialidosis, 150–151  
 spinal origin, 153  
 spinal segmental, 154  
 startle syndromes, 151–152  
 subcortical-supraspinal (brainstem), 153, 154  
 symptomatic, 149–150  
 therapy, 153–154  
 Unverricht-Lundborg disease, 149
- Myoclonus epilepsy and ragged-red fibers (MERRF), 150**
- Myokymia, 135**
- Myotonia**  
 cramps, 133  
 paroxysmal dyskinesias, 126
- Naratriptan**  
 comparison, 48–49  
 migraine attack therapy, 47–48
- Narcolepsy**  
 childhood disorders, 8  
 sudden falls, 30–31
- Negative myoclonus, 151, 152**
- Neuralgic amyotrophy (brachial neuropathy), 100**
- Neurocardiogenic syncopes**  
 causes, 17  
 diagnostics, 21  
 treatment, 26
- Neurodegenerative disorders, 151**
- Neuromyotonia, 134–135**
- Neuronal ceroid-lipofuscinosis, 150**
- Nodding spasm, 10**
- Non-kinesigenic dyskinesia, 199**
- Normal-pressure hydrocephalus, 32**
- Normokalemic periodic paresis, 106**
- NSAIDs, 49–50**
- Occipitomesial brain infarction, 82**
- Opsoclonus-myoclonus-syndrome, 151**
- Orthostatic syncope**  
 causes, 18  
 diagnostics, 21–22  
 therapy, 26
- Orthostatic tolerance, 26**
- Palatale myoclonus, 154**
- Palinopsia**  
 case report, 78–79  
 hallucinatory, 79  
 visual illusions, 78
- Palliative epilepsy surgery, 42**
- Panic disorder, 180–181**
- Pantothenate kinase associated neurodegeneration (PKAN), 126**
- Paramyotonia congenita, 104**
- Paraparesis/paraplegia, 94**  
 cervical myelopathy, 96  
 differential diagnosis, 94  
 disc prolapse, 96  
 epidural abscess, 96  
 myelitis, 95  
 parasagittal lesion, 94–95  
 spinal bleeding, 95  
 spinal ischemia, 95  
 spinal lesion, 94  
 spinal space-occupying lesion, 95–96
- Parasagittal lesion, 94–95**
- Parkinson's disease, 126**
- Paroxysmal brainstem attacks, 65**
- Paroxysmal dyskinesias**  
 acute dystonic reaction, 126  
 alternating hemiplegia, 124  
 animal models, 121  
 basal ganglia disorders, 122–123  
 benign dystonia, 124–125  
 definition, 113–114  
 differential diagnosis, 122  
 dissociative (psychogenic) movement disorder, 124
- DRD, 126**
- etiology, 120–121**
- focal dystonias, 126**
- general practice, assessment and, 122**
- genetics, 118**
- hyperekplexia, 124**
- hyperventilation, 125**
- idiopathic, 120**
- MS, 120**
- myoclonus, 126**
- myotonia, 126**
- non-epileptic seizures, 5**
- Parkinson's disease, 126**
- PED, 118–119, 127**
- PHD, 119–120, 127**
- PKAN, 126**
- PKD, 113, 114–117, 126**
- PNKD, 113, 117–118, 126–127**
- Sandifer syndrome, 125**
- secondary, 120**
- shuddering attacks, 125**
- stereotypy, 125–126**
- tics, 125**
- Wilson disease, 126**
- Paroxysmal exercise-induced dyskinesia (PED)**  
 age of onset, 118–119  
 case presentation, 127  
 course, 119  
 duration, 118  
 etiology, 119  
 frequency, 118  
 movement pattern, 118  
 therapy, 119  
 trigger, 118
- Paroxysmal headaches**  
 antiemetics, simple analgesics, 49  
 aura, with, 45  
 aura, without, 45  
 basilar migraine, 45–46  
 behavioral therapy, 52  
 CGRP, 46  
 chronic paroxysmal hemicrania, 53  
 cluster headaches, 52–53  
 definition, 45  
 diagnosis, 45–46  
 diagnostic imaging, 46  
 differential diagnosis, 46  
 epidemiology, 45  
 ergot alkaloids, 49  
 genetics, 46  
 hypnic headache, 53  
 IHS, 45  
 ion-channel-disease, 47  
 PET study, 47  
 preventive therapy substances, 50–52  
 preventive treatment, 50  
 trigeminal neuralgia, 53–54  
 triggers, 53  
 triptans, 47–48  
 triptans, comparison of, 48–49  
 triptans, contraindications, 48

- Paroxysmal hypnogenic dyskinesia (PHD)  
 age of onset, 120  
 case presentation, 127  
 course, 120  
 duration, 120  
 etiology, 120  
 frequency, 120  
 movement pattern, 119–120  
 therapy, 120  
 trigger, 119
- Paroxysmal kinesigenic dyskinesia (PKD)  
 age of onset, 114–116  
 case presentation, 126  
 clinical course, 116–117  
 diagnostic criteria, 117, 118  
 duration, 114  
 etiology, 116  
 first reported case, 113  
 frequency, 114  
 ICCA syndrome, 116  
 movement pattern, 114  
 therapy, 116  
 trigger, 114
- Paroxysmal kinesiogenic choreo-athetosis  
 childhood disorders, 10  
 differential diagnosis, 10
- Paroxysmal memory loss, 158–159,  
 160 *See also* Transient global amnesia
- Paroxysmal non-kinesigenic dyskinesia (PNKD)  
 age of onset, 117  
 case presentation, 126–127  
 course, 118  
 duration, 117  
 etiology, 118  
 frequency, 117  
 movement pattern, 117  
 paroxysmal dyskinesias, 113  
 therapy, 117–118  
 trigger, 117
- Paroxysmal paresis, 89  
 acute alcohol myopathy, 108  
 acute double vision, 98–99  
 acute nerve root compression, 100  
 alternating hemiplegia of childhood, 94  
 anticoagulation, 93  
 botulism, 103  
 brainstem lesion, 96  
 calcium channel diseases, 105  
 carotid endarterectomy, 93  
 case history, compression syndrome, 109–110
- cataplexy, 103–104  
 cerebral-vein thrombosis, 93  
 cervical myelopathy, 96  
 cortical lesions, 89–90  
 diagnosis, therapy, 100  
 diagnostic procedures, 91  
 differential diagnosis, 107  
 disc prolapse, 96, 97  
 drop attacks, 97  
 electrolyte disturbance, 106  
 encephalitis, 93  
 endocrine myopathies, 107  
 epidural abscess, 96  
 episodic, 104  
 functional, 101  
 GBS, 97–98  
 generalized weakness, 101  
 Glykogenose Typ V, 106–107  
 Glykogenose Typ VII, 107  
 hemiparesis, 89  
 hemiplegia, 89  
 hyperkalemic episodic paresis, 104–105  
 hypokalemic episodic paresis, 94  
 inflammatory myopathies, 108  
 internal capsule lesions, 90  
 ischemia, 90, 96  
 Lambert-Eaton syndrome, 102–103  
 latent compartment syndrome, 99  
 localized, 89  
 malignant hyperthermia, 108  
 malignant neuroleptic syndrome, 108  
 metabolic disturbances, 94  
 metabolic myopathies, 106  
 metabolic myopathies, differential diagnosis, 107  
 metabolic myopathies, therapy, 107  
 migraine, 94  
 monoparesis, 98  
 monoplegia, 98  
 MS, 94  
 muscular, toxic influence, 103  
 myasthenia gravis, 101–102  
 myitis, 95  
 neuralgic amyotrophy (brachial neuropathy), 100  
 normokalemic periodic paresis, 106  
 paramyotonia congenita, 104  
 parasagittal lesions, 94–95  
 peripheral facial nerve palsy, 99  
 polyneuroradiculitis, 97–98  
 postictal paresis, 94  
 rare causes, 92  
 risk factor treatment, 92  
 sinus thrombosis, 93  
 sleep paresis, 103–104  
 sodium channel disease, 104, 105
- space-occupying lesions, 93  
 spinal bleeding, 95  
 spinal ischemia, 95  
 spinal lesions, 90, 96  
 spinal space-occupying lesion, 95–96  
 subclavian steal syndrome, 99  
 subcortical lesions, 89–90  
 tetraparesis, 96  
 thrombocytic aggregation inhibitors, 92–93  
 thyrotoxic episodic weakness, 107–108  
 TOS, 99–100  
 toxic myopathies, drug-induced, 108  
 vascular malformations, 93
- Paroxysmal vertigo attacks  
 basilar migraine, 66  
 BPPV, 56–60, 67  
 canalolithiasis hypothesis, 57  
 cause, 56  
 central vestibular vertigo forms, 60–62, 66  
 DBN, 71  
 Epley liberatory maneuver, 58  
 frequency, vertigo syndromes, 56  
 hBPPV, 59–60  
 horizontal (yaw) plane, 70–71  
 perilymph fistulas, 63–64  
 physical liberatory maneuvers, 58  
 sagittal (pitch) plane, 57  
 Semont liberatory maneuver, 58  
 UBN, 71  
 vertebrobasilar ischemia, 68  
 vertical (roll) plane, 71–72  
 vestibular drop attack treatment, 62  
 vestibular migraine, 66–68  
 vestibular paroxysmia, 64–66  
 vestibular pseudoneuritis, 70  
 VOR, 69–70
- Paroxysmal visual disturbances  
 blind field vision, 75  
 Charles Bonnet syndrome, 85  
 complex hallucinations, epilepsy and, 83  
 complex hallucinations, in hemianopic field, 86–87  
 déjà vu, 77  
 delusions, 75  
 homonymous hemianopsia, 83  
 homonymous scotoma, 75  
 hypnagogic hallucinations, 87  
 hypnopompic hallucinations, 87  
 immediate perseveration, 77–78  
 Lewy body dementia, 76  
 monocular diplopia, 80  
 occipitomesial brain infarction, 82

## Index

- Paroxysmal visual disturbances (*cont.*)  
 palinopsia, 78–79  
 peduncular hallucinations, 85–86  
 photopsias, 80  
 photopsias case report, 83  
 photopsias, in hemianopic field, 82–83  
 photopsias, in migraine, 80–81  
 polyopia, 79–80  
 visual hallucinations, 80  
 visual illusions, 76–77  
 visual perseveration, 79, 83
- Pavor nocturnus, 8
- Peduncular hallucinations, 85–86
- Perilymph fistulas  
 conservative therapy, 64  
 definition, epidemiology, 63  
 diagnosis, 63  
 differential diagnosis, 63–64  
 imaging techniques, 63  
 provocation tests, 63  
 superior semicircular canal, dehiscence of, 63  
 surgical therapy, 64  
 Tullio phenomenon, 63
- Peripheral facial nerve palsy, 99
- PERM. *See* Progressive encephalomyelitis with rigidity and myoclonus syndrome
- PET. *See* Positron-emission tomography
- Pheochromocytoma, 188
- Phobia  
 agoraphobia, 181  
 anxiety, 181  
 hypochondriasis, 181  
 social, 181  
 specific, isolated, 181
- Photoparoxysmal reactions, 148–149
- Photopsias  
 hemianopic case report, 83  
 hemianopic field, 82–83  
 homonymous hemianopsia, 83  
 migraine, 80–81  
 migraine case report, 81–82  
 visual hallucinations, 80, 83
- Physical liberatory maneuvers  
 BPPV, 58  
 Epley, 58  
 Semont, 58
- Physiological myoclonus, 146–147
- PKAN. *See* Pantothenate kinase associated neurodegeneration
- PKD. *See* Paroxysmal kinesigenic dyskinesia
- PMA. *See* Progressive myoclonus ataxia
- PME. *See* Progressive myoclonus epilepsy
- PNES. *See* Psychogenic non-epileptic seizure
- PNKD. *See* Paroxysmal non-kinesigenic dyskinesia
- Polyneuroradiculitis, 97–98
- Polyopia, 79–80
- Pompe diseases, 133
- Positron-emission tomography (PET), 47
- Postictal paresis, 94
- Postictal phase, 16
- Postprandial syncope, 18
- Postural tachycardia syndrome, 19
- Presyncope, 16
- Prodromal symptoms, 189
- Progressive encephalomyelitis with rigidity and myoclonus syndrome (PERM), 139
- Progressive myoclonus ataxia (PMA), 149
- Progressive myoclonus epilepsy (PME) myoclonus, 149  
 sudden falls, 34
- Prolactin, 171–172
- Propriospinal myoclonus, 154
- Provocation tests, 63
- Pseudo status epilepticus, 173
- Psychogenic movement disorder, 142–143
- Psychogenic myoclonus, 152
- Psychogenic non-epileptic seizure (PNES)  
 childhood disorders, 10–11  
 differential diagnosis, 26  
 DS, 164
- Resective epilepsy surgery, 41–42
- Retrograde amnesia, 160
- Rizatriptan  
 comparison, 48–49  
 migraine attack therapy, 47–48
- Sagittal (pitch) plane, 71
- Sandifer syndrome, 9–10, 125
- Schellong test, 23–24
- Seizure history checklist, 3–4
- Seizures, non-epileptic  
 paroxysmal dyskinesia, 5  
 PNES, 10–11, 26, 164  
 sudden falls, 32–33
- Semont liberatory maneuvers, 58
- Shuddering attacks  
 childhood disorders, 9  
 paroxysmal dyskinesias, 125
- Sialidosis myoclonus, 150–151
- Sinus thrombosis, 93
- Situational syncope  
 causes, 17–18  
 diagnostics, 21  
 therapy, 26
- SLS. *See* Stiff-limb syndrome
- Small vessel disease, 92
- SMS. *See* Stiff-man syndrome
- Social phobia, 181
- Sodium channel diseases, 104  
 hyperkalemic episodic paresis, 104–105  
 paramyotonia congenita, 104  
 therapy, 105
- Somatoform disorders, 184–185
- SPACE. *See* Stent-protected angioplasty *v.* carotid endarterectomy
- Spasm, 130  
 blepharospasm, 136  
 case report, 137–139  
 definition, 136  
 epidemiology, 136  
 flexor spasms, 136–137  
 manifestations, 130  
 SLS, 139  
 SMS, 139–140  
 tetanus, 140  
 tonic spasms, 137
- Spasmus nutans, 10
- Spheno-orbital dysplasia, 11–12
- Spinal bleeding, 95
- Spinal ischemia, 95
- Spinal lesion  
 hemiparesis/hemiplegia, 90  
 paraparesis/paraplegia, 94  
 tetraparesis/tetraplegia, 96

- Spinal origin myoclonus, 153  
 Spinal segmental myoclonus, 154  
 Spinal space-occupying lesion, 95–96  
 Sporadic late onset paroxysmal cerebellar ataxia, 204  
 Startle epilepsy, 40, 151–152  
 Startle reaction, 31–32  
 Startle syndrome, 31–32, 151–152  
 Stent-protected angioplasty *v.* carotid endarterectomy (SPACE), 93  
 Stiff-limb syndrome (SLS), 139  
 Stiff-man syndrome (SMS), 139–140  
 Subclavian steal syndrome, 20, 99  
 Subcortical lesions, 89–90  
 Subcortical vascular encephalopathy (SVE), 32  
 Subcortical-supraspinal (brainstem) myoclonus, 153, 154  
 Sudden falls  
     absence epilepsies, 33  
     anti-epileptic medication, 40–41  
     atonic astatic seizures, 39–40  
     balance, posture tasks, 28–29  
     callosotomy, 42  
     cataplexia, 30–31  
     drop attacks, 30  
     epileptic drop attack drug therapy, 41  
     etiological possibilities, 28  
     extrapyramidal movement disorders, 32  
     focal seizures, 38  
     frontal lobe epilepsy, 37  
     generalized tonic-clonic seizures, 34–35  
     hyperekplexia, 31–32  
     International League Against Epilepsy, 36  
     Jackson march, 37  
     juvenile myoclonic epilepsy, 34  
     lateral temporal lobe epilepsy, 37  
     Lennox-Gastaut syndrome, 39  
     mesial temporal lobe epilepsy, 36–37  
     MSLT, 31  
     myoclonic seizures, 33–34, 39–40  
     narcolepsy, 30–31  
     neurological causes, 29  
     non-epileptic seizures, 32–33  
     normal-pressure hydrocephalus, 32  
     occipital lobe epilepsy, 37–38  
     overview, 28  
     palliative epilepsy surgery, 42  
     parietal lobe epilepsy, 37–38
- paroxysmal causes, 28  
 primary generalized tonic-clonic seizures, 35–36  
 progressive myoclonus epilepsies, 34  
 resective epilepsy surgery, 41–42  
 secondary generalized tonic-clonic seizures, 36  
 startle diseases, 31–32  
 SVE, 32  
 syncope, 30  
 vagal nerve stimulation, 42  
 Wernicke aphasia, 37
- Sumatriptan, 47–48  
 comparison, 48–49  
 migraine attack therapy, 47–48
- Superior semicircular canal, dehiscence of  
 neurosurgery, 64  
 perilymph fistulas, 63
- SVE. *See* Subcortical vascular encephalopathy
- Symptomatic cramps, 131
- Symptomatic myoclonus, 149–150  
 cerebral hypoxia, 151  
 chronic post-hypoxic, 151  
 corticobasal degeneration, 151  
 Huntington's disease, 151  
 Lafora-body disease, 150  
 MERRF, 150  
 negative, 151  
 neurodegenerative disorders, 151  
 neuronal ceroid-lipofuscinosis, 150  
 Opsoclonus-myoclonus-syndrome, 151  
 psychogenic, 152  
 sialidosis, 150–151  
 startle syndromes, 151–152
- Syncope  
 arrhythmias, 20  
 automatisms, 15  
 blood pressure, heart rate measurement, 23–24  
 cardiac, 19–20, 22, 26  
 cardiologic diagnostic procedures, 25  
 carotid sinus pressure test, 24  
 carotid sinus syndrome, 18, 22  
 cataplexy, 25  
 childhood disorders, 6–7  
 clinical phenomenology, 14–15  
 definition, 14  
 drop attacks, 25  
 drug-induced, 20, 22–23  
 ECG, 24  
 EEG, 25  
 epidemiology, 14  
 epileptic mechanisms and, 16
- epileptic seizures, *v.*, 16, 25  
 examination techniques, 21, 23  
 eye movements, 15–16  
 fainting, 14  
 falls, 15, 25, 30  
 hallucinations, 16  
 hyperventilation, 19  
 hypoadrenergic orthostatic hypotension, 18–19  
 hypoglycemia, 26  
 indicators, 23  
 initial evaluation, 21  
 long Q-T syndrome, 20  
 medical history, 23  
 myoclonic muscle activity, 15  
 neurocardiogenic, 17, 21, 26  
 neurological disorders and, 20–21  
 neurological examination, 23  
 orthostatic, 18, 21–22, 26  
 orthostatic tolerance, 26  
 physical examination, 23  
 PNES, 26  
 postictal phase, 16  
 postprandial, 18  
 postural tachycardia syndrome, 19  
 presyncope, 16  
 prognosis, 26–27  
 psychiatric disorders and, 21  
 situational, 17–18, 21, 26  
 structural heart diseases, 20  
 sudden falls, 30  
 symptoms, 7  
 systematic evaluation algorithm, 21  
 temporal, 38  
 therapy, 26  
 TIA, 25–26  
 tilt-table test, 24–25  
 unknown etiology, 21, 23  
 Valsalva maneuver, 18  
 vasovagal, 17  
 vegetative seizures, 192
- Temporal syncope, 38
- Tetanus, 140
- Tetany, 133
- Tetraparesis/tetraplegia, 96  
 brainstem lesion, 96  
 differential diagnosis, 96  
 disc prolapse, 97  
 drop attacks, 97  
 GBS, 97–98  
 ischemia, 96  
 polyneuroradiculitis, 97–98  
 spinal lesion, 96
- TGA. *See* Transient global amnesia
- Thoracic outlet-syndrome (TOS), 99–100

## Index

- Thrombocytic aggregation inhibitors, 92–93
- Thyrotoxic episodic weakness, 107–108
- TIA. *See* Transient ischemic attacks
- Tics
  - childhood disorders, 8–9
  - paroxysmal dyskinesias, 125
- Tilt-table test, 24–25
- Tonic drop seizures
  - epileptic drop attacks, 39
  - Lennox-Gastaut syndrome, 39
- Tonic spasms, 137
- TOS. *See* Thoracic outlet-syndrome
- Transient cerebral ischemia, 90
- Transient global amnesia (TGA)
  - anterograde amnesia, 160
  - anterograde memory, non-verbal material, 160
  - anterograde memory, verbal material, 160
  - benzodiazepine hypothesis, 162
  - case report, 159
  - definition, clinical presentation, 158–159
  - diagnosis, 159–160
  - diagnostic imaging, 160
  - differential diagnosis, 160
  - epidemiology, 159
  - epileptic hypothesis, 162
  - lesion localization, 160–161
  - migraine hypothesis, 161
  - precipitating events, 159
  - retrograde amnesia, 160
  - treatment, 160
  - vascular ischemic hypothesis, 161–162
  - vascular venous hypothesis, 162
- Transient ischemic attacks (TIA)
  - alternating hemiplegia, childhood, 94
  - anticoagulation, 93
  - cardiac embolism, 92
  - carotid endarterectomy, 93
  - cerebral-vein thrombosis, 93
  - coagulation disturbances, 92
  - diagnostic procedures, 91
  - EA1, 198
  - encephalitis, 93
  - ictal paresis, 94
  - ischemia, 90–91
  - large vessel disease, 92
  - metabolic disturbances, 94
- migraine, 94
  - postictal paresis, 94
  - rare causes, 92
  - risk-factor treatment, 92
  - sinus-thrombosis, 93
  - small vessel disease, 92
  - space-occupying lesions, 93
  - syncope, 25–26
  - thrombocytic aggregation inhibitors, 92–93
  - vascular malformations, 93
- Trigeminal neuralgia
  - clinical symptoms, 53
  - definition, epidemiology, 53
  - medicamentous therapy, 54
  - pathophysiology, 53–54
  - triggers, 53
- Triptans
  - comparison of, 48–49
  - contraindications, 48
  - migraine attack therapy, 47–48
- Tullio phenomenon, 63
- Tumarkin's otolithic crisis
  - Menière's disease, 61
  - treatment, 62
- Unverricht-Lundborg disease, 149
- Upbeat nystagmus (UBN), 71
- Vagal nerve stimulation, 42
- Valsalva maneuver, 18
- Van Bogaert, P., 85
- Vasovagal syncope, 17
- Vegetative seizures, 188
  - auras, localizing value, 191
  - auras *v.* seizures, 189–190
  - autonomous symptoms, 189–190
  - bradycardias, 192
  - carcinoid syndrome, 188–189
  - case report, 190–191, 193–194
  - epidemiology, 190
  - epigastric aura, 189
  - heart rate, 191
  - interictal referential EEG, 194
  - magnetic resonance imaging, 193
  - mechanisms, 189
  - pheochromocytoma, 188
  - prodromal symptoms, 189
  - prognosis, 193–194
  - stimulation results, 191
  - syncopes, 192
  - temporal seizure pattern, 194
- therapy, 193
- visceral aura, 189
- Vertebrobasilar ischemia, 68
- Vertical (roll) plane, 71–72
- Vestibular drop attack, 62
- Vestibular migraine
  - BPPV, 67
  - definition, epidemiology, 66–67
  - diagnosis, 66, 67
  - differential diagnosis, 67–68
  - EA1, 198
  - episodic ataxia type 2, 67
  - pathophysiology, 68
  - therapy, 68
- Vestibular neuritis, 61
- Vestibular paroxysmia
  - benign paroxysmal positioning vertigo, 65
  - definition, epidemiology, 64
  - diagnosis, 64–65
  - differential diagnosis, 65
  - episodic ataxias, 198
  - Menière's disease, 61
  - neurovascular cross-compression, 65
  - paroxysmal brainstem attacks, 65
  - pathophysiology, 65–66
  - therapy, 66
- Vestibular pseudoneuritis, 70
- Vestibulo-ocular reflex (VOR)
  - central vestibular vertigo forms, 69–70
  - three planes, 70
- Visual illusions
  - déjà vu, 76–77
  - hallucinatory palinopsia, 79
  - immediate perseveration, 77–78
  - monocular diplopia, 80
  - objects' characteristics, 77
  - palinopsia, 78
  - palinopsia case report, 78–79
  - polyopia, 79–80
  - visual perseveration, 77, 79
- VOR. *See* Vestibulo-ocular reflex
- Wernicke aphasia, 37
- Wilson disease, 126
- Zolmitriptan
  - comparison, 48–49
  - migraine attack therapy, 47–48