

Index

$a \dots b$ (integer interval), 17
 ∂ (derivative), 87
 \mathbb{E} (expectation), 113, 728, 772
 \Im (imaginary part), 230
 \lg (binary logarithm), 308
 m (analytic mean), 645
 O (asymptotic notation), 722
 o (asymptotic notation), 722
 \mathbb{P} (probability), 113, 157
 \mathbf{R} (resultant notation), 739
 R_{conv} (radius of convergence), 230
 \Re (real part), 230
 Res (residue operator), 233
 ν (analytic variance), 645
 ∇ (variance), 728
 Δ -domain, *see* Delta-domain
 Θ (asymptotic notation), 723
 Θ (pointing), 86
 σ (standard deviation), 728
 Ω (asymptotic notation), 723
 $\lceil \cdot \rceil$ (nearest integer function), 43, 260
 $[z^n]$ (coefficient extractor), 19
 $\llbracket \cdot \rrbracket$ (Iverson's notation), 58
 \cong (combinatorial isomorphism), 19
 \doteq (numerically close), 7
 \gg (much larger), 566
 \ll (much smaller), 566
 \approx (roughly equal), 50
 \sim (asymptotic notation), 722
 \bowtie (exponential order), 243
 \oint (contour integral), 549
 \star (labelled product), 101
 $+$, *see* disjoint union
 $\langle \cdot \rangle$ (strip of \mathbb{C}), 763
 \circ (substitution), 87, 136

CYC (cycle construction), 26, 103
 MSET (multiset construction), 26
 PSET (powerset construction), 26
 SEQ (sequence construction), 25, 102
 SET (set construction), 102
 \mathfrak{K}_Ω (Ω -restricted construction), 30

Abel identity, 733
 Abel–Plana summation, 238
 adjacency matrix (of graph), 336
 admissibility (of function), 564–572

admissible construction, 22, 100
 Airy area distribution, 365, 534, 706
 Airy function, 534, 598, 606, 707, 714
 Airy map distribution, 713–714
 alcohol, 284, 477–478
 algebraic curve, 495
 algebraic function, 482–518, 539
 asymptotics, 493–518
 branch, 495
 coefficient, 500–518
 elimination, 739–741
 exceptional set, 495–496
 Newton polygon, 498–500
 Puiseux expansion, 444, 498–500
 singularities, 495–518
 singularity perturbation, 681–684
 algebraic topology, 200
 algebraic–logarithmic singularity, 376, 393
 algorithm
 approximate counting, 313–315
 balanced tree, 91, 280
 binary adder, 308
 binary search tree, 203, 428–430, 685, 688
 digital tree (trie), 356, 693
 Floyd's cycle detection, 465–466
 hashing, 111, 146, 178, 534, 600
 integer gcd, 664
 irreducible polynomials, 450
 Lempel–Ziv compression, 694
 paged trees, 688
 Pollard's integer factoring, 466–467
 polynomial factorization, 449, 450
 polynomial gcd, 662–664
 shake and paint, 417
 TCP protocol, 315
 alignment, 119, 261, 296, 654
 alkanes, 477–479
 allocation, *see* balls-in-bins model
 alphabet, 49
 ambiguity
 context-free grammar, 82
 regular expression, 316, 734
 analytic continuation, 239
 analytic depoissonization, 572–574, 694
 analytic function, 230–238
 equivalent definitions, 741–743
 composition, 411–417

- differentiation, 418–422, 741–743
 Hadamard product, 422–427
 integration, 418–422, 742–743
 inversion, 249, 275–280, 402–407
 iteration, 280–283
 Lindelöf integrals, 237, 409
 animal (lattice), 80–82, 396
 aperiodic function, system, *see* periodicity conditions
 apparent singularity, *see* singularity, apparent
 approximate counting, 313–315
 area (of Dyck path), 330, 533–534, 706
 argument principle, 270
 arithmetical functions, 721
 arithmetical semigroups, 91, 673
 arrangement, 112, 113
 asymptotic
 algebraic, 518
 expansion, 724
 notations, 722–725
 scale, 724–725
 atom, 24, 98
 autocorrelation (in words), 60, 271, 659
 automaton, *see* finite automaton
 average, *see* expectation
 balanced tree, *see* tree
 ballot problem, 68, 76
 balls-in-bins model, 113, 177–178
 capacity, 598–600
 Poisson law, 177
 Bell numbers, 109
 asymptotics, 560–562, 762
 Bell polynomials, 188
 Bernoulli number, 747
 Bernoulli numbers, 268, 726–727, 766
 Bernoulli trial, 191, 307, 774
 Berry–Esseen inequalities, 624–625, 641, 777
 Bessel function, 46, 332, 534, 607, 661, 753
 Beta function (B), 384, 524, 601, 747
 BGF, *see* bivariate generating function
 bibliometry, 45
 bijective equivalence (\cong), 19
 binary decision tree (BDT), 78
 binary search tree (BST), 203, 428–430, 685, 688
 binary tree, 738
 binomial coefficient, 100
 asymptotics, 380–385
 central approximation, 160, 328, 588, 642, 761–762
 sum of powers, 761–762
 binomial convolution, 100
 binomial distribution, 627, 642, 775
 birth and death process, 319
 birth process, 312
 birthday paradox, 114–119, 192, 416
 bivariate generating function (BGF), 157
 Boltzmann model, 280, 566, 701
 boolean function, 70, 77–78, 487–488
 bootstrapping, 309
 bordering condition (permutation), 202
 Borges's Theorem, 61–62, 680, 683–684
 Borges, Jorge Luis, 61
 boson, 532
 boxed product, 139–142
 branch (of curve), 495
 branch point (analytic function), 230, 277
 branching processes, 196–198
 bridge, 707
 bridge (lattice path), 77, 506–513, 636
 Brownian motion, 185, 360, 413, 534, 706
 Bürmann inversion, *see* Lagrange inversion
 canonicalization, 87
 cartesian product construction (\times), 23
 Catalan numbers (C_n), 17, 34–36, 38, 67, 73–78, 738
 asymptotics, 7, 37–39, 383
 generating function, 35
 Catalan sum., 417
 Catalan tree, 35, 173, 738
 Cauchy's residue theorem, 234
 Cauchy–Riemann equations, 742
 Cayley tree, 127–129, 179
 Cayley tree function, *see* Tree function (T)
 Central Limit Theorem (CLT), 593, 642–643, 696
 centring (random variable), 773
 characteristic function (probability), 639, 772–774
 Chebyshev inequalities, 161, 729
 Chebyshev polynomial, 327
 chessboard, 373
 circuit (in graph), 336, 346
 circular graph, 99
 class (of combinatorial structures), 16
 labelled, 95–149
 cluster, 209, 212
 coalescence of saddle-point
 with other saddle-point, 606
 with roots, 589
 with singularity, 590–591
 code (words), 62
 coding theory, 38, 53, 62, 246
 coefficient extractor ($[z^n]$), 19
 coin fountain, 331, 662
 combination, 52
 combinatorial
 class, 16, 96
 isomorphism (\cong), 19
 parameter, 151–219
 sums, 415–417
 combinatorial chemistry, 443, 474–479
 combinatorial identities, 747–753
 combinatorial probability, 727–729
 combinatorial schema, *see* schema
 complete generating function, 186–198
 complex differentiability, 231
 complex dynamics, 280, 535

- complexity theory, 77
 composition (of integer), 39–49
 Carlitz type, 201, 206, 263, 666
 complete GF, 188
 cyclic (wheel), 47
 largest summand, 169, 298, 300
 local constraints, 199–200, 263
 number of summands, 44, 167–168, 654
 prime summands, 43, 298–300, 654
 profile, 169, 296
 r -parts, 168
 restricted summands, 297–300
 composition schema, 411–417, 628, 703
 critical, 412, 416–417, 707–714
 subcritical, 629, 634
 supercritical, 414–416, 650–655
 computable numbers, 251
 computer algebra, *see* symbolic manipulation
 concentration (of probability distribution), 161–163
 conformal map, 231
 conjugacy principle (paths), 75
 connection problem, 470–472, 483–505, 521, 525, 583
 constructible class, 250–255
 construction
 cartesian product (\times), 23
 cycle (CYC), 26, 165, 729–730
 labelled, 103, 174
 disjoint union (+), 25
 implicit, 88–91
 labelled product (\star), 100–102
 multiset (MSET), 26, 165
 pointing(Θ), 86–88, 198
 powerset (PSET), 26, 165, 174
 sequence (SEQ), 25, 165
 labelled, 102, 174
 set (SET), 102
 substitution (\circ), 86–88, 198–201
 context-free
 asymptotics, 440, 482–484
 language, 82–83, 482
 specification, 78–83, 482–488
 continuant polynomial, 321
 continuation (analytic), 239
 continued fraction, 195, 216, 283, 318–336, 663
 continuity theorems (probability), 623–627, 639–641, 776–777
 continuous random variable, 638–644, 771
 contour integral (\oint), 549
 convergence
 in law, 620–623, 638–639
 speed (probability), 624–625, 641
 convexity (of GFs), 280, 550
 correlation, *see* autocorrelation
 coupon collector problem, 114–119, 192
 cover time (walk), 363
 covering (of interval), 27
 critical composition schema, *see* composition schema
 critical point, 607
 cumulant (of random variable), 647, 774
 cumulated value (of parameter), 159
 cumulative distribution function, *see* distribution function
 cumulative generating function, 159
 cycle construction (CYC), 26, 165, 729–730
 labelled, 103, 174
 undirected, labelled, 133
 cycle lemma (paths), 75
 cyclic permutation, 99
 Δ -domain, 389, 398
 D-finite functions, *see* holonomic functions
 Daffodil Lemma, 266
 Darboux's method, 436
 data compression, 274, 694
 data mining, 315, 417
 de Bruijn graph, 354–355
 Dedekind η function, 577
 degree (of tree node), 737
 Delta-domain (Δ), 389, 398
 density (random variable), 771
 denumerant, 43, 257–258
 dependency graph, 33, 250, 340, 483
 depoissonization, 572–574
 derangement, 122, 207, 261, 368, 448, 671, 760
 derivative (∂), 87
 devil's staircase, 352–353
 dice games, 587
 Dickman function, 675
 difference equation, *see* q -calculus
 differential equations, 518–532, 581–585, 684–690, 748–753
 differential field, 522
 differentiation (singular), 418–422
 digital tree (trie), 356, 693
 digraph, *see* graph
 dilogarithm, 238, 410, 749–750
 dimensioning heuristic (saddle point), 554, 555, 566
 diophantine inequalities (linear), 46
 directed graph, 336
 Dirichlet generating function (DGF), 664, 721, 733
 disc of convergence (series), 230, 726
 discrete random variable, 620–628, 771
 discriminant (of polynomial), 495, 741
 disjoint union construction (+), 25, 100
 distribution, *see* probability distribution
 distribution function (random variable), 621, 638, 641, 771
 divergent series, 89, 138, 731
 DLW Theorem, *see* Drmota–Lalley–Woods Theorem
 dominant singularity, 242
 double exponential distribution, 118, 308
 Drmota–Lalley–Woods Theorem, 443, 482–493

- drunkard problem, 90, 425–427
- Dyck path, *see also* excursion, 77, 319, 511
 - area, 330, 533–534, 706–707
 - height, 326–330
 - initial ascents, 635
- dynamical system, 318, 664, 716
- EGF, *see* exponential generating function
- Ehrenfest urn model, 118, 336, 530
- eigenvalue, *see* matrix
- EIS (Sloane's Encyclopedia), 18
- Eisenstein's lemma (algebraic functions), 505
- elimination (algebraic function), 739–741
- elliptic function, 330, 531
- entire function, 243
- entropy, 587
- error function (erf), 638
- Euclid's algorithm, *see* greatest common divisor (gcd)
- Euler numbers, 144, 268–269
- Euler's constant (γ), 117, 726, 746, 747
- Euler–Maclaurin summation, 238, 268, 726–727, 766
- Eulerian numbers, 210, 658, 697–698, 702
- Eulerian tour (in graph), 354
- exceedances (in permutations), 368
- exceptional set (algebraic function), 495–496
- excursion (lattice path), 77, 319, 506–513
- exp–log schema, 441–442, 445–452, 670–676
- exp–log transformation, 29, 85
- expectation (or mean, average), \mathbb{E} , 113, 158, 728, 772
- exponential families (of functions), 197, 701
- exponential generating function (EGF)
 - definition, 97
 - multivariate, 156
 - product, 100
- exponential growth formula, 243–249
- exponential order (\asymp), 243
- exponential–polynomial, 255, 290–293, 319–326
- Faà di Bruno's formula, 188
- factorial moment, 158, 728
- factorial, falling, 520, 751
- Ferrers diagram, 39
- Fibonacci numbers (F_n), 42, 59, 256, 363
- Fibonacci polynomial, 327
- finite automaton, 56, 339–356
- finite field, 90
- finite language, 64
- finite state model, 350, 358–367
- forest (of trees), 68, 128, 737
- formal language, *see* language
- formal power series, *see* power series
- formal topology (power series), 731
- four-colour theorem, 513
- Fourier transform, 639, 772
- fractals, 282
- fragmented permutation, 125
- asymptotics, 247, 562–563
- free group, 206
- free tree, *see* tree, unrooted
- function (of complex variable)
 - analytic, 230–238
 - differentiable, 231
 - entire, 231, 243
 - holomorphic, 231
 - meromorphic, 233
- functional equation, 33, 275–285
 - Dedekind η function, 577
 - difference equation, *see* q –calculus
 - elliptic theta function, 330
 - Gamma function, 744
 - kernel method, 508
 - quadratic method, 515
 - zeta function, 747
- functional graph, 129–132, 480, 673
- Fundamental Theorem of Algebra, 270, 546
- Galton–Watson process, 197
- gambler ruin sequence, 76
- gamma constant (γ), *see* Euler's constant
- Gamma function (Γ), 378, 743–747
- Gaussian binomial, 45
- Gaussian distribution, 593–594, 638, 776
- Gaussian integral, 744
- general tree, 738
- generating function
 - algebraic, *see also* algebraic function, 518
 - complete, 186–198
 - exponential, 95–149
 - holonomic, *see* holonomic functions
 - horizontal, 153
 - multivariate, 151–219
 - ordinary, 15
 - rational, *see* rational function
 - vertical, 153
- geometric distribution, 775
- Gessel's calculus, 752–753
- GF, *see* generating function
- golden ratio (φ), 42, 91
- graph
 - acyclic, 132, 406
 - adjacency matrix, 336
 - aperiodic, 341
 - bipartite, 138
 - circuit, 336, 346
 - circular, 99
 - colouring, 513
 - connected, 138–139
 - de Bruijn, 354–355
 - directed, 336
 - enumeration, 105–106
 - excess, 133, 406
 - functional, 129–132, 480
 - labelled, 96–97, 105–106, 132–136
 - map, 513–518
 - non-crossing, 485–487, 502–503
 - path, 336–356

- periodic, 341
- planar, 517
- random, 134–136
- regular, 133, 189, 379, 395–396, 449, 583–585, 671, 752
- spanning tree, 339
- strongly connected, 341
- unicyclic, 133
- unlabelled, 105–106
- greatest common divisor (gcd), 662–664
- Green’s formula, 742
- Gröbner basis, 80, 739
- group
 - free, 206
 - symmetric, 139
- Hadamard product, 303, 422–427, 748
- Hamlet, 54
- Hankel contour, 382, 745
- Hardy–Ramanujan expansion, 579
- harmonic function, 742
- harmonic number (H_n), 117, 161, 389, 724
 - asymptotics, 723–724, 726, 766
 - generating function, 160
- harmonic sum, 763
- Hartogs’ Theorem, 767
- hashing algorithm, 111, 146, 178, 600
- Hayman admissibility, 564–572
- heap of pieces, 81, 308
- Heaviside function, 763
- height of tree, *see* tree, height
- Hermite polynomial, 334
- hidden pattern, 54, 315–318
- hierarchy, 128, 280, 472–474, 479
- Hipparchus, 69
- histograms, 157
- holomorphic functions, 231
- holonomic functions, 445, 494, 518, 581–585, 747–753
- homotopy (of paths), 233
- horizontal generating function, 153
- horse kicks, 627
- hypergeometric function, 423, 525, 750–751
 - basic, 315
- implicit construction, 88–91, 137–139, 203–206
- Implicit Function Theorem, 753–755
- implicit-function schema, 467–475
- inclusion–exclusion, 206–214, 367–373
- increasing tree, 143–146, 202–203, 526–528, 684–685
- Indo-European languages, 473
- inheritance (of parameters), 163, 174
- integer composition, *see* composition (of integer)
- integer partition, *see* partition (of integer)
- integration (singular), 418–422
- interconnection network, 333
- inverse-function schema, 452–467
- inversion
 - analytic, 275
 - inversion (analytic), 249, 402–407
 - inversion table (permutation), 146
 - involution (permutation), 122, 333, 558–560, 691–692
 - irregular singularity (ODE), 519, 581–585
 - isomorphism (combinatorial, \cong), 19
 - iteration (of analytic function), 280–283
 - iterative specification, 31–34, 250–255
 - Iverson’s notation ($[\![\cdot]\!]$), 58
- Jacobi trace formula, 339
- Jacobian matrix, determinant, 483, 491, 755
- kangaroo hops, 373
- kernel method (functional equation), 508
- kings, 373
- kitten, 517
- Knuth–Ramanujan function, *see* Ramanujan’s Q -function
- labelled class, object, 95–149, 174–181
- labelled construction, 100–106
- labelled product (\star), 101
- Lagrange inversion, 66–70, 126, 194, 732–733
- Lambert W -function, 128
- language, 733
 - context-free, 82–83, 482
 - formal, 49
 - regular, 373, 733–735
- Laplace transform, 639, 750, 772–774
- Laplace’s method, 601, 755–762
 - for sums, 761–762
- Laplacian, 742
 - of graph, 339
- large deviations, 587, 699–703
- large powers, 585–594
- largest components, 300
- Latin rectangle, 752
- lattice path, 76–77, 318–336, 506–513
 - decompositions, 320
 - initial ascents, 635–637
- lattice points, 49, 589
- Laurent series, 507
- law of large numbers, 158, 162, 728
- law of small numbers, 627
- leader, 103, 136, 141, 142
- leaf (of tree), 182, 737
- Lebesgue measure, integral, 770
- letter (of alphabet), 49
- light bulb, 655
- limit law, 611–718, 776–778
- Lindelöf integrals, 237, 409
- linear fractional transformation, 323
- Liouville’s theorem, 237
- local limit law, 593, 615, 694–699
- localization (of zeros and poles), 269
- logarithm, binary (lg), 308
- logarithmic-series distribution, 297
- logic (first-order), 467

- logistic map, 536
- longest run (in word), 308–312
- loop (in complex region), 233
- Lukasiewicz codes, 75, 511
- Lyndon words, 85
- MacMahon’s Master Theorem, 338
- magic duality, 238
- majorant series, 250, 753
- map, 414, 513–518, 713–714
- mapping, 129–132, 462–467, 708, 733
 - connected components, 129–136, 449, 671
 - idempotent, 571
 - regressive, 145
- mapping pattern, *see* functional graph
- marking variable, 19, 164, 167
- Markov chain, 56, 339, 666
- Markov–Chebyshev inequalities, 161, 729
- Master Theorem (of MacMahon), 338
- matrix
 - aperiodic, 341
 - irreducible, 341
 - non-negative, 342
- Perron–Frobenius theory, 340–342, 345
 - positive, 342
 - spectrum, 290
 - stochastic, 339, 352
 - trace, 339
 - transfer, 358–367, 664, 666
 - tridiagonal, 367
- matrix integrals, 517
- Matrix Tree Theorem, 339
- Maximum Modulus Principle, 545
- mean, *see* expectation
- meander (lattice path), 77, 506–513, 637
- meander (topology), 525
- measure theory, 769–771
- Meinardus’ method (integer partitions), 578–580
- Mellin transform, 311, 329, 409, 537, 576, 664, 762–767
- ménage problem, 368
- meromorphic function, 233
 - coefficient asymptotics, 289
 - singularity perturbation, 650–666
- MGF, *see* multivariate generating function
- mobile (tree), 454
- Möbius function (μ), 721
- Möbius inversion, 89, 722
- model theory, 467
- modular form, 331, 577
- moment generating function, *see* Laplace transform
- moment inequalities, 161–163, 729
- moment method, 318, 777–778
- moment pumping, 532–535
- moments (of random variable), 158, 727, 772
- monkey saddle, 542, 545, 600–606
- monodromy, 498
- Morera’s Theorem, 743
- Motzkin numbers, 68, 77, 81, 88
 - asymptotics, 396, 502, 589
- Motzkin path, 77, 319, 326, 330, 511
- multi-index convention, 165, 767
- multinomial coefficient, 100, 187
- multiset construction (MSET), 26, 165
- multivariate generating function (MGF), 151–219
- naming convention, 19, 98
- Narayana numbers, 182
- natural boundary, 249
- nearest integer function ($\lfloor \cdot \rfloor$), 43, 260
- necklace, 18, 64
- negative binomial distribution, 451, 621, 627, 775
- Neptune, 339
- nested sequences, 290, 291, 318–336
- network, 333
- neutral object, 24, 98
- Newton polygon, 498–500
- Newton’s binomial expansion, 35
- Newton–Puiseux expansion, *see* Puiseux expansion
- Newton–Raphson iteration, 88
- nicotine, 21
- non-crossing configuration, 485–487, 502–503
- non-plane tree, 71–72, 127
- non-recursive specification, *see* iterative specification
- Nörlund–Rice integrals, 238
- normal distribution, *see* Gaussian distribution
- normalization (of random variable), *see* standardization
- numerology, 318
- O (asymptotic notation), 722
- o (asymptotic notation), 722
- ODE (ordinary differential equation), *see* differential equations
- OGF, *see* ordinary generating function
- order constraints (in constructions), 139–146, 201–203
- ordinary generating function (OGF), 19
- ordinary point (analytic function), 543
- orthogonal polynomials, 323, 332
- oscillations (of coefficients), 264, 283, 384
- outdegree, *see* degree (of tree node)
- P –recurrence, 748–749
- Painlevé equation, 532, 598
- pairing (permutation), 122
- parallelogram polyomino, 660–662
- parameter (combinatorial), 151–219
 - cumulated value, 159
 - inherited, 163–165
 - recursive, 181–185
- parenthesis system, 77
- parking, 146, 534
- parse tree, 82

- partially commutative monoid, 307–308
 partition (of integer), 39–49
 asymptotics, 248, 574–581
 denumerant, 43, 257–258
 distinct summands, 579
 Durfee square, 45
 Ferrers diagram, 39
 Hardy–Ramanujan–Rademacher expansion, 579
 largest summand, 44
 Meinardus’ method, 578–580
 number of summands, 44, 171, 581, 666
 plane, 580
 prime summands, 580
 profile, 171
 r -parts, 172
 partition of set, *see* set partition
 path (in graph), 336
 path (in complex region), 233
 path length, *see* tree
 patterns
 in permutations, 211, 689
 in trees, 213–214, 680–681
 in words, 54–56, 58–62, 211, 271–274, 315–318, 659–660, 666
 pentagonal numbers, 49
 periodicity conditions
 coefficients, 264, 266, 302
 Daffodil Lemma, 266
 generating function, 294, 302
 graph, 341
 linear system, 341
 polynomial system, 483
 permutation, 17, 98, 119–124
 alternating, 143–144, 269
 ascending runs, 209–211, 658–659, 697–698
 avoiding exceedances, 368
 bordering condition, 202
 cycles, *see also* Stirling numbers (1st kind), 119–124, 155, 175–177, 448, 644–645, 671
 cycles of length m , 625–627
 cyclic, 99
 derangement, 122, 207, 261, 368, 448, 671, 760
 exceedances, 368
 fixed order, 569
 increasing subsequences, 596–598
 indecomposable, 89, 139
 inversion table, 146
 involution, 122, 248, 333, 558–560, 596, 691–692
 local order types, 202–203
 longest cycle, 122, 569
 longest increasing subsequence, 211, 596–598, 716, 752–753
 ménage, 368
 pairing, 122
 pattern, 211, 689
 profile, 175
 records, 140–141, 644–645
 rises, 209–211
 shortest cycle, 122, 261–262
 singletons, 622–623
 succession gap, 373
 tree decomposition, 143–144
 Perron–Frobenius theory, 340–342, 345
 perturbation theory, 11–12, 591, 612, 617–618, 650–694, 703
 PGF, *see* probability generating function
 phase transition, 704–714
 diagram, 704
 phylogenetic trees, 129
 Picard approximants, 754
 Plana’s summation, 238
 planar graph, 517
 plane partition (of integer), 580
 plane tree, 65–70
 pointing construction (Θ), 86–88, 136–137, 198
 Poisson distribution, 176, 451, 572–574, 627, 643, 775
 Poisson–Dirichlet process, 676
 poissonization, 572–574
 political (in)correctness, 146
 Pólya operators, 34, 252, 447, 475–482
 Pólya theory, 83, 85–86
 Pólya urn process, *see* urn model
 Pólya–Carlson Theorem, 253
 Pólya–Redfield Theorem, 85
 polydisc, 767
 polylogarithm, 237, 408–411, 749–750
 polynomial
 primitive, 358
 polynomial (finite field), 90–91, 449–450, 662–664, 672–673
 polynomial system, 488, 494
 polyomino, 45, 201, 331, 363, 365–367, 535, 660–662
 power series, 15, 19, 97, 153, 164, 187, 730–731
 convergence, 731
 divergent, 89, 138, 731
 formal topology, 731
 product, 731
 quasi-inverse, 731
 sum, 731
 powerset construction (PSET), 26, 165
 preferential arrangement numbers, 109
 preorder traversal (tree), 74
 prime number, 228, 721
 Prime Number Theorem, 91
 principal determination (function), 230
 Pringsheim’s theorem, 240
 prisoners, 124, 176
 probabilistic method, 729
 probability (\mathbb{P}), 113, 157
 probability distribution
 Airy area, 365, 707
 Airy map, 713–714

- arcsine law, 705
- Bernoulli, 775
- binomial, 627, 642, 775
- double exponential, 118, 308–311
- Gaussian, 593–594, 638, 776
- geometric, 775
- geometric–birth, 314
- logarithmic series, 296, 775
- negative binomial, 451, 621, 627, 775
- Poisson, 451, 572–574, 627, 643, 775
- Rayleigh, 116, 708
- stable laws, 413, 707–714
- theta function, 328, 360, 538
- Tracy–Widom, 598
- Zipf laws, 711
- probability generating function (PGF), 157, 623, 728, 773
- probability space, 769
- profile (of objects), 169, 451–452
- pruned binary tree, 738
- psi function (ψ), 725, 746
- Puiseux expansion (algebraic function), 444, 498–500
- q –calculus, 45, 49, 315, 331, 661
- quadratic method (functional equation), 515
- quadtree, 522–525, 687–688
- quasi-inverse, 34, 291, 731
 - matrix, 349
- quasi-powers, 11, 586, 612, 644–690
 - generalized, 690–694
 - large deviations, 699–703
 - local limit law, 694–699
 - main theorem, 645–648
- Rabin–Scott Theorem, 57–59, 735
- radioactive decay, 627
- radius of convergence (series), 230, 243–244
- Radon–Nikodym Theorem, 771
- Ramanujan’s Q -function, 115, 130, 416–417
- random generation, 77, 300
- random matrix, 597, 674
- random number generator, 465
- random variable, 727, 769–778
 - continuous, 638–644, 771
 - density, 771
 - discrete, 157, 620–628, 771
- random walk, *see* walk
- rational function, 236, 255–258, 269–271
 - positive, 356, 357
- Rayleigh distribution, 116, 708
- record
 - in permutation, 140–141
 - in word, 189
- recurrence
 - tree, 427–433
- recursion (semantics of), 33
- recursive parameter, 181–185
- recursive specification, 32–34
- region (of complex plane), 229
- regular
 - expression, 373, 733–735
 - language, 300–308, 373, 733–735
 - specification, 300–308
- regular graph, *see* graph, regular
- regular point (analytic function), 239
- regular singularity (ODE), 519–525
- relabelling, 100
- removable singularity, *see* singularity, apparent
- renewal process, 300, 655
- Res (residue operator), 233
- residue, 233–238
 - Cauchy’s theorem, 234
- resultant (**R**), 80, 739–741
- Riccati differential equation, 689
- Rice integrals, *see* Nörlund–Rice integrals
- Riemann surface, 239
- Rogers–Ramanujan identities, 331
- rotation correspondence (tree), 73
- Rouché’s theorem, 270
- round (children’s), 397
- RV, *see* random variable
- SA (amenable to singularity analysis), 401
- saddle-point
 - analytic function, 543–546
 - bounds, 246, 546–550, 586
 - depoissonization, 572–574
 - dimensioning heuristic, 554, 555, 566
 - large powers, 585–594
 - method, 541–608
 - multiple, 545, 600–606
 - perturbation, 690–694
- scaling (random variable), 773
- schema (combinatorial–analytic), *see also* composition schema, context-free specification, exp–log schema, implicit-function schema, inverse function schema, nested sequences, regular specification, simple variety (of trees), supercritical sequence schema, 12, 170–171, 178–181, 289
- Schröder’s problems, 69, 129, 474
- section (of sequence), 302
- self-avoiding configurations, 363–365
- semantics of recursion, 33
- sequence construction (SEQ), 25, 165
 - labelled, 102, 174
- series–parallel network, 69, 72
- set construction (SET), 102, 174
- set partition, *see also* Bell numbers, Stirling numbers (2nd kind), 62–64, 106–119, 179
 - asymptotics, 247, 560–562
 - block, 108
 - largest block, 569
 - number of blocks, 179, 594–596, 692–693
- several complex variables, 767–768
- shifting of the mean, 700, 701
- shuffle product, 306
- sieve formula, *see* inclusion–exclusion
- Simon Newcomb’s problem, 192–193

- simple variety (of trees), 66, 128, 194, 452
 singular expansion (function), 393
 singularity, 239–243
 algebraic-logarithmic, 376, 393
 apparent, 243, 743
 dominant, 242
 irregular (ODE), 581, 585
 perturbation, 650–690
 regular (ODE), 519–525
 removable, 243, 743
 singularity analysis, 375–438
 applications, 439–540
 perturbation, 650–690
 uniform expansions, 668–669
 singularity perturbation, 703–707
 size (of combinatorial object), 16, 96
 size-biased (probability), 461
 Skolem-Mahler-Lech Theorem, 266
 slicing, 199, 366, 508
 slow variation, 434
 Smirnov word, 204, 262, 312, 350
 society (combinatorial class), 571
 spacings, 52
 span (of sequence, GF), 266
 spanning tree, 339
 special functions, 747–753
 species, 30, 94, 137, 149
 specification, 33
 iterative, 31–34, 250–255, 280
 recursive, 32–34
 spectrum, *see* matrix
 speed of convergence (probability), 624–625,
 638–639
 squaring of the circle, 758
 stable laws, *see* probability distribution
 standard deviation, (σ), 728
 standardization (random variable), 614, 638,
 773
 star-continuable function, 398
 statistical physics, 46, 81, 201, 362–363, 440,
 525, 704
 steepest descent, 544, 547, 607
 Stieltjes integral, 770–771
 Stirling numbers, 735–737
 cycle (1st kind), 121, 155, 644–645, 654, 698
 partition (2nd kind), 62–64, 109, 179, 653–
 654, 692–694
 Stirling’s approximation, 37, 407, 410, 555–
 558, 747, 760–761, 766
 Stokes phenomenon, 582–583
 string, *see* word
 strip ((:)), 763
 subcritical composition schema, *see* composi-
 tion schema
 subexponential factor, 243
 subsequence statistics, *see* hidden patterns,
 words
 substitution construction (○), 86–88, 136–137,
 198–201
 supercritical composition schema, *see* composi-
 tion schema
 supercritical cycle, 414
 supercritical sequence, 293–300, 652–655
 supernecklace, 125
 supertree, 412–414, 503, 714
 support (of probability measure), 769
 support (of sequence, GF), 266
 surjection, 106–119, 296, 653–654
 asymptotics, 259
 complete GF, 188
 surjection numbers, 109, 268
 symbolic manipulation, 253
 symbolic method, 15, 22, 33, 92, 104
 symmetric functions, 189, 752–753
 Tauberian theory, 434, 572
 Taylor expansion, 201, 723, 726, 742
 theory of species, *see* species
 theta function, 328–330, 360, 538
 threshold phenomenon, 211
 tiling, 360–363, 665
 total variation distance (probability), 623
 totient function (φ), 27, 721
 trace monoid, *see* partially commutative monoid
 trains, 253–255, 398
 transcendental function, 506
 transfer matrix, 358–367, 664–666
 transfer operator, 664
 transfer theorem, 389–392
 tree, 31, 64–72, 125–136, 737
 additive functional, 457–462
 balanced, 91, 280–283
 binary, *see also* Catalan numbers, 67, 738
 branching processes, 196–198
 Catalan, 35
 Cayley, *see also* Tree function (T), 127–129
 degree profile, 194, 459–460
 exponential bounds, 277–280
 forests, 68
 general, 31, 738
 height, 216, 327–330, 458–459, 535–538
 increasing, 143–146, 202–203, 526–528,
 684–685
 leaf, 182, 473, 678, 737
 level profile, 194–195, 458–459, 711–712
 Łukasiewicz codes, 75
 mobile, 454
 non-crossing, 485–487, 502–503
 non-plane, 71–72, 462, 475–482
 non-plane, labelled, 127
 parse tree, 82
 path length, 184–185, 195, 461, 534–535,
 706–707
 pattern, 213–214, 680–681
 plane, 65–70, 738
 plane, labelled, 126
 quadtree, 522–525, 687–688
 regular, 68
 root subtrees, 633

- root-degree, 173, 179, 456–457, 632
- rooted, 737
- search, 203
- simple variety, 66, 128, 194, 404–407, 452–467, 589–590, 633, 683, 711–712
- super-tree, 412–414, 503, 714
- t*-ary, 68
- unary–binary, *see also* Motzkin numbers, 68, 88, 396, 501
- unrooted, 132, 480–482
- valuated, 414
- width, 359–360, 666, 712
- tree concepts, 737–738
- Tree function (T), 127–128, 403–407
- tree recurrence, 427–433
- triangulation (of polygon), 17, 20, 35–36, 79
- tridiagonal matrix, 367
- trinomial numbers, 588
- trivial bound (integration), 547
- truncated exponential, 111
- unambiguous, *see* ambiguity
- unary–binary tree, *see* tree, unary–binary and Motzkin numbers
- undirected cycle construction (UCYC), 86, 133
- undirected sequence construction (USEQ), 86
- uniform expansions
 - asymptotics, 725–726
 - singularity analysis, 668–669, 676
- uniform probability measure, 727
- uniformization (algebraic function), 497
- universality, 7, 12, 440–443, 455, 606
- unlabelled structures, 163–174
- unrooted tree, *see* tree, unrooted
- urn (combinatorial class), 99
- urn model, 118, 336, 529–531
- Vallée’s identity, 30
- valley (saddle-point), 544
- variance (\mathbb{V}), 728
- vertical generating function, 153
- Vitali’s theorem (analytic functions), 624
- w.h.p. (with high probability), 135, 162
- walk, 367
 - birth type, 312–315
 - cover time, 363
 - devil’s staircase, 352–353
 - in graphs, 336–356
 - integer line, 319–324
 - interval, 319–330
 - lattice path, 76–77, 318–336, 506–513
 - self-avoiding, 363–365
- Wallis integral, 747, 758
- weak convergence (probability distributions), 621
- Weierstrass Preparation Theorem (WPT), 754–755
- wheel, 47
- width (of tree), 359–360, 666, 712
- winding number, 270
- word, 49–64, 111–119
 - aperiodic, 85
 - code, 62
 - excluded patterns, 355
 - language, 49, 733
 - local constraints, 349
 - longest run, 308–312
 - pattern, 54–56, 58–62, 211, 271–274, 315–318, 659–660, 666
 - record, 189
 - runs, 51–54, 204
 - Smirnov, 204, 262, 312, 350
- Young tableau, 752
- zeta function of graphs, 346
- zeta function, Riemann (ζ), 228, 269, 408, 721, 746–747, 752
- Zipf laws, 711