

Index

Page numbers in **bold** indicate places where the meaning of a word or phrase set in **bold** in the text is explained.

- 5-hydroxytryptamine, *see* serotonin
- acetylcholine, 226
- action potential, *see* spike
- activity-dependent staining, 11
- adaptation
 - dark, **98**
 - light, **98**
 - sensory, **23**, 233
- aggression, 76
- agonist, **165**
- amplification, 103
- amplifier, 25
- Anaspides tasmaniae*, 77
- Anser anser*, 2
- antagonistic, **164**
- Apis mellifera*, 195
- Aplysia*, 69
- Apteranotus*, 244
- Area X, 252, 255, 257
- arousal, 121, 230
- association, **196**
- attack, 67
- auditory lobule, 255
- auditory system
 - bat, 146–156
 - cricket, 230–236
 - fish, 81
 - owl, 131–140
 - song bird, 249, 251
- axon, **5**, 24
 - space constant, **27**
- azimuth, 128
- babbling, 256
- bat, 188, 231
 - echolocation sound, 140–143
 - fruit, 149
 - horseshoe, 142, 156
 - mouse-eared, 141
 - moustached, 143, 151
- beats, 241
- bee, 111
 - antennal lobe, 198
 - foraging, 196
 - proboscis extension, 196
- brain
 - bird, 245
 - vertebrate, 7
- Bufo*, 44
- bug detector, 49
- bump
 - photon, 98
- canary, 248, 257
- capacitance, 29, 32
- cartridge
 - lamina, 93, 95
- cell
 - amacrine, 48
 - bipolar, 47, 104
 - eccentric, 104
 - glial, 28
 - granule, 210
 - grid, **208**
 - hair, 134, 146
 - head direction, 207
 - horizontal, 48, 104
 - Kenyon, 198
 - lamina monopolar, 101
 - lobula plate tangential, **94**, 114
 - place, **205**, 213
 - retinal ganglion, 47, 104
 - Rohon Beard, 164
 - central pattern generator, **161**, 164, 178, 187, 227, 234
 - centre-surround organisation, 48
 - cercus, 54
 - chaffinch, 248
 - channel
 - calcium, 29
 - chemical sensitive, **29**
 - ion, **28**
 - voltage-sensitive, 29, 165
 - chiasm, **94**
 - chordotonal organ, 183
 - cicada, 223
 - cochlea, 134, 146
 - cockroach
 - startle reaction, 53–57
 - coding
 - sensory, 54
 - sparse, **253**
 - collateral, **82**
 - collision, 118, 188
 - commissure, 186
 - conditioning, **197**, 200
 - conduction
 - passive, **82**, 100
 - Condylura cristata*, 9
 - connective, *see* nerve: connective
 - contralateral, **83**
 - contrast, **100**, 102, 105
 - corollary discharge, **223**, 234, 253
 - cortex
 - auditory, 147, 151
 - cerebral, 8, 151, 205
 - entorhinal, 208, 210
 - somatosensory, 10, 11
 - course
 - flight, 116
 - courtship
 - fruit fly, 17
 - crayfish
 - American red swamp, 62
 - giant interneuron, 62–78
 - muscle receptor organ, 22–24, 70
 - tail flip, 62–78
 - cricket, 224
 - European field, 224
 - critical period, **139**, **193**, 248
 - crustacea, 172
 - cue
 - sound localisation, 130
 - current
 - air, 53
 - curve
 - intensity-response, 99
 - threshold, 147, 150
 - tuning, 232
 - dB, *see* decibel
 - DCMD, *see* motion detector: descending contralateral
 - decibel, **128**

- delay line, 137
 dendrite, 5, 27, 28, 34, 79
 space constant, 28
 depolarise, 25
 Diptera, 90
 direction
 null, 106
 preferred, 106
 disinhibition, 39, 40, 182
 dogfish, 161
 dominance hierarchy, 75
 dragonfly, 96, 166
 larva, 66
Drosophila, 12, 110
- ear
 bat, 146
 cricket, 230
 owl, 134
 echo
 analysis, 147
 echolocation, 127, 149
Eigenmannia, 239, 244
Eigenmannia viridescens, 238
 Eimer's organs, 10
 electrode
 extracellular, 26
 intracellular, 26
 electromyogram, 176
 electroreceptor, 239
 ampullary, 239
 tuberous, 239, 241
 electrosensory lobe, 242
 EMD, *see* motion detector: elementary
 engineer
 genetic, 12, 110, 213
 EPSP, *see* postsynaptic potential:
 excitatory
 ethology, 2
 evolution
 crayfish tail flip, 76
 jamming avoidance, 244
 excitation, 165
 executive, 71
 experience
 visual, 139
 eye
 compound, 93, 95
 fly, 95
 facilitate, 108
 facilitation, 171
 fast start, 78
 feature detector, 45, 107, 126
- feeding, 9
 field L, 251, 254
 filiform sensillum, 54
 filter, 103, 107
 neural, 136
 filtering
 sensory, 3, 103
 stimulus, 68
 finch
 zebra, 246, 248, 255, 256
 fish
 electric, 237–245
 glass knife, 238
 fixed action pattern, 3, 45
 flicker, 108
 flight
 fly, 92, 97, 106,
 113, 116
 locust, 118, 174–189
 flow field, 112
 flower, 195
 fly
 blow, 90, 96
 crane, 100
 flesh, 100
 fruit, 90, 96
 house, 90
 hover, 90, 92, 97
 robber, 90
 fovea, 10, 96
 acoustic, 154
 frequency
 contrast, 111
Fringilla coelebs, 248
 frog
 clawed, 162
 ganglion, 6
 stomatogastric, 172
 suboesophageal, 200
 gastric mill, 173
 gene, 13, 236, 255
 fruitless, 17
 glint
 acoustic, 155
 glomerulus, 198
 glutamate, 165, 176, 212, 243
 goldfish, 78
 graded potential, 22
 gregarization, 214, 215
Gryllus bimaculatus, 229
Gryllus campestris, 224
Gymnarchus niloticus, 244
 gymnotid, 237
- habituation, 69, 74, 121
 hair
 wind sensitive, 186
 haltere, 117
 harmonic, 142, 151
 hermit crab, 78
 hippocampus, 203–213
 region CA1, 211
 region CA3, 210
 honey bee, 96, 194, 195
 horseshoe crab, 104
 hunting, 2, 126
 hyperpolarise, 25
- illumination
 background, 99
 inferior colliculus, 132, 147, 150, 251
 inhibition, 71
 electrical, 84
 lateral, 104, 119
 postsynaptic, 235
 presynaptic, 73, 84, 235
 reciprocal, 164
 tonic, 75
 innate releasing mechanism, 3, 45
 integrate, 21
 integration, 32
 interneuron, 22
 auditory, 231
 brain, 186
 commissural, 164
 corollary discharge, 234
 dorsal ramp, 171
 dorsal swim, 171
 flight, 180
 giant, 55
 lateral giant, 62
 local, 37–41
 Mauthner inhibitor, 83
 medial giant, 62
 non-spiking, 37, 39
 owl auditory, 131–138
 segmental giant, 67, 77
 sensory, 68
 swim, 170
 time marking, 150
 tritocerebral commissure
 giant, 186
 ipsilateral, 83
 IPSP, *see* postsynaptic potential:
 inhibitory
- jamming, 239

- lamina, **93**, 101
- lemniscus
 - lateral, 136
- lens, 94
- LGMD, *see* motion detector: lobula giant
- light
 - natural, 98
- Limulus*, 104
- LMC, *see* cell: lamina monopolar
- lobula, **94**, 117, 118
- lobula plate, **94**
- locust, 118, 174, 194, 213
 - gregarious phase, 214
 - local interneuron, 37–41
 - phase, 213–218
 - solitarius phase, 213
 - swarm, 213
 - wing reflex, 37
- Locusta migratoria*, 118, 213
- logarithm, 128
- love spot, 97
- LPTC, *see* cell: lobula plate tangential
- LTP, *see* potentiation: long-term
- Malacostraca, 76
- mantis, 96
- mantis shrimp, 77
- map
 - alignment, 139
 - auditory, 133
 - cognitive, 203
 - sensory, 11
 - target range, 151
- maze
 - water, 204
- medulla, **93**, 120
- Melospiza georgiana*, 246
- membrane
 - basilar, 134, 154
- memory, 196
 - spatial, 203
- microelectrode, **25**
- midbrain
 - auditory, 132
- modulation frequency, 155
- mole
 - star-nosed, 11
- mollusc
 - brain, 170
- mood, 75
- Mormoopidae, 143
- mormyrid, 237
- motif, 246
- motion detector
 - descending contralateral, 118
 - elementary, **107**
 - lobula giant, 118
- movement
 - rhythmic, 160
- movement detector, **91** *see* motion detector
- mudpuppy, 48
- multimodal, **186**
- muscle
 - fast flexor, 62
 - insect flight, 175
 - middle ear, 148
 - neck, 117
 - stretch activated, 175
- muscle spindle, 31
- mushroom body, **198**
- myelin, 27
- Myotis*, 141
- Necturus*, 48
- nerve, 7
 - connective, **7**, 55, 186
- nerve cell, *see* neuron
- nerve net, 5
- network, 5
- neuroethology, **2**
- neurohormone, 121, 189
- neuromodulator, 171
- neuron, **4**
 - anterior burster, 173
 - arthropod motor, 34
 - auditory receptor, 232
 - cell body, **4**, 34, 79
 - command, **61**, 85, 86, 171, 226
 - cranial relay, 83
 - DCMD, 188
 - delay-sensitive, 151
 - extensor inhibitor motor, 72
 - figure-ground, **117**
 - flight motor, 34
 - giant, 60
 - H1, 106
 - HS, 106, 109
 - inhibitory motor, 72
 - lateral giant, 66
 - mammal motor, 30
 - Mauthner, 78–87
 - mirror, **254**
 - motor, **21**, 62, 168, 176
 - motor giant, 62, 77
 - motor giant inhibitor, 72
- motor inhibitory, 176
- omega, 233
- pacemaker, **161**
- PE1, 199
- pyloric suppressor, 173
- pyramidal, 4, 210, 242
- reticulospinal, 85
- sensory, 37, 68
- space-specific, 132
- spherical, 242
- T5(2), 50
- tectal, 50–53
- VS, 106, 114
- VUMmx1, 200–202
- neuropile, **7**, 93
- neurotransmitter, **29**
- noise, 103
- nucleus
 - angular, 135
 - brain, **245**
 - cochlear, 147
 - DLM, 255, 257
 - HVC, 249, 250, 251, 252, 257
 - lamina, 137
 - LMAN, 255, 256, 257
 - magnocellular, 135, 137
 - pacemaker, 243
 - RA, 250, 251, 257
- nucleus sensorius, 243
- ocelli, 187
- octopamine, 76, 121, 179, 189, 199, 200
- odour, 198
- ommatidium, **93**, 119
- optic lobe, **93**
- optomotor response, **92**
- organ
 - electric, 238
- Orthoptera, 224
- oscillator, 173
- oscine, 245
- owl, 128–140
 - barn, 128
 - development, 139
 - ear asymmetry, 130
- pattern generator, **3**, 71
- Periplaneta americana*, 53
- phase locked, **135**
- phase resetting, **180**
- phasic, **23**, 99
- phonotaxis, **228**
- photon, 98

- photoreceptor, 47, 98
 plasticity
 crayfish tail flip, 75
 plot
 polar, 56
 postsynaptic, 22
 postsynaptic potential, **24**, 29
 compound, 68
 excitatory, **31**, 35, 165
 inhibitory, **33**, 36, 164
 Mauthner neuron, 81
 potential
 graded, 100
 potentiation
 long-term, **211**
 predator, 44, 66
 presynaptic, 22
Procambarus clarkii, 62
 propagation, 22
 proprioceptor, **21**, 31, 70, 178,
 183, 227
 protocerebrum, 187
 PSP, *see* postsynaptic potential
Pteronotus, 143, 151
 pyloric region, 173

 rat, 194
 brown, 202
 burrow, 202
 laboratory, 202
Rattus norvegicus, 202
Rattus rattus, 202
 receptive field, **47**, 56, 104, 132, 134
 receptor
 glutamate, 165
 muscle, 22
 NMDA, 165, 212
 olfactory, 198
 sensory, **21**
 receptor potential, **23**
 reconfiguration, 172
 recruitment, 169
 reflex, 21, 30, 160
 refractory period, **26**, 27
 releasing, **2**
 releasing mechanism, 50–53
 releasing value, 46
 resolution, 96
 resonator, 225
 response
 avoidance jamming, 239
 optomotor, 106
 saturated, **99**
 resting potential, **25**, 28

 retina, 5, 47–50
 vertebrate, 104
 retinotopic, **93**
 rhabdom, **94**
 open, 95, 107
Rhinolophidae, 142
Rhinolophus, 148, 153
 rotation, 115
Rousettus, 149

 saccade, **92**, 114
Sarcophaga, 100
 scale
 logarithmic, 98
Schistocerca americana, 118
Schistocerca gregaria, 213
 selectivity
 direction, **105**
 directional, 107
 sense
 electric, 237
 sensillum
 filiform, 187
 sensitise, **196**
 sensitivity
 directional, 55
 sensory filtering, 53, 232
 serotonin, 76, 171, 216
 shift
 Doppler, 142, 154
 sign stimuli, 3
 signal
 constant frequency, 142
 frequency modulated, 141
 silver staining, 4
 size principle, **168**
 song, 222
 bird, 245–257
 calling, 224
 courtship, 224
 cricket, 223–237
 development, 247–249
Drosophila, 13
 nuclei, 249
 plastic, 248
 rivalry, 224
 sound, 127, 222
 space constant, **81**
 sparrow
 swamp, 246, 252
 white-crowned, 249
 speed
 change, 167
 stimulus, 111

 spike, **22**, 23, 26, 28, 41
 conduction velocity, 26,
 27, 82
 frequency, 23
 Mauthner neuron, 79
 rate, 23
 rebound, **164**
 spinal cord, 29, 34, 162, 168
 spiny lobster, 77
 starling, 248
 startle, 60
 cockroach, 53–57
 pathways, 60
 startle response
 fish, 78
 steering, 187
Sternopygus, 244
 stimulus
 conditioned, **197**
 sign, 3, 45
 unconditioned, **197**
 stimulus filtering, 48
 stretch receptor, *see* crayfish: muscle
 receptor organ
 wing hinge, 34, 183
 stridulation, **224**
 struggle, 164
 summation
 spatial, **32**
 temporal, **32**, 35, 37
 swallowing, 173
 swimmeret
 crayfish, 61
 swimming
 crayfish, 65, 70
 sea slug, 169–171
 tadpole, 162–166
 zebra fish, 167–169
 syllable, 246
 synapse, **21**, 24, 30, 34,
 120, 176
 chemical, 39, 68, 81
 electrical, 63, 69, 81, 116,
 173, 242
 inhibitory, 33, 102
 strengthening, 210
 synapses
 inhibitory, 173
 reciprocal inhibitory, 173
 synaptic delay, 32
 synaptic transmission
 graded, 40
 syrinx, **247**, 250
Syritta, 92, 97

- Taenioptygia guttata*, 246
tail fan, 62
Tasmanian mountain shrimp, 77
tectum, 8
 optic, 49, 132, 139, 243
tegula, 183
Teleogryllus, 236
teleost, 78
Tenodera, 96
thalamus, 8, 50
thrasher
 brown, 246
threshold, 26, 39, 69
Tipula, 100
- toad
 prey-catching behaviour, 45–47
tonic, 24, 99
tonotopic, 134, 232
torus semicircularis, 242, 243
transduce, 22
transduction, 95
Tritonia, 169
tuning, 155
 frequency, 150
tutor, 245, 248
tympanum
 cricket, 231
Tyto alba, 128
- Vespertilionidae, 141
visual system
 insect, 93–94
owl, 138–140
toad, 47–53
- wind, 53, 187
wing
 muscles, 175
- Xenopus*, 162
- zebra fish, 78, 167
 larvae, 85
- zenk, 255