

Index

- acceleration, 14
- airfoil, 43
- Ampere’s law, 42
- angular momentum conservation, 342
- angular velocity, 14
- Archimedes number, 70
- average flux
 - external flow, 51
 - internal flow, 50
- Avogadro number, 19

- Bagnold coefficient, 102
- basis function
 - Cartesian co-ordinates, 195, 200
 - cylindrical co-ordinates, 246
 - spherical co-ordinates, 262
- Bernoulli equation, 22, 272, 356
- Bessel equation, 246
- Bessel function
 - first order, 251
 - orthogonality relation, 248, 252
 - zeroeth order, 246
- biaxial extension, 350
- binary diffusion, 161
 - Fick’s law, 162
 - mass average velocity, 162
 - molar flux, 163
- Boltzmann constant, 19
- Bond number, 56, 71
- boundary condition
 - mobile surface, 83
 - no-slip, 83
 - rigid surface, 83
 - slip, 83
- boundary layer, 10, 12

- bubble, 447
- concentration/temperature, 86, 206, 422
- filament drawing, 453
- flat plate, 62
- flow past sphere, 439
- momentum, 62
- natural convection, 478, 483
- oscillatory flow, 309
- power-law fluid, 435
- rigid surface, 424, 444
- sphere laminar, 65
- sphere turbulent, 65
- Boussinesq
 - approximation, 473
 - equations, 472
- Brinkman number, 39, 44
- Brownian diffusivity, 29
- bubble
 - boundary layer, 447
 - drag coefficient, 69
 - forced convection, 446
 - Sherwood number, 451
- Buckingham Pi Theorem, 24
- Burke–Plummer correlation, 74

- capacitance, 20
- Capillary number, 55, 70
- characteristic velocity
 - external flow, 51
 - flat plate, 61
 - internal flow, 49
 - natural convection, 96, 477
 - packed column, 72
- chemical potential, 23, 134
- Chilton–Colburn

- j factor, 82
- analogy, 80
- circulation, 267
- co-operative motion, 113
- Colebrook correlation, 60
- colloid, 29
- composite
 - effective conductivity, 414
- concentration, 16
- conservation equation, 319
- conservation principle, 8
- constitutive relation, 10
 - Fick's law, 16
 - Fourier's law, 17, 116
 - general, 48
 - Newton's law, 18, 119
- convection, 1, 9
 - forced, 12, 206
 - natural, 13, 210
- correlation, 7
 - Burke–Plummer, 74
 - Colebrook, 60
 - drag force, 28
 - Ergun, 74
 - Kozeny–Carman, 74
 - Nusselt number, 38, 84, 87, 89, 92, 93, 99
 - Ranz–Marshall, 90
 - Schiller–Naumann, 66
 - Sherwood number, 35, 84, 87, 89, 92, 93, 159
 - skin friction coefficient, 62
 - Whitaker, 90
- curl
 - Cartesian co-ordinates, 351
 - cylindrical co-ordinates, 359
 - definition, 367
 - integral relation, 369
 - orthogonal co-ordinates, 351
 - spherical co-ordinates, 359
- current, 14, 20
- current density, 20
- curvilinear co-ordinates, 231
- Damkohler number, 101, 158
- Darcy constant, 42
- Darcy–Forchheimer equation, 42
- Debye screening length, 154
- density, 16
- energy, 47
- momentum, 47
- diffusion, 1, 9, 105
 - fluid, 1
 - mass, 107
 - solid, 1
- diffusion coefficient, 16
- diffusion length, 206
- diffusivity
 - Brownian, 29
 - generalised, 147
 - mass, 16, 48, 109, 114
 - momentum, 49
 - thermal, 49, 116
- dimension, 13
 - derivative, 22
 - derived, 14
 - equation, 21
 - fundamental, 14
 - gradient, 22
 - integral, 22
- dimensional analysis, 24
- dimensionless group, 7, 24, 45
 - convection/diffusion, 53
 - dependent, 24
 - dimensionless flux, 53
 - independent, 25
 - ratio of diffusivities, 53
- dipole
 - moment, 397
 - point, 395
- Dirac delta function, 185, 392
 - one dimension, 180
 - three dimensions, 182
 - two dimensions, 181
- dispersion, 106
 - mixing length, 127
 - packed column, 129, 183, 456
 - Reynolds flux, 125, 127
 - Reynolds stress, 127
 - Taylor, 130, 458
 - turbulent, 122
- dispersion coefficient
 - packed column, 130, 457
 - Taylor, 132, 463
- divergence
 - Cartesian co-ordinates, 325

- cylindrical co-ordinates, 358
- definition, 365
- integral relation, 366
- orthogonal co-ordinates, 335
- physical significance, 365
- spherical co-ordinates, 335
- toroidal co-ordinates, 359
- velocity, 347
- drag
 - coefficient, 29
 - correlation, 28
 - crisis, 66
 - force, 25
 - Stokes' law, 28
- drag coefficient, 53, 54
 - bubble, 69
 - Schiller–Naumann correlation, 66
 - sphere laminar, 66
 - Stokes' law, 66
- drift velocity, 134
- droplet break-up, 78
- eddy, 57, 123, 292, 294
 - diffusivity, 127
- effective conductivity
 - composite, 380, 387
- eigenvalues
 - Cartesian co-ordinates, 195
 - cylindrical co-ordinates, 247, 252
 - separation of variables, 252, 262
 - spherical co-ordinates, 262
- elasticity, 18
- Elasticity number, 101
- electric charge, 20
- electric field, 20
- electric permittivity, 20
- electric potential, 20
- electrical conductance, 20
- electrical conductivity, 20, 134
- electrical resistance, 20
- electrical resistivity, 20
- electrokinetic flow, 153
 - Debye screening length, 154
 - slip velocity, 156
 - Stern layer, 155
 - surface charge density, 154
 - zeta potential, 154
- energy, 15
 - density, 47
 - electrostatic, 42
- energy conservation
 - Cartesian co-ordinates, 141, 142
 - cylindrical co-ordinates, 234
 - spherical co-ordinates, 258
 - vector form, 327
- energy dissipation rate
 - per unit mass, mixing, 78
 - per unit mass, turbulence, 295
 - viscous, 150
- enthalpy, 16
- equivalent diameter, 50, 51
 - packed column, 73
- Ergun correlation, 74
- error function, 170, 226
- Eucken formula, 117
- Fanning friction factor, 40
- Fick's law, 16
 - binary diffusion, 162
 - Cartesian co-ordinates, 140, 323
 - cylindrical co-ordinates, 234
 - ideal gas, 109
 - spherical co-ordinates, 257, 334
 - vector form, 324
- field, 8
 - magnetic, 20
 - variable, 147
- filament drawing, 453
- flow
 - laminar, 57
 - turbulent, 57
- flow consistency index, 19, 160
- fluids
 - gas, 1
 - liquid, 1
- flux
 - average, 50, 51
 - convective, 46
 - cylindrical co-ordinates, 359
 - diffusive, 48
 - generalised, 147
 - mass, 16, 46
 - momentum, 47
 - orthogonal co-ordinates, 335

- spherical co-ordinates, 330
- vector, 324, 330
- force, 14
- forced convection, 421
 - bubble, 446
 - mobile surface, 446
 - rigid surface, 423
- Forchheimer constant, 42
- Fourier's law, 17
 - Cartesian co-ordinates, 142
 - cylindrical co-ordinates, 234
 - ideal gas, 116
 - vector form, 327
- friction factor, 53
 - Colebrook correlation, 60
 - Darcy, 54
 - Fanning, 40, 54
 - Moody diagram, 60
 - packed column, 73
 - pipe laminar, 58, 288
 - pipe turbulent, 60
 - power-law fluid, 291
- friction velocity, 298
- Froude number, 55
 - mixing, 76
- Galilei number, 100
- Gamma function, 469
- Gaussian function, 180, 186, 225, 457
 - three dimensions, 183
 - two dimensions, 181
 - variance, 180, 182, 183, 186
- gradient
 - Cartesian co-ordinates, 324
 - cylindrical co-ordinates, 359
 - definition, 361
 - integral relation, 362
 - orthogonal co-ordinates, 336
 - physical significance, 362
 - spherical co-ordinates, 334
 - toroidal co-ordinates, 359
- Grashof number, 96, 477
- Green's function, 403, 407, 409
 - Dirichlet, 409
 - Neumann, 410
- Green's function method, 409
- Hagen-Poiseuille profile, 287
- heat exchanger, 4, 36
- heat flux, 17
- heat transfer coefficient, 52
- heat transfer resistance
 - Cartesian co-ordinates, 149
 - cylindrical co-ordinates, 238
 - parallel, 149
 - series, 149
 - spherical co-ordinates, 260
- Hertz model, 42
- Hertz spring constant, 42
- hydraulic radius, 50, 51
 - packed column, 73
- ideal gas, 105
 - binary diffusion coefficient, 112
 - Fick's law, 109
 - Fourier's law, 116
 - mean free path, 110
 - momentum diffusivity, 119
 - Newton's law, 119
 - shear stress, 118
 - thermal diffusivity, 116
 - viscosity, 119
- ideal gas constant, 19
- incompressible flow, 337
- inductance, 20
- integrating factor, 470
- internal energy, 17
- Jakob number, 188
- kinematic viscosity, 49
- kinetic theory, 105
- Knudsen number, 134
- Kolmogorov scales, 296
- Kozeny–Carman correlation, 74
- Kronecker delta, 196, 376
- laminar flow, 57
- laminar-turbulent transition
 - flat plate, 62
 - pipe, 58, 293
 - sphere boundary layer, 65
 - wake behind sphere, 65
- Laplace equation, 373

- Cartesian co-ordinates, 374
- Dirichlet Green's function, 409
- Green's function method, 409
- method of images, 407
- Neumann Green's function, 410
- spherical co-ordinates, 383, 387
- Laplace number, 101
- Laplacian
 - Cartesian co-ordinates, 325
 - cylindrical co-ordinates, 359
 - orthogonal co-ordinates, 336
 - spherical co-ordinates, 335
 - toroidal co-ordinates, 359
- Legendre equation, 383, 418
- Legendre polynomial, 383, 418
 - associated, 389
 - orthogonality relation, 389, 419
- length, 14
- Lewis number, 53
- lift force, 43
- light intensity, 14
- liquid
 - co-operative motion, 113
- Lorentz force, 42
- Mach number, 134
- magnetic field, 20
- magnetic flux density, 20, 42
- magnetic moment, 20, 44
- magnetic permeability, 20, 42
- Marangoni number, 100
- mass, 14
- mass conservation
 - Cartesian co-ordinates, 139, 140, 324
 - cylindrical co-ordinates, 234
 - Navier–Stokes equation, 336
 - spherical co-ordinates, 257
 - vector form, 325, 326
- mass diffusion
 - ideal gas, 107
- mass diffusivity, 16, 48
 - ideal gas, 109, 112
 - liquid, 114
- mass flux, 16
- mass fraction
 - binary diffusion, 161
- mass transfer coefficient, 52
- mass/heat transfer equivalence, 80
- material derivative, 325
- Maxwell equations, 43
- mean free path
 - ideal gas, 110
- method of images, 407, 416
- mixing length, 127
- Model-H equations, 23
- molar average velocity, 162
- molar flux, 163
- mole, 19
- momentum
 - density, 47
- momentum conservation
 - Cartesian co-ordinates, 144, 145
 - cylindrical co-ordinates, 234, 235, 250, 286
 - Navier–Stokes, 355
- momentum diffusivity, 49
 - ideal gas, 119
- Moody diagram, 60
- multipole expansion, 392
- natural convection, 13, 96, 210, 471
 - boundary layer, 478
 - Boussinesq approximation, 473
 - characteristic velocity, 477
 - Grashof number, 477
 - high Prandtl number, 485
 - low Prandtl number, 483
 - momentum boundary layer, 483, 486
 - Nusselt number, 482, 485, 488
 - Rayleigh number, 477
 - thermal boundary layer, 485
- Navier–Stokes equation
 - mass, 336
 - momentum, 22, 355
- Newton's law, 18
 - Cartesian co-ordinates, 145
 - cylindrical co-ordinates, 234, 236, 286
 - ideal gas, 119
 - tensor form, 354
- no-slip boundary condition, 83
- Nusselt number, 37, 52
 - bubble, 93
 - falling film, 92
 - filament drawing, 454
 - flat plate laminar, 89

- flat plate turbulent, 89
- low Peclet number, 84
- natural convection, 99, 482, 485, 488
- pipe laminar, 87, 434
- pipe turbulent, 88
- power-law fluid, 436
- rigid surface, 429
- sphere laminar, 89, 442
- spherical diffusion, 259
- stagnation point, 432
- Onsager coefficient, 23, 134
- orthogonality relation
 - Bessel function, 248, 252
 - Cartesian co-ordinates, 196, 201, 227, 376
 - cylindrical co-ordinates, 248, 252, 268
 - Legendre polynomial, 389, 419
 - spherical co-ordinates, 262
 - spherical harmonic, 390
- packed column
 - dispersion, 129, 183, 456
 - dispersion coefficient, 130, 457
 - heat transfer, 214
 - mean square displacement, 457
 - superficial velocity, 73, 456
- Peclet number, 35, 53
- penetration depth
 - Cartesian co-ordinates, 171
 - reaction-diffusion, 159
- permeability
 - magnetic, 20
 - relative, 20
 - vacuum, 20
- permittivity
 - electric, 20
 - relative, 20
 - vacuum, 20, 42
- pipe
 - friction factor, 288
 - laminar flow, 283
 - laminar-turbulent transition, 293
 - logarithmic law, 300
 - Nusselt number correlation, 434
 - oscillatory flow, 302
 - shear stress, 287
 - shell balance, 284
 - turbulent flow, 292
 - velocity profile, 287
 - von Karman plot, 299
- pitot tube, 313
- planar extension, 350
- Planck's constant, 43
- point source, 392
- Poisson equation, 373
- polymer
 - radius of gyration, 41
- porosity, 72
- potential flow, 272
 - irrotational, 356
 - velocity potential, 356
- power, 16
 - electrical, 20
- Power number, 76
- power-law fluid, 19, 159, 290
- power-law index, 19, 160
- Prandtl number, 38, 53, 97
- pressure, 16
 - stress tensor, 344
 - thermodynamic & dynamical, 271
- pressure gradient, 40
- quadrupole, 398
- radius of gyration, 41
- Ranz–Marshall correlation, 90
- rate of deformation
 - antisymmetric, 346
 - extensional strain, 347
 - isotropic, 347
 - symmetric traceless, 347
 - tensor, 344
- Rayleigh criterion, 266
- Rayleigh number, 97, 477
- regular perturbation, 307
- relative permeability, 20
- relative permittivity, 20
- resistance
 - electrical, 20
 - heat transfer, 149, 238, 260
- Reynolds analogy, 82
- Reynolds flux, 125, 127, 135
- Reynolds number, 28, 53
 - mixing, 76

- oscillatory flow, 302
- packed column, 73
- transition, 57
- Reynolds stress, 127
- root-mean-square velocity
 - ideal gas, 109
 - liquid, 113
- rotating liquid, 281
- Savage number, 101
- scale factors
 - spherical co-ordinates, 330
- Schmidt number, 35, 53
- Schrödinger equation, 43
- separation bubble, 65
- separation of variables
 - basis function, 195, 200, 246, 262
 - Cartesian co-ordinates, 191, 374
 - cylindrical co-ordinates, 245
 - eigenvalues, 195, 247, 252, 262
 - homogeneous boundary condition, 193
 - orthogonality relation, 196, 201, 227, 248, 252, 262
 - spherical co-ordinates, 261, 387
- separation variables
 - spherical co-ordinates, 383
- settling sphere, 25
- shear stress
 - ideal gas, 118
 - pipe, 287
 - wall, 39
- shell balance
 - Cartesian co-ordinates, 138, 321
 - cylindrical co-ordinates, 232, 284
 - pipe, 284
 - spherical co-ordinates, 256, 330
- Sherwood number, 34, 52
 - bubble, 93, 451
 - falling film, 92, 175
 - flat plate laminar, 89
 - flat plate turbulent, 89
 - low Peclet number, 84
 - pipe laminar, 87
 - pipe turbulent, 88
 - reaction-diffusion, 159
 - sphere laminar, 89
 - suspended particle, 35
- similarity solution
 - Cartesian co-ordinates, 171
 - cylindrical co-ordinates, 243
 - decay of a pulse, 180
 - mobile surface, 449
 - penetration depth, 171
 - rigid surface, 428, 429
 - time-dependent length, 188
 - wire conduction, 243
- similarity variable
 - bubble, 448
 - Cartesian co-ordinates, 169, 178
 - cylindrical co-ordinates, 242
 - flow past sphere, 438
 - mobile surface, 452
 - rigid surface, 425, 431, 444
 - time-dependent length, 186
- singular perturbation, 311
- skin friction coefficient, 53, 55
 - correlation, 62
- slip boundary condition, 83
- slip velocity
 - electrokinetic flow, 156
- source
 - distributed, 403
 - point, 392
- specific heat, 16
- spherical harmonic, 390
 - decaying, 390
 - growing, 390, 398
 - orthogonality relation, 390
- spray drier, 5
- stagnation point, 64, 430
 - Nusselt number, 432
- Stanton number, 53
- Stern layer, 155
- stirred tank reactor, 2
- Stokes' drag law, 28
- Stokes–Einstein relation, 114
- stream function
 - Cartesian co-ordinates, 337
 - physical significance, 337
 - polar co-ordinates, 339
 - spherical co-ordinates, 339
- stress, 18
- stress tensor
 - Cartesian co-ordinates, 339

- pressure, 344
- sublimation, 205
- substantial derivative, 325
- surface charge density, 154
- surface tension, 18, 55
- Taylor dispersion, 130, 458
 - coefficient, 132, 463
- Taylor number, 101
- temperature, 14
- thermal conductivity, 17
 - effective, 380, 387, 414
 - ideal gas, 116
- thermal diffusivity, 49
 - ideal gas, 116
- thermal expansion coefficient, 96
- time, 14
- time of flight, 134
- time-dependent length, 186
- toroidal co-ordinates, 359
- torque, 15
- transformation, 1
- turbulence
 - cascade, 297
 - energy production rate, 295
 - friction velocity, 298
 - integral time, 294
 - Kolmogorov scales, 296
 - logarithmic law, 300
 - structure, 293
 - viscous sub-layer, 298
 - wall unit, 299
- turbulent flow, 57
- uniaxial extension, 350
- unit, 13
- unit operation, 7
- unit vectors
 - Cartesian co-ordinates, 320
 - cylindrical co-ordinates, 358
 - spherical co-ordinates, 330
 - toroidal co-ordinates, 359
- vacuum permeability, 20
- vacuum permittivity, 20
- variance
 - Gaussian function, 180, 182, 183, 186
- velocity, 14
 - characteristic, 49, 61, 96, 477
 - curl, 351
 - divergence, 347
 - mass average, 162
 - molar average, 162
 - pipe laminar, 287
 - potential, 356
 - root-mean-square, 109, 113
 - superficial, 73, 456
- velocity gradient
 - biaxial extension, 350
 - planar extension, 350
 - principal directions, 350
 - uniaxial extension, 350
- Venturi meter, 276
- viscosity, 18
 - ideal gas, 119
- viscous sub-layer, 298
- void fraction, 72, 456
- voltage, 20
- von Karman plot, 299
- vortex, 65, 267
- vorticity, 351
- wake, 65
 - turbulent, 65
- wall roughness coefficient, 59
- wall shear stress, 39
- wall unit, 299
- wave function, 43
- Weber number, 55
 - mixing, 76
- weir, 278
- Whitaker correlation, 90
- Wiedemann–Franz law, 135
- wire-coating, 266
- work, 15
- yield stress, 102
- zeta potential, 154