

Index

- A-coset, 14, 34
- A-equivalence
 - of integral elements, 16
 - of monic polynomials, 16
 - strong, for monic polynomials, 13
- A-equivalent, 38
- A-order, 14, 34
- abc-theorem for function fields, 7

- Baker's method, 22
- Baker's theory
 - of logarithmic forms, 64

- can be computed in terms of, 119
- Catalan equation, xxii, 25, 81, 104, 190
- class number, 1
- completion, 56
 - of function field at valuation, 99
- computable
 - as a polynomial in, 123

- decomposable form, 9, 27, 49, 89
- decomposable form equation, xx, 9, 27, 49, 89, 194
- degenerate linear subspace, 11
- degree, 114
 - of finite étale algebra, 32
- degree-height estimate, 51
 - for a polynomial, 157
 - for an element, 157
- denominator
 - of algebraic number, 57
- discriminant, 13
 - of number field, 63
- discriminant equation, 94, 202
 - for elements of a module, 33
 - for integral elements, xxii, 14
 - for monic polynomials, 13
 - for polynomials, xxi
 - of polynomials, 52
- discriminant equation for polynomials, 35
- discriminant form, 11, 91
- discriminant form equation, xxi, 11, 33, 91, 202
- division group, 6, 23

- effective specialization, 128
- effective specialization method, 39
- effectively computable, 19
- effectively given, 19
 - finite étale algebra, 126
- effectively given element, 42
- effectively given finitely generated domain, 41
- effectively given polynomial, 35
- element of finite étale algebra
 - given effectively, 33
- element of module
 - given effectively, 33
- elliptic equation, xx, 7, 24, 73
 - over a function field, 108

- Faltings' theorem on rational points on curves, 9
- finite étale algebra, 32
 - given effectively, 33
- finite étale K -algebra, 14
 - K -homomorphism of, 14
- finitely generated case, xx
- finitely generated domain, 1
- fractional ideal, 62

- function field height, 43, 100
 - homogeneous, of a vector, 101
 - of a vector, 100
- genus, 100
- given as a polynomial in, 123
- given in terms of, 119, 124
- height
 - absolute logarithmic, 57
 - absolute multiplicative, 57
 - homogeneous multiplicative, of vector, 58
 - logarithmic homogeneous, of vector, 58
 - logarithmic, of vector, 58
 - multiplicative, of vector, 58
- Hilbert's Basis Theorem, 119
- hyperelliptic equation, xx, 7, 24, 73, 176, 180, 188
 - over function field, 108
- ideal membership algorithm, 19
- ideal representation, 18, 41
 - for a domain, 119
 - for a finitely generated field, 119
- index form equation, xxi
- integral closure, 13
- integral tuple of representatives, 157
- integral tuple of representatives for an element, 157
- \mathcal{L} -admissible, 10
- \mathcal{L} -degenerate, 10
- \mathcal{L} -nondegenerate, 10
- Laurent series, 99
- length
 - of polynomial, 60
- linear dependence on a subspace, 10
- linear forms in logarithms
 - lower bounds, 4
- linear independence on a subspace, 10
- local parameter, 99
- logarithmic forms, 64
- logarithmic height, 20
 - of a finite set, 114
 - of a matrix, 114
 - of a polynomial, 114
- $\mathcal{M} \cap K$ -coset, 33
- Mordell equation, 7
- Mordell's conjecture, 9
- multiplicatively independent, 150
- norm form, 11
- norm form equation, xxi, 10, 11, 31, 90, 201
- normalized absolute value, 56
- \mathcal{O} -equivalence, 96
- \mathcal{O} -symbol, 114
- \mathcal{O}_T -coset, 95
- pair of representatives, 19, 42
- place
 - complex infinite, 56
 - finite, 56
 - lying above another place, 56
 - lying below another place, 56
 - real infinite, 56
- product formula, 56
- Puiseux series, 99
- ramification index, 99
- regulator, 61
- representative, 19, 42, 129
 - for a $\mathcal{Z}_{A,F}$ -coset, 27
 - for a tuple, 27
- representatives
 - integral tuple of, 157
 - pair of, 19, 42
 - tuple of, 27, 51, 156
- Riemann–Hurwitz formula, 100
- ring of S -integers, 3
- S -integer, 3, 60, 100
- S -integers
 - ring of, 60, 67
- S -norm, 62
- S -regulator, 61, 68, 71, 182
- S -unit, 60
- S -unit equation, 68
 - in two unknowns, xx
 - over a function field, 102
- S -unit theorem, 61
- S -units
 - fundamental system of, 61, 62, 69
 - group of, 67
- Schinzel–Tijdeman equation, xxii, 8, 24, 25, 73, 180
- set of places
 - of number field, 56
- Siegel's theorem on integral point on curves, 8
- size
 - of polynomial, 20
 - of tuple, 27

- specialization, 9
 effective, 128
 effective specialization method, xxiii, 4
 strong A -equivalence, 52
 strong \mathcal{O}_T -equivalence, 94
 strongly A -equivalent, 35
 sum formula, 99
 superelliptic equation, xx, 7, 24, 73, 176, 180, 188
 over a function field, 108
 system of double Pell equations, 30

 Thue equation, xix, 2, 3, 6, 24, 30, 45, 71, 90, 175, 179, 184
 over function fields, 105
 Thue–Mahler equation, 3, 4, 36
 Thue’s theorem, 3
 total degree, 114
 triangular graph, 28, 32, 89
 triangularly connected, 28
 tuple of representatives, 27, 51, 156
 tuple of representatives for an element, 157

 unit equation, 173, 178, 182
 connected system of, 48
 degenerate solution of, xxi, 12
 in two unknowns, xx, 5, 21, 46
 multivariate, xxi, 9, 12
 nondegenerate solution of, xxi, 12
 systems of, 47
 units, fundamental system of, 61

 v -adic norm, 58
 valuation
 lying above another valuation, 98
 on a function field, 98
 valuations
 set of, 98

 \mathbb{Z} -equivalence
 strong, of algebraic integers, xxii
 strong, of monic polynomials, xxii
 \mathbb{Z}_S -coset, 3
 $\mathcal{Z}_{A, F}$ -coset, 27