

Index of drug names

- Abilify. *See* aripiprazole
 Adderall. *See* amphetamine salts, mixed
 Adderall-XR. *See* amphetamine salts, mixed XR
 Aldactone. *See* spironolactone
 alprazolam, 364, 371
 Ambien. *See* zolpidem
 amlodipine, 104, 110
 amphetamine, 101, 159, 334
d-amphetamine, 132, 159, 192, 232, 332
 amphetamine salts, mixed, 15, 20, 332
 amphetamine salts, mixed XR, 265
 Antilirium. *See* physostigmine
 Aplenzin. *See* bupropion XL
 aripiprazole, 17–18, 19, 20, 49, 77–9, 87, 106, 205, 222, 224, 248, 359, 376
 aripiprazole lauroxil, 81, 82
 Aristada. *See* aripiprazole lauroxil
 asenapine, 298–9
 Atarax. *See* hydroxyzine
 Ativan. *See* lorazepam
 atomoxetine, 49, 98, 99, 101, 157, 158, 160, 162, 164–5, 166, 334
 atropine drops, 206, 209
 Austedo. *See* deutetrabenazine
- Benadryl. *See* diphenhydramine
 benzotropine, 259, 261, 415
 bicalutamide, 149, 151
 brexpiprazole, 220, 229
 bromocriptine, 78
 buprenorphine-naloxone, 229, 230, 231
 bupropion, 161, 188, 189, 190, 344, 345
 bupropion XR, 146, 258, 261, 342, 345
 BuSpar. *See* buspirone
 buspirone, 53, 54, 55, 57, 58–9, 161, 190
- Calan. *See* verapamil
 carbamazepine, 26, 32, 205, 227
 cariprazine, 100, 220, 259, 408
 Casodex. *See* bicalutamide
 Catapres. *See* clonidine
 chlorthalidopoxide, 177
 chlorpromazine, 41, 42, 43, 44, 182, 204, 205, 208, 211
 clonazepam, 27, 29, 30, 105, 246
 clonidine, 3, 5, 7, 10, 52, 55, 101, 283, 286, 287, 294–5, 334, 353, 378
 clozapine, 89, 91–2, 202, 205, 206–7, 209, 211, 212, 215, 237–49, 259–61, 263, 266, 269–77, 418, 419–20, 421
 Clozaril. *See* clozapine
 Cogentin. *See* benzotropine
 Colace. *See* docusate
 Compazine. *See* prochlorperazine
 Concerta. *See* methylphenidate
 cyclophosphamide, 140, 270
 Cymbalta. *See* duloxetine
- Depakote. *See* divalproex sodium; valproic acid
 Deplin. *See* L-methylfolate
 Desyrel. *See* trazodone
 deutetrabenazine, 19, 22, 24
 Dexedrine. *See* dextroamphetamine
 dexmethylphenidate XR, 380, 381
 dextroamphetamine, 132, 159, 192, 232, 332
 diazepam, 365, 366, 367
 diphenhydramine, 5, 6, 40, 54, 55, 380, 382
 Ditropan. *See* oxybutynin
 divalproex sodium, 32, 40, 44, 205, 415, 416
See also valproic acid
 docetaxel, 270
 docusate, 217, 225, 259
 doxepin, 287
 doxylamine, 288
 duloxetine, 9, 190
- Effexor. *See* venlafaxine
 Equetro. *See* carbamazepine
 escitalopram, 131, 146, 157, 158, 162–3, 168, 174, 177, 352
 esketamine, 227–35
 estradiol, transdermal, 147, 148
 eszopiclone, 287
 ethinyl estradiol, 148

Index of drug names

- finasteride, 151
 flumazenil, 396
 fluoxetine, 157–8, 161, 162, 168, 328, 359, 418
 fluphenazine, 205
 Focalin XR. *See* dexmethylphenidate XR
- gabapentin, 88, 367, 371–2
 Geodon. *See* ziprasidone
 Glucophage. *See* metformin
 granulocyte-colony stimulating factor (G-CSF), 274
 guanfacine, 101, 283, 379–80, 381, 383–4
 guanfacine ER, 50, 52, 54, 55, 57, 334
- Haldol. *See* haloperidol
 haloperidol, 41, 42, 124, 182, 203, 205, 248, 415
 hydroxyzine, 176, 182, 190, 211, 283, 401, 405
- Ingrezza. *See* valbenazine
 Intuniv. *See* guanfacine ER
 Invega Sustenna (LAI paliperidone), 256, 420–1
- Ketalar. *See* ketamine
 ketamine, 227–35
 Klonopin. *See* clonazepam
- Lamictal. *See* lamotrigine
 lamotrigine, 29, 30, 31, 32, 109, 110, 297–8, 360
 Latuda. *See* lurasidone
 Lexapro. *See* escitalopram
 Librium. *See* chlordiazepoxide
 lisdexamfetamine, 96, 98, 191, 192, 194, 328, 330, 334, 379, 381
 lisinopril, 98
 lithium, 27, 29, 30, 31, 32, 69, 205, 209, 211, 273–4, 301
 lorazepam, 26, 40, 44, 171–2, 174, 175, 177, 203, 211, 242, 246, 365, 391
 Lunesta. *See* eszopiclone
 lurasidone, 98, 100, 105, 111, 112, 297, 408
- melatonin, 5, 50, 53, 283, 288
 metformin, 218, 223, 225, 264, 267, 299, 300
 L-methylfolate, 108
 methylphenidate, 101, 132, 160, 334
 methylphenidate ER OROS, 130–1
- metoclopramide, 178
 modafinil, 130
 mycophenolate, 140
- naltrexone, 233
 Nardil. *See* phenelzine
 Neurontin. *See* gabapentin
 Norvasc. *See* amlodipine
 Nuplazid. *See* pimavanserin
- olanzapine, 40, 41, 42, 43, 44, 46, 47, 118, 124, 182, 203, 205, 243–7, 248, 273, 299–300, 302, 317, 318–19, 359, 391, 415
 olanzapine-fluoxetine, 100
 ondansetron, 176
 oxcarbazepine, 217, 225
 oxybutynin, 88, 92
- paliperidone, 205, 256, 420–1
 paliperidone palmitate, 418
 Parlodel. *See* bromocriptine
 paroxetine, 344
 Paxil. *See* paroxetine
 pegfilgrastim, 274
 perphenazine, 205
 phenelzine, 127, 129–30, 131–2, 134
 physostigmine, 396
 pimavanserin, 66–7
 prednisone, 85, 90
 prochlorperazine, 182
 progesterone, 149
 Prolixin. *See* fluphenazine
 Proscar. *See* finasteride
 Provigil. *See* modafinil
 Prozac. *See* fluoxetine
 pyridoxine, 178
- quetiapine, 30, 100, 109, 273, 331, 367, 372, 381, 401, 405
- ReVia. *See* naltrexone
 Rexulti. *See* brexpiprazole
 Risperdal. *See* risperidone
 Risperdal Consta (LAI risperidone), 256
 risperidone, 15, 17, 27, 29, 39–40, 124, 131, 203, 204, 205, 254, 260, 353, 354, 417
- Saphris. *See* asenapine
 Seroquel. *See* quetiapine

- sertraline, 3, 5, 6, 7, 8, 10, 107, 108, 188, 190, 229, 340–1
- Sinequan. *See* doxepin
- spironolactone, 149, 151
- Spravato. *See* esketamine
- Strattera. *See* atomoxetine
- Suboxone. *See* buprenorphine-naloxone
- Symbax. *See* olanzapine-fluoxetine
- Taxotere. *See* docetaxel
- Tenex. *See* guanfacine
- testosterone, 150
- Thorazine. *See* chlorpromazine
- Topamax. *See* topiramate
- topiramate, 207–8, 211
- trazodone, 39, 96, 97, 199, 203, 262, 283
- Trilafon. *See* perphenazine
- Trileptal. *See* oxcarbazepine
- Trintellix. *See* vortioxetine
- Unisom. *See* doxylamine
- valbenazine, 16–17, 19, 22, 24
- Valium. *See* diazepam
- valproic acid, 31, 79–80, 82, 199, 201, 203, 205, 209, 211, 225, 248 *See also* divalproex sodium
- venlafaxine, 58, 105, 109–10
- verapamil, 26
- Viiibryd. *See* vilazodone
- vilazodone, 58, 230, 401, 406
- Vistaril. *See* hydroxyzine
- Vitamin B₆ (pyridoxine), 178
- vortioxetine, 58, 96–7, 99
- Vraylar. *See* cariprazine
- Vyvanse. *See* lisdexamfetamine
- Wellbutrin. *See* bupropion
- Xanax. *See* alprazolam
- Zestril. *See* lisinopril
- ziprasidone, 27, 29, 30
- Zofran. *See* ondansetron
- Zoloft. *See* sertraline
- zolpidem, 284
- Zyprexa. *See* olanzapine

Index of case studies

- abandonment, 353, 354
 Abnormal Involuntary Movement Scale (AIMS),
 14, 22–4
 absolute neutrophil count (ANC), 206, 273, 275
 acute kidney injury, 88, 89
 addiction
 to drugs. *See* substance use disorder(s)
 to food, 193–4
 ADHD. *See* attention-deficit/hyperactivity
 disorder
 adherence to medications, 80, 82, 162, 163,
 165, 328
 adolescents
 ADHD and depression, 155–68
 ADHD and learning disorder, 325–35
 ADHD treatments, 160, 333–5
 borderline personality disorder, 287, 349–60
 JV-220 application, 352
 treatment-resistant psychosis, 251–67
 adverse childhood events (ACEs), 76, 157,
 280–1, 284–5, 286–7, *See also* child abuse
 aggression
 acute, 63–4, 69
 emergency admission, 37–47
 long-standing, 61–9
 treatment-resistant schizophrenia, 197–212
 agitation, 37–47, 387–97
 akathisia, 43–5, 87, 229
 alcohol abuse
 scoring tools, 388, 394, 396
 treatment, 63, 396
 Wernicke–Korsakoff syndrome, 390
 alexithymia, 285
 alkaline phosphatase, 163–4, 165
 α -adrenergic agonists, 5, 51, 383–4
 alternative medicine, 164
 amenorrhea, 312
 amygdala, 10–11, 357
 ANCA-associated vasculitides, 139–40
 androgen blockers, 148–9, 151
 androgens, 150, 152
 anorexia nervosa, 307–22
 anticholinergic agents
 cholinergic rebound, 248
 minimize EPS, 41, 261
 side effects, 88, 92, 208
 anticonvulsants, 29, 297–8
 antidepressants. *See also specific drug classes*
 bipolar disorder, 31, 100, 408, 409–10
 depression with mixed features, 105, 107, 342
 insomnia, 5
 pediatric use, 5, 157–8
 sexual dysfunction, 97
 treatment-emergent mania/hypomania, 337–46
 antiemetics, 176, 178, 179, 181, 182
 antihistamines, 46, 64, 208, 318
 insomnia, 5, 288
 antipsychotics. *See also* side effects
 bipolar disorder, 32
 brief psychotic disorder, 120
 BZD disinhibition, 396
 BZD withdrawal, 366, 367
 child with trauma/PTSD, 379–80
 depression, 105, 331, 342, 344
 dual therapy, 205, 208, 211, 215
 insomnia, 284, 331
 late-onset schizophrenia, 123
 pediatric use, 267
 plasma levels, 47, 205
 anxiety
 anorexia nervosa, 310
 autoimmune disease, 137–42
 bipolar disorder with mixed features, 399,
 401, 405, 408
 compared with ASD, 3, 8
 DiGeorge syndrome (with ADHD), 49–59
 GAD in a child, 1–12
 insomnia, 7, 106
 MDD with mixed features, 103–12
 SSRI initiation, 176
 ASD (autism spectrum disorder), 3, 8, 247, 283
 attention-deficit/hyperactivity disorder (ADHD)
 adolescent psychosis, 264–5
 anxiety in DiGeorge syndrome, 49–59

- approved treatments, 160, 333–5
 bipolar disorder, 95–101, 300–1
 insomnia, 283, 287–8
 learning disorder, 325–35
 MDD, 155–68
 neurobiology, 384
 trauma/PTSD diagnosis, 378–80, 383
 atypical antipsychotics. *See* antipsychotics;
 side effects
 atypical depression, 127, 130
 auditory hallucinations, 18, 266, 365–6
 autism spectrum disorder (ASD), 3, 8, 247, 283
 autoimmune disease, 137–42
 avoidance, 285–6
 avoidant/restrictive food intake disorder, 310
- BED (binge eating disorder), 187–94
 benign ethnic neutropenia, 202, 206, 275, 276
 benzodiazepines (BZDs)
 antipsychotic-induced dystonia, 64
 bipolar disorder, 26, 28
 disinhibition syndrome, 180, 395–6
 mechanism of action, 370–1
 paradoxical reaction, 174, 180
 pediatric use, 5, 9, 284
 use disorder, 171–83
 withdrawal, 241, 363–73
 binge eating disorder (BED), 187–94
 biochemical tests. *See* laboratory tests
 biopsychosocial model, 330, 333
 bipolar disorder
 ADHD, 95–101, 300–1
 depression, 25–33
 in a child, 291–302
 mixed features, 95–101, 399–410
 black box warnings, 32, 161
 blood pressure. *See* hypertension; hypotension
 body dysmorphic disorder, 310
 body mass index (BMI), 313
 body pain comorbidity, 189, 190
 borderline personality disorder (BPD), 287,
 349–60
 comorbid MDD, 358–60
 bowel function, 225, 259, 319, 420
 BPD. *See* borderline personality disorder; brief
 psychotic disorder
 brain injury. *See* traumatic brain injury
 brain pathology. *See* pathophysiology
 brain-derived neurotrophic factor (BDNF), 357
 breast cancer, 269–77
 brief psychotic disorder (BPD), 115–24
 bulimia nervosa, 310
 bullying, 331
 BZDs. *See* benzodiazepines
- caffeine, 43
 Cahalan, Susannah, 141
 calcium-channel blockers, 26, 32–3
 cannabis (marijuana)
 adverse effects, 373
 psychosis, 75, 121, 364, 366, 370
 socioeconomic status, 76
 withdrawal, 366, 367, 368, 371–2, 373
 cardiovascular disease
 anorexia, 315
 antipsychotic side effect, 394
 catatonia, 241–2
 CBT. *See* cognitive behavioral therapy
 chemotherapy, and clozapine, 269–77
 child abuse, 76, 157, 280–1
 borderline personality disorder, 350, 351,
 354–5, 360
 discussions with patient, 339
 neurobiology of trauma, 355–7
 PTSD in a child, 375–84
 children. *See* pediatrics
 cigarettes, 43, 218, 219, 222, 224
 CIWA-Ar tool (Clinical Institute Withdrawal
 Assessment of Alcohol, Revised), 388,
 394, 396
 cognitive behavioral therapy (CBT)
 pediatric anxiety, 7, 9
 pediatric trauma, 76, 380
 cognitive difficulties. *See also* delirium
 ADHD, 166, 167, 325–35
 dementia, 174, 392
 steroid-induced, 92
 complementary medicine, 164
 compliance with medication, 80, 82, 162, 163,
 165, 328
 constipation, 225, 259, 319, 420
 contraception, 286
 corticosteroids
 equivalent doses, 90
 side effects, 92
 steroid-induced psychosis, 85–93
 stress response, 315, 356
 withdrawal, 91

Index of case studies

- COVID-19 pandemic, 115, 120, 121, 122
- cytochrome P450 enzymes
 caffeine, 43
 CYP1A2, 43, 218, 246
 CYP2B6 and CYP2C19 variants, 108
 CYP2D6, 158, 160, 161, 162, 166, 229
 smoking, 43, 218, 219, 224
- delirium, 73, 88, 241
 withdrawal syndromes, 387–97
- delusions, 122, 217, 266
- dementia, 174, 392
- depression. *See also* major depressive disorder
 ADHD and learning difficulties, 328, 331, 332
 BED and psychosis/insomnia, 188–90
 bipolar disorder, 25–33
 bipolar with mixed features (and ADHD),
 95–101
 following TBI, 132
 steroid-induced, 92
 treatment-emergent mania/hypomania,
 337–46
- dialectical behavior therapy (DBT), 357
- diaphoresis, 373
- DiGeorge syndrome, 49–59
- disinhibition, 180, 395–6
- dopaminergic system, 23, 46
 BED, 192–3
 borderline personality disorder, 359
 depression, 134
 NDRI, 345
 partial D₂ agonists, 20, 220–2, 223
 schizophrenia, 257
 tardive dyskinesia, 20, 21, 22
- DRESS (drug reaction with eosinophilia and
 systemic symptoms), 319
- drug–drug interactions, 28
 and CYP2D6, 158, 160, 161, 162, 166
 valproic acid–lamotrigine, 31, 298
- DSM-5 criteria
 anorexia nervosa, 312–13
 cannabis withdrawal, 373
 depression with mixed features, 105, 342–3,
 409
 mania/hypomania, 99–100
 stimulant withdrawal, 397
- eating disorders
 anorexia nervosa, 307–22
- avoidant/restrictive food intake disorder, 310
 binge eating, 187–94
 bulimia nervosa, 310
- education of patients/relatives, 162, 181, 222
- electrocardiography (ECG), 315
- electroconvulsive therapy (ECT), 65, 68, 343
- electroencephalography (EEG), 315
- emergency admission for agitation/psychosis,
 37–47
- epigenetics, 356
- estrogens, 147, 148, 152
- euphoria, 92
- extrapyramidal symptoms (EPS), 248, 258,
 416
 akathisia, 43–5, 87, 229
 tardive dyskinesia, 13–24
- facial pain, 227
- family history, 76–7, 293
- family-based therapy, 318, 333
- females, transgender, 145–53
- female-to-male transgender individuals, 150, 152
- 5-HT. *See* serotonergic system
- 5 α -reductase inhibition, 151
- folate metabolism, 108
- foster care, 382
- fragile X syndrome, 157, 167
- Functional Adaptation and Skills Training
 (FAST), 124
- γ -aminobutyric acid (GABA), 370–1, 395
- gender dysphoria, 145–53
- generalized anxiety disorder (GAD), 1–12
- genetic testing, 107–8, 112, 229, 246, 248, 329
- glutamate, 46, 233, 266
- hallucinations, 18, 172, 262
 BZD withdrawal, 365–6
 inciting violence, 62–3, 65, 266
- Hashimoto's encephalopathy, 254
- head injury. *See* traumatic brain injury
- headaches, 227, 230, 406
- hepatic function. *See* liver function
- herbal supplements, 164
- histamine receptor antagonists. *See*
 antihistamines
- hormone therapy for gender dysphoria, 147
 transgender females, 147–9, 151, 152
 transgender males, 150, 152

- Hunter criteria, 177
 hypersensitivity to sensory stimuli, 2
 hypersexuality, 173, 174, 179–80
 hypersomnia, 127, 130, 157, 209
 hypertension, 104, 110
 clonidine withdrawal, 10, 295
 hypomania
 depression with mixed features, 104
 DSM-5 criteria, 99–100
 steroid use, 92
 treatment-emergent, 337–46
 hypotension, 295
 orthostatic, 128, 131–2
 hypothalamic–pituitary–adrenal (HPA) axis, 356
- icterus, 163, 165
 impulsive–compulsive disorders, 193, 194
 Individualized Education Plan (IEP), 156, 295
 insomnia
 anxiety/depression, 106, 109
 anxious child, 1, 5–6, 7
 bipolar disorder, 30
 depression/ADHD, 331
 depression/paranoia/BED, 189, 190
 mania, 39
 sleep deprivation psychosis, 366, 369, 372
 traumatized child, 279–88, 382
 intellectual disability, and ADHD, 166, 167, 325–35
 interpersonal psychotherapy (IPT), 339–40, 342, 344
 intramuscular (IM) medication
 emergency, 40–1, 64
 LAI aripiprazole, 78, 81, 82
 LAI paliperidone, 256, 420–1
 LAI risperidone, 256
 obese patients, 42
- jaundice, 163, 165
 JV-220 application, 352
- kidney disease, 89, 404
- laboratory tests
 anorexia nervosa, 313–15
 autoimmune disease, 139
 liver function, 89, 163–4, 165, 314
 psychosis, 73, 89, 122
 late-onset schizophrenia, 122–4
- learning disorder, and ADHD, 166, 167, 325–35
 leukocytosis, 273–4
 Lewy body dementia, 174
 light therapy, 130, 132
 liver function
 anorexia nervosa, 314
 hepatotoxicity, 163–4, 165, 166
 steroids, 89–90
 long-acting injectables (LAIs)
 aripiprazole, 78, 81, 82
 paliperidone, 256, 420–1
 risperidone, 256
- major depressive disorder (MDD). *See also* depression
 ADHD, 155–68
 borderline personality disorder, 358–60
 gender dysphoria, 146, 148, 150
 mixed features, 103–12, 342–3, 344, 409, 411
 recurrent, 127–35
 treatment-resistant, 132, 134, 227–35
 weight loss, 309
- males, transgender, 150, 152
 male-to-female transgender individuals, 145–53
- mania
 acute, 39, 40
 bipolar disorder, 25, 28, 292, 295, 296, 300
 depression with mixed features, 106, 109
 DSM-5 criteria, 99–100
 treatment-emergent, 337–46
- marijuana. *See* cannabis
 masculinization therapies, 150, 152
 Maudsley Model, 318
 MDD. *See* major depressive disorder
 men, transgender, 150, 152
 mentalization-based therapy, 357
 mesocortical pathway, 257
 metabolic syndrome, 218, 222, 223, 225, 299–300, 302 *See also* weight gain
- methamphetamine
 psychosis, 75
 withdrawal, 394, 396
- microscopic polyangiitis, 139–40
 mindfulness-based therapies, 121
 monoamine oxidase inhibitors (MAOIs), 129, 133, 134
 mood disorders spectrum, 100

Index of case studies

- mood stabilizers, 32, 79–80, 205, 225
- movement disorders
akathisia, 43–5, 87, 229
clozapine side effects/withdrawal, 237–49
tardive dyskinesia, 13–24
MTHFR gene polymorphism, 108
- narcolepsy, 15, 20
- nausea, 176, 178–9, 180–1, 182
- neurobiology. *See* pathophysiology
- neuroleptic malignant syndrome (NMS), 241, 243
- neuropsychiatric systemic lupus erythematosus, 140–1, 142
- neurosyphilis, 89
- neutropenia, 202, 206, 272–7
- NMDA receptor inhibition, 233, 234
- non-adherence. *See* adherence to medications
- norepinephrine (NE)
ADHD, 101, 384
binge eating, 192–3
depression, 134
treatment-emergent mania/hypomania, 344
- norepinephrine-dopamine reuptake inhibitors (NDRIs), 345
- nystagmus, downward, 30, 31
- obesity. *See also* weight gain
BED, 194
pharmacokinetics, 42, 44
- obsessive behavior, 1
- obsessive–compulsive disorder (OCD), 418, 419
weight loss, 309
- obsessive–compulsive personality disorder, 419
- opioid dependence, and depression, 227–35
- opioid receptors, 233–4
- orthostatic hypotension, 128, 131–2
- pandemics, 115, 120, 121, 122
- paralytic ileus, 92, 259
- paranoia
bipolar disorder, 30
depression/PTSD comorbidity, 189, 190
- paranoid schizophrenia, 413–22
- Parkinson's disease psychosis, 66–7
- parkinsonism, 243
- pathophysiology
ADHD, 384
anorexia, 315, 320–1
anxiety disorders, 10–11
borderline personality disorder, 359
BZD dependence, 370–1
childhood trauma, 355–7
MDD, 133
Parkinson's disease psychosis, 66
schizophrenia, 224, 257
TBI and psychosis, 74
visual hallucinations, 66
- PAWSS (Prediction of Alcohol Withdrawal Severity Scale), 394, 396
- pediatrics
ADHD and depression, 155–68
ADHD and learning disorder, 325–35
ADHD treatments, 160, 333–5
antidepressants, 5, 157–8
anxiety (GAD), 1–12
atypical antipsychotics, 267
bipolar disorder, 291–302
borderline personality disorder, 287, 349–60
DiGeorge syndrome/anxiety/ADHD, 49–59
insomnia in a traumatized child, 279–88, 382
JV-220 application, 352
traumatized/PTSD, 375–84
treatment-resistant psychosis, 251–67
- personality disorders
borderline, 287, 349–60
brief psychotic disorder, 122
- pharmacogenomics, 107–8, 112, 229, 246, 248, 329
- pharmacokinetics, 46. *See also* cytochrome P450 enzymes
caffeine, 43
LAIs, 421
obesity, 42, 44
smoking, 43, 218, 219, 222, 224
- phosphate, 314
- polycystic ovarian syndrome, 152
- polypharmacy, 86–7, 91–2, 93, 382
- posttraumatic stress disorder (PTSD), 157, 189
childhood trauma/abuse, 375–84
- prefrontal cortex, 11, 257, 357, 383
- pregnancy, 288
- progestogens, 149
- psychosis. *See also* schizophrenia
borderline personality disorder, 360
brief psychotic disorder, 115–24
cannabis use, 75, 121, 364, 366, 370

- depression in BED, 188–9, 190
 DiGeorge syndrome, 53, 57
 emergency admission, 37–47
 methamphetamine use, 75
 primary or secondary?, 71–82
 sleep deprivation, 366, 369, 372
 steroid-induced, 85–93
 TBI, 74–5, 81
 treatment-resistant, 251–67
 weight loss, 309
- psychotherapy
 ADHD and learning disorder, 330, 333
 anorexia, 318
 borderline personality disorder, 353, 354, 357, 360
 brief psychotic disorder, 121, 124
 depression, 339–40, 342, 344, 346
 gender dysphoria, 146
 multiple disorders, 293
 pediatric anxiety, 7, 9
 pediatric trauma, 76, 282, 380
- PTSD. *See* posttraumatic stress disorder
- QT interval prolongation, 394
- rabbit syndrome, 20
- rashes
 DRESS, 319
 incorrectly treated with steroids, 85
 Stevens–Johnson syndrome, 32, 298
- REM sleep behavior disorder, 174
- renal disease, 89, 404
- safety of healthcare staff/other patients, 37, 40
- scabies, 86
- schizophrenia
 clozapine after other treatment failures, 413–22
 clozapine and brexpiprazole, 215
 clozapine and chemotherapy, 269–77
 clozapine side effects/withdrawal, 237–49
 cumulative risk hypothesis, 76
 late-onset, 122–4
 negative symptoms, 257
 prodrome, 157, 251
 violent patients, 61–9, 197–212
- seasonal affective disorder (SAD), 127, 130, 132
- sedation (side effect), 219, 222, 265, 319
- sedative-hypnotic use disorder, 171–83, 363–73
- sedatives. *See* benzodiazepines
- seizures (BZD withdrawal), 241, 363, 368, 370
- selective serotonin reuptake inhibitors (SSRIs)
 anxiety (and mania risk), 52, 53
 anxiety (pediatric), 9, 10, 11, 12
 bipolar disorder, 28
 initiation, 176
 mixed depression, 107
 side effects, 97, 161
- self-harm, 279, 285–6 *See also* suicidal ideation
- serotonergic system, 46, 58, 257
 5-HTTLPR short form, 357
 aripiprazole, 20, 222
 borderline personality disorder, 359
 brexpiprazole, 222
 Parkinson's disease psychosis, 66
 pimavanserin, 67
 transporter gene polymorphism, 108, 109, 329
 treatment-emergent mania/hypomania, 344
- serotonin syndrome, 177
- serotonin-norepinephrine reuptake inhibitors (SNRIs), 9, 58, 109, 189
- sex chatting addition, 173, 174, 179–80
- sexual abuse, 76, 281
- sexual dysfunction, 97, 401
- sialorrhea, 206, 209
- side effects, 203, 294
 akathisia, 43–5, 87, 229
 anticholinergic agents, 88, 92, 208
 antidepressants, 11, 97, 161, 345
 black box warnings, 32, 161
 BZD disinhibition, 180, 395–6
 clozapine, 208, 219, 222, 224, 225, 237–49
 constipation, 225, 259, 319, 420
 DRESS, 319
 EPS, 248, 258, 416
 guanfacine, 384
 hepatotoxicity, 163–4, 166
 hypotension, 295
 IM formulations, 64
 lithium, 31
 melatonin, 283
 metabolic effects, 218, 222, 223, 225, 263–4, 299–300, 302, 318, 406
 neutropenia, 272–4, 276, 277

Index of case studies

- side effects (cont.)
 NMS, 241, 243
 olanzapine, 302, 318–19
 parkinsonism, 243
 QT interval prolongation, 394
 rashes/Stevens–Johnson syndrome, 32, 298
 sedation, 219, 222, 265, 319
 sexual dysfunction, 97, 401
 steroids, 92
 tardive dyskinesia, 13–24
 thromboembolism, 274
 venlafaxine, 110
 vilazodone, 230
- sleep deprivation, 366, 369, 372
- sleep disorders
 hypersomnia, 127, 130, 157, 209
 insomnia. *See* insomnia
 REM sleep behavior disorder, 174
- sleep hygiene, 283
- smoking, 43, 218, 219, 222, 224
- SNRIs. *See* serotonin-norepinephrine reuptake inhibitors
- social anxiety disorder, 309
- socioeconomic status, 76, 121
- spinocerebellar ataxia, 175
- SSRIs. *See* selective serotonin reuptake inhibitors
- statutory rape, 281
- steroids
 equivalent doses, 90
 female, 147, 148, 149, 152
 male, 150, 152
 steroid-induced psychosis, 85–93
 stress response, 315, 356
 withdrawal, 91
- Stevens–Johnson syndrome, 32, 298
- stimulants
 ADHD, 101, 157, 159, 160, 166, 167, 300, 333
 BED, 194
 causing tardive dyskinesia, 20
 DSM-5 criteria for withdrawal, 397
 MDD, 129, 130–1, 132
 sedative effect of clozapine, 265
- stress. *See also* posttraumatic stress disorder
 borderline personality disorder, 360
 brain pathology, 355–7
 brief psychotic disorder, 120, 121
 corticosteroids, 315, 356
- substance use disorder(s). *See also* cannabis (marijuana)
 agitation, 64
 benzodiazepines, 171–83, 363–73
 methamphetamine, 75, 394, 396
 psychosis, 75
 socioeconomic status, 76
 weight loss, 309
 withdrawal, 387–97
- suicidal ideation
 bipolar disorder, 400, 409
 borderline personality disorder, 358
 lamotrigine, 31
 mania/hypomania, 100
 SSRIs, 161
 traumatized child, 279, 286
- systemic lupus erythematosus, 140–1, 142
- tardive dyskinesia, 13–24
- TBI. *See* traumatic brain injury
- testosterone blockers, 148–9, 151
- Therapeutic Behavioral Services (TBS), 50, 53
- therapeutic drug monitoring, 46, 89, 327–8
- thromboembolism, 274
- thyroid disease, 254, 314
- tobacco use, 43, 218, 219, 222, 224
- toxic epidermal necrolysis, 298
- toxic traumatic stress, 356
- transcranial magnetic stimulation, 343
- transference-focused psychotherapy, 357
- transgender individuals
 female, 145–53
 male, 150, 152
- trauma. *See also* child abuse
 neurobiology, 355–7
 PTSD, 157, 189, 375–84
- trauma-informed care, 284–5, 286–7, 383
 and borderline personality disorder, 287, 350, 353, 354–5, 358
- traumatic brain injury (TBI)
 aripiprazole, 77–8
 depression, 132
 psychosis following, 74–5, 81
 valproic acid, 79
- treatment-emergent mania/hypomania, 337–46
- treatment-resistant depression, 132, 134
 opioid dependence, treated with ketamine, 227–35

- treatment-resistant schizophrenia/psychosis
 - adolescent, 251–67
 - clozapine, 276–7, 420
 - clozapine and brexpiprazole, 215
 - violent patients, 197–212
- tricyclic antidepressants, 9, 343
- trigeminal neuralgia, 227
- Vanderbilt scale, 58
- vascular endothelial growth factor (VEGF), 234
- vasculitis, autoimmune, 139–40
- very-late-onset schizophrenia-like psychosis, 122, 123
- vesicular monoamine transporter 2 (VMAT-2) inhibitors, 22, 23
- violent patients
 - acute aggression, 63–4, 69
 - emergency admission, 37–47
 - long-standing aggression, 61–9
 - treatment-resistant schizophrenia, 197–212
- visual hallucinations, 66, 365–6
 - inciting violence, 62–3, 65
- vitamin D deficiency, 159, 164
- weight gain, 32
 - clozapine, 218, 222, 263–4
 - olanzapine, 299–300, 318
 - quetiapine, 406
- weight loss, 32, 309–10
 - anorexia nervosa, 307–22
- Wernicke–Korsakoff syndrome, 390
- Wilson's disease, 164
- withdrawal syndromes
 - alcohol, 63, 388, 390, 394, 396
 - benzodiazepines, 241, 363–73
 - cannabis, 366, 367, 368, 371–2, 373
 - delirium, 387–97
 - DSM-5 criteria for stimulants, 397
 - methamphetamine, 394, 396
 - steroids, 91
- women, transgender, 145–53