

Contents

<i>Introduction</i>	xiii
<i>Contributors</i>	xvii
<i>List of icons</i>	xix
<i>Abbreviations</i>	xxi
1. The Case: Wearing down a diagnosis	1
The Question: What are the similarities and differences between anxiety and autism spectrum disorder (ASD) in children? How does it affect treatment and prognosis?	
The Psychopharmacological Dilemma: Does this patient have an anxiety disorder, which can be treated effectively with a simple regimen that has a good prognosis, or does she have an ASD, which would require a more extensive regimen and possible lifelong treatment?	
Karen Clarey, Stephanie Wong, and Takesha Cooper	
2. The Case: The woman who couldn't handle her lips smacking any longer	13
The Question: Is tardive dyskinesia permanent?	
The Psychopharmacological Dilemma: Finding various options for treating tardive dyskinesia	
Douglas Grover, Michael T. Ingram, Jr., and Christopher G. Fichtner	
3. The Case: The depressed bipolar patient on multiple medications	25
The Question: Can reduction of polypharmacy optimize mood stabilization and reduce risk of subsequent manic or depressive episodes in this patient?	
The Psychopharmacological Dilemma: Starting new medications and altering current ones can give rise to new adverse effects	
Dale Hoang, Catherine Ha, and Peter Hauser	
4. The Case: The agitated patient who finally wasn't	37
The Question: What do you do when a patient is taking appropriate scheduled medications, but is frequently agitated and requiring medication intramuscularly (IM) or as needed on top?	
The Psychopharmacological Dilemma: This patient had a significant history of violence and required heavy utilization of emergency IM medications in addition to scheduled medications. How do you balance the safety needs of the patient and staff while still respecting consent, ethical rights, and the risk of serious side effects?	
Alex J. Mageno, Nekisa Haghghat, and Arthur Leitzke	

Contents

- 5. The Case:** The George who was not psychotic but anxious and distracted 49
The Question: How common is psychosis seen in the spectrum of psychiatric comorbidities in DiGeorge syndrome?
The Psychopharmacological Dilemma: Treating anxiety in a patient with a comorbid medical condition, symptoms of mood elevation, and a family history of bipolar disorder
Edgar Ortega, Michael Seigler, and Takesha Cooper
- 6. The Case:** The man who saw enemies everywhere 61
The Question: What treatment options are left when nearly all treatments have been exhausted and ineffective?
The Psychopharmacological Dilemma: Treating symptoms recalcitrant to even the most robust treatment strategies
Joshua Poole and Stephen Maurer
- 7. The Case:** The young woman with psychosis complicated by substance use and a history of traumatic brain injury 71
The Question: How do you determine whether psychosis is a primary or secondary illness?
The Psychopharmacological Dilemma: Does treatment depend upon whether psychosis is due to a primary psychiatric illness?
Harika Reddy, Austin Nguy, and Sana Johnson-Quijada
- 8. The Case:** The woman with worsening psychosis and a mysterious rash 85
The Question: What do you do when a psychiatric patient on steroids develops psychosis?
The Psychopharmacological Dilemma: How to address steroid-induced psychiatric disorders
Sireena Sy, Yatna Patel, and Alexander Thanh Nguyen
- 9. The Case:** The man without a plan 95
The Question: How to diagnose and treat a patient with a coexisting attention-deficit/hyperactivity disorder (ADHD) and mood symptoms?
The Psychopharmacological Dilemma: Finding an effective medication regimen for a patient previously diagnosed with ADHD and major depressive disorder failing selective serotonin reuptake inhibitors
Alfonso Vera and Gerald Maguire
- 10. The Case:** The anxious depressed woman who couldn't sit still 103
The Question: How can you distinguish between bipolar disorder with mixed features and major depressive disorder with mixed features? Is it necessary to differentiate between the two?
The Psychopharmacological Dilemma: Finding an effective regimen for recurrent, anxious depression while minimizing akathisia
Nekisa Haghighat, Charity Hall, Dennis Alters, and Gerald Maguire

- | | |
|--|-----|
| <p>11. The Case: The man who thinks it's the end of the world
 The Question: Can a pandemic trigger dormant psychiatric symptoms?
 The Psychopharmacological Dilemma: If some element of psychosis is personality driven, will the patient benefit from medication therapy or psychotherapy to alleviate symptoms?
 Erin Fletcher, Evangelos Coskinas, and Phuong Vo</p> | 115 |
| <p>12. The Case: Sunny with a chance of depression
 The Question: Can stimulants be used in the treatment of major depressive disorder?
 The Psychopharmacological Dilemma: How to treat recurrent major depression in patients who are resistant to various treatments and have specific comorbidities
 Madeline Saavedra, Bo Ram Yoo, Douglas Grover, and Christopher G. Fichtner</p> | 127 |
| <p>13. The Case: A not-so-simple case of anxiety
 The Question: What should you do when a patient with no history of mental illness presents with sudden psychiatric complaints, significant behavioral changes, and a variety of physical symptoms?
 The Psychopharmacological Dilemma: How to appropriately evaluate patients presenting with a broad range of symptoms, including physical, psychiatric and behavioral, in order to prevent misdiagnosis of a disease
 Karla P. Furlong, Roberto Castaños, and Bo Ram Yoo</p> | 137 |
| <p>14. The Case: I'm a woman in a man's body
 The Question: I'm not a specialist in this area. What can I do to help recognize and alleviate gender dysphoria?
 The Psychopharmacological Dilemma: Finding an effective regimen for the treatment of gender dysphoria while juggling with comorbid depression and anxiety
 Sarah Grace, Matt Jason V. Llamas, and Jami Woods</p> | 145 |
| <p>15. The Case: The spacey, fidgety son with overwhelming sadness
 The Question: How to manage adolescent depression with comorbid attention-deficit/hyperactivity disorder (ADHD)?
 The Psychopharmacological Dilemma: Being cognizant of possible drug interactions when selecting antidepressants in adolescents who also require treatment for ADHD
 Niya Larios, Casey Lester, and Carl Feinstein</p> | 155 |
| <p>16. The Case: The man who spent thousands online
 The Question: Can antiemetics play a role in the treatment of psychiatric disease?</p> | 171 |

Contents

- The Psychopharmacological Dilemma:** How to diagnose and treat sedative-hypnotic use disorder in an elderly patient who is sensitive to medications
Saloni Singh and Carla Hammond
- 17. The Case:** The traumatized mother who can't stop bingeing 187
The Question: How do you treat refractory binge eating?
The Psychopharmacological Dilemma: Will the treatment of trauma and mood disorders help resolve this patient's binge eating, or is something more needed?
Kevin Simonson and Bo Ram Yoo
- 18. The Case:** The man who couldn't stop hitting people 197
The Question: Is there a way to further optimize treatment of violent, psychotic agitation safely beyond the combination of clozapine (Clozaril) with a mood stabilizer in someone with significant cardiovascular history?
The Psychopharmacological Dilemma: How to reduce violent, psychotic behaviors in someone with an inadequate response to multiple empirical combinations of medications for treatment-resistant schizophrenia with behavioral agitation
Angharad Ames and Lawrence Faziola
- 19. The Case:** Brexpiprazole: "an awakening" 215
The Question: Can the addition of brexpiprazole (Rexulti) to clozapine (Clozaril) reduce positive symptoms in a patient who has not fully responded to clozapine alone?
The Psychopharmacological Dilemma: Can "third-generation" antipsychotics, such as brexpiprazole, be utilized in combination with clozapine for treatment-resistant psychosis?
Troy Kurz, Lauren Kurz, and Samer Kamal
- 20. The Case:** Treatment-resistant depression and opioid dependence 227
The Question: How can we pharmacologically address refractory major depressive disorder in a patient on buprenorphine-naloxone (Suboxone) maintenance for opioid dependency?
The Psychopharmacological Dilemma: Does ketamine interact with buprenorphine-naloxone?
Kevin Simonson and Alexander H. Truong
- 21. The Case:** A stiff patient 237
The Question: What are the main clinical considerations when discontinuing clozapine (Clozaril) due to side effects?

- The Psychopharmacological Dilemma:** How to improve quality of life and minimize medication side effects in a patient with medication-resistant psychotic symptoms
Angharad Ames, Joshua Valverde, and Gerald Maguire
- 22. The Case:** An adolescent awakening 251
The Question: How to manage an adolescent with treatment-resistant psychosis, underlying attention deficit hyperactivity disorder (ADHD) symptoms, daytime sedation, insomnia, and a propensity for weight gain?
The Psychopharmacological Dilemma: Finding an effective regimen for treatment-resistant psychosis in an adolescent while managing underlying ADHD symptoms, daytime sedation, insomnia, and weight gain
Monish Parmar and Richard J. Lee
- 23. The Case:** The peace keeper with a left breast mass 269
The Question: How can neutrophil count be monitored effectively in a patient early in clozapine (Clozaril) treatment who is also undergoing simultaneous chemotherapy?
The Psychopharmacological Dilemma: How to use the guidelines of the clozapine registration system to effectively monitor absolute neutrophil count in a patient currently taking clozapine for treatment-resistant schizophrenia while simultaneously undergoing chemotherapy?
Diem Nguyen and Brenda Jensen
- 24. The Case:** The girl who slept with problems 279
The Question: What is a treatment approach for insomnia in children with trauma and comorbid psychiatric conditions?
The Psychopharmacological Dilemma: There is limited data regarding the safety and efficacy of medications for sleep promotion in children and adolescents, especially those with trauma
Joseph Yasmeh and Ijeoma Ijeaku
- 25. The Case:** Not all child's play: a path to pediatric stability 291
The Question: What can you do to manage symptoms and achieve long-term stability in a pediatric patient with multiple psychiatric conditions?
The Psychopharmacological Dilemma: Finding an effective medication regimen for a complex pediatric patient with multiple diagnoses and previous hospitalizations
Joseph Wong, Justine Ku, and Takesha Cooper
- 26. The Case:** The young woman who was "nothing but skin and bones" 307
The Question: What is the most likely diagnosis?

Contents

- The Psychopharmacological Dilemma:** How to distinguish anorexia nervosa from other possible diagnoses and formulate a plan of treatment
Kayla L. Fisher and Michelle Tom
- 27. The Case:** Could it be both? Comorbid psychiatric diagnoses 325
The Question: How do you distinguish between poor academic performance due to attention-deficit/hyperactivity disorder (ADHD) versus a specific learning disorder versus both?
The Psychopharmacological Dilemma: Utilizing the biopsychosocial model to provide holistic treatment and improve patient quality of life
Ruqayyah Malik, Margaret Yau, and Dennis Alters
- 28. The Case:** Treatment-emergent mania/hypomania in a depressed patient 337
The Question: Can you observe manic/hypomanic side effects in a unipolar depression case after starting antidepressants?
The Psychopharmacological Dilemma: How careful should you be with antidepressants if you suspect unipolar depression versus bipolar depression when starting treatment?
Kevin Truong and Lawrence Yu
- 29. The Case:** The border between mood and personality 349
The Question: Can you differentiate between borderline personality traits (disorder) from a recurring mood disorder such as major depressive disorder (MDD)?
The Psychopharmacological Dilemma: Is it necessary to differentiate between borderline personality traits (disorder) and major depressive disorder in a teenager?
Phuong Vo and Ijeoma Ijeaku
- 30. The Case:** The student who wanted to go to rehab 363
The Question: How do you manage a patient with benzodiazepine withdrawal seizure?
The Psychopharmacological Dilemma: How to delineate whether the patient has benzodiazepine withdrawal psychosis or cannabis-induced psychosis in an 18-year-old male who presented with seizure
Eduardo Javier, Louis May, and Martin Sahakyan
- 31. The Case:** The boy who wouldn't (couldn't) listen 375
The Question: What do you do when nothing you try works?
The Psychopharmacological Dilemma: How to achieve diagnostic clarity and treatment simplicity through layers of reported symptoms in a child
Alex J. Mageno, Bo Ram Yoo, and Richard J. Lee

32. The Case: The patient who went streaking	387
The Question: Is the patient having delirium tremens or is something else going on?	
The Psychopharmacological Dilemma: Agitation: methamphetamine withdrawal delirium versus Benzodiazepine disinhibition syndrome	
Louis May, Martin Sahakyan, and Eduardo Javier	
33. The Case: "Perseverance"	399
The Question: The patient with a history of anxiety, mood lability, hypomanic symptoms, psychotic symptoms, history of substance abuse, medical issues, and multiple failed trials of medications due to side effects from medication. What is the diagnosis and how should it be managed? What medications should be used to treat bipolar disorder with mixed episodes?	
The Psychopharmacological Dilemma: How to manage multiple failed trials of medications from different classes, with initial benefit but then loss of effect	
Kathleen Lopez, Courtney DiNicola, and Niraj Gupta	
34. The Case: Clozapine (Clozaril) candidate discombobulates compassionate clinicians	413
The Question: How soon is too soon to consider clozapine utilization in a patient with polymorphic symptoms? The patient presents with residual symptoms of psychosis, which included delusions and hallucinations. He has been diagnosed with schizophrenia in the past and has failed multiple trials of psychotropic medication due to side effects. Does this patient need diagnostic clarification and how should this be further managed?	
The Psychopharmacological Dilemma: The patient has failed trials of multiple medications in different classes, noting only transient efficacy	
Darian Vernon, Nishant Prakash, and Niraj Gupta	
Index of drug names	423
Index of case studies	426