

Index

- adoption/foster care, 163–164
 affective empathy
 defined, 230
 and processing trauma, 230–231
 African traditional religion and ART, 89
 allopregnanolone, 242
 anonymity in third-party reproduction, 98–99
 anonymous donor. *see* nonidentified donor
 Anti-Black racism, 184
 antidepressants
 fertility and, 79–80
 perinatal complications, 80
 anxiety and infertility. *see also* depression
 generalized anxiety disorder (GAD), 235
 pregnancy-related anxiety (PRA), 228
 prevalence, 79
 appraisal (stress and coping model), 34
 aromatase inhibitors, 84
 Asherman's syndrome, 13
 assessment, defined, 36
 assisted hatching technique, IVF, 18
 autonomy
 defined, 275
 reproductive, 275

 Basson sexual response model, 68
 beneficence ethical principle, 275
 benefits (infertility treatment), 24–25
 biological/genetic relationships, defined, 145
 bipolar disorder background, 80–81
 bipolar disorder treatment
 atypical antipsychotics, 81
 lamotrigine, 81
 lithium, 81
 blastocyst, 5
 in vitro fertilization (IVF), 18
 body yellow. *see* corpus luteum
 borderline personality disorder (BPD)
 dialectical behavioral therapy (DBT)
 and, 44
 epidemiology, 81
 fertility treatment and, 82
 overview, 81–83

 prevalence of, 81
 primitive defense strategies, 82–83
 breastfeeding and postpartum mental health
 pressure for, 239
 pros and cons of, 239
 psychological issues, 239
 research on, 238–239
 brief sexual counseling model, 75

 care-based ethics, 278–279
Children of Choice: Freedom and the New Reproductive Technologies, 276
 cisgender person, 172
 cishnormative bias, 180
 clomiphene citrate challenge test (CCCT), 6
 clomiphene citrate side effects, 84
 cognitive empathy
 defined, 230
 narrative coherence, 230
 cognitive-behavioral therapy (CBT). *see also* dialectical behavioral therapy; trauma-focused therapy
 active client involvement importance, 42
 background of, 41–42
 defined, 41
 efficacy and effectiveness, 43
 goal of, 42
 group, 60
 mind-body/integrative care programs, 61–62
 perinatal depression, 242
 pregnancy loss counseling, 213
 process, 42
 reproductive trauma, 207–208
 sexual dysfunction, 75–76
 strategies, 42–43
 theory and principles, 41–42
 collaborative reproductive healthcare model
 importance of, 1
 and professional competency, 267
 communication, couples fertility counseling
 misattuned, 53
 positive cycle of connection, 52–53

 skill-building, 52
 twenty-minute rule, 52–54
 communitarian ethics, 279
 competency standards in professional counseling
 collaborative reproductive healthcare model, 267
 providing licensure evidence, 267
 sound business practice principles, 266–267
 state legalities, 266
 corpus luteum, 5
 cost-benefit analysis
 algorithm, 25
 third-party reproduction in infertility, 24–25
 costs (infertility treatment)
 culture and, 185–186
 financial, 25
 gender transition and fertility, 177–178
 LGBQ, 168
 psychological, 25
 risks, 25
 timeline of diagnosis, 25
 countertransference
 pregnant therapist, 248–249
 psychodynamic psychotherapy, 41
 spirituality and, 91
 cryopreservation
 egg, 106
 GnRH and, 177
 in vitro fertilization (IVF), 19
 culture, defined, 184
 culture in fertility counseling
 alternate experiences, 186
 community consequences, 185
 economic consequences, 185–186
 emotional consequences, 185
 infertility meaning, 186–187
 migrant views, 185
 misconstruing of, 184–185
 perinatal, 240
 relational consequences, 185
 sensitive clinical approach, 189–193
 sensitive counseling approach, 189–193
 stigmatizing cultural views, 188

- depression. *see also* anxiety and infertility;
mood and anxiety disorders and
infertility
antidepressant treatment, 79–80
male infertility and, 154
men and maternal depression, 241
perinatal, 236–237
pregnancy risks, 80
prevalence, 79
SSRIs, 79–80
- dialectical behavioral therapy (DBT). *see also* cognitive–behavioral therapy
borderline personality disorder (BPD)
and, 44
four elements of, 44
patient/therapist relationship, 44
- directed masturbation, 76
- direct-to-consumer DNA testing (DCT
DNA). *see also* genetic testing and
donor-conceived people
counseling, 136
genetic testing and, 134
mechanisms of, 134–135
before testing considerations, 135
usage frequency, 134
- direct-to-consumer DNA testing (DCT
DNA) implications
family secrets, 135–136
implications for health professionals,
137–138
nondisclosure, 136
unexpected results, 135
- disclaimers
controversy around, 269
evaluation and testing reports, 269–270
fee agreements, 269
usage summary, 270
- disclosure
couples' strategy, 55–56
embryo donation, 121–122
and intended parents (IP), 136
nonidentified gamete donor attitude,
112
openness, 146–147
third party, 281–285
third-party donation, 99
- disclosure, fertility counselors and health
professionals
implications for health professionals,
137–138
mechanics, 137
telling event message, 137
- distributive justice (ethical principle), 275
- donor conception (DC)
counseling implications, 150–151
defined, 144
experiences, 149–150
gender transition and fertility, 176–177
telemental evaluation, 258
- donor conception (DC), family life
background of, 144
being family, 145
differing family stories, 146
family boundaries, 149
life-cycle, 146
openness, 146–147
terminology around, 144–145
- donor insemination (DI), male
experience
family reasons for, 159
secrecy and disclosure, 159–160
- donor insemination seminar, 63
- donor relatives. *see* donor-related
siblings; family
- donor selection recipient counseling, 103
- donor-related siblings, 145
- dynamism, 40
- dysphoria, 179–180
- Eastern body–mind–spirit group
counseling, 62–63
- egg donation
cryopreservation, 106
donor psychosocial needs, 113
history of, 97–98, 106
identity-release of donor, 100–101
impact on donor, 113–114
psychological impact on recipient,
98
- egg fertilization (IVF), 18
- egg retrieval procedure (IVF), 17
- ego psychology, 40
- embryo donation
access considerations, 119
child outcomes, 122
EMPOWER process, 120
equity considerations, 119
future of, 123
logistical considerations, 120
overview, 115–116
theoretical frameworks, 116–117
- embryo donation arrangement options
known, 120
nonidentified, 119–120
semi-known, 120
- embryo donation, disclosure best
practices
in known arrangements, 122
in unknown arrangements, 122
- embryo donation, emotional landscape
donor/recipient feelings, 118–119
embryo donor, 117–118
embryo recipient, 118
- embryo donation, fertility counselor role
consultations, 121
emotional support, 121
family support, 121
psychoeducation, 121
- embryo donation, history
donation versus adoption, 116
early donations, 116
international perspectives, 116
emotional cushioning, 228–229
empathy and, 231
- empathy
affective, 230
cognitive, 230
to help pregnancy-related anxiety
(PRA), 231
normalizing emotional cushioning,
231
self-psychology movement, 41
trauma processing and, 230–231
- EMPOWER process (embryo donation),
120
- endometriosis, medical treatment, 14
- Enhanced Nursing Licensure Compact
(eNLC), 260
- ethics in fertility counseling
7-step decision-making process,
279–280
care-based ethics, 278–279
child considerations, 274
communitarian ethics, 279
decisions with no precedent, 274
emerging challenges in, 280
feminist ethics, 278
historical clinical experiments, 274
procreative liberty, 276–278
procreative liberty arbitration, 277
regulatory frameworks in, 279
virtue ethics, 278
- ethics in fertility counseling, basic
principles
autonomy, 275
beneficence, 275
distributive justice, 275
nonmaleficence, 275
- ethnic communities
barriers to counseling, 189
fertility care, 187
versus race, 183
source of pride, 183
stigmatizing cultural views, 188
- ethnicity, defined, 184
- evidence-based therapy
cognitive–behavioral therapy (CBT),
242
interpersonal psychotherapy (IPT),
242
perinatal mood and anxiety disorder
(PMAD), 241–242
- evidence-based therapy (sexual therapy),
72
- excitatory/inhibitory sexual response
model, 68
- exit counseling (infertility), 26

Index

- fallopian tube blockage, medical treatment, 14
- family
 direct-to-consumer DNA testing (DCT DNA) implications, 135–136
 gender transition and fertility challenges, 177
 gestational surrogacy arrangements (GSA), 130
 nonidentified gamete donation and, 103
 reason for donor insemination (DI), 159
 support for embryo donation, 121
- family, donor conception (DC)
 background of, 144
 being family, 145
 differing family stories, 146
 family boundaries, 149
 life-cycle, 146
 openness, 146–147
 terminology around, 144–145
- family, third-party reproduction
 family after donor conception, 144–151
 family building option consultation, 23–24
- family, transgender assisted reproductive technology (ART)
 desire for family creation, 173–174
 nonclinical family-building, 178
- fee agreements, 269
- female sexual dysfunction
 assessment, 74
 defined, 70–71
 infertility and, 71
 prevalence, 70
 treatment, 75
- feminist ethics, 278
- fertility counseling
 advancements in, 37
 assessment, 36
 best practices, 36
 counselor qualification guidelines, 35
 distress high-risk factors, 37
 four aspects of, 35–36
 history of, 35
 postpartum adjustment, 234–243
 pregnant therapist, 250–251
 pros and cons, 37
 research on, 37
 stepwise process of, 36–37
- fertility counseling basics
 complicated nature of, 264
 legal alignment, 264
 practice guidelines primer, 267–272
- fertility counseling basics,
 multidisciplinary approach
 fertility counseling role, 264–265
- professional practice competency standards, 265–266
- fertility counseling for couples
 advances in, 49
 assessment, 50–51
 conceptualizations, 49–50
 culture and, 50
 effectiveness, 50
 service variety in, 49
 timing of, 49
- fertility counseling for couples, treatment
 age awareness, 56
 communication, 52–54
 coping strategies, 54
 disclosure planning, 55–56
 joint decision-making, 54–55, 56
 loss processing, 56–57
 marital benefit, 57
 meaning creation, 57
 overview, 51–52
 post-traumatic growth (PTG), 57
 secondary infertility, 56
 sexual stress reduction, 55
 therapeutic alliance, 231–232
 treatment limitations, 56
- fertility counseling for individuals
 as cornerstone of fertility counseling, 39
 defined, 39–40
 professional requirements for, 39
 purpose of, 39
- fertility counseling for individuals,
 approaches
 cognitive-behavioral therapy (CBT), 41–44
 psychodynamic psychotherapy, 40–41
 summary of approaches, 46
 supportive counseling, 44–46
- fertility counseling, group
 benefits of, 60
 categories, 60
 culture and, 59
 history of, 59–60
 models, 61–63
 overview, 59
 setting diversity, 60
 starting a group, 63–67
 stigma of infertility, 61
- fertility counseling practice guidelines
 competency evidence, 267
 conflict of interest waivers, 268
 data storage, 269
 disclaimers, 269–270
 forms, 267–268
 HIPAA documentation and evaluations, 268–269
 informed consent, 268
 legal consultation, 270–271
- policy implementation dilemmas, 271–272
 retainers, 268
 session documentation, 268
- fertility counseling, racially and culturally sensitive conversations
 checking in to meaning with client, 192
 client-centered approach, 192
 cultural humility, 192
 guidelines, 191–192
 transference and countertransference issues, 192–193
- fertility counseling, racially and culturally sensitive phases
 action and accompaniment, 191
 participatory evaluation, 191
 pre-engagement/engagement, 190
 summary, 190
 teaching and learning, 190–191
 termination phase, 191
- fertility counselor self-care, 209–211
- fertility group intervention program, 63
- Fertility Problem Inventory (FPI), 10
- fertility treatment
 goal of, 4
 success rate of, 4
- FertiQoL, 10
- fifth trimester (return to work), 251–252
- follicle stimulating hormone (FSH), 5
- 4 I's guidelines (male infertility)
 inform about psychological impact, 157–158
 intervene directly, 158
 invite directly, 157
 involve men directly, 158
 summary, 158
- fourth trimester challenges, pregnant therapist, 249–250
- fourth trimester parenting challenges, 234
- Freud, Sigmund, 40, 59
- gamete donation and PMAD, 238
- Gender Affirmative Model
 background of, 178
 bias against, 180
 correct pronoun usage, 178–179
 difference between sex and gender, 179
 dysphoria, 179–180
 gender identity and sexual orientation, 179
 gender literate vernacular, 178
 intersectionality, 180
 trauma-informed care, 180
- gender binary system, 172
- gender dysphoria, 172
- gender expression, 172
- gender identity, 172
- gender neutral parenting, 179

- gender nonbinary system, 172
- gender transition and fertility, clinic-based treatment
 alternative parenting and family struggles, 177
 cost, 177–178
 donor gametes, 176–177
 gestational carriers, 177
- gender transition and fertility, medical
 future fertility decisions, 175
 gender-affirming surgeries, 175
 hormone therapy, 175
 informed consent, 174
 institutional support, 174–175
- generalized anxiety disorder (GAD), 235
- Generalized Anxiety Disorder (GAD-7), 9
- genetic testing
 infertility evaluation, 7
 nonidentified gamete donation assessment, 111
 in vitro fertilization (IVF), 18
- genetic testing and donor-conceived people (DCP). *see also* direct-to-consumer DNA testing
 direct-to-consumer DNA testing (DCT DNA) impact, 134
 donor implications, 139
 donor partner and children implications, 139–140
 donor sibling implications, 140
 need for fertility counseling, 134
 using DNA to seek information, 138–139
- genetic testing and donor-conceived people (DCP) bigger implications
 connection understanding, 140
 donor linking counseling, 141
 donor linking process, 141–142
 navigation, 141
 terminology around, 140
- genitourinary syndrome of menopause (GSM), 76–77
- gestational surrogacy arrangements (GSA). *see also* in vitro fertilization
 benefits of, 125
 counseling requirements, 126
 fertility counselor competence, 126–127
 gender transition and fertility, 177
 laws and policies around, 125
 overview, 125
 popularity of, 126
 requirements of, 271–272
 resource intensive nature, 125–126
 role of fertility counselor, 126
 role of psychological testing, 127–128
 rush evaluation requests, 271
- surrogate psychological screening, 127
 telemental evaluation, 258
 time allotment of, 126
 versus traditional surrogacy (TS), 125
- gestational surrogacy arrangements (GSA) challenges
 component questioning, 128
 geographic disparities, 128–129
 gestational carriers, family relationships, 130
 gestational carriers, vulnerabilities, 129–130
 intended parents (IP) fears, 130–131
 mental screening, 128
 remote evaluations, 129
 specific decisions and dilemmas, 131
 telehealth guidelines, 129
- gonadotropin releasing hormone (GnRH)
 in medical fertility treatment, 13
 ovulation and, 5
 side effects, 84
- grief and loss models
 Bowlby four stages of, 32
 in group counseling, 65–66
 Kubler-Ross five stages of, 32
 Mahlstedt four stages of, 32–33
- grieving the loss spiritual intervention, 93
- group fertility counseling, challenges
 interpersonal relationships, 66
 pregnancy, 66
 resiliency, 66–67
- group fertility counseling models
 donor insemination seminar, 63
 Eastern body–mind–spirit, 62–63
 fertility group intervention program, 63
 mind–body/integrative care programs, 61–62
- group fertility counseling, starting
 facilitator role, 65
 group preparation logistics, 63–65
- group fertility counseling, themes
 grief and loss, 65–66
 stress and coping, 66
- heteronormative bias, 180
- Hinduism and ART, 89
- home insemination (LGBQ), 162–163
- hormone therapy
 follicle stimulating hormone (FSH), 5
 gonadotropin releasing hormone (GnRH), 5, 84, 175
 luteinizing hormone (LH), 5
 medical gender transition and fertility, 175
- perinatal mood and anxiety disorder (PMAD), 237
- human chorionic gonadotropin (hCG)
 and pregnancy physiology, 5
 in vitro fertilization (IVF), 17
- human menopausal gonadotropins (HMG), 84
- hydrotubation, 7
- hysterosalpingogram (HSG), 7
- hysteroscopy, 7
- identity-release of donor, 145
- in vitro fertilization (IVF). *see also*
 gestational surrogacy arrangements
 assisted hatching technique, 18
 benefits, 20
 blastocyst stage, 18
 couple/patient consultation, 19–20
 cryopreservation in, 19
 cycle overview, 16
 egg fertilization, 18
 egg retrieval procedure, 17
 embryo donation, 115–123
 embryo transfer, 18–19
 historical clinical experiments, 274
 hormonal support, 19
 human chorionic gonadotropin (hCG), 17
 induced fetal reduction, 19
 injectable medicines for, 16–17
 number of cycles, 20
 perinatal complications, 17
 pregnancy test after, 19
 preimplantation genetic testing (PGT), 18
 reasons to use, 16
 risks, 17, 18
 sperm specimen retrieval, 17
 success rate of, 19
- induced fetal reduction, 19
- infertility
 versus miscarriage, 2
 pathophysiology factors, 5–6
 as social stigma, 60–61
 treatment timing, 4
- infertility causes
 female age, 3–4
 lifestyle factors, 4
 male, 4
 obesity, 4
 summary, 2
- infertility evaluation
 female testing, 6–7
 genetic testing, 7
 male testing, 7–8
 medical management, 6
 psychological toll of, 7–8, 25
 psychosocial management, 8–11
 purpose of testing, 7
- infertility medication side effects
 aromatase inhibitors, 84

Index

- infertility medication side effects (cont.)
 clomiphene citrate, 84
 gonadotropin releasing hormone (GnRH), 84
 human menopausal gonadotropins (HMG), 84
 oral contraceptives (OCs), 84
 progesterone, 84
 psychiatric, 84
- infertility overview
 as disease, 2
 diversity of couples involved, 2
 timeline of diagnosis, 2
- infertility treatment, collaborative care
 medical, 11–16
 psychosocial intervention, 20–21
 stopping, 25–26
 third-party reproduction, 21–23
- informed consent
 nonidentified gamete donation, 110
 as practice primer, 268
 telemental fertility counseling, 257–258
- informed not-knowing spiritual intervention, 92
- intended parents (IP). *see also* parenthood
 child disclosure, 136
 fears about surrogacy, 130–131
 rush evaluation requests, 271
- interpersonal psychoanalysis. *see* object relations theory
- interpersonal psychotherapy (IPT), 242
- interpersonal relationships in group counseling, 66
- intersectionality, 180
- intracytoplasmic sperm injection (ICSI), 18
- intrauterine insemination (IUI), 163
- Islam and ART, 89
- known donor
 defined, 144
 LGBQ, 164–165
- lamotrigine, 81
- laparoscopy
 defined, 7
 in standard female medical infertility, 14
 in unexplained infertility, 16
- laparotomy, 14
- legal issues
 disclaimers, 269
 ethical regulatory frameworks in, 279
 evaluation and testing reports, 269–270
 fee agreements, 269
 fertility counseling alignment with, 264
 fertility counseling practice
 consultation, 270–271
- nonidentified gamete donation, 106–107
 sexual minority stress, 168
 state differences, 266
- legal transition, 173
- lesbian, gay, bisexual and queer (LGBQ)
 fertility counseling
 access to fertility treatment, 165
 best practices guidelines, 168–169
 gamete donation, 164
 known/unknown donor, 164–165
 parenthood method decision, 162–164
 perinatal, 241
 reciprocal in vitro fertilization, 164
 terminology around, 162
- lesbian, gay, bisexual and queer (LGBQ)
 sexual minority stress
 cost, 168
 heteronormative system navigation, 167
 homophobic discrimination, 166–167
 legal issues, 168
 social support considerations, 167–168
 summary, 165–166
- lithium, 81
- luteinizing hormone (LH), 5
- male experience with infertility
 awareness of factors related to, 156–157
 causes of, 153
 increased attention on, 153
 lack of research on, 153
 prevalence of, 153
- male experience with infertility, counseling
 cultural norms, 159
 donor insemination (DI), 159–160
 life after treatment adjustment, 160
 stigma, 159
 team effort, 159
 weakness, 159
- male experience with infertility, cultural components
 communication openness, 154
 ethnographic research on, 153–154
 seeking help, 154
 social stigma, 154
- male experience with infertility, healthcare relationship
 4 I's guidelines, 157–158
 complicated nature of, 157
- male experience with infertility, psychological impact
 future research methods in, 156
 lack of research participation, 154–155
 male-factor diagnosis, 155
 online forums and discussion boards, 155–156
 partner protection, 155
- qualitative methods, 155
 sexual satisfaction, 155
- male sexual dysfunction
 defined, 69
 infertility and, 71
 prevalence, 70
 treatment, 74
- marital benefit, couples counseling, 57
- Masters and Johnson sexual response model, 68
- medical intervention for infertility
 lifestyle factors, 11
 observation with no treatment, 11–12
 standard fertility treatment, 12–16
- medical transition, 173
- men and infertility
 coping strategies, 9
 depression and fertility treatment, 79
 depression rates, 79
 emotional context, 9
 perspective on recurrent pregnancy loss, 226–227
 postpartum adjustment, 241
 standard medical fertility treatment, 14–15
- Menning, Barbara E., 59
- microsurgical epididymal sperm aspiration (MESA), 17
- migrants in fertility counseling
 cautions against essentializing clients, 185
 infertility meaning, 186–187
 limited fertility literacy, 188–189
- mind–body/integrative care programs
 group program, 61–62
 for infertility, 12
 for resiliency, 21
- mindfulness-based cognitive–behavioral therapy (MCBT), 76
- Minnesota Multiphasic Personality Inventory-2 (MMPI-2), 127, 259
- miscarriage
 versus infertility, 2
 medical intervention for recurrent, 16
- mood and anxiety disorders and infertility. *see also* depression
 antidepressant treatment, 79–80
 bipolar disorder, 80–81
 post-traumatic stress disorder (PTSD), 81
 prevalence, 79
 SSRIs, 79–80
- myomas, treatment, 13, 14
- naming the losses, spiritual intervention, 92–93
- narrative coherence and trauma processing, 230
- narrative therapy, 208–209

- nondisclosure effects, 148–149
 nonidentified donor, 144
 nonidentified gamete donation
 fertility counselor role, 107–108
 history of, 97–98, 106
 legalities around, 106–107
 psychological impact on recipient, 98
 terminology around, 97
 nonidentified gamete donation
 assessment
 attitude to offspring disclosure, 112
 autonomy limits, 110–111
 donor autonomy conflicts, 110
 donor genetic testing, 111
 donor motivations, 110
 donor psychosocial needs, 113
 fertility counselor role, 108
 impact on donor, 113–114
 informed consent, 110
 legislation, 112–113
 LGBQ, 164–165
 motivation, 111
 psychological testing, 108–110
 recruitment, 111–112
 nonidentified gamete recipient
 counseling
 acceptance of conditions around, 98
 fertility counselor role, 101–102
 nonidentified gamete recipient
 counseling interview
 adaptability to future issues, 104
 administrative issues, 102
 change in, 102
 disclosure, 103–104
 donor selection, 103
 history of, 102
 reproductive journey and family identity, 103
 nonidentified gamete recipient
 counseling issues
 anonymity, 98–99
 disclosure to child, 281–285
 donor selection, 99–100
 identity-release of donor, 100–101
 nonidentity argument (procreative liberty), 276–277, 278
 nonmaleficence ethical principle, 275

 object relations theory, 40–41
 obsessive compulsive disorder (OCD), 235–236
 versus postpartum psychosis, 237
 oocyte donation
 history of, 106
 impact on donor, 113–114
 oral contraceptives (OCPs), 84
 ovarian stimulation, 13
 ovulation process, 5

 parenthood. *see also* intended parents
 fourth trimester challenges, 234
 gender transition and, 179
 gender-neutral, 179
 LGBQ method decision, 179
 psychosocial context, 8–9
 resiliency and, 198–199
 Patient Health Questionnaire (PHQ-9), 9
 patient-centered paradigm (sexual therapy), 72
 perinatal anxiety disorders spectrum
 generalized anxiety disorder (GAD), 235
 obsessive compulsive disorder (OCD), 235–236
 perinatal complications risk factors, 234–235
 perinatal mood and anxiety disorder (PMAD)
 expectations around pregnancy, 238
 gamete donation and surrogacy, 238
 hormonal shifts and, 237
 implications of untreated, 239–240
 patient susceptibility, 238
 Personality Assessment Inventory (PAI), 127, 259
 Positive Reappraisal Coping inventory (PRCI), 21
 postpartum adjustment fertility
 counseling
 breastfeeding, 238–239
 fourth trimester challenges, 234
 monitoring, 240
 perinatal anxiety disorders spectrum, 235–236
 perinatal depression, 236–237
 perinatal mood and anxiety disorder (PMAD), 237–238
 perinatal period risk factors, 234–235
 perinatal post-traumatic stress disorder (PTSD), 236
 postpartum blues, 237
 postpartum psychosis, 236–237
 screening, 240
 postpartum adjustment fertility
 counseling, diversity considerations
 chronically disadvantaged and underserved populations, 240
 compassion importance, 242
 culture, 240
 evidence-based therapy, 241–242
 LGBQ, 241
 military families, 241
 paternal mental health, 241
 postpartum blues, 237
 postpartum depression, 242
 postpartum psychosis, 236–237
 versus obsessive compulsive disorder, 237

 post-traumatic growth (PTG)
 couples counseling, 57
 resiliency and, 21
 stress and coping model, 34–35
 trauma and, 209
 post-traumatic stress disorder (PTSD), 81
 chronic hypervigilance, 228
 intrusive thoughts and images, 228
 perinatal, 236
 Pratt, Joseph H., 59
 pregnancy, fertility counselor
 disclosure, 245, 246
 fourth trimester challenges, 249–250
 patient reaction, 247–248
 patient transference, 245–246
 return to work, 251–252
 therapist countertransference, 248–249
 therapist vulnerability, 245
 therapy implications, 250–251
 pregnancy, in group counseling, 66
 pregnancy after a loss (PAL). *see also* recurrent pregnancy loss
 anxiety, 228
 chronic hypervigilance, 228
 emotional cushioning, 228–229
 intrusive thoughts and images, 228
 trauma, 227–228
 vacillating feelings, 227
 pregnancy core beliefs
 good people deserve good things, 205–206
 life is fair, 206
 strength and control, 205
 universal nature of, 205
 work harder if not successful, 206–207
 pregnancy loss counseling
 culture and, 212
 differential diagnosis, 213
 guidelines summary, 213
 unique features of loss, 212
 pregnancy loss counseling components
 client strength building, 214
 empathy, 214–215
 flexibility, 213–214
 pregnancy loss counseling components,
 fetal anomaly
 additional tasks, 221
 decision-making variability, 221
 disclosure, 222–223
 learning about anomaly, 221
 stigma around, 220–221
 termination decision, 222
 as unique loss, 220
 pregnancy loss counseling components,
 therapeutic tasks
 grief facilitation, 217–218
 loss definition, 217
 self-repair, 218–219
 social connection repair, 219–220

Index

- pregnancy loss (cont.)
 trauma processing, 215–216
 work termination, 220
- pregnancy loss counseling models,
 cognitive-behavioral therapy (CBT),
 213
- pregnancy reduction. *see* induced fetal
 reduction
- pregnancy termination for fetal anomaly
 (PTFA)
 additional tasks, 221
 decision-making variability, 221
 disclosure, 222–223
 learning about anomaly, 221
 legacy of, 223
 stigma around, 220–221
 termination decision, 222
 as unique loss, 220
- pregnancy-related anxiety (PRA)
 defined, 228
 empathy and, 231
- preimplantation genetic testing (PGT), 18
- primary infertility, 2
- problem solving strategy (CBT), 43
- procreative liberty
 concept background, 276
 ethical dispute arbitration, 277
 nonidentity argument, 276–277
 rights-based approach, 276
- procreative liberty critique
 narrow and narcissistic viewpoint, 277
 nonidentity argument, 278
 parental sense of entitlement, 277–278
- progesterone
 and pregnancy physiology, 5
 side effects, 84
- in vitro fertilization (IVF), 19
- psychiatric illness and infertility
 difficult patient management checklist,
 83
 medication side effects, 84
 medicine side effects, 84
 mood and anxiety disorders, 79–81
 personality disorders, 81–84
 treatment timing, 84–85
- psychodynamic psychotherapy
 client-centered approach, 46–47
 core ingredients, 40
 effectiveness pathways, 46
 ergo psychology, 40
 history of, 40
 object relations theory, 40–41
 self-psychology movement, 41
 transference and countertransference
 in, 41
 via telehealth, 47
- psychoeducation, group counseling, 60
- psychology of infertility
 factors that affect, 32
 historical and cultural background,
 31–32
 reproductive psychology, 32–35
 stigma and, 33
- psychosis, postpartum, 236–237
- psychosocial infertility management
 assessment, 9–10
 client education, 8
 context, 8–9
 group counseling, 10
 patient anticipation, 10
 prevention of escalation, 10
 racial, cultural and LGBTQ sensitivity,
 11
 reproductive psychology, 8
 resiliency promotion, 21
 spirituality, 10
 support, 10
 therapeutic approaches, 20–21
 trauma processing, 21
- PSYPACT, 260
- qualitative methods
 male experience with infertility, 155
 RPL and PAL interventions, 229–230
- race
 defined, 184
 donor selection and, 99–100
- racism in fertility counseling
 Anti-Black racism, 184
 and ethnic communities, 183
 fertility care, 187
 infertility meaning, 186–187
 lack of institutional trust, 187–188
 limited fertility literacy, 188–189
 sensitive clinical approach, 189–193
 sensitive counseling approach,
 189–193
- reciprocal in vitro fertilization, 164
- recurrent pregnancy loss (RPL). *see also*
 pregnancy after a loss
 counseling, 225–226
 defined, 226
 medical intervention for, 16
 prevalence of, 226
 types of, 226
- recurrent pregnancy loss (RPL), clinical
 guidance
 empathy and trauma processing,
 230–231
 therapeutic alliance in, 231–232
- recurrent pregnancy loss (RPL)
 psychological impact of
 lesbian couples' perspective, 227
 male's perspective, 226–227
 woman's perspective, 226
- relaxation strategy (CBT), 42
- reproduction, female physiology, 5
- reproductive autonomy, 275
- reproductive freedom. *see* procreative
 liberty
- reproductive psychology and infertility
 background of, 32
 fertility counseling, 35–37
 grief and loss models, 32–33
 stress and coping model, 33–35
- reproductive trauma, 227
- resiliency
 client strength building, 214
 client variability, 202
 defined, 21, 195
 in-group counseling, 66–67
 mind-body/integrative care programs,
 21
 and post-traumatic growth, 21
 promotion techniques, 21
 summary of clinical outlook, 201–202
- resiliency components
 active coping skills, 196–197
 distress levels, 195
 individuality of, 195–196
 maintaining positivity, 200–201
 meaning of loss, 197–198
 not any singular component, 196
 parenthood bond continuance,
 198–199
 post-traumatic growth (PTG), 201
 secure attachments, 199–200
 summary, 196
- rights-based approach (procreative
 liberty)
 control over offspring characteristics,
 276
 crucial tenets of, 276
 as societal norm, 276
 Robertson, John, 276–277
 Roman Catholic Church and ART,
 89
- rush evaluation requests, 271
- saline infusion sonogram (SIS), 7
- SCREENIVE, 10
- secondary infertility, 56
 defined, 2
- selective serotonin reuptake inhibitors
 (SSRIs), 79–80
- self-monitoring strategy (CBT), 42–43
- self-psychology movement, 41
- self-worth and self-psychology
 movement, 41
- senate focus therapy, 76
- 7-step decision-making process (ethics)
 decision re-evaluation, 280
 identify additional relevant ethical
 frameworks, 280
 identify options, 280
 identify principal participants, 280

- information gathering for participants, 280
- potential resolution evaluation, 280
- review potential decisions with ethical principles, 280
- summary, 279
- sex assigned at birth, 172
- sexual dysfunction
 - defined, 69
 - female, 70–71
 - male, 69
 - prevalence, 70
- sexual dysfunction and infertility
 - contributing factors, 73
 - female sexual dysfunction, 71
 - male sexual dysfunction, 71
 - mechanisms, 72
- sexual dysfunction treatment
 - female sexual dysfunction, 75
 - male sexual dysfunction, 74
 - multidisciplinary nature, 74
- sexual dysfunction treatment types
 - brief sexual counseling, 75
 - cognitive–behavioral therapy (CBT), 75–76
 - directed masturbation, 76
 - at-home exercises, 76
 - mindfulness-based
 - cognitive–behavioral therapy (MCBT), 76
 - sensate focus therapy, 76
- sexual minority stress
 - cost, 168
 - heteronormative system navigation, 167
 - homophobic discrimination, 166–167
 - legal issues, 168
 - social network shifts, 167–168
 - summary, 165–166
- sexual response models
 - Basson, 68
 - excitatory/inhibitory, 68
 - Masters and Johnson, 68
- sexual stress and infertility
 - importance of, 55
 - reduced frequency in sexual relations, 55
 - satisfaction levels, 55
- sexual therapy
 - cancer and, 77
 - infertility and sexual functioning, 71–72
 - postmenopausal women, 76–77
 - sexual dysfunction, 69–70
 - sexual response models, 68
 - transgender, 77
- sexual therapy assessment
 - counselor considerations, 74
 - female sexual function, 74
 - history taking, 72–73
 - screening questions, 73
 - sleep deprivation, 242
 - social skills and assertiveness rehearsal (CBT), 42–43
 - social transition, 173
 - speaking the unacceptable spiritual intervention, 93
 - sperm donation, 106
 - sperm washing, 15
 - spiritual bypassing, 91
 - spirituality in fertility counseling
 - countertransference, 91
 - differences between world religions, 88–89, 90
 - good people deserve good things, 205–206
 - as source of comfort, 88, 94
 - spiritual bypassing, 91
 - tension with science, 89
 - understanding client ideology, 89–91
 - spirituality in fertility counseling, infertility interventions
 - grieving the loss, 93
 - informed not-knowing, 92
 - naming the losses, 92–93
 - options identification, 93–94
 - speaking the unacceptable, 93
 - telling the story, 92
 - spirituality in psychosocial support, 10
 - split alliance, 231
 - standard medical fertility treatment
 - goal of, 12
 - recurrent miscarriage, 16
 - testing, 12
 - in vitro fertilization (IVF), 16–20
 - standard medical fertility treatment, female
 - algorithm, 12
 - cancer and, 13
 - endometriosis, 14
 - fallopian tube blockage, 14
 - gonadotropin releasing hormone (GnRH), 13
 - laparoscopy and laparotomy, 14
 - ovarian stimulation, 13
 - polyps and myomas, 13
 - uterine abnormalities, 13
 - standard medical fertility treatment, male
 - algorithm, 14
 - lifestyle factors, 14
 - sperm washing, 15
 - varicocele, 14
 - standard medical fertility treatment, unexplained
 - algorithm, 15
 - laparoscopy, 16
 - typical course, 15–16
 - stigma
 - group counseling and, 61
 - and infertility, 33
 - infertility as social, 60–61
 - stopping treatment
 - exit counseling, 26
 - post-partum, 25–26
 - strategies, cognitive–behavioral therapy
 - problem solving, 43
 - relaxation, 42
 - self-monitoring, 42
 - social skills and assertiveness rehearsal, 42–43
 - summary, 43
 - stratified reproduction, 187
 - stress and coping model
 - active coping skills, 34
 - appraisal, 34
 - copied types, 34
 - in-group counseling, 66
 - personality factors, 34
 - post-traumatic growth (PTG), 34–35
 - stress event definition, 34
 - suicide and depression, 236
 - support, psychosocial
 - group counseling, 10
 - spiritual, 10
 - support groups for infertility, 60
 - supportive counseling, individual
 - cognitive–behavioral therapy (CBT) in therapeutic process, 45
 - defined, 44–45
 - as form of teaching, 45
 - goal of, 45
 - infertility applications, 45
 - infertility success rate, 47
 - real relationships in, 45
 - techniques in, 45
 - surrogacy
 - LGBQ, 163
 - perinatal mood and anxiety disorder (PMAD), 238
 - telemental health (TMH) in fertility
 - counseling
 - access to care between treatments, 257
 - advantages and disadvantages, 255–256
 - background, 255
 - client setting and privacy, 257
 - COVID-19 effect on, 255
 - donor evaluation, 258
 - effectiveness in reducing patient struggles, 257
 - gestational surrogacy arrangements (GSA), 129
 - gestational surrogacy arrangements (GSA) evaluation, 258
 - informed consent, 257–258
 - need to maintain professional setting, 257
 - need to preserve sacred space in, 257

Index

- telemental health (TMH) (cont.)
 nonidentified gamete recipient counseling, 102
 psychodynamic psychotherapy, 47
 psychological testing challenges, 258–259
 remote medical facility knowledge, 258
 service modalities, 256–257
 similarities to in-person counseling, 257
- telemental health (TMH) in fertility counseling, legal and ethical considerations
 client best interest considerations, 259–260
 ethical considerations, 260
 interstate professional compacts, 260
 state reporting requirements, 260
 United States professional guidelines, 260
- telemental health (TMH) in fertility counseling, procedures
 administrative issues done before session, 261
 client instruction sheet, 261
 create private, confidential space, 261
 HIPAA-compliant videoconferencing platform, 260–261
 professional backdrop, 261
 staging and lighting for camera, 261
 therapist provision checklist, 262
- telling the story spiritual intervention, 92
- testicular sperm extraction (TESA), 17
- therapeutic alliance in couples counseling, 231–232
- third-party reproduction in infertility
 cost-benefit analysis, 24–25
 embryo donation, 115–123
- family after donor conception, 144–151
- family building option consultation, 23–24
- gestational surrogacy, 125–132
- nonidentified gamete donor counseling, 106–114
- nonidentified gamete recipient counseling, 98–104
- traditional surrogacy (TS), 125
- transference
 fertility counselor pregnancy, 245–246
 psychodynamic psychotherapy, 41
- transgender assisted reproductive technology (ART), affirmative counseling, Gender Affirmative Model, 178–180
- transgender assisted reproductive technology (ART)
 clinic-based treatment, 176–178
 desire for family creation, 173–174
 fertility counselor training, 173
 medical gender transition and fertility, 174–175
 nonclinical family-building, 178
 terminology, 172–173
- transgender assisted reproductive technology (ART), affirmative counseling, background of, 178
- transgender person, defined, 172
- transgender sexual therapy, 77
- transition (gender affirming), 173
- trauma, reproductive
 defined, 204–205
 as ongoing loss, 227–228
 occurrence, 204
- trauma, reproductive therapy
 client grief, 207
 cognitive-behavioral therapy (CBT), 207–208
 making decisions, 207
 narrative therapy, 208–209
 need for counselor self-care, 209–211
 post-traumatic growth (PTG), 209
 pregnancy loss counseling, 215–216
 psychosocial infertility management, 21
- trauma-focused therapy (TF-CBT), 44.
see also cognitive-behavioral therapy
- trauma-informed care, 180
- traumatic loss, defined, 227
- turkey-baster technology, 163
- twenty-minute rule, 52–54
- unified management approach (sexual therapy), 73
- varicocele, 14
- virtue ethics, 278
- women and infertility
 bipolar disorder, 80–81
 coping strategies, 9
 depression and fertility treatment, 79
 depression rates, 79
 embryo donation, 115–123
 emotional context, 9
 feminist ethics, 278
 oral contraceptives (OCs), 84
 postmenopausal, 76–77
 standard medical treatment, 12–14
- zygote, defined, 5