

Index

- *-action, 517, 555
- $*_t$, 241
- $*_u$, 326
- $\Phi(G, T)$, 348, 425
- $\Phi^+(B)$, 435
- $\Pi_{A/k}$, 57
- $\Psi(G, T)$, 349
- α_p , 40
- $\kappa(x)$, 572
- μ_n , 40
- $\pi_1(G)$, 389

- α -string through β , 506
- abelian variety, 45
- action
 - by group homomorphisms, 244
 - definite, 269
 - linear, 84, 145, 190
 - locally affine, 272
 - of a group functor, 26
 - of an algebraic group, 26
 - semilinear, 76
 - strictly definite, 269
 - trivial, 26
- $\text{ad}_{\mathfrak{g}}(x)$, 187
- adjoint group, 373
- adjoint map, 187
- admissible lattice, 512
- affine n -space, 569
- algebra
 - affine, 579
 - central, 521
 - Clifford, 531
 - diagonalizable, 583
 - division, 521
 - étale, 583
 - Hopf, 65
 - Lie, 186
 - opposite, 523
 - quaternion, 419
 - split, 421
 - separable, 523
 - simple, 521
 - symmetric, 40
 - tensor, 200
 - universal enveloping, 200
- algebra of distributions, 208
- algebra over k , 521
- algebra with involution
 - simple of unitary type, 527
- algebraic group, 6
 - absolutely simple, 399
 - additive, 39
 - adjoint, 373
 - affine, 6
 - almost pseudo-simple, 399
 - almost-simple, 399
 - anti-affine, 39
 - constant, 40
 - derived, 129
 - diagonalizable, 233
 - elementary unipotent, 295
 - étale, 44
 - finite, 44
 - fixing tensors, 43
 - general linear, 41
 - geometrically almost-simple, 399
 - geometrically simple, 399
 - infinitesimal, 44
 - linear, 87
 - linearly reductive, 248
 - multiplicative, 40, 236
 - multiplicative type, 236
 - of monomial matrices, 52

- over R , 11
- perfect, 246
- pseudo-reductive, 135
- quasi-split, 376
- reductive, 135
 - pinned, 497
 - quasi-split, 501
 - split, 402
 - splittable, 402
- semisimple, 135, 397
 - anisotropic, 548
 - isotropic, 548
- simple, 399
- simply connected, 388
- solvable, 131, 133
 - split, 132
- split, 384
- strongly connected, 126
- toroidal, 248
- trigonalizable, 324
- trivial, 7, 40
- unipotent, 135
 - split, 299
- vector, 43
- wound unipotent, 299
- algebraic monoid, 7
- algebraic scheme, 572
 - affine, 571
 - complete, 587
 - étale, 583
 - homogeneous, 9
 - integral, 575
 - nonsingular, 583
 - rational, 250
 - reduced, 575
 - regular, 582
 - separated, 579
 - singular, 583
 - smooth, 583
 - unirational, 250
- algebraic subgroup, 7
 - Borel, 354, 363, 375
 - opposite, 452
 - Cartan, 364
 - central, 33
 - characteristic, 21
 - commutator, 131
 - generated by, 53
 - Levi, 549, 562
 - normal, 21
 - parabolic, 356
 - opposite, 554
 - pseudo-parabolic, 550
 - standard parabolic, 553
 - weakly characteristic, 33
- algebraic variety, 580
- almost-simple factor, 441
- \mathbb{A}^n , 572
- anisotropic semisimple kernel, 552
- augmentation ideal, 23
- $\text{Aut}(G)$, 499
- $\underline{\text{Aut}}(M)$, 302
- base
 - for a root datum, 618
 - for a root system, 613, 615
 - for a small root system, 552
- bialgebra, 178
- big cell, 452
- birationally equivalent, 580
- BN -pair, 437
- Borel pair, 356, 375
- Borel subgroup, 354, 363, 375
- $\text{Br}(k)$, 540
- bracket, 186
- Brauer group, 540
- Bruhat cell, 451
- $C(w)$, 451
- Campbell–Hausdorff series, 290
- Cartan matrix, 627
- Cartan subgroup, 364, 365
- Cartier dual, 213
- Cartier pairing, 213
- Casimir operator, 476
- category
 - k -linear, 172
 - neutral Tannakian, 183
 - rigid tensor, 183
 - semisimple abelian, 241
 - Tannakian, 183
 - tensor, 183
- centralizer, 33
- centre, 33
 - of a Lie algebra, 197
- character, 92, 230
- Chevalley basis, 510

- Chevalley group, 513
- classifies, 76
- Clifford algebra, 531
- closed set of roots, 445
- closed subfunctor, 29
- co-action, 84
- coalgebra, 174, 236
 - cocommutative, 174
 - coétale, 174, 237
- coboundary, 304
- cocharacter, 230
 - regular, 433
- cocycle, 76, 304
- coherent ideal, 573
- coherent module, 573
- coherent sheaf, 571
- cokernel, 592
- commutative, 13
- comodule, 84
 - free, 88
- component group, 52
- connected
 - strongly, 126
- connected components, 572
- connected-étale exact sequence, 114
- contragredient, 472
- coordinate ring, 39
- coroot, 614, 617
- Coxeter graph, 629
- Coxeter group, 614
- crossed homomorphism, 76, 302
 - principal, 302
- C_V , 175
- $D(M)$, 240
- defined over k , 22
- degree
 - of an algebra, 521
 - of an isogeny, 46
- dense
 - schematically, 9
- derivation, 187, 194
- descent datum, 589
- DG , 129
- diagram, 617
- Dieudonné ring, 228
- dimension
 - of an algebraic group, 18
 - of an algebraic scheme, 581
- distribution, 208
- divisor, 588
 - prime, 588
- \mathbb{D}_n , 42
- $E(G, M)$, 308
- effective epimorphism, 592
- eigenspace
 - generalized, 167
 - with character, 92
- eigenvalues
 - of an endomorphism, 166
- E_{ij} , 187, 381
- element
 - group-like, 92
 - semisimple, 171
 - unipotent, 171, 286
 - universal, 576
- elliptic curve, 45
- embedding, 108
- $E^n(G, M)$, 309
- endomorphism
 - diagonalizable, 166
 - locally finite, 170
 - nilpotent, 166
 - semisimple, 166
 - Steinberg, 383
 - unipotent, 166
- epimorphism, 121
- equidimensional, 581
- equivariant, 26
- exact sequence, 24
 - connected étale, 114
- exp, 287
- $\text{Ext}(G, M)$, 314
- extension
 - central, 33
 - of algebraic groups, 24
 - sheaf, 313
- extension of scalars, 7
- extension of the base field, 7
- $\text{Ext}^i(G, M)$, 314
- faithfully flat, 116
- fat subfunctor, 99
- fibre, 579
- fibre bundle, 271
- field of definition, 585

- filtration
 - filtration
 - on $\text{Rep}(G)$, 550
- finite algebraic p -group, 228
- finite group scheme, 44
- fixed-point subscheme, 139
- F_k , 40
- flag, 146
 - maximal, 146
- flag variety, 146, 369
- form, 76
 - inner, 80
 - outer, 81
 - split, 518
- formal character
 - of a representation, 474
- Frobenius morphism
 - absolute, 47
 - relative, 47
- function
 - rational, 580
 - representative, 81
- functor
 - concentrator, 277
 - fibre, 183
 - group, 26
 - of zeros, 29
 - representable, 7
 - separated, 116
- fundamental cocharacters, 453
- fundamental group, 389
- fundamental weight, 466

- G° , 14
- \mathbb{G}_a , 39
- G^{ad} , 373
- G_α , 428
- G^α , 432
- G^{der} , 129
- GL_n , 41
- \mathfrak{gl}_n , 187
- \mathfrak{gl}_V , 187
- \mathbb{G}_m , 40
- G -module, 304
- G -morphism, 26
- gradation, 173
- graph automorphism, 628
- graph of a morphism, 585

- G_{red} , 18
- Grothendieck group, 474
- group
 - affine, 172
 - finite of Lie type, 384
 - of connected components, 52
 - reflection, 612
- group algebra, 231, 474
- group variety, 6
- group-like element, 92, 230
- G_t , 241
- G_u , 326, 336

- $H(a, b)$, 421
- Hasse principle, 566
- height
 - of a prime ideal, 580
 - of an algebraic group, 48
- hermitian, 538
 - skew, 538
- Hilbert product formula, 422
- $H^n(G, V)$, 310
- $H_0^n(G, M)$, 304
- Hochschild cohomology group, 304
- Hochschild extension, 308
 - central, 308
 - equivalent, 308
 - trivial, 308
- $\underline{\text{Hom}}(G, H)$, 213, 243
- homogeneous space, 140, 161
- homomorphism
 - central, 388
 - linear, 43
 - normal, 122
 - of algebraic groups, 7
 - of algebras with involution, 524
 - of bialgebras, 179
 - of Lie algebras, 186
 - quasi-central, 388
 - trivial, 7
- Hopf algebra, 65
 - coconnected, 281
- Hopf ideal, 67
- Hopf subalgebra, 67
- Hurwitz algebra, 542
- hyperialgebra, 208

- identity component, 14
- image of a homomorphism, 29

- immersion, 575
 - closed, 575
 - open, 575
- index
 - of a reductive group, 555
- $\text{inn}(g)$, 32, 373
- inner automorphism, 80, 373
- inner product, 611
- inv, 6
- involution, 524
 - adjoint, 525
 - of the first kind, 524
 - of the second kind, 524
 - of unitary type, 527
 - opposition, 472, 510
 - orthogonal type, 525
 - symplectic type, 525
 - transpose, 526
- irreducible component, 572
- isogenous, 126
 - strictly, 504
- isogeny, 46, 126
 - central, 387
 - étale, 46
 - Frobenius, 487
 - multiplicative, 387
 - of root data, 484
 - central, 485
 - Frobenius, 485
 - of split reductive groups, 486
- isotropy group, 140
- Jacobi identity, 186
- Jordan decomposition, 169, 171
 - additive, 376
- Jordan–Chevalley decomposition, 171
- $k(X)$, 580
- k -rank, 402
 - semisimple, 402
- kernel, 23
- Killing form, 476
- Krull dimension, 580
- $L(\chi)$, 390
- $L(G)$, 188
- L -group, 514
- Langlands dual group, 514
- lattice, 612
 - root, 617
 - weight, 617
- length of an element of W , 451
- Levi subgroup, 549, 554, 562
- Lie algebra, 186
 - algebraic, 190
 - nilpotent, 290
 - semisimple, 476
- Lie subalgebra, 186
 - central, 197
- $\text{Lie}(G)$, 188
- $\lim_{t \rightarrow 0} \varphi(t)$, 258
- linear action, 84, 190
- linear structure, 43
- local immersion, 107
- locally finite endomorphism, 170
 - locally nilpotent, 170
 - locally unipotent, 170
 - semisimple, 170
- log, 287
- Luna map, 268
- map
 - characteristic, 391
 - comultiplication, 39, 66
 - lives in, 172
 - rational, 152
 - regular, 571, 572
- maximal torus, 363, 379
- $M_{m,n}$, 41
- module, 84
 - Dieudonné, 228
- monomial matrix, 52
- monomorphism, 106, 121
- $\text{Mor}(X, Y)$, 30
- Morita equivalence, 584
- morphism
 - affine, 572
 - étale, 267
 - faithfully flat, 585
 - finite, 573
 - flat, 585
 - of affine algebraic schemes, 571
 - of algebraic schemes, 572
 - of flat sheaves, 116
 - proper, 587
 - realization, 277
 - schematically dominant, 55

- smooth, 586
- surjective, 572
- Verschiebung, 224
- Nat, 65
- neutral element, 76
- norm
 - reduced, 523
- normal, 588
- normalizer, 31
- normalizes, 111
- Nrd, 523
- object
 - monogenic, 175
- octonion algebra, 542
 - special, 542
- $o(G)$, 44
- O_n , 43
- one-parameter subgroup, 230
- open subset
 - basic, 570
- orbit, 27, 139
- orbit map, 27, 262
- order
 - of a finite algebraic group, 44
- orthogonal group, 43
- $\mathcal{O}_{X,x}$, 572
- $P(\lambda)$, 264
- $P(R)$, 617
- $\mathbb{P}(V)$, 577
- p -Lie algebra, 206
- perfect pairing, 612
- PGL_n , 111
- Picard group, 588
- pinned root datum, 497
 - isogeny of, 497
- pinning, 497
- pinning map, 497
- \mathbb{P}^n , 572
- point
 - nonsingular, 583
 - regular, 582
 - singular, 583
 - smooth, 583
- primitive element, 292
- primitive vector, 468
- product, 49
 - almost-direct, 49
 - fibred, 49
 - semidirect, 50
- projective embedding
 - nondegenerate, 145
- $Q(R)$, 617
- quadratic form, 531
 - nondegenerate, 531
- quadratic space, 53, 531
 - regular, 531
- quasi-closed set of roots, 457
- quasi-finite, 579
- quasi-finite algebra, 107
- quotient, 101, 104
- quotient map
 - of algebraic groups, 99
 - of sheaves, 118
- quotient object, 175
- radical, 135, 397
 - geometric, 135
 - geometric unipotent, 135
 - unipotent, 135
- rank, 141, 402
 - of a root system, 614
 - semisimple, 402
- real envelope, 174
- reduced, 463
 - geometrically, 580
- reflection, 611
 - with vector α , 611
- regular local ring, 254
- regular representation, 87, 163
- regular system of parameters, 254
- $\mathrm{Rep}(G)$, 165
- represent, 576
- representable, 117, 576
- representation
 - adjoint, 187, 192
 - diagonalizable, 234
 - faithful, 83
 - infinitesimally simple, 482
 - linear, 83
 - semisimple, 90
 - simple, 90
 - trigonalizable, 324
 - trivial, 83
 - unipotent, 280

- Reynolds operator, 249
- ring
- reduced, 575
 - regular, 581
- ring of representations, 508
- ringed space, 571
- root
- distinguished simple, 555
 - highest, 616
 - indecomposable, 613
 - special, 616
- root datum, 427, 617
- based, 497
 - pinned, 497
 - rank, 619
 - reduced, 617
 - semisimple, 618
 - semisimple rank, 619
 - toral, 622
- root group, 428, 553
- root system, 614
- indecomposable, 616
 - reduced, 615
 - relative, 552
 - small, 552
- roots, 551, 617
- of a root system, 614
 - of a split reductive group, 425
 - simple, 613
- Satake diagram, 555
- schematically dense, 11
- scheme
- concentrator, 261, 277
- semilinear action, 76
- semisimple element, 171
- semisimple part, 169
- semisimple, 171
- series
- characteristic, 124
 - composition, 127
 - derived, 132
 - descending central, 133
 - nilpotent, 133
 - normal, 124
 - subnormal, 124
 - central, 133
- set of zeros, 29
- sheaf, 116
- associated with, 116
 - invertible, 588
- simple root, 616
- simply connected covering, 389
- simply laced, 629
- singular locus, 582
- $SL_1(A)$, 527
- SL_n , 6
- socle, 472
- solvable series, 131
- SO_n , 43
- $Sp(V, \phi)$, 42
- Sp_{2n} , 42
- space
- primary, 167
- special orthogonal group, 43
- spinor norm, 535
- split a filtration, 550
- Spm , 571
- spm , 569
- stabilizer, 31, 85, 196
- stabilizes, 85
- strong identity component, 127
- strongly connected, 126
- subgroup variety, 7
- subobject, 175
- generated by, 175
- subscheme, 575
- closed, 575
 - open, 574
- subtorus
- largest, 241
- subvariety
- abelian, 151
- $Sym(V)$, 40
- symmetric set of roots, 456
- symmetry
- with respect to B , 448
- symplectic group, 42
- system of positive roots, 552, 615
- attached to B , 435
- T_α , 428
- tangent space, 13
- $Tgt_x(X)$, 13
- theorem
- Barsotti–Chevalley, 154

- Białynicki-Birula decomposition, 273
- Borel fixed-point, 353
- Bruhat decomposition, 437, 450
- Cartan–Killing, 505
- Cartier, 71
- Chevalley, 94, 371
- correspondence, 113
- existence, 503
- existence of quotients, 120
- fixed-point, 343
- full isogeny, 494
- fundamental, 464, 497
- homomorphism, 28, 75, 108, 120
- isogeny, 488
- isomorphism, 112, 120, 494
- Kostant–Rosenlicht, 373
- Lazard, 346
- Lie–Kolchin, 335
- normalizer, 367
- PBW, 200
- reconstruction, 165
- Rosenlicht, 345
- Rosenlicht decomposition, 153
- Skolem, Noether, 522
- smoothness of centralizers, 313
- Zariski’s main, 107
- Tits algebra, 558
- Tits class, 558
- Tits index, 555
- \mathbb{T}_n , 42
- topology
 - Zariski, 569
- torsor, 60, 161
 - trivial, 60
- torus, 43, 236
 - anisotropic, 253
 - induced, 251
 - isotropic, 253
 - maximal, 363
 - quasi-split, 251
 - quasi-trivial, 251
 - split, 236
- totally isotropic
 - flat, 354
 - subspace, 354
- transcendence degree, 581
- transporter, 30
- trigonalizable, 168
- $U(\lambda)$, 264
- U_α , 428
- u_α , 428
- \mathbb{U}_n , 42
- unipotent element, 171
- unipotent part, 169
 - unipotent, 171
- unipotent radical, 399
- unipotent set of roots, 445
- universal covering, 389
- universal element, 576
- universal enveloping algebra, 200
- V_α , 40
- variety
 - abelian, 45
 - flag, 146
 - Grassmann, 146
 - pseudo-abelian, 149
- Vec_k , 165
- vector bundle, 271
- vector group, 43
- w_0 , 448
- weight, 236
- weight space, 236
- Weil restriction, 57
- Weyl chamber, 433, 613
 - dominant, 435
- Weyl group, 364, 424, 617, 622
 - relative, 552
- Witt decomposition, 548
- Witt index, 536, 548
- Witt vectors, 227
- $\langle X \rangle$, 175
- \tilde{X} , 577
- $X(G)$, 230
- $X(Z)$, 261
- $X^*(G)$, 239
- $X_*(G)$, 253
- X^G , 138
- X_R , 30
- Yoneda lemma, 576, 577
- $Z(\lambda)$, 264
- Zariski closure, 20