

Index

- Abramowitz, Milton, 5
 accessory parameter, 129, 160, 262
 Adams, Clarence Raymond, 3, 74
 Airy
 equation, 110
 function, 106
 Airy, George Bidell, 110
 Arscott
 class of differential equations, 227
 differential equation, 116, 226, 264
 class of, 156
 set of, 156
 single confluent case, 264
 Arscott, Felix Medland, 116, 130, 226, 264
 asymptotic factor, 8, 75

 Bernoulli, Daniel, 64
 Berry, Sir Michael V., xi
 Bieberbach, Ludwig, 95
 Binet, Jacques Philippe Marie, 64
 Birkhoff
 series solution, 38
 set, 38, 189
 Birkhoff, George David, 3, 38, 161
 Bohr, Niels, 4
 Boltzmann, Ludwig, 293
 boundary eigenvalue problem, x
 singular, x
 breather solution, 203, 205

 central two-point connection problem, 4, 159
 strong, 275
 weak, 275
 characteristic equation, 73
 first order, 34
 of difference equations, 62
 zeroth order, 34
 characteristic exponent, 9, 11, 96, 98, 110
 of first kind, 12, 13
 of second kind, 12
 and first order, 13
 and second order, 13
 characteristic triangle, 198

 classical special function, 4, 6, 80, 157
 confluence process, 86
 standard, 87
 strong, 90, 133
 weak, 90, 133
 confluent case
 Fuchsian differential equation, 109
 conventional Riemann symbol, 152, 153
 Curie, Marie, 293
 Curie, Pierre, 293

 de Moivre, Abraham, 64
 de Moivre–Binet formula, 64
 Debye, Peter, 294
 difference equation
 irregular, 3
 of Poincaré–Perron type, 34, 62, 166
 irregular, 34, 62, 73, 74
 regular, 34, 62, 73, 74
 regular, 3
 differential equation
 Arscott, 155, 226
 class of, 116
 set of, 116
 canonical form, 20
 class of confluent and reduced cases, 134
 confluent case, 133
 ellipsoidal wave, 263
 Euler, 3, 115
 Euler class, 133
 form, 20, 122
 Fuchs, 3, 114, 211
 biconfluent case, 132
 class, 132
 confluent case, 114, 116, 132
 reduced case, 132
 single confluent case, 132
 triconfluent case, 132
 Gauss, 3, 6, 17, 115
 biconfluent case, 12
 single confluent case, 10
 Gauss class, 133
 general form, 20, 117, 122

- Heun, 4, 115, 117, 172
 - class of, 152
 - set of, 152
- Heun class, 133
- Ince, 156
 - class of, 116
 - set of, 116
- Laplace, 3, 115
- linear, 82
- natural form, 20, 115, 117, 121
- normal form, 20
- of Arscott type, 116
- of Ince type, 116
- quasilinear, 191
- reduced case, 134
- self-adjoint form, 20
- set of forms, 122
- standard form, 20, 118, 122
- dislocation, 208
- double confluent case, 185
- eigenvalue, *x*
 - condition, 23, 167
- ellipsoidal wave equation, 263
- elliptic integral
 - incomplete, 197
 - normal, first kind, 197
- Eshelby potential, 193, 209
- shifted, 193
- Euler
 - differential equation
 - class of, 133
- Euler, Leonhard, 64, 133
- Euler–McLaurin
 - summation formula, 161
- Fibonacci
 - difference equation, 63
 - sequence, 63
 - adjoint, 68
- Floqué, Achille Marie Gaston, 2
- Fuchs, Lazarus, 1, 7, 95, 114
- function
 - ellipsoidal wave, 265
 - Heun, 127
 - parabolic cylinder, 13
- fundamental system, *x*
- Gauss
 - differential equation
 - class of, 133
- Gauss, Johann Carl Friedrich, 133
- golden section, 71
- Hamburger, Meyer, 2
- Heun
 - class
 - of confluent and reduced cases, 135
 - differential equation
 - biconfluent case, 141
 - class of, 133
 - double confluent case, 150
 - single confluent case, 138
 - triconfluent case, 147
- Heun, Karl, 4, 5, 117
- higher special functions, 4, 5, 80, 157, 190
- Hund, Friedrich, 5, 161
- hypergeometric
 - function, 18
 - polynomial, 18
- Ince
 - differential equation, 116, 267, 270
 - class of, 156
 - set of, 156
- Ince, Edward Lindsay, 95, 116, 156
- indicial equation, 11
- Jacobian elliptic function, 192
 - modulus of, 197
- Jaffé
 - ansatz, 4, 26, 185
 - expansion, 178
 - method, 157
 - solution, 4, 161
 - transformation, 4, 186, 234
- Jaffé, George Cecil, 4, 21, 26, 161, 227, 293
- kink solution, 199, 202
- Kuznetsov, Vadim B., 5
- Laguerre polynomial, 54
- Laguerre, Edmund Nicolas, 54
- Lamé wave equation, 263
- Laplace
 - differential equation, 133
 - method, 161
- Laplace, Pierre-Simon, 133
- linear dependence, *x*
- linear independence, *x*
- Ludwig Maximilian University of Munich, 293
- mathematical principle of unmasking recessive
 - solutions, 78, 278–280
- modulus of Jacobian elliptic functions, 197
- Moebius transformation, 14, 20, 122, 234
- Moebius, August Ferdinand, 14
- National Bureau of Standards and Technology, 293
- Nörlund, Niels Erik, 158, 169, 171
- Olver, Frank W. J., 5
- ordinary point of a differential equation, *ix*, 82
- Ostwald, Wilhelm, 293
- Painlevé, Paul, 2, 82, 95
- parameter
 - accessory, 129, 160, 262
 - singularity, 129, 160, 262
- Pascal triangle, 278
- Pauli, Wolfgang Ernst, 4, 161

Perron, Oskar, 3, 62	Slavyanov, Serguei Yuriewitsch, 5
phenomenon of avoided crossing, 257	Sleeman, Brian D., 5
Pincherle, Salvatore, 169, 171	solution
Poincaré, Jules Henri, 2, 38, 62, 81, 106, 109	Frobenius, 9
	local, 7
recurrence relation, 166	maximum, 159
relevant interval, x, 159	minimum, 159
Riemann	particular
P-symbol, 125	dominant, 65
Riemann symbol	recessive, 65
conventional, 125, 136	Sommerfeld polynomial method, 1, 51
generalised, 137	Sommerfeld, Arnold, 4
Riemann, Bernhard, 124	special functions, ix
Riemannian scheme, 137, 155	classical, 6, 21, 116
	higher, 21, 116
s-homotopic transformation, 20, 122	standard form, 116
s-rank, 81	Stegun, Irene, 5
symbol, 123	stereographic projection, 83
Schrödinger equation, 3, 50	Stokes
singularity	line, 2, 111
apparent, 95	phenomenon, 106, 109, 110
differential equation, ix	sector, 111
elementary, 81, 85	Stokes, Sir George Gabriel, 2, 110
finite, 7, 82	
infinite, 7	Thomé, Ludwig Wilhelm, 2, 11, 106
irreducible, 94	transformation
irregular, 2, 81, 85	homographic, 14
non-elementary, 85	isomorphic, 14
of a differential equation, 82	s-homotopic, 17
parameter, 129, 160, 262	Trjitzinsky, Waldemar Juliet, 3, 38,
reducible, 94	161
regular, 2, 81, 85	
s-rank, 84	Watson, George Neville, 95
sinus amplitudinis, 197	Whittaker, Edmund Taylor, 95