

Index

- action
 - construction, 100
 - integral, 43, 101
- action-angle, 38, 64, 84, 92, 98, 243
 - algorithm, 102
 - Delaunay, 103
 - not unique, 99
- adiabatic invariant, 326
- Arnold diffusion, 399
- Arnold–Jost theorem, 102
- autonomous, 14
- averaging method, 326
- bifurcation diagram, 153
- Birkhoff
 - complete stability, 192, 326, 365
 - normal form, 234
- boxes into boxes, 406
- canonical equations, 1, 10, 13
- canonical transformation, 31
 - area-preserving, 38
 - completely canonical, 32
 - condition, 32
 - criterion, 31, 37, 42, 43, 45
 - exchange of coordinates, 34, 47
 - extended point, 49
 - generating function, 31
 - Hamiltonian flow, 39
 - identity, 48
 - Lie series, 205
 - near-the-identity, 49, 199, 209
 - scaling, 33, 38, 48
 - time-depending, 52
 - translation, 33
- Cantor set, 397
- Catalan sequence, 317, 337
- Cauchy
 - derivatives, 212
 - estimate, 227
 - generalized, 215, 227
 - method of majorants, 218, 322
 - Poisson bracket, 215
- central forces
 - first integrals, 19
 - Hamilton–Jacobi method, 60
 - Hamiltonian, 6
 - Liouville method, 82
 - quadrature, 28
- centre point, 153
- chaos, 403
 - (re)-discovery, 169
 - chaotic sea, 176
 - discovery, 169
 - transition to, 169, 170
- circle map, 120
- commutation
 - of flows, 69
 - of vector fields, 72, 89
- commutator, 11
- complexification
 - action-angle, 213
 - of domain, 213
- configuration space, 3
- constant of motion, 14
- coordinates
 - angular, 91
 - canonically conjugated, 1
 - Delaunay, 103
 - induced by flow, 72
 - Liouville, 76

- deformation, 339, 346
- Delaunay variables, 103
- differential form, 42
- diffusion, 340, 384, 395, 404
 - Arnold's example, 399
 - channel, 347, 348
- Diophantine
 - approximation theory, 414
 - condition, 193, 254
 - frequencies, 268
- Dirichlet
 - approximation theorem, 361
 - pigeonhole principle, 120
- discrete subgroup, 407
 - basis, 408
 - dimension, 408
- dynamical variable, 10, 36
- energy integral, 14
- entrance time, 356
- equation
 - Hamilton–Jacobi, 31, 57
 - variational, 67
- equilibrium, 22
 - elliptic, 148, 159, 324
 - elliptic, nonlinear, 163, 233
 - focus, 148, 160
 - hyperbolic, 148, 159, 160, 371
 - linear approximation, 147
 - node, 148
 - point, 147
 - saddle, 148, 159
- exit time, 356
- expansion
 - formal, 181
 - Fourier, 136, 137, 140, 144
 - parameter, 135
 - polynomial, 163
 - truncated, 183
 - without parameter, 256
- exponential stability, 194
- fast convergence, 270
- fast drift plane , 339
- first integral, 14, 144, 238
 - algebraic manipulation, 183
 - asymptotic character, 186
 - deformation, 190
 - direct vs. indirect, 240
 - energy, 15
 - equations, 135
 - for a linear system, 158
 - formal, 165
 - level curves, 183
 - noise, 191
 - non-existence, 135
 - quadrature, 21
 - quantitative estimates, 187
 - truncated, 144, 189, 333, 339
- first integrals
 - Toda lattice, 113
- focus point, 153
- forced oscillations
 - Hamiltonian, 9
- formal calculus, 196
 - power series, 197
 - small parameter, 197
- Fourier series
 - decay of coefficients, 226
 - splitting, 256, 290, 331
- FPU problem, 168, 177, 404
- free particle
 - first integrals , 18
 - Hamilton–Jacobi method, 58
 - Hamiltonian, 5
- galactic model
 - Contopoulos, 169
 - Hamiltonian, 6, 169
 - Hénon–Heiles, 169
- general problem of dynamics,
 - 117, 268, 324, 400, 403
 - degenerate, 252
 - non-degenerate, 251
- generating function, 45
 - first form, 46

- for Lie series, 199
 - general form, 50
 - identity transformation, 48
 - near-the-identity, 49
 - scaling transformation, 48
 - time-dependent, 55
 - usual form, 47
- generating sequence, 206, 235
- geography of resonances
 - cylinder, 343, 347
 - extended block, 343, 348
 - geometric properties, 352
 - resonant block, 343, 345
 - resonant extended plane, 343, 347
 - resonant manifold, 342, 344
 - resonant plane, 343, 347
 - resonant region, 342, 345
 - resonant zone, 342, 344
- geometry
 - Euclidean, 421
 - symplectic, 421
- Hamilton
 - equations, 1
 - flow, 39
 - function, 4
- Hamiltonian
 - autonomous, 2
 - function, 2
 - non-autonomous, 2
 - quadratic, 16, 108, 153
 - reversible, 166
- harmonic oscillator
 - action-angle variables, 86, 163
 - Hamiltonian, 5
 - Liouville method, 81
 - phase portrait, 16
 - scaling transformation, 38
- harmonic repulsor
 - phase portrait, 16
- heteroclinic
 - chain, 384, 393, 399
 - intersection, 393
 - orbit, 403
 - points, 383
- homoclinic orbit, 403
 - existence, 379
 - infinitely many, 383
- homoclinic tangle, 389, 390
 - representation, 383
- homological equation, 135, 235, 237, 259, 262, 270, 279, 300
- integrable
 - by quadratures, 64
 - formally, 168
 - system, 63, 118
 - system, perturbed, 117
- integral invariant
 - absolute, 42
 - relative, 43
- invariant torus, 404
 - destruction, 389, 405
 - Kolmogorov, 369
 - last, 389
 - on a map, 386
 - stickiness, 369
- involution system, 65
 - complete, 77, 92, 99, 167
- Jacobi identity, 11
- KAM theory, 267
- Kepler problem
 - action-angle variables, 105
 - degenerate, 133
 - Delaunay coordinates, 103, 106
 - first integrals, 20, 103
- Kolmogorov
 - classical algorithm, 292
 - invariant torus, 369
- Kolmogorov's theorem, 268, 320, 363
 - classical method, 271, 289
 - Newton method, 270

- quadratic algorithm, 275
- Kronecker
 - flow, 119, 123, 269
 - map, 124, 127
- Lagrange
 - bracket, 40
 - formalism, 1, 3, 32
 - function, 4
 - triangular equilibria, 179
- Lax pair, 114
- Lie derivative, 11, 13, 199
- Lie series, 195
 - algorithm, 199
 - analyticity, 218
 - analyticity of composition, 221
 - canonical transformation, 205
 - composition, 202, 259, 275
 - exchange theorem, 200
 - formal calculus, 198
 - normal form, 254, 259
 - operator, 199
 - properties, 200
 - triangular diagram, 201
- Lie transform, 195, 365
 - algorithm, 206
 - analyticity, 222
 - canonical transformation, 209
 - exchange theorem, 207, 237
 - inverse, 208
 - normal form, 235, 251, 332
 - operator, 206
 - properties, 207
 - triangular diagram, 207
- Lindstedt series, 321
 - cancellations, 322
- linear chain, 108, 122
 - first integrals, 110
 - frequencies, 110
 - normal modes, 112
- linear system
 - diagonalization, 149
 - evolution operator, 150
- Hamiltonian, 154
- Liouville
 - coordinates, 76, 77, 93, 98
 - integration algorithm, 79
 - theorem, 64, 78
- list of indices, 305
 - partial ordering, 305
 - selection rule, 308
 - special, 305
- matrix
 - exponential of, 150
 - identity, 421
 - Jacobian, 35
 - skew symmetric, 10
 - symmetric, 151
 - symplectic, 156, 421, 422
 - unimodular, 100, 122, 245, 411
- N -body problem
 - first integrals, 18
 - Hamiltonian, 7
- near-the-identity transformation
 - Lie series, 205
 - Lie transform, 209
 - time- ε flow, 50
- Nekhoroshev's theorem, 328, 363, 404
- Newton method, 270
- node point, 153
 - degenerate, 153
- noise, 340, 346
- non-degeneracy, 132
- non-resonance, 122, 126, 413
 - Bruno condition, 416
 - condition τ , 290, 299, 307, 311, 417
 - Diophantine condition, 268, 416
 - domain, 334, 341, 366
- nonlinear equilibrium
 - stability, 178
- norm

- polynomial, 187
 - supremum, 212
 - weighted Fourier, 227, 257
- normal form, 147, 332
 - diagonal, 149, 156
 - Kolmogorov, 269, 291
 - linear system, 148
 - local domain, 330
 - non-resonant, 244
 - nonlinear elliptic equilibrium, 237
 - Poincaré–Birkhoff, 233, 365, 367
 - quadratic Hamiltonian, 153
 - remainder, 332
 - resonant, 245, 265
 - truncated, 258
- numerical exploration, 168, 181, 363, 404
- one degree of freedom
 - action-angle variables, 85
 - area-preserving, 38
 - Hamilton–Jacobi method, 59
 - Hamiltonian, 16
 - Liouville method, 80
 - oscillation period, 25
 - quadrature, 21, 25
- orbit, 2
 - asymptotic, 371
 - heteroclinic, 364, 383
 - homoclinic, 364, 379, 383
 - on a torus, 119
 - periodic, 118
 - quasi-periodic, 118
- order and chaos
 - boxes into boxes, 390
 - coexistence, 172, 177, 363, 403
 - threshold, 404
 - transition, 405
- ordered island, 176, 389, 390, 392
- pendulum
 - action-angle variables, 87
 - forced, 9
 - Hamiltonian, 6
 - kicked, 386
 - period, 26
 - periodically forced, 371
 - phase portrait, 16
 - phase average, 129
 - phase space, 1
 - extended, 2, 53
 - flow, 2
 - Poincaré
 - classification of equilibria, 153
 - formal calculus, 197
 - last geometric theorem, 175, 389
 - non-existence theorem, 135, 137, 252
 - normal form, 234
 - one-period map, 371
 - problem of dynamics, 117, 268
 - section, 124, 171
 - théorie des conséquents, 372
 - point transformation, 48
 - extended, 48
 - Poisson bracket, 11
 - Cauchy estimate, 215
 - fundamental, 36
 - preservation, 36
 - properties, 11
 - Poisson theorem, 14
 - quadratic method, 271
 - quadrature, 21, 26
 - quasi-periodic motion, 131
 - resonance, 125
 - complete, 121, 125
 - module, 121, 125, 331, 412, 413
 - module, basis, 412
 - multiplicity, 121
 - overlapping, 342, 348

- partial, 121, 126
 - relations, 121
 - rotation angles, 121
- rotating frame, 7
- rotation angle, 120, 124
- rotation number, 386, 389, 390
- Runge–Lenz vector, 20
- saddle point, 153
- secular terms, 321
- separatrices, 16, 87, 174, 181, 250, 371, 389, 391
- small divisor, 136, 270, 279, 289
 - accumulation, 253, 262, 304
- small parameter, 117, 197
- stability
 - asymptotic, 324
 - complete, 145, 192, 326
 - exponential, 194, 326, 368
 - local, 339
 - long-time, 324
 - perpetual, 323, 326
 - superexponential, 326, 364, 369, 405
- stable/unstable manifolds, 371
 - existence, 374
 - homoclinic intersection, 379
 - intersection, 378, 383
 - perturbed, 375
- standard map, 386
- stationary group, 91
- stickiness, 397
- strange attractor, 168
- superconvergence, 271
- symplectic
 - arithmetic plane, 424
 - bilinear antisymmetric form, 421
 - bilinear symmetric form, 421
 - canonical basis, 424, 425
 - coisotropic subspace, 424, 426
 - complementary subspace, 423, 425
 - geometry, 421
 - isotropic subspace, 424, 426
 - Lagrangian subspace, 52, 424, 426
 - left-orthogonality, 423
 - matrix, 35, 37, 421, 422
 - orthogonality, 423
 - product, 422
 - space, 422
 - subspace, 423
 - transformation, 31
- system
 - anisochronous, 132
 - autonomous, 2
 - essentially isochronous, 134, 265
 - integrable, 63, 118
 - integrable, perturbed, 117
 - isochronous, 133
 - one degree of freedom, 16, 59
- theorem
 - Arnold–Jost, 65, 102
 - Kolmogorov’s, 268, 320
 - Liouville’s, 64, 78
 - Nekhoroshev’s, 328, 401
 - Poincaré’s, 135, 137
 - Poisson’s, 14
 - superexponential stability, 400
- third integral, 170
- three-body problem
 - Hamiltonian, 7
 - restricted circular, 8, 180
 - triangular equilibria, 179
- time average, 129
- Toda
 - lattice, 113
- torus
 - angles, 92, 98
 - periods in a neighbourhood, 93
 - two-dimensional, 119
 - vector fields on, 89
- transformation

Index

451

- canonical, 31
- of coordinates, 31
- orthogonal, 421
- symplectic, 31
- trigonometric polynomial, 129,
141, 255, 290
- two-body problem
Hamiltonian, 7
- uncoupled rotators, 133
- vector fields
on a manifold, 88