

Index

- adjacency matrix, 45, 297, 321
- aggregation
 - indices, 32
- Akaike information criterion (AIC), 116, 199, 208
- angle
 - classes, 107
 - distribution, 243
 - turning, 243
- angular
 - autocorrelation, 243, 341
 - concordance, 241
- anisotropy, 4, 28, 33, 48, 106–107, 123, 256, 333
 - autocovariance, 209
 - geometric, 116, 133
 - zonal, 116, 133
- artificial intelligence (AI), 355
- assumption(s), 13, 17, 97, 309, 332, 334, 346, 351, 354–355
 - independence, 248
 - quasi-stationarity, 109
 - stationarity, 2, 102, 109, 119, 122, 134, 136, 214
 - weak stationarity, 109
- autocorrelation
 - cycles, 9–11, 18–19, 173, 180, 190, 252, 261, 316, 332
 - cyclic, 180
 - directional, 243
 - induced, 168, 176
 - inherent, 163, 168, 176
 - matrix, 174, 177
 - negative, 12
 - serial, 76, 171
 - spatial, 83, 138, 163, 183, 228, 270, 281, 332, 334–335, 339, 342, 352–353
 - spatio-temporal, 18
 - statistical nuisance, 163
 - temporal, 12, 228, 247, 254, 335
- autocovariance, 102, 206
- autoregressive, 170, 176, 183
 - conditional autoregressive (CAR), 353
 - Durbin, 107
 - spatial, 124
- Bayesian analysis, 344
 - hierarchical, 348
- Bayesian hierarchical analysis, 208–209
- Bayesian hierarchical model, 349
- block size, 82–86
- blocked quadrat methods, 82
- boundary, 144
 - angle, 151
 - closed, 144
 - clumping, 76
 - cohesive, 153, 156, 162
 - ecotones, 142, 161
 - edge effect, 144, 158
 - elements, 152, 156
 - first-order derivatives, 149
 - gradual, 144
 - intermingling, 147
 - kernel filters, 149, 160
 - linear, 142
 - nonlinear, 142
 - open, 144
 - patch, 138
 - persistence, 153, 160
 - properties, 138, 149, 152
 - rate of change, 150, 154
 - second-order derivatives, 159
 - sharp, 144
 - statistics, 153
 - transition zones, 142, 144
 - width, 144, 152
- boundary detection
 - Bayesian areal wombling, 156
 - Bayesian point wombling, 155
 - Canny adaptive filter, 160
 - categorical-wombling, 155, 161
 - convolution, 149, 356
 - kernel filters, 159
 - Laplacian filter, 159–160
 - lattice-wombling, 149, 152–154, 158, 161
 - moving window, 149, 356
 - multivariate, 148
 - scale-space approach, 160
 - triangular-window, 154

- triangulation-wombling, 154, 161, 301, 341
- boundary elements, 156
- boundary statistics
 - direct overlap, 156
 - mean minimum nearest distance statistics, 156
 - overall mean minimum nearest distance statistics, 157
 - singletons, 140, 335
- brousse tigrée, 12
- causal inference, 189, 354
- causality, 199, 359
 - Granger, 192, 355
 - inference, 202
- chaos, 19
- circumcircle method, 42, 80, 90, 123, 339
- classes
 - Sturge's rule, 46
- clonal plant, 241, 244, 284, 286
- clustering
 - algorithms, 138, 140
 - fuzzy *k*-means, 140, 142
 - hierarchical agglomerative, 138, 140
 - k*-means, 139–140, 142
 - spatial, 18, 21–22, 139–140, 152, 155–156, 161, 277
 - spatial constraints, 139
- coefficient(s)
 - correlation, 268, 276
 - determination, 195, 215
 - dissimilarity, 266, 269
 - Pearson correlation, 276
 - scaling, 221
- community, 1, 5–6, 9–10, 12–14, 16–18, 38–39, 44, 57, 60, 85, 133, 194, 229
- competition, 8, 10, 13, 16, 344, 358
- complementary combinations, 272
- complete census, 62–63, 124, 261, 263
- complete graph, 302, 306
- complete randomness, 121
- complete spatial randomness, 3, 52–53, 55, 61, 64–65, 69, 74, 79–80, 96, 99, 121, 287, 293, 296
- concept
 - cyclic change, 10
 - mosaic cycle, 19, 59
 - self-organization, 12–13, 19, 256, 282
- Condit's Ω functions, 339
- conditional randomness, 121
- connectance, 297
- connectedness, 297, 321, 335
- connectivity, 18
 - algorithms, 139, 155
 - bishop, 99
 - functional, 322, 328, 332, 335
 - matrix, 46, 98, 103, 193, 214–215
- contiguous quadrats, 33, 40, 45, 60, 86, 340
- contingency tables, 178–179
- convex hull, 18, 22, 247, 308
- correlation, 26, 176, 178, 241, 311
 - linear, 101, 196
 - matrix, 170, 352
 - partial, 174, 178, 197
 - Pearson, 101, 103, 193–194, 317
 - serial, 164–165, 179, 182
 - Spearman, 196, 317
 - spurious, 51, 197
- correlogram
 - cross-correlation, 118
 - directional, 109
 - Geary's *c*, 107
 - modified, 255
 - Moran's *I*, 107
 - omnidirectional, 107, 109, 120, 340
 - partial spatial, 107
 - spatial, 107, 192
- covariance matrix, 85, 130, 133, 177, 200, 206
- covariate variables, 163, 204
- cross-correlation, 254, 256
- cycle, 254
- data
 - continuous, 24, 88–89, 97, 117, 214, 227–229, 241, 339
 - discrete, 24, 89, 204, 227, 229, 241, 261
 - lattice, 98–99
 - missing, 33, 311
 - multivariate, 61, 81, 161, 193, 196, 210–211, 288
 - population, 29, 214
 - qualitative, 25, 97, 116, 122, 133, 139, 148, 209, 214, 284, 288
 - quantitative, 25, 29–30, 73, 97, 101, 122, 136, 140, 145, 148, 158, 218, 271, 288, 339
- degree of freedom, 55, 163, 189, 208
 - Clifford's correction, 177
 - Dutilleul's correction, 177
 - effective sample size, 192
- Directed Acyclic Graph, 190
- disease ecology, 324
- dispersal, 4–5, 11, 13–14, 17–18, 20, 26, 30, 35, 39, 52, 54, 106, 163, 209, 251, 253, 261, 278, 280, 284, 286, 295, 297–298, 302–303, 306, 308–310, 318–319, 325, 354
- distance, 45
 - classes, 45–46, 71, 99, 101–103, 106–107, 118, 168, 177, 179, 193, 196, 228, 256, 339
 - coefficient, 193
 - distribution, 243
- distance decay, 26
- distance to independence, 169, 184, 188
- distance-based MEM (dbMEM, PCNM), 214–215

- diversity
 - alpha, 259, 262, 269
 - beta, 17, 214, 226, 259, 261, 265–269, 280–281, 325
 - biological, 282, 359
 - combination, 271, 273
 - combinatorial, 272, 274, 281
 - compositional, 270, 274
 - effective number, 264
 - effective number of species, 273
 - entropy, 87, 273–274
 - evenness, 81, 85–86, 263, 273–274
 - first-order, 109, 279
 - florula, 281
 - gamma, 259, 266, 269
 - Gleason, 9
 - Hill's index, 264, 273
 - Jaccard, 268–269, 273, 279
 - local contributions to beta-diversity, 269
 - neighbours, 280
 - nestedness, 275
 - node overlap, decrease filling, 276
 - second-order, 279
 - Shannon-Weaver index, 263, 273
 - Shimatani's *K*, 280–281
 - Simpson's index, 258–259, 263, 265
 - site-pair beta-diversity, 269
 - Sørensen index, 268
 - spatial, 8, 17, 258, 268, 280, 313, 359
 - spatio-temporal, 283
 - spectral, 270
 - turnover, 151, 155, 266–267, 269–270
 - zeta, 269
- ecological fallacy, 39
- ecological hypotheses, 52–53, 311, 342, 359
- ecological memory, 12, 329
- ecological questions, 19, 57, 139, 156, 162, 237, 338
- ecotones, 1
- edge, 143
 - types, 143
- edge effect, 32, 36, 53, 63, 235
 - correction, 36, 64, 77, 287
- effective number of combinations, 273–274
- effective sample size, 169, 177–178
- eigenanalysis, 85, 215, 226
 - asymmetric Moran's Eigenvector Maps (AEM), 215
 - Moran's Eigenvector Maps (MEM), 18, 214–215, 217–218, 226
- empty space function, 293
- environmental gradient(s), 1, 5, 14, 76, 147–148, 211, 260, 265, 270, 278
- epidemiology, 20, 39, 68, 230, 237, 241, 285, 323
- equidistance
 - classes, 46
- equipfrequency
 - classes, 46
- error
 - measurement, 111, 156
- Euclidean distance, 40, 45–46, 99, 101, 128, 145, 156, 193, 196, 198, 209, 213–214, 216, 221, 310–311, 339
- experimental
 - design, 20, 55, 102, 163
 - units, 81, 184, 186, 247
- exploratory spatial data analysis (ESDA), 189, 207
- exponential decay, 261
- exponential decline, 175, 183
- extreme values, 97
- feedback loops, 11, 282
- fibre pattern analysis, 286–287, 293
 - angles, 286
 - bivariate, 288
 - marked, 291
 - neighbours, 288
 - parallelism, 286, 309
- fibre pattern analysis
 - Bézier curves, 291
- Fourier analysis, 339
 - transform, 88, 218
- fuzzy
 - boundary, 142
 - k*-means, 142
 - set theory, 140, 142
- gap size, 11, 147
- Geary's *c*, 32
- geostatistics, 109
- Getis' statistics, 237
- global spatial statistics, 38, 135, 226, 335
- graph, 62, 285
 - aspatial, 284
 - bipartite, 300
 - complete, 280, 302, 307, 311, 319
 - connected, 302
 - Delaunay triangulation, 40, 42, 80, 99, 138, 140, 154, 215, 235, 280–281, 296, 303
 - digraph, 297, 300, 309–310
 - directed, 352
 - Dirichlet polygons, 43, 125
 - dyadic, 324
 - empty, 280
 - Gabriel, 42, 215, 312
 - graph of graphs, 300
 - Minimum Spanning Tree, 40, 214, 216, 235, 280, 303, 313
 - modularity, 282
 - nearest neighbours, 280, 296
 - neighbour networks, 40, 299
 - networks-of-networks, 326
 - planar, 235, 296

- relative neighbourhood, 41
- signed, 299
- spatial, 62, 95, 280, 286, 295, 309–310
- spatio-temporal, 229, 244, 249, 359
- subgraph, 43, 91, 301–302
- tessellation, 43
- Thiessen polygons, 125
- Ulam tree, 299
- Voronoi polygons, 43, 125
- graph metrics
 - bridge, 302
 - betweenness centrality, 298
 - centrality, 295, 308
 - closeness centrality, 298
 - cut-edges, 297, 302
 - cycles, 40
 - diameter, 298, 302, 307
 - eccentricity, 298, 302
 - edge matching, 323
 - link overlap, 323
 - minimum path length, 302
 - nestedness, 311
 - node degree, 297
 - path length, 298
- graph theory, 60, 91, 143, 190, 284, 302
 - components, 297, 302–303
 - connectivity, 295, 297
 - edge connectivity, 302
 - edges, 284, 295
 - graph, 295
 - interaction networks, 295
 - modularity, 295, 299, 301
 - nearest point-to-line-neighbour distances, 293
 - network, 22, 295
 - node connectivity, 302
 - nodes, 284, 295
 - points and lines, 292, 294
 - random graphs, 285
 - scale-free, 285
 - small world, 285
 - spatial network, 295
 - spectral gap, 298
- Griffith's index, 229
- hierarchical
 - analysis, 299
- hierarchical Bayesian analysis, 354
- home range, 17, 241
- homogeneity, 297
- homogeneous, 2–3, 29
- hot spots, 281
- hypotheses
 - hierarchy, 248, 293
- independent and identically distributed (i.i.d.), 38, 351
- independent variables, 125, 174, 176, 204, 260, 311
- index of dispersion, 81
- inferential tests, 34, 163, 199
- information theory, 21, 263
- inhomogeneous, 4
- integrated nested Laplace approximations (INLA), 209
- interaction networks, 326
- isotropy, 4, 28, 48, 103, 106, 136, 215
- join count statistics, 98, 286
 - second-order neighbour, 99
 - spatio-temporal, 229
- kernel
 - adaptive, 207
 - fixed, 207
- kernel filter, 335
- kernel function, 254
- Kriging, 114, 341
 - blocked, 131
 - co-Kriging, 133, 253
 - conditional annealing, 124, 133
 - error, 129–130
 - indicator, 133
 - indicator function, 116
 - Lagrangian multiplier, 129
 - multivariate, 133
 - nonlinear, 132
 - ordinary, 132
 - punctual, 131
 - stratified, 133
 - three-dimensional, 128, 130
 - universal, 132
 - variance, 129, 131
- lack of independence, 26, 44, 55, 83, 102, 106–107, 163, 179, 188, 199, 228, 273, 334, 342
- lacunarity, 86
- landscape
 - circuit theory, 309
 - circuitry, 309
 - connectivity, 247, 251, 301, 308–309, 322, 328
 - corridor, 302, 309
 - dynamics, 144
 - fragmentation, 26, 39, 86, 301, 309
 - functional network, 301
 - genetics, 308
 - heterogeneous, 13
 - metrics, 30
 - node removal, 306–307
- linear
 - collinear, 211
 - interpolation, 126
 - nonlinear, 126, 259
 - spatial dependence, 355
- local
 - cold spots, 121
 - Geary's c , 122

- local (cont.)
 - Getis' statistics, 121, 339
 - hot spots, 121
 - Moran's *I*, 122
- local analysis
 - Getis' statistics, 336
- local indicator of spatial association (LISA), 119
- local Moran's *I*, 120
- local spatial analysis, 134
- local spatial statistics, 135, 335
- machine learning (ML), 355
- macroecology, 21, 270
- Mantel test, 32, 193, 234, 266, 269
 - correlogram, 196, 254
 - Hadamard product, 194
 - partial, 197, 213
- mark correlation, 288, 339
- Markov chain
 - first-order, 246
- Markov Chain Monte Carlo (MCMC), 208–209, 346–347, 353
- Markov model, 179–180, 246
- mark-recapture, 228
- Matérn model, 209, 353
- metacommunity, 13–14, 16–18, 209
 - neutral dynamics, 14
 - paradigms, 14
 - patch dynamics, 14
 - species sorting, 14
- metapopulation, 12–13, 16–18, 209, 286, 310, 323, 327, 354
- metaweb, 16, 325
- modifiable area unit problem (MAUP), 39, 118, 191
- Monte Carlo, 67
 - simulation, 58, 182
- Moran's *I*, 32
- movement, 17–18, 35, 209, 229, 243, 261, 295, 297–298
 - analysis, 241
 - animal, 4, 227, 229, 241, 246, 249, 294, 296, 308–309, 311
 - biased correlated random walk, 246
 - complete avoidance, 248
 - correlated random walk, 249
 - complete randomness, 248
 - crossing, 248
 - ecology, 249
 - path, 228, 243, 293, 300
 - random walk, 244, 308, 318
 - rapid, 248
 - rapid crossing, 249
 - segment, 246
- moving window, 171, 231, 237
 - isotropic, 109
- multilayer, 313
 - spatial graph, 296
 - versatility, 318, 328
- multilayer networks, 301
- multiple tests
 - Bonferroni correction, 106, 120, 169, 336
 - Bonferroni progressive, 107
- multiscale, 359
- multiscale analysis, 17, 32, 62, 189, 268
 - quadtree decomposition, 158
 - wavelet decomposition, 158
- multispecies
 - analysis, 71, 85–86
 - interactions, 8, 301, 313
- multivariate analysis, 60, 79, 90, 225, 260, 299
- nearest neighbours, 40, 75, 226, 276, 316, 352
 - hierarchy, 40
 - mutually, 40
- neighbour
 - hierarchy, 44, 296
 - refined nearest, 63, 65
 - search, 120
- neighbour rules
 - algorithms, 98
 - bishop, 40, 45, 99
 - queen, 99
 - rook, 99, 180, 205
- neighbourhood
 - effects, 119
 - matrix, 213
 - penalties, 191
 - search, 32, 129–130
- network, 285
 - connected, 317
 - cycle, 317
 - dynamic, 298
 - dynamics, 17, 327
 - edge matching, 317
 - exponential random graph models, 324
 - hierarchical, 43
 - hierarchy of neighbours, 296, 301
 - meta, 16
 - multilayer, 253, 313
 - multilayer temporal, 319
 - multilink, 323
 - multiplex, 315, 329
 - network-of-networks, 16
 - path, 317
 - social, 324
 - spatio-temporal, 234, 249–250, 313, 316, 318, 325
 - spatio-temporal multilayer, 313
 - supra-Laplacian, 321
 - topology, 54, 100, 135, 235, 321–322
 - triad completion, 316
- network theory, 295
- network-of-networks. *See* graph of graphs
- nonrandom, 4, 16–17, 26, 249, 274
- nonrandomness, 6, 67, 81, 338

- non-stationarity, 2, 37–38, 75, 152, 162, 186, 189, 210, 237, 243, 333, 335–337, 339, 341
- null model, 3–4, 10, 29, 65, 147, 230, 244, 322–323
- ordination
 - canonical correspondence analysis (CCA), 145, 210
 - discriminant functions, 145
 - horseshoe effect, 267
 - Mahalanobis distances, 145
 - multiscale (MSO), 85, 213, 339
 - multivariate analysis, 148
 - partial CCA, 211, 217
 - partial RDA, 211, 214, 217
 - principal components analysis (PCA), 85, 145, 211, 215, 223
 - principal coordinate analysis (PCoA), 214
 - redundancy analysis (RDA), 145, 197, 210
- partitioning
 - temporal, 282
- patch, 138
- patches, 138, 337
- path, 246, 297, 302
 - complexity, 248
 - crossing, 248
 - cycles, 246
 - directional, 246
 - least-cost, 309–310, 318
 - length, 247, 281
 - shortest, 234
 - tortuosity, 246–247, 341
- path analysis, 190, 198, 311
- pattern, 296
 - aggregated, 26, 67, 76, 339
 - association, 98, 178
 - brousse tigrée, 28, 253
 - checkerboard, 149, 272
 - clumping, 17, 52, 61–64, 68, 71, 75, 77, 81, 288, 296, 338
 - Fibonacci spiral, 184
 - heterogeneous, 14
 - homogeneous, 30, 136, 151, 281, 331
 - inhomogeneity, 37
 - inhomogeneous, 75
 - multispecies, 71
 - nonrandomness, 145
 - overdispersed, 26
 - overdispersion, 52, 61–64, 70, 77, 81, 288, 291
 - patchiness, 1–3, 5, 13, 17, 26–27, 29, 35, 50, 52, 99, 107, 163, 173, 180, 183–184, 212, 216, 261, 267, 342
 - patchy, 9, 99, 332, 339–340
 - random, 37, 99
 - scale, 83, 215
 - segregation, 66
 - spatial, 221, 256, 276
 - spatio-temporal, 229
 - temporal, 256
 - trend, 212
 - underdispersion, 52, 61, 64
 - uniform, 1, 14, 34, 99
 - wave, 178, 220, 256
- pilot study, 37, 184, 186, 336
- point pattern analysis, 17, 61, 95, 230, 237, 287, 296
 - bivariate, 8, 66
 - Diggle's function, 63, 66
 - empty space function, 63, 65
 - event–event distance, 62
 - event-to-nearest-event, 70
 - marked, 17, 19, 75
 - multivariate, 43, 69–70, 280
 - nearest neighbour function, 293
 - point events, 52
 - point-event, 288
 - point-to-nearest-event, 70
 - refined nearest neighbour, 63
 - thinning, 68
 - univariate, 95
- Poisson distribution, 2, 64–65, 81, 96, 348, 351
- Poisson space-time joint index, 229
- polygon change
 - events, 240
- polygon change analysis, 18, 22, 229, 240
- population data, 339
- Principal Coordinates of Neighbour Matrices (PCNM, dbMEM), 214
- processes
 - allelopathy, 8
 - biological, 5
 - competition, 6, 8, 19, 52, 57, 65, 71, 147–148, 286, 300, 352
 - ecological, 4, 6, 14
 - endogenous, 26
 - exogenous, 26
 - facilitation, 6–7, 9, 57, 352
 - heterogeneous, 37
 - homogeneous, 3, 61, 73
 - induced, 26, 344
 - inherent, 26, 344
 - inhibition, 9
 - inhomogeneous, 3–4, 73
 - isolation by distance, 14
 - marked, 60
 - mass effects, 14
 - mutualism, 57, 352
 - non-stationary, 4
 - parasitism, 352
 - phenology, 251
 - pollination, 286
 - predation, 6, 286, 352
 - spatial point, 1
 - spatial stochastic, 4

- processes (cont.)
 - stochastic, 1
 - succession, 9, 19
 - tolerance, 10
- proximity, 16
 - matrix, 204
 - sampling locations, 126
 - spatial, 251, 271, 319, 324
 - spatio-temporal, 234
- pseudo-replication, 254, 256
- quadrat variance analysis, 95
- quadrat variance methods
 - paired quadrat variance (PQV), 82
 - random paired quadrat frequency, 230
 - three term local quadrat variance (3TLQV), 82
 - triplet quadrat variance (tQV), 82
 - two term quadrat variance (TTLQV), 82
 - two-dimensional, 86
- random effect, 111, 209, 350
- randomization, 67, 296, 323
 - bootstrap, 54, 117, 182, 192
 - caterpillar, 182
 - complete, 120, 152, 162, 180, 199
 - hierarchy, 52
 - jackknife, 182
 - permutation, 55
 - reference distribution, 54–55
 - restricted, 55, 57–58, 68, 84, 152, 162–163, 180–181, 192, 199, 275, 286, 290
 - toroidal shift, 56–57, 68, 181
- randomization tests
 - torus distances, 36
- randomness, 81
- reference distribution, 179–180, 182, 195, 215, 230
- regression
 - autoregressive, 22, 162, 167, 204, 344
 - autoregressive moving average (ARMA), 204
 - complete independence, 164
 - conditional autoregressive (CAR), 58, 124, 204–205, 208–209, 353
 - double autoregression, 165
 - double dependence, 175
 - first-order autoregressive, 204
 - generalized least-squares (GLS), 203, 208
 - generalized linear mixed model (GLMM), 203, 208, 353
 - geographically weighted regression (GWR), 22, 203, 206
 - induced autoregression, 165
 - induced dependence, 174–175
 - inherent autoregression, 165
 - inherent dependence, 169, 175
 - Kriging, 203
 - linear, 195, 197, 215
 - Markov model, 204
 - moving average (MA), 107, 171, 205
 - moving average models, 124, 176
 - multiple, 50, 126, 210, 213–215, 217
 - multiple regression on distance matrices (MRDM), 199
 - ordinary least squares (OLS), 200
 - polynomial, 126, 213
 - random effect, 203
 - residual analysis, 201
 - resource-selection functions (RSF), 353
 - simultaneous autoregressive (SAR), 58, 124, 177, 204
 - spatial, 22, 191, 203, 269
 - spatial dependence, 353, 355
 - spatial error models (SEM), 22, 203
 - spatial filtering, 107, 204, 217
 - spatial independence, 164
 - spatial lag, 204
 - spatio-temporal autoregressive (STAR), 352
- residual sums of squares (RSS), 199
- response
 - linear, 352
 - nonlinear, 11, 282
- restricted randomization, 180, 196, 215, 249, 342, 355
- Ripley's *K*, 17, 32, 52, 63, 66, 72, 96, 123, 226, 235, 265, 287, 337–339
 - bivariate, 66
 - indicator function, 64
 - three dimensions, 79
- Ripley's *L*, 66, 71
- robustness, 298
- sample data, 133, 339
- sampling, 184
- sampling design, 20, 31, 34, 39, 97, 117, 139, 142, 216, 344
 - spatial, 142, 145
- sampling units
 - aggregated, 33
 - change of support, 118
 - coarse graining, 39
 - contiguous quadrats, 81, 97, 147, 178, 218, 230, 350
 - grain, 31, 259
 - modifiable areal unit problem (MAUP), 354
 - resolution, 31
 - voxel, 86
- scale, 85, 89
 - scaling, 38
 - spatial, 136
 - temporal, 39, 136
- scales of pattern, 81–82, 340
- scan statistics, 122
- search
 - neighbour, 120
- search window, 35, 50, 60, 226

- segregation, 288, 339
- semi-variance, 32, 111
- similarity matrix, 215
- spatial
 - aggregation, 58
 - autocovariance, 102, 111
 - confounding, 201
 - contingency, 212
 - correlogram, 106
 - dependence, 26, 51, 58
 - edge, 252
 - heterogeneity, 261
 - lag, 33, 102, 331
 - legacy, 212
 - predictor, 206, 217, 225
 - range, 15, 106–107, 117, 196
 - resolution, 212
 - scale, 259, 281, 335
 - spillover, 191
 - variance, 111
- spatial autocorrelation, 17–18, 111, 163, 170, 176–177, 279
 - confounding, 59
 - correction, 177
 - degree, 118, 192–193
 - diagnostic indicator, 58
 - estimation, 58
 - Geary's c , 103, 111
 - H Moran statistic, 122
 - Moran's I , 102, 111, 196, 211, 215
 - negative, 27, 59, 75–76, 103, 106, 173, 178, 215
 - nuisance, 188
 - parametric tests, 58
 - positive, 83, 215
 - predictor, 59
 - proxy, 59
 - range, 186
 - sampling, 59
 - second-order, 101
 - shape, 28
 - significance, 34
 - Type I error, 186
- spatial dynamics, 5, 13
- spatial extent, 270, 336
- spatial interpolation
 - inverse distance weighting, 124, 126
 - Kriging, 124, 128
 - proximity polygons, 124
 - trend surface analysis, 124, 126
- spatial partitioning, 136, 301
- spatial pattern, 6
- spatial pattern analysis, 221
- spatial sampling
 - optimal, 131
- spatial statistics
 - first-order, 49
 - global, 119
 - local, 119
 - second-order, 50, 65, 70
- spatial structure, 359
- spatially constrained clustering, 299
- spatio-temporal
 - analysis, 5, 17, 21–22, 192, 229, 237, 249, 251, 286, 323, 330, 360
 - association, 230
 - autocorrelation, 228
 - clustering, 234
 - clusters, 237
 - data, 156, 189, 256, 308, 330
 - digraph, 237
 - dimensions, 20
 - domains, 23, 31, 336
 - Griffith's index, 228
 - scale, 270, 330
- Spatial-Temporal Analysis of Moving Polygons (STAMP), 240, 326, 328, 355–356, 359
- spatio-temporal graph
 - disease spread, 249
- spatio-temporal network
 - disease spread, 329
 - spatial efficiency, 318
 - temporal efficiency, 318
- species
 - composition, 5, 44, 189, 214, 229, 260, 265–266, 271, 279–280, 282, 299, 311
 - diversity, 258
 - interactions, 16
 - multiple, 84
 - response, 148
 - unimodal curve response, 6, 211
- species interaction, 18
 - motifs, 91
- species interaction network
 - trophic network, 300
- species-area curve, 259
- spectral analysis, 90, 321
- spectral decomposition, 214, 218, 226
- stationarity
 - intrinsic hypothesis, 38
 - 1, 243
 - lack, 120
 - second-order, 109, 132
 - strong, 2
 - weak, 2, 132
- stationary, 37
- stochastic spatial modelling, 342
- study area
 - extent, 259
- survey
 - design, 185, 342
- synchrony, 252–253, 256
- Tavaré's method, 179
- temporal

- temporal (cont.)
 - analysis, 227
 - cycles, 10, 253
 - explicit, 12, 17, 20, 31
 - lag, 331
 - network, 318
 - sampling interval, 229–230, 234–235, 310, 318
 - scale, 13, 20, 189, 335
- tessellation, 21, 40
- three-dimensional, 1
- threshold distance, 44, 216, 276, 302–303
- time lag, 228, 254
- time series, 107, 117, 122, 163, 204, 235, 252, 254, 256, 336, 356
- Tobler's Law, 97, 261, 332
- topology, 22, 285
- transition probabilities, 179
- travelling waves, 253, 256
- variance partitioning, 216
- variance–covariance matrix, 85, 129, 204–205, 210, 213
- variance-to-mean ratio, 50, 81, 86
- variogram
 - bounded, 113
 - cross-covariance, 118
 - cross-validation, 130
 - directional, 116
 - empirical, 213
 - experimental, 111, 128, 133
 - head locations, 116
 - linear, 208
 - multivariate, 213
 - nugget effect, 111
 - omnidirectional, 86
 - sample, 111
 - semi-variance, 111
 - sill, 111, 113, 128, 133
 - spatial range, 111, 216
 - spherical, 208, 216
 - tail locations, 116
 - theoretical, 111, 129, 133
 - unbounded, 113
- variography, 31
 - semi-variance, 103, 111
- Voronoi polygons, 43
- wavelet, 32, 95
 - boater, 80, 90
 - continuous decomposition transform (CWT), 220
 - correlation, 90
 - covariance, 90, 340
 - discrete decomposition transform (DWT), 220
 - French top hat (FTH), 89
 - Haar, 89, 146, 210
 - hierarchical transform, 214
 - maximum overlap discrete transform (MODWT), 221
 - Mexican hat, 89, 340
 - Morlet, 89–90
 - multiscale analysis, 158
 - scalogram, 221
 - transform, 89, 158, 214, 220–221
 - variance, 89–90, 158, 221
 - Walsh transform, 88, 90
- weight matrix, 46, 119, 205
- zone of influence, 106, 333
- zone of overlap, 6