

Index

Note: Page numbers in *Italics* refer to figures and tables

- 5- α -reductase type 1, 16
 - 8-OH-2'-deoxyguanosine, 114, 115, 116
 - 8-OH-guanine, 114, 115, 116
 - A23187 calcium ionophore, 159, 169
 - accident prevention
 - employees' responsibilities, 309
 - supervisors' responsibilities, 308
 - accreditation, 267–70, 268
 - acetylcholine, 18
 - acrosin, 28
 - acrosome reaction (AR), 27–8
 - testing, 159–62
 - calculations, 160–1
 - equipment, 159
 - interpretation guidelines, 161
 - materials, disposable, 159
 - principle, 159
 - procedure, 160
 - quality control, 160
 - reagents, 159–60
 - results, 160–1
 - specimen, 159
 - acrosome reaction following ionophore challenge (ARIC) test, 145, 155, 159
 - reagent, 159
 - value, 160
- adherence-based methods, 197
- adrenergic neurons, 19
- adrenergic α_1 -receptors, 18
- adult man, 10
- agglutination, 44, 81
- AGREE Instruments. *See* Appraisal of Guidelines Research and Evaluation (AGREE) Instruments
- AI. *See* artificial intelligence (AI)
- air displacement pipetters, 335
- air incubator, 335
- α -glucosidase, ejaculate biochemistry, 327
- American Association of Tissue Banks (AATB), 283
- amplitude of lateral head displacement (ALH), CASA, 133
- ampulla, 14, 15, 18
- analytical balance, 335
- androgens, sperm transport, 15
- antegrade ejaculation, 36, 211
- antioxidants, cryopreservation media, 226
- antisperm antibodies (ASABs), 44, 48, 57, 81, 195, 325–6
 - in cervical mucus, 180
 - direct testing, 82
 - free donor spermatozoa, 85
 - indirect testing, 82
 - mixed antiglobulin reaction (MAR) test, 81
 - direct, 82–4
 - indirect, 84–5
 - primary screening test, 81
 - testing for, 192
- Appraisal of Guidelines Research and Evaluation (AGREE) Instruments, 265
- aquaporins (AQPs), 220
- AR. *See* acrosome reaction (AR)
- ARIC test. *See* acrosome reaction following ionophore challenge (ARIC) test
- artificial insemination, 26
- artificial intelligence (AI), 148–9
- ASABs. *See* antisperm antibodies (ASABs)
- asthenozoospermia, 3
- atypical sperm morphology, 67–70
- autologous cryopreservation, 239
- average path velocity (VAP), CASA, 132
- azoospermia, 39, 41, 42, 43, 46, 107, 256
 - non-obstructive, 256
- bacteria, semen sample, 45
- bacterial infections, 40, 86
- balanced translocations, 23
- beat/cross frequency (BCF), CASA, 133
- benzidine-cyanosine stain, 76
- biochemical test
 - epididymis, 104–7
 - fructose, 100–3
 - neutral α -glucosidase (NAG), 104–7
 - prostate, 96–100
 - seminal vesicles, 100–3
 - zinc, 96–100
- biological materials safety
 - in ART laboratories, 311–12
 - contaminated waste disposal, 312
 - semen, 311
 - collection and specimen reception, 311
 - disposal, 311
 - handling and processing, 311
 - spills, 311
 - use and disposal, 310–11
- bladder neck, 19
- Bland & Altman charts, 271, 272, 274
- blood-testis barrier, 10
- buffers, cryopreservation media, 226, 228
- bulbocavernosus muscle, 20
- calcium ionophore, 159, 169
- canisters, 242
- capacitation, 17, 27, 132, 194
- CASA. *See* computer-aided sperm analysis (CASA)
- castanospermine, 104
- cauda epididymidis, 16, 17
- CD45 pan-leukocyte antigen, immunocytochemical staining, 87–90
 - calculations, 90
 - calibration, 89
 - equipment, 88
 - interpretation guidelines, 90
 - materials, disposable, 88
 - principle, 87
 - procedure, 89–90
 - quality control, 89
 - reagents, 88–9
 - results, 90
- centrifuge, 335
- centriole, 29–30
- centrosome, 30
- certification, 268
- cervical mucus, 84, *See also* sperm mucus

Juan G. Alvarez , Trine B. Haugen

Index

[More Info](#)

Index

- cervical mucus (cont.)
 anti-sperm antibodies in, 180
 cellularity, 177
 ferning, 177
 Insler score, 177
 criteria for assigning
 component values, 178
 pH, 178
 quality assessment, 177–8
 sampling, 176–7
 equipment, 176
 materials, disposable, 176
 procedure, 177
 reagents, 176
 scheduling, 176
 sperm, 59
 passage through, 23–5
 penetration, 143, 175
 spinnbarkeit, 177
 storage of, 178
 substitutes, 192
- chelating agents, 226
 chemical materials safety, 312
 chemiluminescence, ROS
 measurement using, 91–4
 chilling damage, 220
 Chlamydia trachomatis, 86
 chorionic villi, 30
 chromatin, sperm, 10–13, 19, *See also* Sperm Chromatin Dispersion (SCD) test;
 sperm chromatin structure assay (SCSA)
 assessment by TUNEL, 120
 stability, 12, 21
 chromosomes, 5
 deletion, 23
 translocations, 14
 ciliary dyskinesia, 48, 57
 cilium, 30
 class II biosafety cabinet, 337
 Clinical Laboratory Improvement Amendment (CLIA), 283
 Clinical Pathology Accreditation (CPA), 269
 CO₂ incubator, 335
 coefficient of variation (CV), 271, 274, 275, 279
 cold shock, 220
 College of American Pathologists (CAP), 283
 colloidal silica, 198, 199
 commercialisation, 198
 DGC products, 199
 COMET test, 115, 121–4
 Alkaline Comet, 123
 equipment, 121
 materials, 121
 Neutral Comet, 123
 principle, 121
 procedure, 121–3
 reagents, 121
 reference values, 124
 results, 124
 specimen, 121
 commercial density gradient, 200
 Commission on Laboratory Accreditation (COLA), 283
 competitive sperm-zona binding assay (CZA), 166–8
 calculations, 168
 equipment, 166–7
 interpretation guidelines, 168
 materials, disposable, 167
 principle, 166
 procedure, 167–8
 quality control, 167
 reagents, 167
 results, 168
 specimens, 166
 compressed gases safety rules, 312
 computer-aided sperm analysis (CASA), 130–49, 284, 325, 339
 amplitude of lateral head displacement (ALH), 133
 applications, 137–40
 artificial intelligence technology, 148–9
 as automated semen analyzers, 130
 average path velocity (VAP), 132
 beat/cross frequency (BCF), 133
 clinical application, 139–40
 curvilinear velocity (VCL), 132, 132
 discrepancy plots, 147
 DNA fragmentation, 145
 FAST software, 148
 fractal dimension (D or FDM), 133
 general recommendations, 137
 holographic, 148
 instrumentation, 137–8
 limitations
 biological, 133, 134
 technical, 134, 135–7
 technological, 133–5
 limits of agreement, 147
 linearity (LIN), 132
 Measurement Uncertainty, 147
 misuse of, 130
 mobile phone, 149
 OpenCASA, 148
 overview, 130
 ‘playback’ feature, 145, 146
 point-of-care devices, 149
 quality control, 145–6
 in reproductive toxicology, 140
 semen analysis, 141–3
 accuracy, 147
 functionality limitations, 133–7
 precision, 147
 validation, 146–8
 sperm concentration, 141, 146
 determination, 138
 sperm fertilizing ability, 145
 sperm functional potential assessment, 143–5
 sperm hyperactivation, 139, 144–5, 155
 sperm morphology, 139, 142
 sperm motility, 135
 determination, 138–9
 kinematic measures of, 131–3
 percentages, 142
 quality control, 145–6
 sperm survival assay, 171
 sperm vitality, 142–3
 sperm-mucus penetration, 143
 straight-line velocity (VSL), 132
 straightness (STR), 132
 systems/devices, 143
 kinematics between, non-comparability issues, 140–1
 manufacturers, 131
 wobble (WOB), 132
 continuous equipment monitoring, 281
 continuous variables, 271, 277–8
 controlled rate freezer, 338
 conventional TESE (cTESE), 256
 convolutional neural networks (CNNs), 148
 cooling/warming
 control rate in cryopreservation, 229–30
 flash-freeze technique, 230
 ice nucleation, formation, 219
 mechanically assisted vapour phase, 230
 rate, intended, 232
 static vapour phase, 230
 thawing, 230–1
 by thermocouple, 233
 ultra-rapid freezing, 230
 vitrification, 230
 cortical granules, 29
 counting chambers, 335
 COVID-19. *See* SARS-CoV-2
 CPMs. *See* cryopreservation medium/media (CPMs)
 crossed-hostility test (XHT), 190–2
 format, 191
 interpretation guidelines, 191–2
 principle, 190–1
 procedure, 191
 specimens, 191
 cryobank organization, 242
 sample storage location, 242–4
 canisters, 242
 cryocanes, 242
 cryo-cassettes, 243
 cryoflex, 243
 flags, 243

Juan G. Alvarez , Trine B. Haugen

Index	Index
goblets, 242 inventory systems, 244, 244 labels, 243 storage box, 243 visotubes, 242 samples and tank types, 244–6 storage systems, 246–8 inventory control systems, 247 legal considerations, 247–8 traceability, 247 types, 247 transportation, 248 cryobanking, 224, 234, 296–300, <i>See</i> <i>also</i> cryopreservation applications, 225 cryostorage tank management, 297–9 divided storage, 299 equipment, 338 controlled rate freezer, 338 cryogenic safety gear, 338 cryogenic storage dewars, 338 liquid nitrogen supply vessel, 338 sealing device for straws, 339 ethical concerns, 247 general measures, 296–9 liquid nitrogen transport, 296 maximum number of children per donor, 248 posthumous reproduction, 248 premature warming of cells, 299–300 specimen identity verification, 296 staff safety, 296 storage period, 248 transmission of infection, 299 cryocanes, 242 cryo-cassettes, 243 cryodamage, 221–2, 222 cryogenic marker pens, 336 cryogenic safety gear, 338 cryogenic storage dewars, 338 cryopreservation, 218–51, 271, 296–300 biological factors, 225, 226 calibration, 235 centrifugation, 240 cooling rates in, 229–30 cryodamage, 221–2, 222 cryoprotective agents, 223 disposable materials, 235 equipment, 234 fragility, 240 freezing, 218 cellular response, 220–1 freezing phase, 237–8 good manufacturing practice, 227 highly viscous samples, 240 ice nucleation, 218, 219 intracellular ice formation, 221 methods, 218, 224–6 osmotic stress, 221–2 packaging devices, 231–4 peroxidation, 226 post-thaw motility, 238 principle, 234 quality control cross-contamination, 235 cryostorage vessel, 236 external, 236 homogeneity among straws from sperm donor, 236 internal, 236 reagents, 236 sample identification, 235 temperature, 235 water baths, 236 reactive oxygen species, 222, 226 reagents, 235 recrystallization process, 222 refreezing, 240 results, 239 specimen, 236–7 technical factors, 225 testicular/epididymal sperm samples, 237 thawing, 221, 230–1, 238 vitrification, 218–19, 223–4, 231 warming rates in, 229–30 zonae pellucidae, 240 cryopreservation medium/media (CPMs), 224, 226 addition/removal, 228, 229 antioxidants, 226 buffers, 226, 228 chelating agents, 226 commercial products, 227 formulations, 226–8 plasma membrane, agents interact in, 226 cryoprotective agents (CPAs), 223 benefits, 223 non-permeating, 223 osmosis, 223 permeating, 223 toxicity, 223 cryostorage tank management, 297–9 vessel, 236 cryosurvival factor (CSF), 239 cryotank alarm system, 236 crystallization process, 221 CSF. <i>See</i> cryosurvival factor (CSF) CT-EQC. <i>See</i> cytotoxicity external quality control programme (CT-EQC) cTESE. <i>See</i> conventional TESE (cTESE) curvilinear velocity (VCL), CASA, 132 cytomegalovirus (CMV) infections, 250 cytoplasmic residues, 70 cytotoxicity external quality control programme (CT-EQC), 280 CZA. <i>See</i> competitive sperm-zona binding assay (CZA) DAG defect, 69 dead sperm, 56 decapacitation factor, 194, 203, 206 deep learning (DL) algorithms, 148, 149 Deming's regression method, 278, 284 density gradient centrifugation (DGC) technique, 195, 196, 198–202, 199, 206–9 calculations, 209 calibration, 208 colloidal silica products, 199 discontinuous, 202 equipment, 207 interpretation guidelines, 209 materials, disposable, 207 optimization methods, 200–2 harvesting technique, 201–2, 202 layers in, 201 post-gradient swim-up, 202 speed/time, 201 tubes and rotors, 200–1 washing, 202 osmolarity mechanism, 200 principle, 206–7 procedure, 208–9 Pro-Insert device, 211, 212 quality control, 208 reagents, 207 results, 209 risk, ROS using, 199–200 specimen, 207 sperm wash buffer, 203 Trial Wash, 212–13 devitrification, 218–19 DFI. <i>See</i> DNA Fragmentation Index (DFI) DGC technique. <i>See</i> density gradient centrifugation (DGC) technique Diff-Quik®, 62 dihydrotestosterone, 16 direct MAR test, 82–4 calculations, 83–4 equipment, 82 interpretation guidelines, 84 materials, disposable, 82 principle, 82 procedure, 83 quality control, 83 reagents, 82 results, 83–4	

Juan G. Alvarez , Trine B. Haugen

Index
[More Info](#)

- direct MAR test (cont.)
 - specimen, 82
- direct swim-up from semen (DSUS), 195, 196, 196–7, 202, 203–6
 - calculations, 205
 - calibration, 204
 - equipment, 204
 - materials, disposable, 204
 - principle, 203
 - procedure, 205
 - quality control, 205
 - reagents, 204
 - results, 205
 - specimen, 204
- discrete variables, 271, 277
- distal cauda, 15
- DNA, 10–14, 114–27
 - assessment
 - COMET test, 115, 121–4
 - Halosperm test, 115, 124–7
 - sperm chromatin structure assay, 115
 - TUNEL test, 115, 116–20
 - values, 328–30
- DNA damage, 114, 194
 - COMET test, 115, 121–4
 - iceberg effect, 114, 116
 - low sperm number, 23
 - potential, 115
 - ROS, 203
 - on sperm storage, 17
 - TUNEL test, 115, 116–20
 - viable pregnancy, 116
- DNA fragmentation, 114
 - CASA, 145
 - Halosperm test, 115, 124–7
 - sperm chromatin structure assay, 115
 - testing indications, 116
- DNA Fragmentation Index (DFI), 328
- docosahexaenoic acid (DHA), 90
- donor screening
 - clinical history and physical screening, 249
 - genetic screening, 249–50
 - semen analysis, 251
 - serological and microbiological tests, 250–1
 - sperm donor recruitment, 249
- donor sperm, 239
- donor tanks, 245
- dry bath/warming block, 335
- dry shipper, 248, 338
- DSUS. *See* direct swim-up from semen (DSUS)
- EDTA, 199, 200, 226
- ejaculate biochemistry, 326–7
 - α -glucosidase, 327
 - fructose, 326
 - zinc, 326
- ejaculate examination, 86
- ejaculation, 19–21, 107
 - antegrade, 19, 36, 211
 - composition, 21
 - frequency, 17
 - infectious sample, 211–12
 - retrograde, 19, 36
 - urine specimen, 211
 - zinc redistribution at, 20
- ejaculation sequence, 20–1, 107–10
 - abnormal, 20–1
 - calculations, 109
 - equipment, 108
 - interpretation guidelines, 109
 - materials, disposable, 108
 - principle, 107–8
 - procedure, 108–9
 - quality control, 108
 - results, 109
 - specimen, 108
- ejaculatory ducts, 15, 18
- ejaculatory flow speed, 20
- ejaculatory muscles, 20
- electrophoresis, sperm separation by, 197, 198
- embryonic male, 10
- embryos, 5
 - spermatogenesis preparation in, 6
- emergency tanks, 246
- emission, 19
 - smooth muscles innervation, 19
- endometrium, 30
- Endtz test, 74
- Eosin Y, 55
- epididymal duct, 14
- epididymal spermatozoa, 256–8
 - calculations and results, 258
 - calibration, 257
 - equipment, 256
 - materials, disposable, 257
 - principle, 256
 - procedure, 257–8
 - quality control, 257
 - reagents, 257
 - specimen, 256
- epididymis, 14
 - biochemical test, 104–7
 - sperm storage, 16–17
 - sperm transport, 15–16
 - transit time, 15
- epithelium cells, 45, 62
- EQA. *See* external quality assurance (EQA) schemes
- EQAP. *See* external quality assessment programme (EQAP)
- equipment
 - balances, 335
 - analytical, 335
 - top load, 335
 - categories, 333
- centrifuge, 335
- counting chambers, 335
- cryobanking equipment, 338
 - controlled rate freezer, 338
 - cryogenic safety gear, 338
 - cryogenic storage dewars, 338
 - liquid nitrogen supply vessel, 338
 - sealing device for straws, 339
- incubators, 335
- microscope, 333–4
 - digital video camera, 334
 - fluorescence microscope, 339
 - inverted microscope, 340
 - small monitor, 334
 - video character generator/titrer, 334
 - videomicrography system, 334
- pipettors, 337
 - air displacement, 337
 - controller, 337
 - macro, 337
 - positive displacement, 337
- refrigerator, 337
- requirement, 333–40
- safety cabinet, 337
- specialized assays equipment, 339–40
 - CASA instrument, 339
 - flow cytometer, 339
 - fluorescence microscope, 339
 - inverted microscope, 340
 - luminometer, 340
 - tally counters, 337–8
 - thermometers, 337
- erythrocytes. *See* red blood cells (RBCs)
- estradiol, 25
- European Commission, 283
- European Cooperation for Accreditation (ECA), 269
- European Union (EU), 282–3
- extended semen analysis, 1
- external QC/QA schemes, 279–81
- external quality assessment programme (EQAP), 274, 276, 279, 281
- external quality assurance (EQA) schemes, 278
 - analytical performance evaluation, 279
 - external QC/QA, 279–81, 280
- eye protection, laboratory safety, 309
- Failure Modes and Effects Analysis (FMEA), 277, 290–2
 - healthcare applications of, 291
 - rating schemes, 291–2
- Fallopian tube sperm perfusion (FSP), 26
- Fallopian tubes, 26

Juan G. Alvarez , Trine B. Haugen

Index

[More](#)

Index

isthmus, 27
 fecundity rate, 232
 female reproductive physiology, 23–30
 cervical mucus, 23–5
 fertilization, 26
 isthmic sperm reservoir, 25–6
 oocyte
 activation, 29
 passage of competent spermatozoa, 28
 single, 23
 sperm fusion, 28
 sperm invasion, 23
 sperm messages after fusion, 29–30
 sperm mitochondria destruction, 30
 oviductal ampulla, 26
 sperm responses to female genital tract signals, 27–8
 sperm storage, 27
 utero-tubal junction, 25–6
 ferning, cervical mucus, 177
 Fertile Plus® device, 196
 Fertile® device, 196
 fertilization
 of gametes, 5
 sperm capacity, 16
 sperm passage through cervical mucus, 25
 sperm reaching place for, 26
 fire safety rules, 309–10
 fire/explosion safety, 313
 flagellum, 30, 90, 131, 155
 flash-freeze technique, 230
 flow cytometry, 339
 TUNEL test, 117–18, 119
 FMEA. *See* Failure Modes and Effects Analysis (FMEA)
 follicle stimulating hormone (FSH), 8, 25
 forceps, 336
 fractal dimension (D or FDM), CASA, 133
 free sperm, 55
 freezer, 335
 freezing, 218
 cellular response, 220–1
 flash-freeze technique, 230
 programmable systems, 229
 quench, 230
 seeding, 218, 220–1
 ultra-rapid, 230
 fructose, 18, 100
 ejaculate biochemistry, 326
 qualitative assessment, 103–4
 quantitative assessment, 100–3
 calculations, 102–3
 calibration, 101
 equipment, 100–1
 interpretation guidelines, 103

material, disposable, 101
 principle, 100
 procedure, 102
 quality control, 101
 reagents, 101
 results, 102–3
 specimen, 100
 fume hood/fume adsorber, 335
 gametes, 5–6
 fertilization of, 5
 male, production of, 6–10
 in mammals, 6
 protection in laboratory, 5
 uniqueness, 5
 genetic screening, 249–50
 genomic imprinting, 30
 germ cells, 6, 8
 immature, 90
 glass transition temperature (T_g), 218
 glassware, 336
 globozoospermia, 70
 GLP. *See* Good Laboratory Practice (GLP)
 GMP. *See* good manufacturing practice (GMP)
 goblets, 242
 Gold Standard semen examination methodology, 284
 gonads, 5
 Good Laboratory Practice (GLP), 282
 good manufacturing practice (GMP), 227
 haemocytometer, 51, 55, 141, 335
 Halosperm test, 115, 124–7
 calculations, 127
 equipment, 125
 materials, 125
 principle, 124–5
 procedure, 126–7
 quality control, 127
 reagents, 125–6
 reference values, 127
 results, 127
 specimen, 125
 values, 330
 HAmass assay, 156, 156
 interpretation guidelines, 158
 reagents, 157
 hamster egg penetration test (HEPT), 168–9
 hand protection, laboratory safety, 309
 harvesting technique, DGC, 201–2
 hazardous materials safety, 313–14
 fire/explosion, 313
 mercury, 314
 reactivity data, 314
 toxicological properties, 314

HBA. *See* Hyaluronan Binding Assay (HBA)
 HDS fraction. *See* High DNA Stainable (HDS) fraction
 Health and Safety Executive (HSE), 307
 Health Technology Assessment (HTA), 265, 266
 heated stirrer, 335
 Hemacolor®, 62
 hemizona assay (HZA), 163–6
 calculations, 165
 equipment, 164
 interpretation guidelines, 165
 materials, disposable, 164
 micromanipulator, 340
 principle, 163
 procedure, 164–72
 quality control, 164
 reagents, 164
 results, 165
 specimens, 163–4
 hemizona index (HZI), 165
 HEPT. *See* hamster egg penetration test (HEPT)
 High DNA Stainable (HDS) fraction, 328
 Holstein, Adolph, 10
 home testing, 341, 342–3
 HOS test. *See* hypo-osmotic swelling (HOS) test
 hSST. *See* human sperm survival test (hSST)
 human resources, risk management, 294
 human sperm survival test (hSST), 279
 humid chamber, 335
 hyaluronan, 172
 Hyaluronan Binding Assay (HBA), 172
 hyaluronidase, 28
 hydatidiform mole, 30
 hyperactivation, sperm, 27
 assessment, 155–8
 calculations, 158
 calibration, 157
 equipment, 157
 interpretation guidelines, 158
 materials, disposable, 157
 principle, 155–6
 procedure, 158
 quality control, 158
 reagents, 157
 results, 158
 specimen, 156
 CASA, 139, 144–5, 155
 spontaneous, 155, 156
 hypertonic density gradient, 200
 hypogastric nerves, 19
 hypogastric plexus, 19
 hypo-osmotic shock, 21–2

Juan G. Alvarez , Trine B. Haugen

Index
[More Info](#)

hypo-osmotic swelling (HOS) test, 22	International Laboratory Accreditation Cooperation (ILAC), 269	specimens, 185
HZA. <i>See</i> hemizona assay (HZA)	International Organization for Standardization (ISO), 269, 270	Kurzrok-Miller (K-M) test, 183–4, 184
HZI. <i>See</i> hemizona index (HZI)	inter-observer quality control, 274	calculations, 184
ice formation	intracellular ice formation, 221	equipment, 183
extracellular medium, 220–1	intra-cervical insemination (ICI), 26	interpretation guidelines, 184
intracellular, 221	intracytoplasmic sperm injection (ICSI), 2, 28, 194, 212, 300	materials, disposable, 183
ice nucleation, cryopreservation, 218	hyaluronan-bound spermatozoa for, 197–8	principle, 183
formation, 219	physiological, 197, 198	procedure, 183–92
iceberg effect, 114, 116	simple washing, 203	quality control, 183
ICSI. <i>See</i> intracytoplasmic sperm injection (ICSI)	thawing, spermatozoa, 260	reagents, 183
ideal sperm morphology, 66–7	intra-urethral pressure, 20	results, 184
immotile cilia syndrome, 48, 57	intrauterine insemination (IUI), 26, 239	specimens, 183
immotile spermatozoa, 46, 135, 202	inventory systems, cryobanking, 247	label printer, 338
immunoglobulin A (IgA)	inverted microscope, 340	laboratory
antisperm antibodies, 81	<i>in-vitro</i> fertilization (IVF), 115	gametes protection in, 5
mixed antiglobulin reaction test, 82, 83	iris scissors, 336	management, 293–4
immunoglobulin G (IgG)	ischio-cavernosus muscles, 20	identification technologies, 295–6
antisperm antibodies, 81	ISO Standards, 282	inadequate human resources, 294
mixed antiglobulin reaction test, 82, 83	ISolate®, 199	inadequate systems, 294
indirect MAR test, 84–5	isomolar vitrification media, 231	inappropriate methods, 293
calculations, 85	isthmic sperm reservoir, 25–6	physical resources, 293
equipment, 84	IUI. <i>See</i> intrauterine insemination (IUI)	requirement, 333–40
interpretation guidelines, 85	Joint Commission on Accreditation of Healthcare Organizations (JCAHO), 283	standard operating procedures, 294
materials, disposable, 84	Kartagener syndrome, 48, 57	safety. <i>See</i> safety
principle, 84	Key Performance Indicators (KPIs), 265, 301	learning curve, 270
procedure, 85	structural and outcome, 266	Leidenfrost effect, 230
quality control, 85	total testing process, 265, 267	LensHooke™ X1 Pro, 149
reagents, 84–5	types, 265	leucocytes/leukocytes, 25, 61, 73
results, 85	K-M test. <i>See</i> Kurzrok-Miller (K-M) test	CD45 pan-leukocyte antigen, immunocytochemical staining, 87–90
specimens, 84	Koek Biotechnology, 196	polymorphonuclear leucocytes, 73
infections	KPIs. <i>See</i> Key Performance Indicators (KPIs)	ROS production, 91
bacterial, 86	Kremer, J., Dr., 185	in semen, 44–5, 87
semen	Kremer sperm penetration test, 185–8	sample, 287
microbiological examination, 86–7	calculations, 188	staining, 87, 88
odour, 40	calibration, 186	leucocytospermia/leukocytospermia, 74, 87
viral, 86–7	equipment, 185	LeucoScreen™, 76
infectious disease patient tanks, 246	interpretation guidelines, 188	Levy-Jennings chart, 274
inflammatory cells, 74	materials, disposable, 185	Leydig cells, 10
inhibin B, 8	principle, 185	lipid phase transition, 220
Insler score, cervical mucus, 177	procedure, 186–8	liquid nitrogen, 234
criteria for assigning component values, 178	quality control, 186	supply vessel, 338
Inter-American Accreditation Co-operation (IACC), 269	reagents, 186	transport, 296
internal QC, 273	results, 188	live sperm, 56
control materials	semen reservoir in, 187	luminol, 91
decision-making levels, 274		ROS measurement using, 91–4
quality requirement, 274		luminometer, 340
recommended, 273		
selection, 273		
stability of method, 274		
variation of method, 274		
patient samples, 274		
		machine learning (ML) algorithms, 148
		macro pipetter, 337
		magnetically activated cell sorting (MACS), 197
		makler chambers, 335

Juan G. Alvarez , Trine B. Haugen

Index	
More	Index

male infertility, 11, 155	mobile phone CASA, 149	cooling/warming rates, 232
male pronucleus, 29	mtDNA. <i>See</i> mitochondrial DNA (mtDNA)	cross-contamination risk, 232–4
male reproductive tract, 15		effective sealing, 232
bacterial infection, 86	NAG. <i>See</i> neutral α -glucosidase (NAG)	fecundity rate, 232
male subfertility, 86	National Association of Testing Authorities (NATA), 283	fragility, 232
prevalence of, 1	Neubauer haemocytometer, 44, 53, 54	selection of, 232–4
male temperament, 10	neutral α -glucosidase (NAG), 77, 104–7	straws vs. cryovials, 232
mammals	assessment	Papanicolaou staining, 61–2, 64, 73
epididymal transit time, 15	calculations, 106	leukocytes, 87, 88
gametes in, 6	calibration, 105–6	modified, 63
mitotic divisions in, 6	equipment, 105	parthenogenesis, 30
oocyte, 28	interpretation guidelines, 107	Passing & Bablok analysis, 278
sperm reservoir, 25	materials, disposable, 105	paternal genome, 114
MAR test. <i>See</i> mixed antiglobulin reaction (MAR) test	principle, 104	PCT. <i>See</i> post-coital test (PCT)
material safety data sheets (MSDSs), 307	procedure, 106	PDCA cycle. <i>See</i> Plan-Do-Check-Act (PDCA) cycle
measurement uncertainty (MU), 277–7, 284	quality control, 106	peanut agglutinin (PNA), 145
mechanically assisted vapour phase cooling, 230	reagents, 105	pentoxifylline, 155, 159
MedCalc software, 277	results, 106	Percoll®, 198, 199, 201
meiosis, 5, 7	specimen, 104	percutaneous sperm aspiration (PESA), 256
evolution of, 5	Nigrosin, 55	pericentriolar material, 29
meiotic	NOA. <i>See</i> non-obstructive azoospermia (NOA)	permeable cryoprotectant-free sperm vitrification, 224
cell division, 6	non-ideal sperm morphology, 67–70	permeating cryoprotective agents, 223, 224
recombination, 5	non-obstructive azoospermia (NOA), 256	peroxidase-positive cells, 74–6
mercury materials safety, 314	non-permeating cryoprotective agents, 223	calculations, 76
MESA. <i>See</i> micro-epididymal sperm aspiration (MESA)	non-progressive spermatozoa, 46, 134	equipment, 74
messenger cell, 10	noradrenalin, 18, 19, 25	materials, disposable, 74
method selection, 275		principle, 74
basic requirements, 275–6	oligozoospermia, 3, 39, 43, 46	procedure, 76
continuous variables, 277–8	oocytes, 5, 115, 166	quality control, 75
discrete variables, 277	activation, 29	reagents, 75
measurement uncertainty, 277–7	passage of competent spermatozoa, 28	results, 76
quality cycle, 278	single, 23	specimen, 74
microdissection TESE (micro-TESE), 256, 258	sperm fusion, 28	PESA. <i>See</i> percutaneous sperm aspiration (PESA)
micro-epididymal sperm aspiration (MESA), 256	sperm messages after fusion, 29–30	phenotype, 6
micro-organisms, 5	sperm mitochondria destruction, 30	physiological ICSI (PICSI), 197, 198
microscope, 333–4	zona-free hamster, 169	PICSI® Dish, 197, 198
migration-sedimentation technique, 195	ooplasm, 28	pipetters
MiOXSYS test, 94–6, 327	OpenCASA, 148	air displacement, 337
calculations, 96	ORP. <i>See</i> oxidation-reduction potential (ORP)	controller, 337
equipment, 95	osmolarity mechanism, 200	macro, 337
materials, disposable, 95	osmotic stress, 221–2	positive displacement, 337
principle, 94–5	oviductal ampulla, 26	placental development, 30
procedure, 95–6	oxidation-reduction potential (ORP), 91, 94	Plan-Do-Check-Act (PDCA) cycle, 263, 263, 278
quality control, 95	oxidative stress, 327	pleiomorphism, 14
reagents, 95		PMNs. <i>See</i> polymorphonuclear leukocytes (PMNs)
results, 96	packaging devices,	point-of-care CASA devices, 149
specimen, 95	cryopreservation, 231–4	polymorphonuclear leukocytes (PMNs), 73
miscarriage, 23		positive displacement pipetter, 337
mitochondrial DNA (mtDNA), 13–14, 30		post-coital test (PCT), 175, 179–83
mixed antiglobulin reaction (MAR) test, 81		calculations, 182
direct, 82–4		calibration, 180–1
indirect, 84–5		equipment, 180
		interpretation guidelines, 182–3
		materials, disposable, 180

Juan G. Alvarez , Trine B. Haugen

Index
[More Info](#)

Index

- post-coital test (PCT) (cont.)
 - overview, 179–80
 - principle, 180
 - procedure, 181–92
 - quality control, 181
 - results, 182
 - specimen, 180
 - posthumous reproduction, 248
 - post-synaptic nerves, 19
 - post-synaptic short neurons, 19
 - premature warming of cells
 - alarm systems, 299
 - freezing, 299
 - liquid nitrogen supply, 300
 - monitoring system, 299
 - packaging system, 300
 - pre-screening patient tanks, 246
 - Pre-Seed, 36
 - pre-synaptic sympathetic neurons, 19
 - proactive risk management, 290
 - Process Mapping, 264
 - progesterone, 155, 159
 - prognostic information, 2
 - pronucleus, 29
 - prostaglandins, 18
 - prostate, 18
 - biochemical test, 96–100
 - Prostate Specific Antigen (PSA), 21
 - prostatic fluid, 17, 18, 19, 21, 23
 - protamines, sperm, 10–13
 - protective equipment/clothing,
 - laboratory worker, 309
 - protozoa, 45
 - proximal cauda epididymidis, 27
 - psychological screening, 249
 - public safety, 293
 - PureSperm®, 199, 200
 - quality assurance (QA), 262
 - quality concepts
 - overview, 262
 - QA, 262
 - QC, 262
 - QI, 263
 - QMS. *See* quality management system (QMS)
 - quality control (QC), 262, 273
 - accumulative histogram/rolling average, 275
 - and CV, 275
 - internal, 273–4
 - inter-observer, 274
 - quality improvement (QI), 263
 - quality management system (QMS), 264
 - customer-focus, 264
 - documents, 264
 - evidence-based decision making, 265
 - improvement, 265
 - KPIs, 265
 - leadership, 264
 - people engagement, 264
 - process approach, 264–5
 - relationship management, 266
 - quarantine tank, 246
 - quench freezing, 230
 - rapid progressive spermatozoa, 46, 48
 - motility values, 322–3
 - RCA. *See* Root Cause Analysis (RCA)
 - reactive oxygen species (ROS), 70
 - DNA damage, 203
 - endogenous/exogenous, 222, 226
 - measurement, 90–4, 327
 - calculations, 93
 - equipment, 91
 - interpretation guidelines, 94
 - issues in, 94
 - materials, disposable, 92
 - principle, 91
 - procedure, 92–3
 - quality control, 92
 - reagents, 92
 - results, 93
 - specimen, 91
 - using luminol
 - chemiluminescence, 91–4
 - osmotic stress, 222
 - using DGC, 199–200
 - recrystallization process, 219, 222
 - red blood cells (RBCs), 45, 261
 - redox state, 94–6
 - reference thermometer, 337
 - refrigerator, 337
 - registration, 268
 - regulatory aspects
 - European Union (and EEA), 282–3
 - ISO Standards, 282
 - overview, 282
 - regulatory environments, 282
 - standards vs. guidelines, 283–4
 - reproductive toxicant testing, 305
 - reproductive toxicology, 303–5
 - CASA, 140
 - overview, 303
 - semen analysis, 303–5
 - reproductive toxicant testing, 305
 - standardization of, 303–5
 - technicians training, 305
 - respiratory protection, laboratory safety, 309
 - results, 316–30
 - decision limits, 319–20
 - reference limits, 316, 319
 - semen examination values, 320–4
 - ejaculate volume, 320
 - sperm concentration, 320–1
 - sperm count, 321–2
 - sperm morphology, 323–4
 - sperm motility, 322
 - sperm progression grading, 323
 - sperm progressive motility, 322
 - sperm rapid progressive motility, 322–3
 - sperm vitality, 323
 - retrograde ejaculation, 36
 - urine specimen, 211
 - retrospective risk management, 290
 - Risk Criticality score, 292
 - risk management, 290–301
 - cryobanking, 296–300
 - general measures, 296–9
 - premature warming of cells, 299–300
 - transmission of infection, 299
 - cryostorage tank management, 297–9
 - devices/products, 293
 - dual/divided storage, 299
 - Failure Modes and Effects Analysis, 290–2
 - healthcare applications of, 291
 - rating schemes, 291–2
 - inadequate human resources, 294
 - inadequate systems, 294
 - interpretation and diagnosis, 300–1
 - liquid nitrogen transport, 296
 - overview, 290
 - proactive, 290
 - regulation and, 293
 - retrospective, 290
 - Root Cause Analysis, 290–1
 - specimen provenance, 294
 - identity verification, 295–6
 - person identification, 294–5
 - processing and results, 295
 - technological solutions, 295–6
 - staff safety, 296
 - tools, 290–1
- Root Cause Analysis (RCA), 290–1
- ROS. *See* reactive oxygen species (ROS)
- round cells, 61, 73
 - semen sample, 44–5
- rubber bulbs, 336
- safety, 307–14
 - accident prevention, 308–9
 - employees’ responsibilities, 309
 - protective equipment/clothing, 309
 - supervisors’ responsibilities, 308
 - biological materials, 310–12
 - in ART laboratories, 311–12
 - contaminated waste disposal, 312
 - semen, 311
 - use and disposal, 310–11

Juan G. Alvarez , Trine B. Haugen

Index

[More](#)

Index

- chemical materials, 312
- compressed gases, 312
- cryogenics, 312–13
- epidemic/pandemic
 - responsiveness, 314
- fire safety, 309–10
- general recommendations, 307–8
- hazardous materials, 313–14
- incident report form, 314
- spills, 310
- universal precautions, 307
- safety cabinet, laboratory
 - equipment, 337
- safety glasses, 336
- SARS-CoV-2, 35, 251
- SCD test. *See* Sperm Chromatin Dispersion (SCD) test
- scissors, 336
- SCMC test. *See* sperm-cervical mucus contact (SCMC) test
- SCSA. *See* sperm chromatin structure assay (SCSA)
- SD-score, 272
- sealing device for straws, 339
- secretory cells, 18, 19
- seeding, freezing, 218, 220–1
- Segré-Silberberg effect, 135, 137
- semen
 - collection and specimen reception, 311
 - collection room, 293
 - colour, 39–40
 - cytology, 73–4
 - disposal, 311
 - handling and processing, 311
 - immature germ cells in, 90
 - leukocytes, 87
 - normal, 44
 - odour, 40
 - osmolarity, 21–2
 - pH, 41–2
 - ROS in, 91
 - spills, 311
 - visual appearance, 39–40
- semen analysis/examination, 1–3, 34–77, 251
 - analytical procedures, 34
 - CASA, 141–3
 - accuracy, 147
 - functionality limitations for, 133–7
 - precision, 147
 - validation, 146–8
 - clinical utility of, 141
 - cytology, 73–4
 - extended, 81–110
 - information for patient, 36
 - liquefaction, 38–9, 40
 - method validation, 285
 - microbiological examination, 86–7
 - overview, 1
 - patient instructions, 36
 - peroxidase-positive cells
 - identification, 74–6
 - reproductive toxicant testing, 305
 - reproductive toxicology, 303–5
 - sample. *See* semen specimen
 - semen volume, 36–8
 - sperm concentration, 51–5
 - sperm morphology, 58–73
 - sperm motility assessment, 46–51
 - sperm vitality, 55–8
 - and spermatogenesis, 6
 - standardized methods, 21–3
 - technicians training, 305
 - variability in results, 2
 - after vasectomy, 76–7
 - wet preparation, 42–6
 - evaluation of, 43–6
 - formation of, 42–3
- semen analysis/examination values, 320–4
 - anti-sperm antibodies, 325–6
 - computer-aided sperm analysis, 325
 - ejaculate biochemistry, 326–7
 - α -glucosidase, 327
 - fructose, 326
 - zinc, 326
 - ejaculate volume, 320
 - oxidative stress, 327
 - MiOXSYS test, 327
 - sperm concentration, 320–1
 - sperm count, 321–2
 - sperm DNA tests, 328–30
 - sperm function tests, 327–8
 - sperm morphology, 323–4
 - ideal forms, 323–4
 - Teratozoospermia Index, 324
 - sperm motility, 322
 - sperm progression grading, 323
 - sperm progressive motility, 322
 - sperm rapid progressive motility, 322–3
 - sperm vitality, 323
- semen liquefaction, 38–9, 40, 195
 - equipment/materials, 38
 - interpretation guidelines, 39
 - principles, 38
 - procedure, 38–9
 - results, 39
 - specimen, 38
- semen specimen, 210–12
 - cells and debris in, 44–6
 - collection, 34–6
 - colour, 39–40
 - container, 35
 - handling of, 36–8
 - labelling, 37
 - cryopreserved specimens, 211
 - delivery, 34–6
 - dilution, 51–2
 - dirty specimen, 210
 - infectious ejaculates, 211–12
 - microbiological examination, 86–7
 - number of, 2
 - odour, 40
 - pH, 41–2
 - physical examination, 36
 - poor quality specimens, 211
 - retrograde ejaculation urine, 211
 - round cells, 44–5
 - standardized, 21
 - surgically-retrieved sperm specimens, 211
 - temperature, 37
 - viscosity, 40–1
 - viscous samples, 61, 210
 - weighing, 37
- semen viscosity, assessment, 40–1
 - equipment/materials, 41
 - interpretation guidelines, 41
 - principle, 40
 - procedure, 41
 - results, 41
- semen volume, 36–8
 - calculations, 38
 - calibration, 37
 - equipment/materials, 37
 - high, 38
 - interpretation guidelines, 38
 - low, 38
 - principle, 37
 - procedure, 37
 - quality control, 37
 - results, 38
- seminal plasma, 194, 194, 203, 206
 - fructose
 - qualitative assessment, 103–4
 - quantitative assessment, 100–3
 - neutral α -glucosidase assessment, 104–7
 - redox state, 94–6
 - zinc assessment, 96–100
- seminal vesicles, 15, 18
 - biochemical test, 100–3
- seminal vesicular fluid, 42
- seminiferous tubules, 7–8, 9, 14
- serological tests, 250–1
- ‘Sertoli cell only’ syndrome, 6
- Sertoli cells, 6, 7, 8–10
- sexually transmitted viruses, 86
- Shewhart chart, 274
- Shorr staining, 62
- short adrenergic neurons, 19
- short tail syndrome, 71
- slide warmer, 337
- slow progressive spermatozoa, 46
- SMI. *See* Sperm Motility Index (SMI)
- smooth muscles innervation, 19
- solution effect mechanism, 221
- solvent storage cabinet, 337
- somatic Sertoli cell, 6

Juan G. Alvarez , Trine B. Haugen

Index
[More Info](#)

Index

- spatulas, 336
- specialized assays equipment
 - CASA instrument, 339
 - flow cytometer, 339
 - fluorescence microscope, 339
 - inverted microscope, 340
 - luminometer, 340
- specimen identity verification, 295–6
 - cryobanking, 296
- specimen processing and results, 295
- sperm/spermatozoon/spermatozoa, 1, 2, 5, 6, 194, 196, 202, 203, 210, 220
 - acrosome defects, 69
 - acrosome reaction, 27–8
 - testing, 159–62
 - agglutination, 44
 - aster, 29
 - axoneme, 10
 - binding to hyaluronan, 197–8
 - buffer, 203, 206
 - capacitation, 17, 27, 132
 - bicarbonate-buffered culture medium, 203, 206
 - cytoplasm, 220
 - DNA, 13–14, 114–27
 - DNA damage, 10–13
 - DNA integrity, 10–13
 - dysfunction, 1
 - epididymal, 256–8
 - fertilizing ability test, 328
 - flagellum, 30, 131
 - freezing, 219–20
 - functional potential assessment, 143–5
 - fusion, 28
 - head
 - defects, 68–9, 135, 142
 - ideal morphology, 14
 - immotile, 90, 135
 - isthmic sperm reservoir, 25–6
 - kinematics, 131–3, 192
 - lipid peroxidation, 90
 - maturation, 16
 - as messenger cell, 10, 26, 29–30
 - midpiece defects, 69
 - motile, 185
 - neck defects, 69
 - nipple defect, 69
 - non-progressive, 46, 134
 - in oviductal ampulla, 26
 - passage through cervical mucus, 23–5
 - penetration meter device, 185
 - pinhead forms, 70
 - production, 6–10
 - progression grading, 323
 - protamines, 10–13
 - pyriform, 68
 - rapid progressive, 46, 48
 - selection and semen osmolarity changes, 206
 - short tail syndrome, 71
 - slow progressive, 46
 - small round-head defect, 70
 - standardized methods for handling, 21–3
 - sterilizing defects, 70–1
 - surgically retrieved specimens, 211
 - tail defects, 69–70
 - tapering, 68
 - testicular, 258–61
 - vitrification. *See* vitrification
 - zinc, 19
- sperm buffer, 203, 206
- Sperm Chromatin Dispersion (SCD) test, 124–7
 - calculations, 127
 - equipment, 125
 - materials, 125
 - principle, 124–5
 - procedure, 126–7
 - quality control, 127
 - reagents, 125–6
 - reference values, 127
 - results, 127
 - specimen, 125
 - values, 330
- sperm chromatin structure assay (SCSA), 115, 328–9
- sperm concentration, 51–5
 - calculations, 54
 - CASA, 138, 141, 146
 - diluent for, 52
 - dilution, 53
 - ejaculate dilution, 51–2
 - equipment/materials, 52
 - interpretation guidelines, 54–5
 - low, 61
 - principle, 51–2
 - procedure, 53–4
 - quality control, 52–3
 - reagents, 52
 - results, 54
 - values, 320–1
 - cautionary note, 320
 - pre-requisites, 320
 - vitro significance, 321
 - vivo significance, 320–1
- sperm count/number, 53, 54
 - DNA damage, 23
 - importance of, 22
 - to pregnancy, 22
 - values, 321–2
 - cautionary note, 321
 - pre-requisites, 321
 - vitro significance, 322
 - vivo significance, 321–2
 - wet preparation, 43
- sperm function tests, 155–72
- acrosome reaction testing, 159–62
- Hyaluronan Binding Assay, 172
- hyperactivation, 155–8
- sperm survival assay, 169–72
- sperm-zona pellucida binding tests, 162–3
 - competitive, 166–8
 - hemizona assay, 163–6
 - indirect, 165–6
 - standardization, 166
- values, 327–8
 - cautionary note, 327
 - sperm fertilizing ability, 328
 - vitro sperm-mucus interaction tests, 328
 - vivo significance, 327
- zona-free hamster egg penetration test, 168–9
- sperm hyperactivation, 27
 - assessment, 155–8
 - calculations, 158
 - calibration, 157
 - equipment, 157
 - interpretation guidelines, 158
 - materials, disposable, 157
 - principle, 155–6
 - procedure, 158
 - quality control, 158
 - reagents, 157
 - results, 158
 - specimen, 156
 - CASA, 139, 144–5, 155
 - spontaneous, 155, 156
- sperm immobilization test (SIT), 81
- sperm morphology, 58–73
 - abnormal, 66
 - artificial intelligence model for, 148–9
 - atypical, 14, 67–70
 - calculations, 72
 - CASA, 139, 142
 - defects, 68–70
 - equipment/materials, 71
 - evaluation, 63–73
 - extended, 192
 - ideal, 63, 66–7, 323–4
 - normal, 65
 - overview, 58–9
 - procedure, 71
 - quality control, 71
 - results, 72
 - segmentation in DL models, 148–9
 - smear fixation, 61
 - smear preparation, 60–1
 - smear staining, 61–3
 - stained smear, mounting of, 63
 - Teratozoospermia Index, 70, 72, 142, 324
 - Tygerberg Strict Criteria, 59, 66
 - typical, 63, 65

Juan G. Alvarez , Trine B. Haugen

Index	
More	Index

sperm motility, 10, 21, 25, 130, 202 assessment, 46–51 calculations, 47, 49 calibration, 48 equipment, 47, 48, 50 interpretation guidelines, 47 materials, disposable, 48, 50 principle, 46, 48, 50 procedure, 47, 48–9, 50–1 quality control, 47, 48, 50 results, 47, 49 sperm survival assay, 171 using video display, 48–9 values, 322 video recording of, 50–1 wet preparation, 42–6 CASA, 135, 138–9, 142 categories, 46–8 direct swim-up from semen, 196, 213 hyperactivation. <i>See</i> sperm hyperactivation kinematic measures of, 131–3 pre-freeze/post-thaw, 225 specimen, 47 Trial Wash, 213 using traditional method <i>vs.</i> CASA, 134 Sperm Motility Index (SMI), 171, 172 sperm mucus, 175–92 cervical mucus sampling, 176–7 complementary tests, 192 crossed-hostility test, 190–2 Kremer sperm penetration test, 185–8 Kurzrok-Miller test, 183–4 mucus quality assessment, 177–8 post-coital test, 175, 179–83 sperm-cervical mucus contact test, 189–90 sperm penetration assay (SPA), 168 Sperm Penetration Test (SPT) score, 188 calculation, 188 result, 188 sperm preparation, 194–214 absolute yield, 210 adherence-based methods, 197 approaches for, 195 bicarbonate-buffered culture medium, 203, 206 cryopreserved specimens, 211 density gradient centrifugation, 195, 206–9 commercial, 200 hypertonic, 200 optimization of, 200–2 Pro-Insert device, 211, 212 selective washing using, 198–202, 199 dirty specimen, 210 by electrophoresis, 198 hyaluronan-bound spermatozoa in ICSI, 197–8 infectious sample, 211–12 magnetically activated cell sorting, 197 method, 202–3, 285–6 selection of, 213 microfluidics-based techniques, 196 migration-based technique, 195 migration-sedimentation technique, 195 motility in, 194 multiple samples processing, 213–14, 214 Origio products for, 200 poor quality specimens, 211 PureSperm for, 200 qualitative aspects, 210 quantitative aspects, 209–10 relative yield, 210 retrograde ejaculation urine specimen, 211 separation devices, 196 by electrophoresis, 197 simple washing, 195 sperm suspension, 197 surgically-retrieved specimens, 211 swim-up technique buffer, 203 direct from semen, 195, 196, 196–7, 202, 203–6 post-gradient, 202 from washed pellet, 197 Trial Wash, 212–13 viscous samples, 210 sperm progressive motility values, 322 cautionary note, 322 <i>in-vitro</i> significance, 322 <i>in-vivo</i> significance, 322 pre-requisites, 322 Sperm Quality Analyzer (SQA), 149 sperm survival assay, 169–72 calculations, 172 calibration, 171 contact materials testing, 171 culture media testing, 171 equipment, 170 interpretation guidelines, 172 materials, disposable, 170 principle, 169–70 procedure, 171 purposes, 169 quality control, 171 reagents, 170 results, 172 specimen, 170 sperm motility assessment, 171 sperm vitality, 55–8 calculations, 57 CASA, 142–3 equipment/materials, 56 interpretation guidelines, 57 principle, 55 procedure, 56–7 purpose of, 55 quality control, 56 reagents, 56 results, 57 specimen, 56 values, 323 cautionary note, 323 pre-requisites, 323 <i>vivo</i> significance, 323 Spermac [®] , 62 spermatids, 7, 90 spermatocytes, 6, 90 spermatocytogenesis, 6 spermatogenesis, 7 definition, 6 efficiency, 14 impaired, 7, 8, 10–13 meiosis, 7 pleiomorphism, 14 preparation in embryonic stage, 6 process of, 6–7 semen analysis and, 6 in seminiferous tubules, 7–8 spermatocytogenesis, 6 spermiation, 7 spermiogenesis, 7, 8 stem cells, renewal of, 6 spermatogonia, 6, 90 spermatogonium A pale, 6 SpermBlue [®] , 62 sperm-cervical mucus contact (SCMC) test, 189, 189–90 calculations, 190 equipment, 189 interpretation guidelines, 190 materials, disposable, 189 principle, 189 procedure, 190 quality control, 190 results, 190, 190 specimens, 189 spermiation, 7 spermiogenesis, 7, 8 SpermMar, 82, 84 sperm-zona binding ratio, 168 sperm-zona pellucida binding tests, 162–3 competitive, 166–8 hemizona assay, 163–6 indirect, 165–6 materials, 163 standardization, 166 spillage safety, 310 spinnbarkeit, 177 spotting plates, porcelain, 337

Juan G. Alvarez , Trine B. Haugen

Index

[More Info](#)

Index

- staff safety, cryobanking, 296
 stage micrometer, 337
 standard operating procedures (SOPs), 265, 294
 static vapour phase cooling, 230
 stem cells, renewal of, 6
 sticking-to-glass phenomenon, 172
 straight-line velocity (VSL), CASA, 132
 straw, 230
 fragility at, 232
 sealing, 232
 sperm vitrification, 234
 spermatozoa in, 230
 vs. cryovials, 232
 swim-up technique, 195
 direct from semen, 195, 196, 196–7, 202, 203–6
 post-gradient, 202
 sperm buffer, 203
 from washed pellet, 197
 sympathetic neurons, 19

 tally counters, laboratory
 equipment, 337–8
 Teratozoospermia Index (TZI), 70, 72, 142, 324
 terminal deoxynucleotidyl transferase (TdT), 116, 119
 TESA. *See* testicular sperm aspiration (TESA)
 TESE. *See* testicular sperm extraction (TESE)
 testicular dysgenesis syndrome, 317
 testicular interstitium, 10
 testicular sperm aspiration (TESA), 256, 258
 testicular sperm extraction (TESE), 256, 258
 testicular spermatid, 7
 testicular spermatozoa, 258–61
 calculations and results, 260
 calibration, 259
 disposable materials, 259
 equipment, 258
 freezing, 260
 principle, 258
 quality control, 259
 reagents, 259
 specimen, 258
 thawing, ICSI, 260
 tissue processing, 259–60
 testosterone, 10
 thawing process, 218, 221, 230–1
 fecundity rate, 232
 thermometers, 337
 top load balance, 335
 Total Quality Management (TQM), 262, 263
 training system, 270
 expert and trainee
 continuous variables, 271
 discrete variables, 271
 learning curve, 270
 sperm morphology assessments
 evaluation, 272
 process, 272
 step-by-step (slow and steady), 270–1
 transition zone, 221
 translocations, 23
 tray agglutination test (TAT), 81
 Trial Wash, sperm preparation, 212–13
 Trichomonas, 45
 TUNEL test, 115, 116–20, 329
 brightfield microscopy, 118, 119
 calculations, 119
 equipment, 117
 flow cytometry, 117–18, 119
 fluorescence microscopy, 118, 119
 materials, 117
 principle, 116
 procedures, 117–18
 quality control, 120
 reagents, 117
 reference values, 119
 results, 119
 specimen, 116
 twin pregnancy, 23
 Tygerberg Strict Criteria, 59, 66
 TZI. *See* Teratozoospermia Index (TZI)

 ultra-rapid freezing, 230
 urethral wall extension, 20
 utero-tubal junction, 25–6
 uterus, 25

 vagina, 23, 25
 validation framework
 accuracy expectations and
 medical laboratory tests, 284
 semen examination method, 285
 sperm preparation method/
 sperm function test, 285–6
 vapour phase cooling
 mechanically assisted, 230
 static, 230
 vas deferens, 14, 17, 18, 77
 vasectomy, semen examination
 after, 76–7
 calculations, 77
 calibration, 77
 equipment, 76
 interpretation guidelines, 77
 materials, disposable, 77
 procedure, 77
 quality control, 77
 results, 77
 specimen, 76
 vertical laminar flow cabinet, 337
 viable pregnancy, 115, 116

 videomicrography system, 334
 viral infections, 86–7
 visotubes, 242
 vitrification, 218–19, 220, 223–4, 230, 231
 cooling/warming rate, 230
 equilibrium, 218, 219
 isomolar media, 231
 kinetic, 218, 219
 mechanisms for cell, 219
 packaging devices for, 231
 permeable cryoprotectant-free
 sperm, 224
 probability, 218
 protocols, 224, 231
 procedure, 240–1
 reagents, 240, 241
 warming procedure, 241, 242
 straw, 234
 vortex mixer, 338

 waterbath, 338
 West Nile virus (WNV), 251
 wet preparation, 42–6
 air bubbles, 43
 calculations, 46
 cells and debris, 44–6
 definition, 42
 equipment, 42, 43
 evaluation of, 43–6
 formation of, 42–3
 materials, disposable, 42
 principle, 42, 43
 procedure, 43–6
 results, 43–6
 specimen, 43
 sperm aggregation/agglutination, 44
 sperm counting, 43
 Wolffian duct system, 18, 41, 42, 100, 103, 107
 Workplace Hazardous Material Information Scheme (WHMIS), 307
 World Health Organization, laboratory safety rules, 307–8
 worldwide accreditation
 infrastructure, 269, 269–70

 X chromosome, 6, 249, 250
 XHT. *See* crossed-hostility test (XHT)

 Y chromosome, 6

 Zika virus, 251
 zinc
 ejaculate biochemistry, 326
 redistribution at ejaculation, 20
 seminal fluid, 96–100
 calculations, 100

Juan G. Alvarez , Trine B. Haugen

Index	
More	Index

calibration, 99	specimen, 97	standardization, 166
equipment, 97	sperm, 10–13, 19	zona pellucida glycoprotein 3, 28,
interpretation guidelines, 100	withdrawal, 21	159
materials, disposable, 97	zona pellucida (ZP), 27, 28, 155, 240	zona-free hamster egg penetration test, 168–9
principle, 96	sperm-zona pellucida binding tests, 162–3	zona-induced acrosome reaction (ZIAR), 161
procedure, 99–100	competitive, 166–8	ZP. <i>See</i> zona pellucida (ZP)
quality control, 99	hemizona assay, 163–6	zygote, 29
reagents, 98–9	indirect, 165–6	mitoses of, 29–30
results, 100		