

Index

- $\mathbf{1}_A$, xii
- 2^S , 652
- $a \vee b$, 38
- $a \wedge b$, 38
- $A(\mathbb{D})$, 85, 571
- $A \Subset B$, 353
- $A \subseteq B$, 314
- $A^2(\mathbb{C})$, 111
- $A^2(\mathbb{D})$, 110
- A^\perp , 93, 134
- ${}^\perp A$, 134
- $B_b(\Omega)$, 287
- $BMO(\mathbb{R}^d)$, 86
- B_X , 3
- \overline{B}_X , 3
- $B(x; r)$, 639
- $\overline{B}(x; r)$, 639
- $\mathcal{B}(X)$, 650
- \mathbb{C} , xii
- c_0 , 33
- $\text{co}(F)$, 22
- $C([0, T]; \mathbb{K}^d)$, 43
- $C(K)$, 35
- $C(K; X)$, 78
- $C_0(X)$, 118
- $C_b(X)$, 35
- $C^\infty(D)$, 350
- $C^\infty(\overline{D})$, 350
- $C_c^\infty(D)$, 350
- $C^k(D)$, 350
- $C_c^k(D)$, 350
- $C_c^k(\overline{D})$, 350
- Δ_{Dir} , 415
- Δ_{Neum} , 416
- δ_{ij} , 98
- ∇ , 360
- $\partial(x)$, 505
- ∂^α , 350
- ∂_j , 350
- $\mathbb{D}(A)$, xii
- \mathbb{D} , xii
- $\mathcal{E}(H)$, 562
- \mathbb{E} , 37
- ϕ_h , 601
- $f \otimes x$, 26
- \mathcal{F} , 180
- \widehat{f} , 180
- $\Gamma(T)$, 610
- $\Gamma^n(V)$, 627
- $g \bar{\otimes} h$, 250, 283
- γ , 104, 487
- $\mathbb{G}(T)$, 176
- $H(\Omega)$, 218
- $H^2(\mathbb{D})$, 244
- \mathcal{H}_n , 601
- $|h\rangle$, 554
- $H^k(D)$, 375
- $H^s(\mathbb{R}^d)$, 372
- $H_0^1(D)$, 375
- $H_1 \oplus H_2$, 94
- $H_{\text{av}}^1(D)$, 381
- \mathbb{H}^d , 591
- id , 290
- $\text{Im } z$, xii
- J_n , 605
- K_h , 601
- $\Gamma^n(\mathbb{K}^d)$, 607
- $\mathcal{K}(X, Y)$, 228
- \mathbb{K} , xii
- $(\mathbb{K}^d)^{\otimes n}$, 606
- $\Lambda^n(V)$, 627
- $\mathcal{L}(X)$, 11

- $\mathcal{L}(X, Y)$, 11
- $\mathcal{L}_1(H)$, 516
- $\mathcal{L}_2(H)$, 509
- ℓ^∞ , 33
- ℓ^p , 34
- $\ell^p(S)$, 84
- $L^1(0, T; X)$, 449
- $L^1_{\text{loc}}(D)$, 350
- $L^1_{\text{loc}}(\mathbb{R}^d)$, 60
- $L^\infty(\Omega, P)$, 290
- $L^p(\Omega)$, 48
- $L^p(\Omega) \otimes X$, 83
- $L^p(\Omega; X)$, 83
- $\text{Lip}[0, 1]$, 85
- μ^\pm , 67
- Mf , 61
- $M(\Omega)$, 64
- $M_1^+(\Omega)$, 564
- $N(A)$, xii
- $NBV[0, 1]$, 85
- \mathbb{N} , xii
- P_Σ , 607
- $\mathcal{P}(H)$, 544
- $\mathcal{P}_{\text{fin}}(H)$, 546
- P_Γ , 627
- \mathbb{P} , 37
- $R(\lambda, T)$, 210
- $\text{Re } z$, xii
- $\mathcal{R}(A)$, xii
- $\rho(T)$, 209
- $R(\lambda, A)$, 320
- \mathbb{R}_+^d , 366
- S° , xii
- Σ_ω , 457
- $\mathcal{S}(H)$, 550
- \bar{S} , xii
- $\sigma(T)$, 210
- $\sigma(\mathcal{C})$, 649
- $\sigma_p(T)$, 210
- $S \otimes T$, 627
- $|T|$, 271
- T^* , 138
- T^* , 141
- \mathbb{T} , xii
- U_g , 582
- $V \otimes W$, 625
- $V^{\oplus n}$, 627
- $V^{\odot n}$, 627
- V_Y , 582
- $W^{k,p}(D)$, 361
- $W_0^{1,p}(D)$, 363
- $|x|$, xii
- $(x|y)$, 87
- ξ^α , 373
- X^* , 12
- $X_0 \oplus X_1$, 6
- \bar{z} , xii
- absolutely
 - continuous, function, 84
 - continuous, measure, 69
 - convergent, 3
- accretive
 - form, 402
 - maximal, 465
 - operator, 464
- accretive form, 387
- adjoint
 - of a bounded Hilbert space operator, 141
 - of a bounded operator, 138
 - of a densely defined Hilbert space operator, 319
 - of a densely defined operator, 316
 - semigroup, 501
- admissible contour, 218
- affine, 546
- algebra
 - C^* , 303, 678
 - Banach, 677
 - von Neumann, 303
- algebraic
 - basis, 113
 - multiplicity, 234
 - tensor product, 625
- analytic C_0 -semigroup, 457
 - bounded, 457
- angle, 588
- angular momentum, 588
- annihilation operator, 614
- annihilator, 134
 - pre-, 134
- antisymmetric tensor product, 627
- antiunitary, 578
- approximate
 - eigensequence, 215
 - eigenvalue, 214
- Arveson spectrum, 440
- atomic, 146, 544
- Axiom
 - of Choice, 623
 - of Determinacy, 674
- ball
 - closed, 639
 - open, 639

Index

705

- Banach
 - algebra, 677
 - lattice, 76
 - limit, 168
 - space, 3
- basis
 - algebraic, 113
 - orthonormal, 98
 - Schauder, 202
- Bernstein polynomials, 36
- Bessel potential space, 372
- bicommutant, 302
- bit, 558
- Bloch
 - sphere, 558
 - vector, 558
- Bochner
 - integrable, 27
 - integral, 27
- boost, 582
- Borel
 - σ -algebra, 650
 - measurable, 663, 664, 666
 - measure, 651
 - topology, 640
- boson, 600
- boundary conditions
 - Dirichlet, 375
 - Neumann, 380
- bounded
 - analytic C_0 -semigroup, 457
 - form, 387
 - mean oscillation, 86
 - operator, 10
 - pointwise, 40
 - totally, 645
 - uniformly, 14
 - variation, 85
 - weakly, 173
- C^* -algebra, 303, 678
- C_0 -group, 437
- C_0 -semigroup, 430
 - adjoint, 501
 - analytic, 457
 - analytic contraction, 457
 - bounded analytic, 457
 - compact, 446
 - uniformly exponentially stable, 504
 - weakly continuous, 436
- C^k -boundary, 367
- Calderón–Zygmund theory, 676
- Calkin algebra, 241
- cartesian product, 636
- Cauchy problem
 - abstract, 429
 - inhomogeneous, 449
 - semilinear, 452
- Cauchy sequence, 642
- chain rule, 362
- chaos
 - Gaussian, 601
- character, 582
- closable
 - operator, 315
- closed
 - ball, 639
 - convex hull, 22
 - linear operator, 176, 312
 - set, 629, 639
 - subspace, 5
- closure, xii, 629, 640
 - of a closable operator, 315
 - of a form, 412
- cocycle identity, 580
- codimension, 133
- coercive form, 387, 402
- commutant, 302
- commutation
 - of selfadjoint operators, 308
- commutation relation
 - Heisenberg, 586
 - Weyl, 582
- commutator, 534
- compact, 631
 - operator, 227
 - relatively, 631
 - sequentially, 645
 - weak*, 152
- compactness
 - and extreme points, 147
 - in $C(K)$, 40
 - in $L^p(\Omega)$, 58
 - of the closed convex hull, 22
 - weak, 155
 - weak*, 152
- complement, xii
- complementarity, 584
- complemented, 132
- complete, 642
- completely positive, 688
- completion
 - of a Banach space, 4

of a Hilbert space, 92
of a metric space, 644
complex conjugate, xii
conditional expectation, 111
conjugate dual, 405
conjugate exponents, 51
conjugate-linear, 87
connected, 360
conserved, 581
continuous, 630, 644
at a point, 630, 644
embedding, 404
form, 403
sequentially, 644
uniformly, 645
contraction, 14
as a convex combination of unitaries, 520
dilation to a unitary, 276
represented by a POVM, 571
von Neumann theorem, 299
convergence
strong, of operators, 14
uniform, of operators, 14
weak, of operators, 14
convergent, 2, 640
convex
function, 50
hull, 21
set, 93
convolution, 57
multiplicative, 82
twisted, 594
core, 433
countably generated, 574
covariant, 581
cover
open, 631
creation operator, 614
decomposition
Hahn, 67
Jordan, 67
orthogonal, 94
Wold, 279
decomposition property
of a vector lattice, 127
defect operator, 275
dense, 629
densely defined, 311
density
argument, 12
operator, 552

derivative
weak, 352
diagonal argument, 96
dilation, 191
of a bounded operator, 280
unitary, 276
direct sum
orthogonal, 94
Dirichlet
boundary conditions, 375
kernel, 203
Laplacian, 415
problem, 397
Dirichlet-to-Neumann operator, 682
disc algebra, 571
disjoint
projections, 546
dispersive, 685
distance function, 639
distribution, 663
domain
of a form, 402
of a linear operator, 311
doubly submarkovian, 481
dual
conjugate, 405
of a normed space, 12
Pontryagin, 582
duality, 115
trace, 521
dyadic, 633
Dynkin system, 651
effect, 562
eigensequence
approximate, 215
eigenspace, 232
eigenvalue, 210
approximate, 214
eigenvector, 210
elementary observable, 555
elliptic problem, 386
embedding
continuous, 404
energy
ground state, 492
energy functional
associated with a coercive form, 428
for the Dirichlet problem, 397
for the elliptic problem, 386
for the Poisson problem, 379, 385
for the wave equation, 497

Index

707

- entangled state, 560
- equation
 - Schrödinger, 492
 - Schrödinger, abstract, 580
 - wave, 494
- equicontinuous, 40
- equivalent norm, 18
- essential
 - range, 224
 - range, P -, 340
 - supremum, 47
- essentially
 - bounded, 47
 - selfadjoint, 324
- euclidean norm, 7
- Euler's identity $\sum_{n=1}^{\infty} \frac{1}{n^2} = \frac{\pi^2}{6}$, 102, 539
- exact sequence, 250
- existence and uniqueness of solutions
 - under a Lipschitz assumption, 42
- existence of solutions
 - under a continuity assumption, 45
- expected value, 37
 - of an observable, 556
- extension
 - Friedrichs, 412
 - of a functional, 128
 - of a linear operator, 314
 - operator, 370
- extension, vector-valued, 83, 674
- exterior product, 527, 627
- extreme point, 146
- \star -field, 687
- face, 147
- Fejér kernel, 101
- fermion, 600
- finite element method, 398
- finite intersection property, 631
- finite rank operator, 228
- finitely additive, 563
- first quantisation, 600
- fixed point, 42
 - argument, 43, 455
- form, 387, 402
 - accretive, 387, 402
 - bounded, 387
 - closed, 403, 409
 - coercive, 387, 402
 - continuous, 403
 - Hermitian, 687
 - sectorial, 466
- formula
- MacMahon, 528
- Stone, 308
- Fourier
 - coefficient, 101
 - multiplier, 187
 - series, 102
 - transform, 180, 186
- Fourier–Plancherel transform, 185
- Fredholm
 - alternative, 235
 - alternative, for integral equations, 237
 - determinant, 528
- Friedrichs extension, 412
- functional, 12
 - normal, 550
 - positive, Hilbertian, 550
- functional calculus
 - bounded, 287
 - continuous, 266, 268
 - entire, 217
 - holomorphic, 218
 - measurable, 329
- Gaussian
 - chaos, 601
 - measure, standard, 104, 487
- Gelfand triple, 404
- generator, 430
- geometric multiplicity, 233
- gradient, 360
- Gram–Schmidt orthogonalisation, 99
- graph
 - norm, 312
 - of a bounded operator, 176
 - of a linear operator, 312
- Green function, 376
- ground state energy, 492
- group
 - free Schrödinger, 492
 - Heisenberg, 591
 - Schrödinger, 492
 - translation, 476
 - unitary, 474
 - wave, on \mathbb{R}^d , 495
 - wave, on domains, 494
- Haar
 - measure, 582
 - property, 165
- Hahn decomposition, 67
- Hardy space, 244
- Hardy–Littlewood maximal function, 61
- harmonic, 206

- heat
 - equation, linear, 477
 - equation, positivity, 480
 - equation, semilinear, 455
 - kernel, 477
 - semigroup, on \mathbb{R}^d , 477
 - semigroup, on domains, 479
- Heisenberg
 - commutation relation, 586
 - group, 591
- Hermite
 - operator, 491
 - polynomials, 104
- Hermitian
 - form, 687
 - vector space, 687
- hidden variables, 574
- Hilbert space, 91
 - characterisation via category theory, 688
 - characterisation via complementation, 674
 - characterisation via Hermitian forms, 687
- Hilbert transform, 191
 - L^p -boundedness, 197
 - and the Poisson semigroup, 486
 - characterisation, 192
- holomorphic
 - X -valued function, 163
 - weakly, 201
- homotopy, 246
- ideal property
 - of compact operators, 228
 - of Hilbert–Schmidt operators, 510
 - of trace class operators, 520
- identity
 - Parseval, 97
- image measure, 663
- imaginary part, xii
- index, 239, 420
- indicator function, xii
- indiscernible, 574
- inequality
 - Bessel, 107
 - Cauchy–Schwarz, 88
 - Clarkson, 207
 - Hölder, 50
 - Hölder, converse to, 52, 177
 - Jensen, 81
 - Minkowski, 48
 - Minkowski, continuous, 83
 - Poincaré, 376
 - Poincaré–Wirtinger, 383
- triangle, 2, 639
- Young, 56
- infinite-dimensional, 9
- infinitesimal generator, 430
- inner product, 87
 - space, 87
- integrable, 668
 - Bochner, 27
 - uniformly, 169
- integral
 - Bochner, 25, 27
 - Lebesgue, 665
 - Pettis, 205
 - Riemann, 23
 - stochastic, 114
- interior, xii, 629, 640
- involution, 678
- irreducible, 591
- isometric isomorphism, 14
- isometry, 4
 - partial, 271
 - spectrum of, 214
- isomorphism, 14
- Itô isometry, 114
- Jordan
 - decomposition, 67
 - normal form, 234
- Kato square root problem, 686
- kernel
 - Dirichlet, 203
 - Fejér, 101
 - heat, 477
 - Poisson, 483
 - Poisson, for the disc, 109
 - ket, 554
- Laguerre polynomials, 108
- Laplace operator
 - Dirichlet, 415
 - Neumann, 416
 - on \mathbb{R}^d , 414
 - weak, 372
- Laplace transform, 435
 - inverse, 458
 - of a measure, 537
- lattice, 74
 - Banach, 76
 - normed vector, 75
 - vector, 74
- law of large numbers, 37
- Lebesgue

Index

709

- measure, 656
- measure, normalised, 180
- point, 63
- set, 83
- Leibniz formula, 360
- lemma
 - Céa, 398
 - Cotlar, 198
 - Dynkin, 651
 - Fatou, 668
 - Riemann–Lebesgue, 180
 - Riesz, 20
 - three lines, 193
 - Urysohn, 633
 - Vitali covering, 61
 - Zorn, 623
- limit, 2, 640
 - Banach, 168
- linear operator, 311
- Lipschitz continuous, 42
- locally compact, 118
- locally integrable, 60, 350
- lower bound, 74
- m*-accretive, 465
- Malliavin calculus, 487, 601
- maximal element, 623
- maximal regularity
 - for bounded analytic semigroups, 468
 - for the Poisson problem on \mathbb{R}^d , 418
- measurable, 663
 - Borel, 663
 - set, 649
 - strongly, 26
 - weakly, 136
- measurable space, 649
- measure, 650
 - \mathbb{K} -valued, 64
 - σ -finite, 651
 - outer regular, 659
 - atomic, 146, 544
 - Borel, 651
 - finite, 651
 - inner regular, 659
 - Lebesgue, 656
 - outer, 652
 - probability, 651
 - Radon, 661
 - Radon, \mathbb{K} -valued, 118
 - regular, 659
 - standard Gaussian, 104, 487
- measure space, 650
- Mehler kernel, 489
- metric, 639
- metric space, 639
- metrisable, 154
- minimiser, 93, 379, 385, 386, 397, 428
- Minkowski functional, 143
- mixed state, 554
- modulus, xii
 - of an operator, 271
- mollification, 57
- momentum operator, 325, 584, 617
- multi-index, 349
- multiplication
 - semigroup, 475
- multiplicity, 264, 283
 - algebraic, 234
 - geometric, 233
- multiplier
 - Fourier, 187
 - pointwise, 188
- negation, 545
- Nemytskii mapping, 456
- Neumann
 - boundary conditions, 380
 - Laplacian, 416
 - series, 211
- norm, 2
 - equivalent, 18
 - euclidean, 7
 - nonequivalent, 113
 - product, 6
- normal, 632
 - functional, 550
 - operator, 256, 328
- normed space, 2
- null space, xii, 13
- numerical
 - radius, 277
 - range, 277
- observable, 544, 555
 - elementary, 544, 555
 - sharp, 555
 - unsharp, 564
- open
 - ball, 639
 - cover, 631
 - set, 629, 639
- operator
 - adjoint, Hilbertian, 141
 - adjoint, of a bounded operator, 138
 - adjoint, of a densely defined operator, 316

- angular momentum, 620
- annihilation, 614
- antiunitary, 578
- bounded, 10
- boundedly invertible, 209
- closable, 315
- closed, 176, 312
- compact, 227
- creation, 614
- densely defined, 311
- Dirichlet-to-Neumann, 682
- divergence form, 417
- doubly submarkovian, 481
- essentially selfadjoint, 324
- extension, 370
- finite rank, 228
- Fourier multiplier, 187
- Fredholm, 239, 420
- Hermite, 491
- Hilbert–Schmidt, 507
- linear, 311
- momentum, 325, 617
- normal, 256, 328
- Ornstein–Uhlenbeck, 488
- position, 296, 617
- positive, 324
- positive, Hilbertian, 256
- positivity preserving, 76
- quotient, 15
- selfadjoint, 256, 324
- symmetric, 324
- Toeplitz, 245
- trace, 680
- trace class, 511
- translation invariant, on $L^1(\mathbb{R}^d)$, 157
- translation invariant, on $L^2(\mathbb{R}^d)$, 189
- unbounded, 311
- uniformly elliptic, 466
- unitary, 256, 591
- Volterra, 17
- order
 - of a multi-index, 349
- Ornstein–Uhlenbeck
 - operator, 488
 - semigroup, 487
- orthogonal, 92
 - complement, 93
 - decomposition, 94
 - polynomials, 305
 - projection, 94, 258
- orthomodular, 687
- orthonormal
 - basis, 98
 - system, 98
 - system, maximal, 100
- outer measure, 652
- parallelogram identity, 89
- partial
 - isometry, 271
 - order, 623
 - trace, 524
- partition of unity, 634
 - smooth, 351
- Pauli matrices, 559
- perturbation, 442
- Pettis integral, 205
- phase, 572
- point
 - evaluation, 16
 - spectrum, 210, 447
- pointwise
 - bounded, 40
 - convergence, vs. norm convergence, 202
 - multiplier, 16, 188
- Poisson
 - kernel, 2-dimensional, 206
 - kernel, d -dimensional, 483
 - kernel, for the disc, 109
 - problem, Dirichlet boundary conditions, 375
 - problem, inhomogeneous boundary conditions, 396
 - problem, Neumann boundary conditions, 380
 - semigroup, 483
- polarisation, 256
- polynomials
 - Bernstein, 36
 - Hermite, 104
 - Laguerre, 108
- Pontryagin dual, 582
- position operator, 296, 584, 617
- positive
 - cone, 76
 - definite, 272, 569
 - functional, Hilbertian, 550
 - operator, 324
 - operator, Hilbertian, 256
- positive definite, 532
- positivity preserving, 76
- potential, 491
- POVM, 563
- power bounded, 226
- power set, 652

- pre-annihilator, 134
- principle of local reflexivity, 675
- probability space, 651
- problem
 - abstract Cauchy, inhomogeneous, 448
 - abstract Cauchy, linear, 429
 - abstract Cauchy, semilinear, 452
 - Dirichlet, 397
 - elliptic, 386
 - Poisson, 374
 - Sturm–Liouville, 389
- product
 - σ -algebra, 650
 - cartesian, 636
 - measure, 659
 - metric, 648
 - norm, 6
 - rule, 359, 434
- projection, 132
 - orthogonal, 94, 258
 - spectral, 221
- projection-valued measure, 285
 - of a bounded normal operator, 293
 - of a normal operator, 337
- pure state, 543, 553
- quantisation
 - first, 600
 - second, 600
- quantum harmonic oscillator, 491
- quasi-optimality estimate, 398
- quaternions, 687
- quotient
 - Banach spaces, 5
 - map, 15
 - operator, 15
- Radon measure, 661
- random variable, 663
- range, xii, 14
- real part, xii
 - of a form, 402
- recurrence
 - three point, 305
- reflexive, 155
- relation, 623
- relatively compact, 631
- representation, 272
 - irreducible, 591
 - projective, 590
 - Schrödinger, 591
 - unitary, 272
- resolvent
- identity, 212, 320
- operator, 210
- set, 209
- set, of a linear operator, 320
- Riemann
 - hypothesis, 675
 - integral, 24
- Riesz projection, 245
- ring, 653
- σ -algebra, 649
 - Borel, 650
 - generated by \mathcal{C} , 649
 - generated by f , 650
- scalar homogeneity, 2
- Schauder basis, 202
- Schrödinger
 - equation, 492
 - equation, abstract, 580
 - group, 492
 - representation, 591
- Schur
 - property, 169
- Schur estimate, 82
- second quantisation, 600
- sector, 457
- sectorial, 466
- Segal–Plancherel transform, 612
- selfadjoint
 - essentially, 324
 - operator, 256, 324
- semigroup
 - heat, on \mathbb{R}^d , 477
 - heat, on domains, 479
 - multiplication, 475
 - Ornstein–Uhlenbeck, 487
 - Poisson, 483
- seminorm, 129
- separable
 - measure space, 510
 - metric space, 648
 - normed space, 9
- sequence
 - convergent, 2
 - singular value, 512
- sequentially
 - closed, 640
 - compact, 645
 - continuous, 644
- sesquilinear, 87
- sharp observable, 555
- simple function, 664

- μ -, 27
- vector-valued, 26
- singular integrals, 676
- singular value, 512
 - decomposition, 283, 512
 - sequence, 512
- Sobolev space, 361
- solution
 - classical, of the linear Cauchy problem, 449
 - classical, of the semilinear Cauchy problem, 452
 - global, 42
 - local, 44
 - mild, of the inhomogeneous Cauchy problem, 450
 - mild, of the semilinear Cauchy problem, 452
 - strong, 449
 - weak, of the elliptic problem, 386
 - weak, of the inhomogeneous Cauchy problem, 503
 - weak, of the Poisson problem, 375, 381, 396
- spectral
 - inclusion formula, 502
 - mapping theorem, for normal operators, 340
 - mapping, for compact semigroups, 446
 - mapping, the holomorphic calculus, 220
 - projection, 221
 - radius, 222
 - spectral flow, 682
 - spectrum, 210
 - approximate point, 215
 - Arveson, 440
 - of a compact operator, 232
 - of a linear operator, 320
 - point, 210, 447
- spin, 689
- state, 543, 551
 - entangled, 560
 - mixed, 554
 - pure, 543, 553
 - spin, 559, 689
 - vector, 553
- stiffness matrix, 400
- stochastic integral, 114
- Stone's formula, 308
- Strichartz estimate, 685
- strictly convex, 107, 165, 208
- strong convergence, of operators, 14
- strong operator topology, 302
- strongly measurable, 26
- Sturm–Liouville problem, 389
- subadditive mapping, 199
- subalgebra, 216
- \star -, 265
- subcover, 631
- subdifferential, 505
- sublinear, 128
- substitution formula, 668
- substitution rule, 362
- superposition, 554
- support, 633
 - of a continuous function, 54
- supremum norm, 35
- symbol
 - of a Fourier multiplier operator, 187
 - of a Toeplitz operator, 245
- symmetric
 - Fock space, 610
 - operator, 324
 - part, 402
 - second quantisation, 610
 - sesquilinear mapping, 388
 - tensor product, 607, 627
- symmetry, 580
- tensor basis, 106
- tensor product
 - algebraic, 625
 - antisymmetric, 627
 - of Hilbert spaces, 524
 - of vector spaces, 625
 - symmetric, 607, 627
- test function, 350
- theorem
 - Arzelà–Ascoli, 40
 - Atkinson, 239
 - Baire, 171
 - Banach fixed point, 42
 - Banach–Alaoglu, 152
 - Beckner, 676
 - bicommutant, 302
 - Bolzano–Weierstrass, 647
 - Busch, 563
 - Cauchy, for Banach space-valued functions, 163
 - Chernoff, 225
 - closed graph, 177
 - closed range, 178
 - Coburn, 249
 - continuous functional calculus, 266, 268
 - Courant–Fischer, 422
 - Datko–Pazy, 504
 - Dieudonné, 242
 - Dini, 77
 - dominated convergence, 669
 - Euler formula, 444

Index

713

- Fedosov, 534
- Fréchet–Kolmogorov, 58
- Fredholm alternative, 235
- Friedrichs, 412
- Fubini, 670, 671
- Fuglede–Putnam–Rosenblum, 264
- Gearhart–Prüss, 505
- Gelfand–Naimark, 678
- Goldstine, 154
- Green, 380
- Hahn–Banach extension, for Banach spaces, 130
- Hahn–Banach extension, for vector spaces, 128, 129
- Hahn–Banach separation, 143
- Hahn–Jordan, 67
- Hardy–Littlewood maximal, 61
- Hartman–Wintner, 248
- Hausdorff–Young, 197
- Hellinger–Toeplitz, 277
- Helton–Howe, 535
- Hille, 347
- Hille–Yosida, 441
- injectivity of the Fourier transform, 186, 187
- inversion of the Fourier transform, 182
- Krein–Milman, 147
- L^p -boundedness of the Hilbert transform, 197
- Lax–Milgram, 388
- Lebesgue differentiation, 63
- Lidskii, 527
- Lumer–Phillips, 463, 506
- Lusin, 81
- Marcinkiewicz, 199
- Mercer, 532
- min-max, 284, 422
- monotone convergence, 667
- Naimark, 568
- Noether–Gohberg–Krein, 246
- Nyman & Baez–Duarte, 675
- open mapping, 175
- Parseval, 97
- Peano, 45
- Pettis measurability, 26, 136
- Phillips, 436
- Picard–Lindelöf, 42
- Plancherel, 185
- Portmanteau, 159
- Prokhorov, 159
- Radon–Nikodým, 69, 112
- Rellich–Kondrachov, 381
- Riesz representation, for Hilbert spaces, 95
- Riesz–Schauder, 232
- Riesz–Thorin, 192
- Segal, 613
- singular value decomposition, 283, 512
- Sobolev embedding, 394
- Solèr, 687
- spectral mapping, for bounded normal operators, 269
- spectral mapping, for normal operators, 340
- spectral mapping, for the holomorphic calculus, 220
- spectral mapping, for the point spectrum, 447
- spectral radius formula, 223
- spectral, for bounded normal operators, 293
- spectral, for compact normal operators, 281
- spectral, for normal operators, 337
- Stinespring, 689
- Stone, 474, 500
- Stone–von Neumann, 591
- Stone–Weierstrass, 38
- Sz.-Nagy, 276, 502
- three-point recurrence, 306
- Tietze extension, 635
- Toeplitz–Hausdorff, 278
- trace duality, 522
- Tychonov, 636
- uniform boundedness, 172
- von Neumann, bicommutant, 302
- von Neumann, bicommutant of a selfadjoint operator, 304
- von Neumann, on commuting selfadjoint operators, 300
- von Neumann, on contractions, 299
- Weierstrass approximation, 36
- Weyl, 424
- Wiener’s Tauberian, 183
- Wiener–Itô isometry, 607
- Wigner, 579
- Wintner, 619
- three point recurrence, 305
- tight, 660
 - uniformly, 158
- Toeplitz operator, 245
- topological space, 629
 - countably generated, 574
 - Hausdorff, 630
 - locally compact, 118
 - normal, 632
- topology, 629
 - Borel, 640
 - generated by a collection of sets, 629
- strong operator, 302

- weak, 149
- weak operator, 302
- weak*, 149
- totally
 - bounded, 645
 - ordered, 623, 636
- trace
 - class, 511
 - duality, 521
 - of a positive operator, 510
 - of a trace class operator, 515
 - operator, 680
 - partial, 524
- trace formula
 - and Euler's identity, 539
 - and Fredholm operators, 534
 - and Toeplitz operators, 535
 - for the Dirichlet heat semigroup, 537
- transform
 - Fourier, 180, 186
 - Fourier–Plancherel, 185
 - Hilbert, 191
 - Segal–Plancherel, 612
- transition probability, 578
- translation, 582
 - adjoint of, 139
 - continuity of, in L^p , 55
 - invariant, operators on $L^1(\mathbb{R}^d)$, 157
 - Wiener's Tauberian theorem, 183
- triangle inequality, 2, 639
 - reverse, 2
- trigonometric polynomial, 40
- twisted convolution, 594
- UMD property, 674
- unbounded operator, 311
- uncertainty
 - of an observable, 557
 - principle, 557
- uniform convergence
 - of functions, 8
 - of operators, 14
- uniformly
 - bounded, 14
 - continuous, 645
 - contractive, 42
 - exponentially stable, 504
 - integrable, 169
 - tight, 158
- unit ball, 3
- unital, 678
- unitary
- dilation, 276
- operator, 256, 591
- representation, 272
- unsharp
 - observable, 564
- upper bound, 74, 623
- vanishing at infinity, 118
- variance
 - of an observable of A in the state $|h\rangle$, 556
- variation, 64
- variational method
 - for the Poisson problem, 379, 385
- vector lattice, 74
 - normed, 75
- vector state, 553
- Volterra operator
 - norm of, 260
 - spectrum of, 279
- von Neumann algebra, 303
- wave
 - equation, 494
 - function, 554
 - group, on \mathbb{R}^d , 495
 - group, on domains, 494
- weak
 - compactness, of B_X , 155
 - convergence, 150
 - convergence, of measures, 158
 - convergence, of operators, 14
 - derivative, 352
 - Laplacian, 372
 - operator topology, 302
 - topology, 149
- weak L^1 -bound, 61
- weak*
 - compactness, of B_{X^*} , 152
 - continuous, functional, 150
 - convergence, 150
 - topology, 149
- weakly
 - bounded, 173
 - closed, 150
 - continuous, functional, 150
 - continuous, semigroup, 436
 - holomorphic, 201
- well posed, 451, 454, 531
- Weyl commutation relation, 582
- winding number, 217, 246
- Wold decomposition, 279