



Index

- analysis of variance (ANOVA), 52–56
- averages, 41–43
- bar graphs, 11–14, 32–33
- binomial logit (BNL), 73–75
- binomial probit (BNP), 73–75
- bivariate hypothesis testing
 - analysis of variance, 52–56
 - correlation coefficients, 50–52
 - difference of means test, 48–49
 - exercises, 56
 - tabular analysis, 45–48
- bivariate (two-variable) regression
 - estimating, 57
 - exercises, 61–62
 - graphing, 58–61
- box-whisker plots, 35, 48, 53
- categorical variables, 30–33, 53
- causal claims, exercises, 20–22
- charts and graphs
 - analysis of variance, 52–56
 - bar graphs, 11–14, 32–33
 - box-whisker plots, 35, 48, 53
 - connected plots, 14–15
 - difference of means, 48
 - exercises, 19, 37
 - histograms, 35–36
 - kernel density plots, 35–36
 - pie graphs, 31–32
 - presented in documents, 36–37
 - scatter plots, 50, 51, 58–61
 - two-variable regression, 58–61
 - see also* tables
- chi-squared test, 47
- citations, 17–18
- command window, 6–7
- 80
- comparison, presented in regression
 - tables, 64–66
- connected plots, 14–15
- continuous variables, 33–36, 50, 52
- covariance tables, 50–52
- cross-sectional variation, 11–14
- data sets
 - examining, 8–9
 - opening, 4–8
- dependent variables
 - in bivariate hypothesis tests, 45–48, 52
 - dummy variables, 71–75
 - in multiple regression, 63, 68, 71–75
 - in two-variable regression, 57
- descriptive statistics
 - categorical and ordinal variables, 30–33
 - continuous variables, 33–36
 - exercises, 37
 - presentation, 36–37
- dice rolling, 38–44
- difference of means test, 48–49
- Do-Files, 7–8
- documents, tables and graphs in, 36–37, 47–48
- dummy dependent variables, 71–75
- dummy independent variables, 68–70
- dummy-variable trap, 69–70
- dummy variables, 67
 - creating, 67–69
 - estimating with multiple variables, 69–70
 - estimating with single variable, 68–69
 - in interactive models, 70–71

Index

81

- Excel, 38–44
- files
 - locating, 7
 - opening, 4–8
- frequency tables, 30–33
- General Social Survey (GSS), 8
- “generate” command, 67–68
- Google, 15
- Google Scholar, 15–18
- graphics schemes, 14
- graphs *see* charts and graphs
- histograms, 35–36
- hypothesis testing *see* bivariate hypothesis testing
- independent variables
 - in bivariate hypothesis tests, 45–48, 53
 - dummy variables, 68–70
 - in multiple regression, 63, 68–70
 - in two-variable regression, 57
- interactive models, with dummy variables, 70–71
- kernel density plots, 35–36
- labels/legends, 13–14, 33, 35
- linear probability model (LPM), 73–75
- link function, 73
- literature searching, 15–19
 - exercises, 19
- Mac computers, 2
- mean value, 41–43
- measurement, exercises, 27–29
- missing values, 64–65
- moment statistics, 35
- multiple comparison procedures, 54–56
- multiple regression
 - constructing regression tables, 64–66
 - creating dummy variables, 67–70
 - dummy dependent variables, 71–75
 - dummy independent variables, 68–70
 - estimating, 63–64, 68–70
 - exercises, 75
 - interactive models with dummy variables, 70–71
 - standardized coefficients, 66
 - “My Library” in Google Scholar, 16, 17
 - opening files, 4–8
 - ordinal variables, 30–33
 - p*-values, 47, 54, 73
 - pairwise correlations (pwcorr), 51
 - pie graphs, 31–32
 - presentation of tables and graphs, 36–37
 - probability, dice rolling in Excel, 38–44
 - pull-down menus, 4–6
 - rank statistics, 35
 - reference category, 69–70
 - regression lines, graphing, 58–61
 - regression tables, constructing, 64–66
 - “replace” command, 67–68
 - research
 - examining previous research, 15
 - project exercises, 77–78
 - research designs, exercises, 23–25
 - scatter plots, 50, 51, 58–61
 - standardized coefficients, 66
 - STATA
 - command lines, 14
 - command methods, 3–8
 - examining data in, 8–9
 - launching, 3
 - platforms, 2
 - versions of, 3
 - STATA exercises
 - basics, 10
 - bivariate hypothesis testing, 56
 - charts and graphs, 19, 37
 - descriptive statistics, 37
 - multiple regression, 75–76
 - producing research projects, 77–78
 - two-variable regression, 61–62
 - statistical description *see* descriptive statistics
 - statistical moments, 35
 - statistical output, presentation of, 36–37
 - summary statistics, 33–36
 - survey research, exercises, 26
 - t*-test, 49
 - tables
 - covariance tables, 50–52
 - frequency tables, 30–33

82 **Index**

- tables (Cont.)
 - presentation of, 36
 - regression tables, 64–66
- tabular analysis, 45–48
- “tabulate” command, 30–31
- time-series variation, 14–15
- two-variable regression
 - estimating, 57
 - exercises, 61
 - graphing, 58–61
- variables
 - categorical, 30–33, 53
 - continuous, 33–36, 48, 50, 52
 - creating, 67
 - ordinal, 30–33
 - viewing, 9
 - see also* dependent variables;
dummy variables; independent
variables
- variation
 - cross-sectional, 11–14
 - time-series, 14–15
- Windows-based PCs, 2