

Index

- AG(2, \mathbb{R}), 13
- AGL(3, \mathbb{R}), 326
- Aut(PG(2, \mathbb{R})), 12
- Aut(PG(3, \mathbb{R})), 324
- Isom(\mathbb{R}^2), 73
- PG(2, \mathbb{C}), 332
- PG(3, \mathbb{R}), 324
- PG(d , \mathbb{R}), 407
- PGL(4, \mathbb{R}), 325
- Sim(\mathbb{R}^3), 335
- h*-expression, 75
- j*-invariant, 75
- absolute, 39, 330, 409
 - point, 33, 355
- absolute conic, 334
- adjoint action, 14
- Adler's lemma, 97
- affine group, 14
- affine plane, 11, 26, 64, 163
 - of order 3, 17
 - real, 13
- affine ratio, 43, 46
- affine transformation, 165
- affinity, 165
- altitude of a triangle, 187
- angle-parameter, 212
- antipodal points, 11
- Apollonius of Perga, 34, 94, 176, 247
- Archimedes of Syracuse, 176
- argument (complex), 333
- Aristaeus, 142
- associated lines, 413
- associated points, 365
- associated secunda, 412
- asymptotes of a hyperbola, 176
- automorphism, 12
 - field, 70
 - of AG(2, \mathbb{R}), 18
 - of PG(2, \mathbb{R}), 12
- automorphism group of PG(2, \mathbb{R}), 12
- automorphism group of the real inversive plane, 399
- axis, 19, 326
 - of a conic, 220
 - of a projectivity of a conic, 97
- Bézout, Étienne, 319
- Barbilian, Dan, 196
- Barbu, Ion, 196
- base angle, 212
- Battersea Power Station, 76
- Bellavitis, Giusto, 97
- Beltrami, Eugenio, 219
- betweenness, 169
- Borwein, Peter, 345
- bracket, 45, 55
- Braikenridge, William, 128, 318
- branch of a hyperbola, 176
- Brianchon hexagon, 153
- Brianchon, Charles-Julien, 142
- bundle of lines, 361
- Carnot, Lazare, 49, 117, 148
- Casey angle, 78
- Casey, John, 78

- Castelnuovo, Guido, 127
- central collineation, 47, 165, 326
- central projection, 44, 58
- centre, 19, 326
 - of a conic, 119
 - of an ellipse or hyperbola, 176
- centroid, 166, 402
- Ceva, Giovanni, 139
- characteristic cross-ratio, 70
- Chasles, Michel, 49, 83, 94
- circular points, 197, 244
- circumcentre, 402
- Clebsch, Alfred, 74
- cocycle identity, 55
- collinear, 9
- collineation, 12
 - central, 19, 326
 - of $\text{PG}(3, \mathbb{R})$, 324
 - of $\text{PG}(d, \mathbb{R})$, 408
- complete
 - quadrilateral, 111
- complete quadrangle, 107
- complex
 - linear, 371, 376
- complex numbers, 102
- complex projective plane, 332
- concurrent, 9
- congruence
 - degenerate, 375
 - elliptic, 375, 425
 - hyperbolic, 375, 425
 - linear, 371, 375
 - parabolic, 375, 425
- conic, 34
 - affine, 27
 - central, 176
 - dual, 37
 - non-degenerate, 34
- conjugate
 - lines, 38
 - points, 38
 - with respect to a quadrangle, 126
 - with respect to an elliptic quadric, 358
- Conon of Samos, 94
- correlation, 32
- cross-axis, 125
- cross-ratio, 44, 331
 - characteristic, 69
 - of lines, 56
 - of planes, 332
- Dandelin skew hexagon, 349
- Dao, Oai Thanh, 104, 258
- Daus, Paul Harold, 269
- de Gua de Malves, Jean Paul, 318
- de la Hire, Philippe, 318
- Desargues, Girard, 49, 185, 186, 318
- Desarguesian subspace, 409
- desmic configuration, 344
- desmic tetrahedra, 344
- determinant, 9
- determinantal variety, 428
- diagonal points of a quadrangle, 16
- diameter, 176
 - principal, 221
- Diocles, 228
- directrix, 214
 - of a regulus, 375
 - of a congruence, 376
- distance
 - directed, 75
 - from a point to a line, 142, 227
 - relation, 73
- Dobos, Sándor, 186, 205, 212
- double-six, 350
- dual statement, 10, 329, 409
- duality, 32, 330, 409
 - standard, 32, 330
- eccentricity, 228
- eigenvalues, 102
- elation, 19, 326
- eleven-point conic, 218
- ellipse, 174
- ellipsoid, 334
- envelope, 225
- equivalent
 - projectively, 333, 355, 376, 382, 429
 - quadrics, 410
- Euclid of Alexandria, 247
- Euler line, 195, 402
- Euler, Leonard, 319
- extended Euclidean plane, 7
- extended Euclidean space, 323
- external line to a conic, 36
- external point
 - to a conic, 37
 - to a quadric, 354
- Fermat, Pierre de, 178
- Fermat-Torricelli point, 282, 284
- Ferrers, Norman Macleod, 267, 268, 413

Index

459

- focus of a conic, 221
- focus-directrix, 228
- form
 - bilinear, 35
 - quadratic, 34, 35
- Frégier involution, 87
- Frégier point, 87
- fractional linear transformation, 83
- frame, 327, 409
 - fundamental, 327, 409
- Gauss plane, 399
- general Möbius group, 399
- general position, 364, 381
 - of lines of PG(4, \mathbb{R}), 413
- generator, 423
 - of a regulus, 375
- Gergonne point, 138, 139
- Gergonne, Joseph Diez, 127
- Gram matrix, 35, 71
- great circle, 11
- group
 - collineation, 12, 103
 - correlation, 32
 - isometry, 411
 - projective general linear, 13
- harmonic
 - quadrilateral, 207
- harmonic conjugate, 55, 65
- harmonic quadruple, 64
 - of lines, 68
- harmonic separation, 49
- Heron of Alexandria, 233
- Hesse, Otto, 111
- homogeneous coordinates, 7, 26, 408
- homogeneous hyperplane coordinates, 408
- homogeneous line coordinates, 7, 369
- homogenisation, 27
- homography, 123
- homology, 19, 326
 - harmonic, 68, 340
- hyperbola, 34, 174
- ibn Sinan, Ibrahim, 54
- imaginary points, 103, 110
- incidence symbol I, 12
- internal point
 - to a conic, 37
 - to a quadric, 354
- invariant, 73
- involution, 101
 - elliptic, 105
 - hyperbolic, 105
- involution at infinity, 184
- isogonal conjugate, 188
- isometry, 411
- isometry group of \mathbb{R}^2 , 73
- isomorphic
 - incidence geometries, 8
 - permutationally, 13
- isotomic conjugate, 272
- Jeřábek, Václav, 265
- Kiepert hyperbola, 212, 284
- Klein 4-group, 46
- Klein correspondence, 376
- Klein quadric, 421
- Lamé, Gabriel, 118
- law of sines, 56, 59
- Lemoine point, 138, 402
- Lemoine, Émile, 284
- line
 - external, 36
 - secant, 36
 - tangent, 36
- line at infinity, 7, 163
- line coordinates, 369
- line segment, 169
- linear complex, 371, 376, 426
 - general, 376
 - special, 376
- linear congruence, 371
- linear dependence, 372
- lines at infinity, 323
- Lorenzetti, Ambroglio, 44
- Möbius configuration, 342
- Möbius, Augustus, 49, 134, 154
- Möbius-Kantor S_3 configuration, 16, 342
- Mac Lane, Saunders, 16
- Maclaurin, Colin, 128, 149, 318
- Mantel, M. W., 190
- Mathieu, J.-J.-A., 113
- Maxwell, James Clerk, 191
- median, 166
- midpoint, 163
- Monge, Gaspard, 314
- Murdoch, Patrick, 318

- Newton, Isaac, 138, 149, 215, 318
- Newton–Gauss line, 119
- Nicoteles of Cyrene, 94
- nine-point circle, 164, 217, 261, 402
- non-degenerate
 - conic, 34, 332, 364
 - quadratic form, 410
 - quadric, 352
- Noyer, Albert, 190
- null point, 377
- null system, 377
- orthocentre, 402
- orthocentroidal circle, 402
- othocentre, 187
- outer automorphism of $\mathrm{GL}(3, \mathbb{R})$, 14
- Pappus of Alexandria, 49, 51, 142, 228
- parabola, 174
- parallel class
 - of lines, 5
 - of planes, 5
- Pascal line, 120, 159
- Pascal, Blaise, 119, 141, 318
- pencil
 - flat-pencil of lines, 329
 - of conics, 90, 121
 - of lines, 54, 329
 - of quadrics, 363
 - plane-pencil of lines, 329
- permutational isomorphism, 14
- perpendicular
 - lines, 4, 184, 334, 335
 - planes, 4, 335
 - transversal, 336
- perspective from a point, 23
- perspective projection matrix, 395
- perspectivity, 47
 - axis of, 24
 - centre of, 23
- Piero della Francesca, 76
- Plücker
 - coordinates, 369, 412, 421
 - map, 421
 - relation, 55
- Plücker, Julius, 369
- plane
 - Latin or Greek, 423
 - of $\mathrm{PG}(3, \mathbb{R})$, 324
 - of $\mathrm{PG}(d, \mathbb{R})$, 407
- point at infinity, 7
- points at infinity, 323
- polar, 38, 354
- polarity, 6, 32, 330, 409
 - null, 330, 377
 - of $\mathrm{PG}(3, \mathbb{R})$, 354
 - orthogonal, 330
- pole, 38, 354
- Poncelet, Jean-Victor, 49, 142, 197, 244, 317
- Principia, 318
- principle of duality, 329
- projective involution, 101
- projective line, 45
- projective plane, 6
- projectively related, 48
- projectivity, 48
 - of pencils, 91
 - on a conic, 97
- quadrangle, 11, 15
 - complete, 107
 - fundamental, 15
- quadrangular set, 156
- quadratic transformation, 188, 360
- quadric, 352, 410
 - elliptic, 355
 - hyperbolic, 355
 - non-degenerate, 352
- quadric cone, 363
- quadrilateral, 11
 - orthocentric, 219
- quotient map, 426
- quotient space, 362
- Ramus, Petrus, 233
- rank, 411
- rational normal curve, 428
- real inversive plane, 397–399
- real projective plane, 7
 - sphere model, 11
- real projective space, 324
- real subline, 399
- rectangular hyperbola, 210
- reference points, 331
- reflection property, 213
- regulus, 348, 350, 371
 - opposite, 350
- Reye’s configuration, 343
- Riemann sphere, 401
- Robson, Alan, 121, 194
- Ruggero Ventimiglia, Luigi, 318

- Saccheri, Giovanni, 318
- Scurr, Reverend Thomas, 179
- secant line to a conic, 36
- secundum, 407, 412
- Segre, Corrado, 414
- Seimiya, Toshio, 91
- separation, 64, 78, 95, 169, 403
 - harmonic, 64
- sharply n -transitive, 89
- signature, 411
- simplex, 412
- Simson, Robert, 148, 318
- sine ratio, 59
- singular radical, 410
- skew projection, 360
- sphere, 11
- spread, 376
 - regular, 376
- Steiner point, 122
- Steiner, Jakob, 49, 191
- Stephanos, Cyparissos, 341, 413
- stereographic projection, 359, 400
- Stirling, James, 318
- Sturm, Charles, 116, 127
- subspace, 407
 - singular, 422
- Sylvester, James Joseph, 412
- symmedian, 402
- Takasu, Tsurusaburo, 128
- tangent line, 148
- tangent line to a conic, 36
- Terquem, Olry, 276
- tetrahedron, 339
- theorem
 - Apollonius', 71, 144
 - Archimedes', 176
 - Blaikie's, 190
 - Braikenridge–Maclaurin, 128
 - Brianchon's, 129, 215
 - Brocard's, 208
 - Butterfly, 179
 - Carathéodory's, 184, 209, 245
 - Carnot's, 117, 172
 - Ceva's, 55
 - Chasles', 94
 - Chasles–Steiner, 140, 142, 145, 147
 - Clebsch's, 74
 - Coșniță's, 284
 - counterpairing, 257
 - Dandelin–Gallucci, 348
 - Darboux's, 169
 - Desargues', 24, 57, 152, 338
 - Desargues' involution, 115
 - Droz-Farny, 190, 252, 258
 - dual of the converse to Pappus' involution, 188, 256
 - Ehrmann–van Lamoen, 250
 - Fermat–Torricelli, 282
 - Ferrers', 267, 281
 - Ferriot–Terquem, 275
 - five-point Pascal, 145, 148
 - four-line Brianchon, 149
 - four-point Pascal, 146–148
 - Frégier's, 202
 - fundamental theorem of affine geometry, 17
 - fundamental theorem of projective geometry, 17, 328
 - Gale–Gardner, 278
 - Goormaghtigh's, 257, 261
 - Heron's, 233
 - Hesse's, 111
 - isotomic conjugate, 272
 - Jacobi's, 282
 - Kariya's, 284
 - Kiepert's, 283
 - Klein's, 340
 - La Hire's, 38, 177
 - Laguerre's, 231
 - Lalesco's, 261
 - Lamé's, 118
 - Lehmer–Daus, 256, 268
 - Lester's, 403
 - Möbius', 342
 - Menelaus', 55
 - Miquel's four-line, 229
 - Morley's, 193, 283
 - Napoleon's, 283
 - Nehring's, 29
 - Nixon's, 260
 - oblique Simson line, 261
 - Orbit–Stabiliser, 17
 - Pappus', 22, 108
 - Pappus' harmonic quadruples, 65
 - Pappus' involution, 71, 107
 - Pappus' involution (converse), 108
 - Pascal's, 120, 144, 145
 - projective Ceva, 112
 - projective Simson line, 136
 - Robson–Strange, 278, 280
 - Seydewitz's, 140
 - Siebeck–Bôcher–Grace, 182

- Snapper's, 219
Steiner's, 179
Sturm's, 116
Sylvester's theorem of inertia, 410
Sylvester–Gallai, 345
Takasu's, 128
Thales', 200
Thales' side-splitter, 166
trilinear polar, 108, 109, 113
van Kempen's, 158
von Staudt's, 39
Wallace–Simson line, 91, 216
Weiss', 164
Wilkinson's, 130
Zaslavsky's, 261
Vandermonde determinant, 428
- vanishing point, 79
Veronese
 correspondence, 430
 map, 430
 surface, 380, 430
Veronese, Giuseppe, 430
vertex
 of a cone, 363, 426
 of a parabola, 214
 of a perspectivity, 47
Vogel, Kurt, 142
von Staudt, Karl, 48, 50, 133
Weiss, Asia Ivić, 164
Whewell, William, 31
Wilkinson, Thomas Turner, 130