

Index

- 60 Hz artifact, 6, 41–53
- abnormal movements, 19, 105
- abnormal physiology, 22
- abnormal waves, 24–5, 29–34, 41, 71
- alcoholism, 139, 184
- alpha coma, 40
- alpha rhythm, 7–11, 25–6, 29–33, 40, 53–70, 206
- altered mentation, 18
- Alzheimer disease, 156, 166
- American Clinical Neurophysiology Society (ACNS), 75, 81, 83, 98, 108, 208
- amphetamines, 61
- amplitude-integrated EEG (AIE), 111–16
- anoxic myoclonic status epilepticus (AMSE), 99, 105
- anterior-posterior (AP) gradient, 7, 32, 86, 195, 199
- antidepressants, 61
 - selective serotonin reuptake inhibitors (SSRI), 61
- antiseizure medication (ASM), 20–1, 72–81, 92–3, 153–6, 187–90, 197
- aphasia, 125, 132, 149–51, 184
- arm shaking, 170
- artifacts, 6–7, 19–22, 25–8, 41–53, 117–19
 - 60 Hz electrical interference, 6, 41–53
 - cardioballistic, 46–51
 - external, 42
 - glossokinetic, 46–8
 - internal, 41
 - myogenic, 46, 118, 169–71, 179
 - ventilator, 53
- asymmetry index, 114
- asymmetry spectrogram, 112–17
- autism spectrum disorder (ASD), 166
- awake. *See* wakefulness.
- background suppression, 28
- barbiturates, 61, 215
- bedside display, 6
- bedside EEG, 4, 21–2, 24–9, 41–2, 83–4, 171
- Bell's phenomenon, 42
- benzodiazepines, 18, 61, 132–5, 139, 197, 215
- beta rhythm, 7, 61–5, 128, 191, 199, 206
- bilateral independent periodic discharges (BiPD), 86, 213
- bilateral independent periodic epileptiform discharges (BIPED), 213
- bilateral tonic-clonic convulsions (BTC), 81
- bipolar disorder, 179
- BIRD. *See* brief potentially ictal rhythmic discharge.
- bradycardia, 174–9
- brain death, 19, 99, 108, 208, 214
- brain tumor, 86, 206
- brain waves
 - alpha rhythm, 7–11, 29, 40, 53–70, 206, 213–18
 - beta rhythm, 7, 61–5, 128, 191, 199, 206
 - delta rhythm, 53–70, 84–7, 187, 191–3, 204, 216–18
 - frequency range, 7
 - mu rhythm, 218
 - polarity, 2
- breach effect, 24, 26–9, 117, 184–7, 213
- brief potentially ictal rhythmic discharge (BIRD), 21, 80–1, 149, 160, 162–4, 213
- brivaracetam, 133
- burst suppression, 26–7, 65–70, 100–5, 109, 135–7, 213–14
- burst suppression ratio, 118, 133
- cardiac arrest (CA), 17–19, 35, 99–105, 172–3, 199, 206–8
- catatonia, 18
- cerebral dysfunction, 25, 29, 40, 184, 193, 215
 - focal, 25, 184, 215
 - physiological diffuse, 17
- channels, 2, 4–6, 26, 42–6, 114

- clinical history, 24, 100
 clozapine, 61–4
 colitis, 174
 coma
 alpha, 206
 anesthetic, 40
 beta, 13, 206
 medically-induced, 18, 65
 pentobarbital, 18
 psychogenic, 18
 spindle, 40, 206
 comatose patients, 19, 20–1, 34, 35, 92, 206–8
 comorbidities, 100
 continuous EEG (CEEG), 20–1, 22, 24, 71, 72, 171
 continuous veno-venous hemofiltration (CVVH), 61
 convulsive status epilepticus (CSE), 17–18, 92, 123–41, 214
 cortical potentials, 1, 11
 craniotomy, 19, 24, 26–9, 187, 213
 Creutzfeldt-Jakob Disease, 3
 cyclical alternating pattern of encephalopathy (CAPE), 199
 delayed cerebral ischemia (DCI), 18, 20, 109–10, 118, 121
 delta rhythm, 34
 alpha ratio, 118
 artifact, 46, 53
 frequency range, 7, 29
 generalized activity (GRDA), 42–6, 53, 61–5, 84–6, 193, 216
 lateralized activity (LRDA), 21, 84–6, 93, 114, 184–7, 218
 rhythmic activity, 84, 125
 slowing, 65–70, 171, 187, 191–3
 slow wave sleep, 11
 temporal intermittent activity (TIRDA), 218
 wakeful states, 7
 desflurane, 70
 dexmedetomidine, 65
 diabetes mellitus, 195
 disassociation, 65
 discontinuity, 2, 26, 100, 111, 214
 drowsiness, 7–11, 29, 42, 216, 219
 electrocerebral inactivity (ECI), 100, 208, 214
 electroclinical status epilepticus (ECSE), 81, 92, 93–7, 214
 electrodes, 1–4, 19, 20, 41–2, 46–56, 100, 184–7
 application, 3
 contamination, 19
 placement, 3, 19
 role in EEG process, 1
 single use, 3
 electroencephalography (EEG), defined, 1
 electrographic background, 174
 electrographic seizures, 53–61, 71–5, 84, 153, 160–2
 electrographic status epilepticus (ESE), 71–9, 84, 110, 123, 153, 214
 encephalitis, 18, 86, 204–6
 focal, 86
 encephalomalacia, 86
 encephalopathy, 17–18, 24–6, 36, 86–93, 191–3, 213–16
 cyclical alternating pattern (CAPE), 199
 grading, 40
 hepatic, 18, 86
 ischemic, 99, 213
 mild, 29, 40
 moderate, 40
 severe, 35–40, 199, 217
 uremic, 18
 enveloped trend, 118
 epilepsy, focal, 165–6
 epileptic seizures, 29, 71–5, 164–6, 179–81, 215, 218–20. *See also* status epilepticus
 epileptiform discharge, 71–5, 81, 98, 160, 164–6, 212–20
 euphoria, 65
 evolving patterns, 128, 149
 extracorporeal membrane oxygenation (ECMO), 19, 61
 extreme delta brush (EDB), 204–6
 eye blinks, 7–11, 35, 42–3
 eyelid flutter, 19, 42
 eye movements, 11, 41–2, 160
 fast-Fourier transform (FFT) spectrogram, 111–16
 filters, 6, 25

- FIRDA (frontal intermittent rhythmic delta activity), 193, 216
- focal attenuation, 182–4
- focal cerebral dysfunction, 25, 184, 215
underlying, 29, 215
- fosphenytoin, 92, 133
- fracture (skull), 24, 187
- frequency filters. *See* filters.
- generalized laterality, 83
- generalized NCSE, 123, 132
- generalized periodic discharge (GPD), 61, 86, 93, 114–17, 195–7, 216
- generalized rhythmic delta activity (GRDA), 42–6, 53, 61–5, 84–6, 193, 216
- generalized tonic-clonic convulsions (GTC), 17–18, 81, 147–8, 174
- Generalized voltage suppression, 100–2, 217
- GSW (generalized spike-wave), 84–6, 93, 123, 139, 166, 217
- hallucinations, 65
- head box, 3
- heart disease, 174, 195, 206. *See also* cardiac arrest
- hemiparesis, 132, 184
- hemodialysis (HD), 61
- hemorrhage, 18, 182–5
- high frequency filter (HFF), 6–7, 46
- hypertension, 171, 206
- hypotension, 179, 197
- hypothermia, therapeutic, 19, 105
- hypoxic ischemic brain injury (HIBI), 40, 46, 86, 99–100, 105, 206
- ictal-interictal continuum (IIC), 81, 83, 92–8, 153, 197, 216–20
- ictal triphasic waves, 197–8
- intravenous anesthesia, 41, 65, 81
- ketamine, 65
- Kozhevnikov's syndrome, 190
- lacosamide, 92, 133
- Lance-Adams syndrome, 99, 105
- lateralized periodic discharge (LPD), 86, 93, 114–17, 125, 149–52, 184–7
- lateralized rhythmic delta activity (LRDA), 21, 86, 93, 114, 184–7, 218
- lateralized spike-wave (LSW), 218
- levetiracetam, 133, 139, 153, 174, 193, 197–9
- lithium, 61–5
- localization, 3–4, 110
- locked-in syndrome, 18
- longitudinal bipolar montage, 4–7, 25, 26
- lorazepam, 92–7, 128, 132–3, 139, 147–53, 197
- meningitis, 199–202
- metabolic abnormalities, 105, 132, 174, 191
- metoclopramide, 169
- midazolam, 133–5
- minimum alveolar concentrations (MAC), 70
- montages, 4, 25
- multifocal independent periodic discharge, 86
- mu rhythm, 218
- muscle artifact, 11, 18, 41
- myoclonus, 19, 46, 65, 105, 174
subcortical, 19, 171
- myogenic artifact, 46, 118, 169–71, 179
- neuroleptics, 169
- neurological exam, 22
- neuronal death, 17
- nitrous oxide, 70
- noise, electrical, 19
- nonconvulsive status epilepticus (NCSE), 17–18, 21, 123, 132–3, 139–41
- notch filters, 6, 53–8
- nystagmus, 19, 22, 42
- Ohm's law, 1
- paralysis, 17–19
- Parkinson disease, 169
- parkinsonism, 169
- paroxysms, 19
- pathogenesis, 92
- patient information, 24, 100, 211
- PDR. *See* alpha rhythm.
- pentobarbital, 65, 135
- perilesional edema, 187
- periodic discharge (PD), 34–5, 83–4, 100, 137, 147, 153
- peripheral nail bed pressure, 35

- phase reversal, 4–8
- phenobarbital, 133
- phenothiazines, 61, 169
- physiological diffuse cerebral dysfunction, 17
- PNES, 179
- polarity, 2
- polygraphy, 174
- Portable EEG machines, 20
- posterior dominant rhythm. *See* alpha rhythm.
- posturing, 19, 171
- power spectral assay (PSA), 114
- prion diseases, 3, 197
- prognostication, 18–19, 22, 35–40, 99–100, 109
- prolonged recording, 20
- propofol, 65–70, 133–5, 215
- psychiatric medications, 61
- psychogenic non-epileptic seizures, 179
- QEEG. *See* Quantitative EEG.
- quantitative EEG (QEEG), 20, 22, 109–21, 211
- rapid eye movement (REM) sleep, 11
- Rasmussen encephalitis, 190
- rattle, 53
- reactivity, 22, 34–7, 100–3, 206–8, 214, 217
- resolution, 11, 197
- low spatial, 11
- rhythmic and periodic patterns (RPP), 20, 83–4, 86–92, 100–5, 212–13, 216–20
- rhythmic delta activity (RDA), 34, 83–4, 125–32, 137, 144–7
- rhythmicity spectrogram, 112–16
- rhythmic/periodic pattern (RPP), 137, 213, 216–20
- right frontal meningioma, 187
- rigors, 19, 171
- risk markers, 92
- Routine EEG (REEGs), 20–1, 166
- RSE (refractory status epilepticus), 17–18, 81, 135, 213
- Salzburg criteria, 75, 125
- scalp, 1, 3–4, 11, 53, 72
- scalp lesions, 19
- Sedatives, 24
- seizures, 17–19, 71–81, 111–21, 160–4, 191–7, 212–19
- abnormal movement mimicking, 19, 53
- control, 21
- detectors, 117
- electroclinical, 72–5, 92, 160, 214
- electrographic criteria for, 92
- evolving electrographic, 75–8
- frank, 83, 100–5, 213
- functional/psychogenic, 179–81, 219
- multiple convulsive, 145, 192, 199
- nonconvulsive, 17, 99
- prevention, 18, 153, 164, 166, 187
- pseudo, 179
- unresponsiveness during, 11
- selective serotonin reuptake inhibitors (SSRI), 61
- sensitivity, 6, 25
- sevoflurane, 70
- sharp transients, 71–2, 215, 217–19
- sharp waves, 24–5, 29–34, 71–3, 84, 147, 166
- Single use electrodes, 3
- skull breaches, 24, 26–9, 117, 184–7, 213
- skull defects, 24, 213
- sleep, 7–15, 65, 111–12, 164, 206, 212
- rapid eye movement (REM), 11
- slow wave, 11–15, 65, 111
- slow wave sleep, 11–15, 65, 111
- slow waves, 25, 29, 144–7, 153, 164, 184
- spectrograms
- fast-Fourier transform (FFT), 111–16
- rhythmicity, 112–16
- spikes, 29, 61–4, 71, 144–7, 160, 164–6
- state dependency, 195–7, 206
- status epilepticus, 61, 71, 72–81, 93–8, 105, 214
- electroclinical (ECSE), 61, 71–81, 92, 93–7, 214 *see also* seizures.
- stimulus
- auditory, 35
- graded, 35
- noxious, 35, 103, 156
- visual, 35
- stroke, 26, 86, 166, 184, 190, 206
- subarachnoid hemorrhage (SAH), 20, 86, 109, 118, 121, 191
- subcortical myoclonus, 19, 171
- subdural hematoma, 26, 86, 149

- superficial cortex, 1
- super-refractory status epilepsy (SRSE), 18, 81, 137
- symmetry, 25–6
- syncope, 174–9

- temporal intermittent rhythmic delta activity (TIRDA), 218
- temporal regions, 6, 30, 132, 162–4
- terminology, 83–6
- thalamus, 1, 65
- theta waves, 1–7, 53–61, 70, 171, 199, 206
- transients, sharp, 71–2, 215, 217–19
- tremors, 19, 169
- tricyclic antidepressants, 61
- triphasic morphology, 61, 86, 93, 156, 195–7, 216
- tube, endotracheal, 53

- tumors, 26–9, 86, 166, 184, 190, 206
- twitches, 19, 174

- vertical nystagmus, 42
- video recording, 11, 22
- voltage, 2, 25–31, 83–92, 111, 117, 149

- wakefulness, 7, 29, 86–92, 112
 - normal, 7
- waveforms
 - abnormal, 24–5, 29–34, 41, 71
 - focal sharp, 4
 - sharp transients, 71–2, 215, 217–19
 - slow wave, 25, 29, 144–7, 153, 164, 184
 - vertex, 13
- whole-body jerking, 174
- Wicket spikes, 220