

Index

- abcximab, 141
 abducens nerve, 317, 383–384
 abuse, 398
 acetylcholinesterase inhibitors,
 20, 23, 39, 74, 91,
 470–471
 acidosis, 74–75, 131, 134–135,
 220, 222, 227
 acromegaly, 51, 273
 activated clotting time (ACT),
 147, 201
 activated partial thromboplastin
 time (APTT), 133, 137,
 145, 147
 acute liver failure, 150,
 159–162
 acute pain, 491, 575, 626, 633,
 637, 639–641
 management, 575, 637, 639
 acute phase response, 46, 48,
 287
 Acute Physiology and Chronic
 Health Evaluation
 (APACHE), 519
 acute respiratory distress
 syndrome (ARDS),
 119, 126, 176–177,
 310, 521–526, 549
 Addison's disease, 53
 adenocarcinoma, 186
 adenosine diphosphate, 140
 adrenal glands, 49, 238, 567,
 594
 adrenocorticotrophic
 hormone (ACTH),
 47–48, 49, 52, 182, 560
 advance directive, 647, 649
 airways, 88–91, 229–235,
 256–279, 282–284,
 311–314, 390–393,
 427–429
 anaesthesia, 232
 asthma, 181
 bleeding, 232
 cancer, 186–187
 collapse, 178
 Difficult Airway Society
 guidelines, 232, 258,
 259–260, 261, 309
 face mask ventilation, 260,
 283
 lower, 53, 262, 271–272, 275
 maintenance, 170
 management, 5, 34, 51
 obstruction, 229, 231–232,
 262, 347, 525–526
 preoperative assessment, 51,
 56, 84
 vortex approach, 260
 alpha-2 adrenoreceptor
 agonists, 50
 alveoli, 178, 181, 424,
 520–523, 532, 562
 Alzheimer's disease, 470
 American Society for
 Parenteral and Enteral
 Nutrition (ASPEN),
 100
 American Society of
 Anesthesiologists
 (ASA), 11, 251, 337,
 396, 457–458, 637
 Amniotic fluid embolism
 (AFE), 360, 365,
 376–379
 anaemia, 4, 21, 104–105, 127,
 128, 129, 130, 207,
 411–412, 510–511
 antenatal, 371
 aplastic, 128
 blood tests, 128, 207
 causes, 127
 chronic disease, 3
 clinical features, 127
 correction, 25
 critical illness, 131–132
 enhanced recovery and,
 287
 iron deficiency, 127–128,
 129, 412
 macrocytic, 128–129
 megaloblastic, 341
 microcytic, 128
 normocytic, 128, 195
 physiological effects,
 128–129
 sickle cell, 130, 321, 405
 significant, 9, 418, 421
 anaesthesia, 80, 81, 82, 94, 96,
 231, 270, 271, 329, 330,
 332, 333, 335–337,
 380–381, 468–469
 asthma and, 182
 bleeding tonsil, 268
 bronchoscopy, 229,
 230–231
 cardiopulmonary bypass,
 246
 catecholamine release, 95
 consent for, 207
 craniotomy, 299, 346
 critical incidents, 651–652
 depth, 28
 depth estimation, 330
 ECT, 336–337
 general, 5–6, 154–155, 196,
 280, 284, 331–332,
 486–487, 489–490, 575
 geriatric, 465–468
 hepatitis, 165–166
 hyperkalaemia and, 85
 hyperpyrexia and, 75
 hypertension and, 19–20,
 25
 hypothermia under, 80–81
 induction, 34, 89, 200, 223,
 356, 366, 394
 injury during, 406
 intraoperative
 neuromonitoring, 342
 laryngoscopy, 305
 liver failure, 163
 maintenance, 86, 202, 314,
 442, 476
 malnourished patients, 107
 mechanical thrombectomy,
 494
 monitoring, 210, 329,
 330–331, 332, 344–345
 myotonia, 172
 neonates, 428, 434, 438,
 442
 obesity and, 57–58
 paediatric, 271–272, 277,
 278, 399
 peripheral arterial vascular
 disease, 489

	Index	655
phaeochromocytoma surgery, 94–95	classification, 14–17	control, 92, 95
pituitary surgery, 52	complex, 14–15	maintenance, 34
pregnancy, 352, 356–361, 381	congenital heart disease, 373	monitoring, 4, 35 <i>See also</i>
preoperative assessment, 93	narrow complex, 14–15	hypertension;
recovery from, 53, 347	obese patients, 56	hypotension
regional, 50, 80, 138–139,	risk factors, 14, 75	blood products, 34, 85, 133,
402–403, 464,	arrhythmogenic right	137–138, 245
489–490, 576–577,	ventricular	contamination, 126
581, 643–644	cardiomyopathy	blood tests, 69, 73, 75, 86, 89,
risk assessment, 9, 32, 457	(ARVCM), 40	128
risk scoring, 11	arthritis, 1–4, 5, 8, 10, 229,	blood transfusion, 123–125,
stress response and, 49–50	256–257	379, 380, 411–412,
anaesthesia monitoring, 26,	aspirin, 23, 25, 140–142, 487,	414, 649
229, 330, 332, 333	489	bone cement, 415–416
anaesthetic awareness, 327	Association of Anaesthetists of	bone cement implantation
anaesthetic gas scavenging	Great Britain and	syndrome (BCIS),
system (AGSS), 643, 646	Ireland (AAGBI), 6,	415–417, 419, 421–422
anaesthetic technique, 5–6, 52,	124, 371, 594	bradycardia, 16, 221, 222,
299, 343, 346, 402	asthma, 4, 8, 181–183, 377,	308–309, 310, 337, 432
analgesic ladder, 636–637	380, 399, 642	brainstem death, 316,
anaphylaxis, 126, 135, 377,	acute, 70, 182	318–320, 321, 322,
537, 544	in pregnancy, 183	545, 547
aneurysm, 302, 305, 473–474,	management of, 181	Brief Pain Inventory,
476, 565	autonomic nervous system,	634–635
abdominal aortic, 454, 461,	47, 187, 565	British Heart Rhythm Society,
473, 477	autonomic neuropathy, 60–62,	41, 44
coronary, 374	67, 622	British Journal of Anaesthesia,
angina, 7–9, 11, 19–20, 32, 34,	awake craniotomy, 345–347	81
127, 128	azathioprine, 4, 240–241	British Thoracic Society
angiotensin receptor blockers	bare metal stenting (BMS), 23	guidelines, 179
(ARBs), 23, 91	barrier pressure, 112, 350	bronchoalveolar lavage (BAL),
anorexia, 104, 187, 195, 498	benzodiazepines, 49, 339, 341,	184
antibiotics, 88, 161–162, 270,	344, 425, 428	B-Unaware Trial, 332
271, 277, 278–279	beta-blockers, 12, 15, 16–17,	calcium, 14, 69, 71–72, 114,
anticoagulant drugs, 40–41,	23, 28, 395	117
140, 146–149, 209,	bilirubin, 158, 159, 161, 164,	metabolism, 70, 71
386, 396–397, 542–544	166–167, 425	cancer, 19, 460, 463, 631, 642
anticonvulsants, 70, 129, 336,	bipolar disorder, 337	bowel, 461
340, 341, 625, 640	bispectral (BIS) monitoring,	breast, 151
antidepressants, tricyclic, 336,	300, 331–333, 345,	colonic, 206
337, 498, 622, 625, 640	366, 420, 469	lung, 186–187, 188,
antiemetics, 109–110, 390–391,	blood–brain barrier, 109–110,	228–229
395, 401, 419–420	296, 425, 434	metastasis, 187, 322
antiplatelet therapy, 23	blood count, 131, 133, 134,	pancreatic, 592
aortic regurgitation, 9, 37, 248	267–268, 353, 354, 364	screening, 461
aortic stenosis, 8–9, 32–36,	blood glucose, 52, 63, 194, 548	squamous cell, 186, 187
212, 214, 332, 373	blood group, 9, 122–124	thyroid, 92
aqueous humour, 384–385,	blood loss, 131–134, 267–268,	cancer recurrence
388–389, 393–394	365, 378–379,	breast, 464
arrhythmias, 11, 14, 17, 74, 92,	405–406, 413, 443–444	cancers
341, 372–373, 374,	blood pressure, 19–20, 34, 35,	blood, 464
498–499	91, 304–305, 315,	carbon monoxide poisoning,
aetiology, 12–14	365–367, 397, 483, 511	500, 520, 535
cardiomyopathies, 38	anaesthesia and, 20	cardiac implantable electronic
causes, 48	autonomic neuropathy, 62	devices, 41, 43, 45

- cardiac ischaemia, 21, 205, 304, 510
- cardiac surgery, 200, 201, 204–206, 245, 248, 327–328
- cardiac tamponade, 204, 218, 220–223, 224, 249, 555
- cardiomyopathy, 38, 40–41, 160, 163, 171, 172
- arrhythmogenic right ventricular, 40
- dilated (DCM), 38–39
- hypertrophic (HCM), 39
- cardioplegia solution, 202–203
- cardiopulmonary bypass, 83–84, 201, 202, 204–205, 218–219, 220, 246
- cardiopulmonary exercise testing (CPET), 7–10, 188, 208, 454–456, 459
- cardiovascular instability, 203, 205, 245, 249, 312, 315
- carotid endarterectomy, 478–480
- catabolism, 46, 66, 105
- cataract surgery, 386, 396–397
- catecholamine, 47, 94, 227, 239, 316
- cauda equina syndrome, 357, 629–631
- CGA staging, 194
- child protection, 448, 450
- Child-Pugh score, 159, 163
- children, 212, 214–216, 267, 430–435, 439–440, 448–450, 596–598, 635–636. *See also* neonates
- cholinergic crisis, 170–171
- chronic obstructive pulmonary disease (COPD), 8, 176, 178, 180, 486–487, 510, 512
- chronic pain, 620, 623–624, 633, 634–635, 637, 640
- chronic postoperative amputation pain, 490–491
- circulating volume, 372, 374, 423, 436, 441
- clopidogrel, 11, 23–24, 141–143, 147, 490
- clotting cascade, 140, 143–145, 157
- coeliac plexus, 112, 567–568, 588, 591–594, 623
- cognitive-behavioural interventions, 641
- Collaborative Eclampsia Trial, 363
- complete heart block, 15–16, 19, 21–22, 209
- complex regional pain syndrome (CRPS), 568, 581–591, 603, 605, 608, 621, 624–625
- computed tomography (CT), 89, 121, 153, 280, 283
- congenital heart disease (CHD), 211–212, 214, 215, 216, 372–374, 375
- congestive cardiac failure (CCF), 19, 20, 21–22, 25–26, 193–194, 199
- consent, 399, 413–414, 583–584, 594, 597, 647–648
- continuous positive airway pressure (CPAP), 53, 56, 274–275, 277, 424, 429, 490
- convection, 80–81, 540–543
- coronary aneurysm, 374
- coronary perfusion pressure, 24
- cortisol, 47–48, 49
- COVID-19, 20, 548–550
- CPEX, 10. *See* cardiopulmonary exercise testing
- cranial nerves, 111, 301, 316–318, 320, 553, 569, 571–572
- critical incidents, 651–653
- CRPS, 568. *See* complex regional pain syndrome
- CT, 89. *See* computed tomography
- Cushing's syndrome, 18, 51–52, 186–187
- CXR, 41–42, 229, 231, 269, 270, 522, 523
- cyanide toxicity, 501, 534
- cyanosis, 212, 215, 273, 445
- chronic, 212–214, 216
- cytokines, 46, 48, 158, 287
- danaparoid sodium, 143, 146, 544
- daycase surgery, 250–254
- death, legal time of, 320
- defibrillators
- external, 43, 44–45
- implantable cardioverter, 17, 39, 42–44, 45
- deliberate awareness, 327
- dementia, 20, 402, 468, 470–471
- dexamethasone, 109–110, 277, 281, 395, 401
- dextrans, 141, 151
- diabetes, 4–5, 19, 66, 68, 193, 419, 457–459, 600
- diabetes insipidus, 53, 75–77, 299, 318
- diabetes mellitus, 11, 29, 52, 56, 194
- diabetes, ketone production, 68
- diabetic complications, 60–62
- diabetic nephropathy, 62
- diabetic patients, 62, 196, 245, 397–398
- dialysis, 73, 75, 193, 194, 539–541, 542
- diastolic dysfunction, 26–27, 39, 52, 94, 218, 221–222, 240
- Difficult Airway Society guidelines, 232, 258, 259–260, 261, 309
- diffusion, 521, 523, 540–542
- diffusion impairment, 521
- dilated cardiomyopathy, 7–38
- dipyridamole, 141
- direct oral factor Xa inhibitors (DOACS), 143, 146
- DLCO, 190–191
- Do Not Attempt Resuscitation (DNAR), 649
- dobutamine, 10, 222, 224–227, 239, 417
- dobutamine stress echocardiogram, 10, 240
- double lumen tube (DLT), 189, 234, 236, 243, 560, 563–565
- Down's syndrome, 212, 216
- drug-eluting stents, 23, 142–143

	Index	657
Duke Activity Score Index (DASI), 208, 455		
duplex ultrasound, 487–488		
dyspnoea, 40, 41, 127, 128, 377–378		
Eaton-Lambert Syndrome, 171		
ECG monitoring, 25, 42, 44, 73–74, 78		
ECG, 4. <i>See</i> electrocardiography		
echocardiography, 9, 10, 25, 26, 222–223, 373		
eclampsia, 339, 359, 360, 363–364, 365		
EEG, 273, 320, 329, 342–343, 345, 484		
Eisenmenger syndrome, 214, 374		
elderly patients, 250, 288, 410, 418, 510, 526, 559		
electrical injury, 505–506		
electrocardiography, 7–10, 13, 16–17, 27–28, 152, 273–274, 324–325, 497–498, 527–528		
electroconvulsive therapy (ECT), 334–337		
electromagnetic interference, 43–44		
electromyography, 188, 342, 345, 622		
emergency surgery, 73, 77, 149, 215, 468, 474		
enhanced automaticity, 12–13		
enhanced recovery, 50, 205, 210, 286, 292		
enhanced recovery programmes, 286, 287, 288–289, 463		
enteral nutrition, 98, 99, 101, 119, 524		
entropy monitoring, 332		
epidural blood patch, 358–359, 560		
epilepsy surgery, 303, 345		
epileptic seizures, 340		
episcleritis, 3		
ERAS Cardiac, 205		
etomidate, 24, 49, 223, 341, 343		
European Society for Cardiology, 215–216		
European Society of Anaesthesiology (ESA), 21, 208		
evaporation, 80–82, 443, 447		
exomphalos, 444, 447		
extradural space, 556–557		
eye		
aqueous humour, 384–385, 388–389, 393–394		
eyeball, 384–385, 387, 393, 403		
retina, 374, 390, 397, 398, 429, 570		
eye blocks, 403		
face mask ventilation, 260, 283		
facial nerve, 72, 91, 281, 317, 384, 571–572		
factor VIII, 132–134, 136–138, 140		
factor IX, 132		
fascia iliaca nerve block, 34, 418–419, 420, 603, 604		
fat distribution, 55		
fat embolism syndrome, 155, 156		
fentanyl, 34–35, 50, 58–59, 271, 283–284, 475, 639–640		
FEV1, 178–179, 188, 190		
fibrinolytic agents, 148		
flow/volume loops, 179, 229		
fluconazole, 161		
fludrocortisone, 53		
fluid management, 67, 243, 292, 469, 476		
fluid resuscitation, 118, 267–268, 278–279, 380–381, 432, 500–501, 528–530		
fondaparinux, 143, 151, 544		
Fontan circulation, 212–214, 217, 374		
Forced Vital Capacity (FVC), 190		
foreign bodies (FB), 230–231, 269–272, 276, 388		
frailty, 470, 509		
frontal nerve, 384, 560, 571		
functional walk test, 455		
gastric acid, 98, 113		
gastroparesis, 62		
gastroschisis, 447		
general anaesthetic, 5–6, 154–155, 196, 280, 284, 331–332, 486–487, 489–490, 575		
Getting it Right First Time (GIRFT), 645		
Gilbert's syndrome, 165, 166–167		
Glasgow Coma Scale (GCS), 154–155, 294–295, 410, 497, 500, 536		
glossopharyngeal nerve, 317, 553, 572		
glyceryl trinitrate, 31, 96		
goal-directed therapy, 509–512, 530		
grown-up congenital heart disease (GUCHD), 212, 215, 372–374, 375		
Gurd's criteria, 156		
Haematology, 127, 149, 379		
haemodialysis, 245, 540–541		
haemofiltration circuit, 141, 541–542		
haemophilia, 125, 132–134, 137, 150		
haemophilus influenza, 130, 278, 279, 529		
halothane hepatotoxicity, 167–168		
heart block, 15		
complete, 15–16, 19, 21–22, 209		
Mobitz types I and II, 15–16		
heart disease		
grown-up congenital, 212, 215, 372–374, 375		
ischaemic, 7–11, 18–23, 24, 51–52, 206–209, 335, 486–487		
heart failure, 25, 38–42, 94, 208–209, 215, 509–510		
heat stroke, 83–84		
heparin, 145–147, 148, 201, 204, 205, 488, 543		
low molecular weight, 138–139, 143–147, 148, 151, 154		
heparin-induced thrombocytopenia, 145–146, 543		
hepatopulmonary syndrome, 160, 165		
hepatotoxicity, 167–168, 240, 462		

- hernia, 56, 57–58, 115,
272–275, 446–447,
627–628
- Horner's syndrome, 481, 584,
590
- hydrocortisone, 6, 53–54
- hypercalcaemia, 53, 72,
187
- hypercapnia, 43, 56, 177,
291–292, 297
- hypercarbia, 220
- hyperglycaemia, 66, 68, 78, 82,
99–100, 102
- hyperkalaemia, 72–75, 86, 193,
195, 314, 538–539
- hypernatraemia, 75–77, 318,
421, 450, 466
- hypertension, 3–5, 17–20,
91–92, 95, 193–194,
215–217, 273,
361–364, 397
- anaesthesia and, 19
- cataract surgery, 397
- essential, 18
- intracranial, 273, 287, 297,
358
- laryngoscopy, 305
- management, 25
- portal, 160, 165
- postoperative, 219, 483
- pregnancy, 362, 379
- pulmonary, 36–37, 374, 417,
422, 446
- rebound, 224
- refractory, 51–52, 93
- resistant, 91
- secondary, 18
- steroid-induced, 4
- stress-induced, 29
- systolic, 150, 465
- tumour handling, 95
- white coat (medical staff-
induced), 18
- hyperthermia, 21, 50, 83, 84,
86, 326
- hypertonic saline, 76, 78, 79
- hypertrophic cardiomyopathy,
7–39, 454
- hypocapnia, 296, 378, 483
- hypoglycaemia, 155, 340, 436,
438, 443, 445
- hypokalaemia, 72–74, 76, 104,
110, 436
- hyponatraemia, 53, 74–75,
77–79, 338, 340, 365,
421
- hypotension, orthostatic, 60,
187
- hypothalamic–pituitary–
adrenal (HPA) axis,
47
- hypothalamus, 47–48, 50, 287,
565, 618
- hypothermia, 29, 80–82, 83,
130–131, 134–135,
218–219, 221–222, 433
- hypovolaemia, 14, 43, 133,
241, 245
- hypoxaemia, 55, 130–131, 156,
237, 242, 244, 377
- hypoxia, 220–221, 271,
295–296, 377–378, 394,
421–424, 520–521, 523
- causative mechanism in
pneumonia, 184
- correction, 197
- implantable cardioverter
defibrillators (ICDs),
17, 39, 42–44, 45
- incident reporting, 652
- Independent Mental Capacity
Advocate (IMCA), 647
- infants, 166. *See* neonates
- inhalational injury, 503–504
- Injury Severity Score (ISS),
409, 410
- insulin, 59, 63, 66, 68, 73–74,
75, 539
- intensive care unit (ICU),
176–177, 184, 185,
277–278, 444, 446, 547
- intermediate cervical plexus
block, 482
- intermittent positive pressure
ventilation (IPPV),
230, 271, 314
- international normalised ratio
(INR), 144, 147, 386
- inter-pleural space, 174
- interstitial lung disease (ILD),
189–191, 526
- inter-threshold range, 80
- intraocular pressure, 385,
388–391, 393–395,
398, 404
- intraoperative
neuromonitoring, 342
- intubation, 232–235, 256–261,
266–267, 276–279,
283–284, 294–295,
308–310, 360
- aids, 57
- fibreoptic, 51, 89
- haemodynamic instability, 94
- nasal, 87
- pain management, 95
- tracheal, 51, 87, 95, 154
- trauma caused by, 134
- intussusception, 440–441
- iron deficiency, 128, 129, 193
- ischaemic heart disease (IHD),
7–11, 18–23, 24,
51–52, 206–209, 335,
486–487
- ischaemic stroke, 494
- ischaemic time, cold, 548
- isoflurane, 167–168, 200, 642
- isolated forearm technique,
330
- jaundice, 126, 127, 159, 160,
164–168
- Jehovah's Witnesses, 126,
413–414, 649
- Kawasaki Disease, 374, 549
- ketamine, 341, 343, 390, 394,
471, 579
- kidney injury, 34, 462, 509,
519, 537
- kidneys, 3. *See* renal function
- King's College criteria, 162
- knee replacement, 1, 3, 5, 150,
151, 405, 407
- lacrimal nerve, 383–388, 571
- Lambert-Eaton Myasthenic
Syndrome, 186–187
- laparoscopic surgery, 55, 210,
258, 290, 291, 649
- laparotomy, 178, 182, 441,
443, 548, 549
- larynx, 89, 90, 260–263, 265,
430, 572
- Lasting Power of Attorney
(LPA), 648, 649
- Lee's Revised Cardiac Risk
Index, 11, 19, 21–22,
208, 457
- Leeds Assessment of
Neuropathic
Symptoms and Signs
(LANSS), 635
- lithium, 76, 337–338, 539
- liver, 3–4, 128, 144, 158–159,
161, 162, 164–166,
241–242, 244

	Index	659
chronic disease, 159–161, 163, 165	metabolic acidosis, 68, 498–499, 501, 539, 543	and Death (NCEPOD), 11, 120, 236, 508
failure, 56, 159, 161	metabolic equivalents (METs), 8, 22, 207–208, 474	National Early Warning Score, 528
liver disease	metabolic syndrome, 55, 464	National Emergency
chronic, 159–161, 163, 165	metastasis, 187, 322	Laparotomy Audit
local anaesthesia, 58, 385, 480, 482, 592, 610–612, 615	metformin, 61, 129, 419	(NELA), 458
toxicity, 359, 606, 611–615	methotrexate, 4, 129, 190, 462	National Surgical Quality
loop recorders, 42	migraine, 113, 358, 559	Improvement Program
lumbar plexus block, 603, 604–605	minimally invasive cardiac surgery, 204, 234, 564	(NSQIP), 21, 209, 509
lumbar puncture, 302, 573–574	minimally invasive surgery (MIS), 50, 210, 290, 291–292, 412	neonates, 166, 423–447, 531–532, 534, 612
lumbar sympathectomy, 568, 625	minimum alveolar concentration (MAC), 328, 332, 333, 352, 355–356, 468	physiology, 423, 428
lung cancer	mitral regurgitation, 36–37	premature, 430, 439, 442
non-small Cell, 186–187, 188, 228–229	mitral stenosis, 35–36	neostigmine, 109, 170, 182, 239, 470
small cell, 186, 461	MMA, 415–416	nerve block, fascia iliaca, 34, 418–419, 420, 603, 604
lung malignancies, 186–187, 189	Model for End-stage Liver Disease (MELD), 159	nerve blocks, 233, 480, 481, 600, 610
lung ventilation, 204, 234, 237–238, 560, 563–564, 565	morphine, 58–59, 196, 253, 512, 637–638, 640	abdominal plane, 443
lungs, alveoli, 178, 181, 520, 521, 522–523, 532, 562	motor evoked potentials (MEP), 299, 342–344	central, 600
macroglossia, 51	MRI, 5. See magnetic resonance imaging	diagnostic, 592
macrognathia, 51	Multiple Organ Dysfunction Score (MODS), 519	fascia iliaca, 34, 418–419, 420, 603, 604
magnesium, 69–71, 103, 105, 203, 205	muscle relaxants, 196, 328, 330, 343–344, 434, 625–626	interscalene, 582, 584–585
magnetic resonance imaging (MRI), 5, 43, 322–326, 625, 631	muscular dystrophy, 172–173, 272	lumbar, 598
50 Gauss line, 323–324	myasthenia gravis, 169–171, 187–188	neurolytic, 569, 593
compatible equipment, 324–326	myasthenic syndrome, 171	paravertebral, 464, 577, 609
magnetic fields, 322–325	myocardial infarction (MI), 16, 19–22, 29, 142, 478–480	peripheral, 5, 254, 491, 600–601, 637
safe equipment, 324–325	perioperative, 12, 19, 29, 31, 478	right bundle branch, 16, 17, 153
major trauma, 294, 307–308, 409, 410, 505, 523	myocardial injury after non- cardiac surgery (MINS), 30	scalp, 347
malnutrition, 103–104, 107, 450, 459, 461	myocardial ischaemia, 21, 28, 29–30, 221–222, 239, 476–477, 482–483	SubTenon's, 387–388, 398, 402–403
maltreatment, 448–451	myocardial oxygen supply, 20, 24, 34, 209, 210, 247	nerve identification, 599
maternal haemorrhage, 361, 378	myotonia, 171–172	nerves
MBRRACE report, 360–361	N-acetylcysteine, 85, 161, 499	abducens, 317, 383–384, 570
McGill Pain Questionnaire, 634	National Confidential Enquiry into Patient Outcome	olfactory, 316
MCH, 127		neuraxial blockade, central, 146–147, 180, 313, 315, 487, 490
mean cell volume (MCV), 127, 166, 411		neuropathic pain, 313, 590, 620–623, 635, 640
memory		newborn babies, 123, 368, 426, 433
explicit, 327		NHS Reporting and Learning System, 651–652
implicit, 327		nitric oxide, 201, 222, 380, 447, 526
Mental Capacity Act (MCA), 468, 647		non-accidental injury, 215, 450–452
mesothelioma, 187		non-small cell lung cancer (NSCLC), 186, 188

660	Index
non-steroidal anti-inflammatory drugs (NSAIDs), 140–142, 182–183, 253, 622, 637, 640	chronic, 620, 623–624, 633, 634–635, 637, 640
NSQIP ACS risk calculator, 56, 458	paracetamol, 59, 160, 439, 442, 497–499, 637, 640
number needed to treat (NNT), 111	oral, 439, 442, 632
nutrition, 49, 50, 106–107, 118–119, 469–470, 503, 504	overdose, 161–162, 498–499
obesity, 52, 54–59, 251–252, 256, 558–559	parasympathetic nervous systems, 567
obesity hypoventilation syndrome (OHS), 55	patient blood management, 411, 413
Obesity Surgery Mortality Risk Score, 57	perioperative period, 29, 30, 66–67, 241, 386, 389, 649
obstetric mortality, 360	peripartum cardiomyopathy, 38, 40
obstetrics, 39. <i>See</i> pregnancy	pethidine, 94, 336, 367–368
oculocardiac reflex, 281, 386, 397, 399–401	phenylephrine, 34, 222
oesophagus, 99, 112, 330, 444–445, 553, 561, 572	phenylethylamine, 336
off-pump surgery, 204–205, 246, 247	phenytoin, 160, 339–341, 626, 640
ondansetron, 34, 56, 109–110, 281, 395, 401, 471	placenta, 123, 368, 370–371, 431, 433
opioids, 5–6, 108–109, 197, 253, 442–443, 464, 467, 595–598, 623	placenta accreta, 371, 377
high dose, 24, 26, 50, 200	placenta praevia, 370–371, 378–379
intravenous, 50, 576	platelets, 133–134, 136–138, 140–142, 414, 416, 475
optic nerve, 316, 385, 570	platysma muscle, 553
orbit, 281, 282, 382–384, 402, 403–404, 569, 570	pleura
organ donation, 320–321, 457, 545–546	parietal, 174, 176
osmosis, 540–541	visceral, 174
osteoporosis, 2, 335, 416, 467, 625, 627–629	pleurae, 174, 175–176, 553, 585, 588, 591
Oxford Head Elevating Laryngoscopy Pillow, 57	pleural malignancy, 187
oxygen toxicity, 530–535	plexus blocks
pacemakers, 16, 42, 43, 44, 45, 240, 325	inter-scalene brachial, 582
paediatric patients, 276. <i>See</i> children	lumbar, 603, 604–605
pain	proximal brachial, 594
acute, 491, 575, 626, 633, 637, 639–641	sacral, 603
	superficial cervical, 480
	pneumonectomy, 188–189, 191, 234, 564, 565
	pneumonia, 104, 163, 183–185, 189, 520–522, 528–529
	pneumothorax, 174–177, 552–553, 585, 586, 590, 591
	positive end-expiratory pressure (PEEP), 55, 58, 177–178, 181, 182, 189, 191, 237, 292, 522, 524
	postoperative bleeding, 53, 218–219, 269, 483
	postoperative cognitive dysfunction (POCD), 386, 466, 469, 471, 489
	postoperative amputation pain, 490
	post-herpetic neuralgia, 590, 621, 626
	potassium, 70, 73–75, 103, 106, 111–112, 436, 438
	hyperkalaemia, 72–75, 86, 193, 195, 314, 538–539
	hypokalaemia, 72–74, 76, 104, 110, 436
	P-possum, 21, 458
	prednisolone, 5, 6, 54, 182, 240
	pre-eclampsia, 40, 69, 71, 358, 362–365, 559
	pregnancy, 183, 349–357, 360, 361–363, 365, 366–368, 372, 373, 374, 375, 378–379
	anaesthesia, 352–356
	asthma, 183
	cardiac arrest, 360
	cholestasis, 165
	congenital heart disease, 372–375
	dilated cardiomyopathy, 39
	hypertension, 362
	pre-eclampsia, 362–367
	local anaesthetic toxicity, 359
	maternal haemorrhage, 361, 378
	mortality, 360
	MRI during, 326
	oesophageal reflux, 112, 115
	peripartum
	cardiomyopathy, 40
	phaeochromocytoma, 96
	physiological changes, 349–352
	prehabilitation, 106, 205, 455, 458, 510, 645
	prematurity, retinopathy of, 429, 534
	preoperative assessment, 88, 169, 193–194, 267, 335, 346, 385–386, 489, 504
	preoperative risk stratification, 412
	progesterone, 350, 351, 355
	propofol, 49, 100, 109–110, 231, 281, 283–284, 314, 343–344, 464

	Index	661
prostacyclin, 140–142, 222, 526, 544	Royal College of Anaesthetists, 180, 333, 386	sternocleidomastoid muscles, 171, 317, 480, 553, 561, 572, 590
pulmonary atresia, 214	Royal College of Physicians, 6	steroids, 4, 6, 178–179, 240, 242, 529
pulmonary embolism (PE), 14, 19, 145–146, 152–154, 360, 365	safe triangle, 175	Still's disease, 1
pulmonary sequelae, 187	saphenous nerve, 491, 601–602, 607	straight leg raise (SLR) test, 369, 630
pyloric stenosis, 435–436	sciatic nerve, 406, 491, 599, 600, 601, 603, 606–608	stress response, 46–50, 107, 286–287, 464, 467, 510
reactive oxygen species, 117, 201, 531	score, Modified Early Warning, 528	stroke, 83–84, 145–146, 199, 219, 272–273, 349, 478–480, 484, 494
red blood cells (RBCs), 122, 124, 127–128, 219, 411–412, 414	scoring systems, 159, 209, 257, 306, 410, 518–519, 576	predisposing factors, 3, 12, 386, 397, 471, 479
re-entry circuits, 12, 16	secondary brain injury, 156, 296	risk assessment, 200
refeeding syndrome, 106	secondary hypertension, 18	risk reduction, 478
referred pain, 619, 628	Sequential Organ Failure Assessment Score, 519	substance abuse, 104, 361, 537, 630
regional anaesthesia, 50, 80, 138–139, 402–403, 464, 489–490, 576–577, 581, 643–644	Serious Adverse Blood Reactions and Events (SABRE), 652	sudden cardiac death (SCD), 21, 38–40
remifentanyl, 58, 196, 229, 231, 299, 367–369	sevoflurane, 272, 277, 439, 445, 642–644	Sub-Tenon's block, 402
renal failure, 18–19, 72, 74, 193–197, 363, 364–365	sickle cell disease, 127–130, 406	sustainable healthcare, 642
chronic, 3, 72, 193–195, 540	sickledex test, 129	suxamethonium, 85–86, 196, 283, 300, 314, 356, 394–395, 426, 504
renal function, 3, 4, 163, 166, 467, 469	Simplified Acute Physiology Score (SAPS), 519	sympathoadrenal response, 46–47
renal replacement therapies, 194, 197, 538, 539–540, 543, 544	sleep apnoea, 59, 272–275, 466	syncope, 8, 16, 32, 38–40, 41
reperfusion syndrome, 407	small cell lung cancer (SCLC), 186–187, 461	syntocinon, 366, 380
resuscitation, 118, 266–268, 360, 426–427, 437, 441–442, 528–530, 614, 649	Society for Endocrinology, 6	systolic dysfunction, 26, 38, 40, 94
fluid, 118, 267–268, 278–279, 380–381, 432, 500–501, 528–530	Society of Bariatric Anaesthetists (SOBA), 59	tachycardia, 24, 29, 35, 88–89, 329, 378, 441
ventricular fibrillation, 17	sodium, 75–78, 79, 111–112, 116, 146, 337, 340, 501, 640	tension headache, 559
retina, 374, 390, 397, 398, 429, 570	enhanced automaticity and, 13	thalassaemia, 127–128, 131
Revised Cardiac Risk Index (RCRI), 11, 19, 21–22, 208–209, 457	hypernatraemia, 75–77, 318, 421, 450, 466	thrombin, 140, 143–145, 159
rheumatoid arthritis, 1–4, 5, 229, 232, 256–257	hyponatraemia, 53, 74–75, 77–79, 338, 340, 365	thrombocytopenia, 137, 145, 150, 156, 160, 241
rheumatoid neck disease, 2	lithium and, 337	heparin-induced, 145–146, 543
risk prediction models, 11, 457	myotonia, 171	thromboelastography, 136–137, 148, 219, 221, 294, 413
risk scores, 11, 21–22, 29, 373, 457	sodium citrate, 116, 350, 354, 366, 393	thromboelastometry, 134, 135–136
rivaroxaban, 143, 146–149, 206, 209–210, 412	sodium valproate, 339–340	thromboembolic deterrent (TED) stockings, 59
robot-assisted surgery, 290, 292–293	spinal anaesthesia, 313, 365, 419–420, 573–574, 578	thyroid disorders, 53, 467
	squamous cell cancer, 186, 187	thyroid surgery, 88, 90–91, 342, 345
	statins, 23, 160, 199, 473, 477	thyroid stimulating hormone, 47
	status epilepticus, 338–339	TIVA, 58, 200–202, 230–231, 643, 644
	stellate ganglion, 588–590	

662	Index
TLCO, 188	TRISS, 410
tocolytics, 70, 183, 380	trochlear nerves, 317, 383–384, 570
tonsillar bleed, 269	trophic feeding, 100
torsades de pointes, 16, 70	tumour lysis syndrome, 464
total hip replacement, 127	tumour resection, 188, 231
total intravenous anaesthesia, 299, 305, 343, 347, 400–401	tumours, 92–93, 94, 187–188, 207, 299, 300, 460–461
total knee replacement, 1, 3, 5	Turner’s syndrome, 212, 216–217, 566
tourniquet, 125, 131, 330, 405–408	TURP syndrome, 75, 78–79
tourniquet pain, 406, 407, 585	UK Model for End Stage Liver Disease, 519
tourniquet release, 407–408	ultrasound, 554
trachea, 89, 261, 264, 265, 269–275, 444–446, 561–562	underwater drainage system, 175–176
nerve supply, 561	United Nations Convention of the Rights of the Child (UNCRC), 448
tracheal cuff, 185, 235–236, 564	uraemia, 109, 138, 193, 195, 245
tracheostomy insertion, 262–263	urticarial reactions, 126
transfusion, massive, 135	uterine blood flow, 378
transfusion-related acute lung injury (TRALI), 126, 135	uterus, 350–352, 360, 366, 377, 378, 380–381, 423
traumatic pneumothorax, 176	VACTERL association, 445
TRICC trial, 131	vagus nerve, 112, 115, 317, 553, 561, 572, 591–592
tricyclic antidepressants, 16, 336, 497–498, 622, 625, 640	variable rate insulin infusion (VRII), 66
trigeminal nerve, 384, 386, 400–401, 479–480, 571, 625–626	varicella zoster, 626
trigeminal neuralgia, 621, 625–626, 640	ventilation–perfusion scans, 153
triggered activity, 12–13	ventilator-associated pneumonia, 184, 185
triple bottom line, 645	ventricular fibrillation (VF), 16–17, 19, 22, 74, 224, 505, 614
	vestibulocochlear nerve, 317
	visceral pain, 591, 619
	VISION study, 30
	visual analogue scales, 440, 633–634, 636
	visual evoked potentials (VEPs), 330, 342
	vitamin B12, 113, 127–129, 622
	vitamin D, 71, 104, 158, 628
	VO ₂ , 10, 453–455
	volatile anaesthetic agents, 49, 167–168, 173, 200–202, 230–231, 332, 343, 355, 642–644
	volatile capture technology, 646
	vomiting, 72–73, 99–100, 108–112, 115–116, 253–254, 390–391, 394–395, 400–401
	physiological mechanism, 111
	reduction, 111
	Von Willebrand disease, 125, 136–137
	warfarin, 9, 11, 139, 143–144, 146, 149, 151
	warm ischaemic time, 546
	white coat hypertension, 18
	Wolff-Parkinson-White (WPW) syndrome, 13
	World Health Organisation (WHO) classification, 216