

Index

Please note: page numbers in italic type indicate illustrations or tables

cardiovascular health, 192 of melanoma, 386 abnormal uterine bleeding (AUB), 24-34acute leukemias and, 310-11 and evaluation for endometrial cancer, 273 as symptom of endometrial cancer, 49 cancer patients, 25 algorithms for prevention and treatment, 27, 28 case study, 24, 34 contraception, 33-4 definitions, chronic and acute AUB, 24 diagnosis and workup, 26-7 epidemiology, 24-6 etiology and risk factors, 25-6 FIGO-AUB system, 24 imaging, 26 laboratory tests, 26 normal menstrual cycle, 25 physical exam findings, 26 postmenopausal bleeding, 27 signs and symptoms, 26 treatment options, 27-33 combined oral contraceptives, 30 GnRH agonists, 27, 30-1 IV estrogen, 33 medical, 27-30 progestin-only therapy, 31-2 surgical management, 33 tranexamic acid, 33 VTE risk, 33 take home points, 34 acquired lymphatic anomaly, 126 acupuncture, for treatment of vasomotor definition, 2 symptoms, 96, 187 determining, 2

adnexal mass, see pelvic mass. Alliance for Fertility Preservation, 16 alopecia, chemotherapy and, 248 Alzheimer's disease, 87 American Joint Committee on Cancer (AJCC) classification of tumor size, 294 clinical assessment of regional lymph nodes, 294 clinical staging groups, 295 anal and colorectal cancer, 200 - 11case study, 200, 201, 211 classification, 203, 204 diagnostic evaluation, 202 epidemiology, 200-1 gynecological problems following chemotherapy, 208-9 following pelvic radiation, 206 - 7following surgery, 207-8 prevention and treatment, 209-11 ovarian toxicity, 210 uterine toxicity, 210 vaginal toxicity, 209-10 screening for, 209 hereditary risk factors, 200 presentation, 202 treatment, 202-5, 205 take home points, 211 anti-mullerian hormone (AMH) as measure of ovarian reserve, 4 decreased by destruction of follicles, 7 antral follicle count (AFC)

13 - 16cryopreservation of ovarian tissue, 13-14 oocyte and/or embryo cryopreservation, safety gonadotropin exposure and timing of subsequent pregnancy, 15-16 ovarian stimulation, 15 autoimmune polyendocrine syndrome (APS) type I, 84 Bartholin's gland abscess, 120 β-hCG elevation false-positives, 132 - 42case study, 132, 142 diagnostic algorithm, 140, 141 epidemiology and background, 132-4 laboratory causes antibody formation against β-hCG, 135 heterophilic antibodies, 134 - 5neoplastic causes, 137-40 germ-cell tumors, 137 gestational trophoblastic disease and associated disorders, 137 non-gynecologic malignancies, 137 - 40CNS and head-andneck, 140 gastrointestinal carcinomas, 139 pulmonary lesions and malignancies, 139

normal range, 2 assisted reproductive

technology (ART),



Index

sarcoma, 139 thyroid malignancies, 138 - 9non-neoplastic causes, 135-6 end-stage renal disease, 136 exogenous hCG injection, 136 familial β-hCG, 136 pituitary β-hCG production, 135-6 take home points, 142 bladder cancer, 215 barriers to delivery of care in women with, 222 case study, 215, 223 diagnostic evaluation, 216 epidemiology, 215 gender-based disparities, 219-20 gynecologic organ sparing ovarian preservation, 220 - 1role of, 220 vaginal preservation, 221 microscopic hematuria algorithm, 217 post-surgery survivorship, 222 presentation, 215 staging of primary tumors, 216 treatment, 216, 218-19 take home points, 223-4 blepharophimosis, ptosis, and epicanthus inversus syndrome (BPES), 84 BRCA pathogenic variants contraceptive decisions, 102 early surgical menopause and, 355 hormonal contraception and, 102-3 incidence of in general and high risk populations, 43 lifetime risk of breast cancer, 40, 45 lifetime risk of selected cancer, 45, 347 neoadjuvant chemotherapy and, 244 pregnancy and, 153

prophylactic mastectomy and, 233, 250 screening/testing recommendations, 39, 43, 190, 247 suitability for HRT, 100 surgical recommendations, 86, 100, 356 see also hereditary cancer syndromes. breast cancer, 227-51 and pregnancy, 148-54 outcome and safety of interrupting therapy, 16 surgical management, 152 and research assessing GnRH agonists as a fertilityprotecting agent, 12 anti-estrogen therapy and, 61 benign to invasive continuum, 229 biomarkers, 229-30 case study, 227, 250 common treatments and newer agents, 242 concerns for lymphoma survivors, 166 contraception and, 102 diagnostic workup, 230 epidemiology, 227-8 ER+ HER2- breast cancer adiuvant chemotherapy, 239 adjuvant endocrine therapy, 240-1 metastatic disease, 241 neoadjuvant chemotherapy, 238 - 9fertility preservation and the "flare effect", 12 fertility preservation and timing of conception, 248 HBOC-associated, 44 HER2+ breast cancer, 245 early localized disease, 245 metastatic disease, 245-6 hereditary breast cancer, 246 - 7

adjuvant treatment considerations, 247 - 8hormonal contraceptive methods and, 30, 34, 102 HRT and, 45, 95, 98, 264 inflammatory breast cancer, 246 lifetime risk selected populations, 40 women with BRCA1/ BRCA2 pathogenic variants, 40, 45 managing VMS in women with a history of, 98 non-hormonal therapy recommended for women with a history of, 98 pathology, 228-9 progestin-only hormone therapy contraindicated in, 31 prophylactic mastectomy, 233, 247 radiotherapy contraindications, 235 early stage breast cancer, 234 - 6locally advanced breast cancer, 236-7 toxicity and developing technology, 237-8 resources targeted at needs of young women with, 16 risk factors, 227 screening, 228, 247 gynecologic cancer survivors, 190 staging, 230, 231 surgical management, 230-3 in pregnancy, 152 lymph nodes, 233-4 psychological effects, 248 survival rates, 179 survivorship care, 183, 249 systemic therapy, 238 testosterone therapy contraindicated in women with history of, 95 treatment, 180, 230



Index

breast cancer (cont.)

special considerations, 248-9 triple negative breast cancer advanced metastatic disease, 244-5 neoadjuvant chemotherapy, 244 vaginal androgens and, 67 vaginal estrogen and, 65, 66, 68, 97 vaginal testosterone and, 68 take home points, 250-1 breastfeeding breast cancer survivors and, 154 cervical cancer and, 161 chemotherapy and, 153, 172 diagnostic biopsy of the breast and, 151 from a breast treated with lumpectomy and radiation, 154 imaging and, 150 leukemia survivors, 171 lymphoma survivors, 167 postpartum radiation and, 153 RAI therapy and, 369, 378 thyroid cancer treatment and, 376 cancer treatment, 60 modalities, 2 potential impact on fertility, 2, 154 cardiovascular disease (CVD), increased risk in surgical menopause, 95 cardiovascular health, ABCDEs, 192 cervical cancer, 258-66 and pregnancy, 154-62 see also under pregnancy, cervical cancer and. case studies, 107, 114, 258, 266 diagnosis and workup, 261-2 diagnostic tests, 261 imaging, 261 physical exam, 261 signs and symptoms, 261 epidemiology, 107-8, 258-60

etiology and risk factors, 108, 259-60 HPV vaccination and prevention, 109 HIV infection and, 109 in cancer survivors, 109-10, 264 HRT and, 264 incidence and long-term prognosis, 107 - 8,258screening, 110-12 ASCCP guidelines for management of abnormal results, 112, 113 cervical cytology (Pap test), 110 HPV testing, 110-11 patients at average risk, 111 patients at increased risk, 111-12 recommendations following cancer, 264 USPSTF and ACS recommendations, 111, 261 staging, 258, 259, 261 survivorship care, 180 treatment, 112, 262-4 ASCCP 2020 guideline changes, 113 cervical intraepithelial neoplasia, 112-13 chemoradiation, 263 colposcopy, 112 fertility considerations, 260 - 1fertility sparing, 9-10 live birth and preterm birth rates, 162 options, 10, 258, 260, 262-3, 264 screening recommendations, 264 systematic review of fertility sparing surgery, 10 gynecological concerns during and following, 265-6 immunocompromised patients, 113

modified radical hysterectomy, 262 pelvic radiation therapy combined with platinum-based chemotherapy, 263 sexual toxicity following, 265-6, 341 surveillance following, 263 WHO call to eliminate, 107 take home points, 114, 266 cervical intraepithelial neoplasia (CIN), treatment recommendations. 112 - 13cervical stenosis, management of, 10 chemotherapy anal and colorectal cancer, gynecological problems following, 208-9 and alopecia, 248 and AUB, 26 and breastfeeding, 153, 172 as potential trigger for menopause, 94 chemotherapy-induced neuropathy, 249 contraception recommendations, 12 impact on fertility, 154 potential role in POI, 7, 85 pregnancy and, 152, 158, 163-4, 168, 169 proposed mechanisms for chemotherapyinduced ovarian toxicity, 7 reproductive effects of treatment with, 4-7, 5toxic erythema of chemotherapy (TEC), 128 chronic graft-versus-hostdisease (cGVHD), genital, 127-8 cognitive behavioral therapy (CBT), for treatment of vasomotor symptoms, 96



combined oral contraceptives,	endometrial cancer, 271-8	safety
for treatment of	AUB and evaluation for, 273	gonadotropin exposure
AUB, 30	case study, 271, 278	and timing of
conception, endocrine therapy	epidemiology, 271–3	subsequent
		-
and timing of,	evaluation, 273	pregnancy, 15–16
15, 248	genetic testing for women	ovarian stimulation, 15
contraception in cancer	with, 46–50	case study, 17
patients, 101–3	HRT and, 99–100, 278	conception, timing of, 248
breast cancer, 102	incidence and long-term	GnRHa
case study, 103	prognosis, 271	"flare effect", 12
contraceptive counseling,	inherited cancer syndromes	research assessing use
the need for, 33–4	and, 274	of, 12
epidemiology, 101-3	pathophysiology, 271–2	leukemia, 311–12
medical eligibility	risk factors, 271–3	ovarian suppression,
criteria, 101	screening, 273	11–13
take home points, 103	staging, 273, 274	resources, 16
contraceptive use, WHO	survivorship care, 180	surgical
medical eligibility	treatment, 274-8	ovarian transposition
criteria for, 30	advanced stage/recurrent	(oophoropexy), 11
Cowden syndrome, 50, 193	disease, 275	uterine transposition and
cryopreservation	fertility sparing approach,	fixation, 11
oocytes and/or embryos, 13	277-7	vulvar melanoma,
ovarian tissue, 13–14	molecular classification	considerations
0 (411411 110040) 10 11	and prognosis, 275	prior to treatment
dermoscopy, 386-7	radiation, 276–7	389–90
DICER1 syndrome, 51	recommendations	take home points, 17
ductal carcinoma in situ	following cancer	fertility sparing approaches
(DCIS)		cervical cancer, 9–10
` ,	therapy, 278	live birth and preterm
and mortality in the US, 227	surgical, 274	birth rates, 162
survival rates, 179	vaginal	
1 1 1 1	brachytherapy, 276	options, 10, 258, 260,
early menopause, led to by	take home points, 278–9	262–3, 264
conditioning	epithelial carcinomas, 352	prior considerations,
regimens, 26		260-1
endocrine therapy	Fanconi's anemia, 305	screening
and timing of pregnancy,	fertility	recommendations,
15, 248	baseline assessment, 2, 4	264
as potential trigger for	ovarian reserve assessment, 3	systematic review of
menopausal	potential impact of cancer	fertility-sparing
symptoms, 94,	treatment on,	surgery, 10
125, 187	2, 154	trachelectomy, 10, 258,
efficacy, 239	fertility counseling, women	262-3
functioning, 61, 94	diagnosed with	endometrial cancer, 8-9,
hormone blocker choice and	cancer, percentage	277
previous exposure	reporting not	ovarian cancer, 10
to, 241	receiving, 1	ovarian suppression,
risk of vaginal dryness and	fertility preservation	dosing, 12
dyspareunia,	assisted reproductive	Fragile X Syndrome (FXS),
187, 249	technology (ART),	83
sexual dysfunction and, 63	13–16	
endocrine-disrupting	cryopreservation of	gabapentin
chemicals (EDCs),	ovarian tissue,	for management of
examples and	13–14	vasomotor
potential impact on	oocyte and/or embryo	symptoms, 96
hormonal	cryopreservation,	side-effects, 96
function, 86	13	galactosemia, 83



Index

genitourinary syndrome of menopause (GSM) and vaginal stenosis, 72 as effect of induced menopause or estrogen blockade, 60 as side-effect of treatment for vulvar lesions, 125 post-oophorectomy estrogen deficiency and, 221 treatment, 63-8 moisturizers avoiding irritants, 63-4 non-hormonal moisturizers, 64-5 types and recommendations, 65 vs lubricants, 64 pelvic floor muscle training (PFMT), 72-3treatment algorithm, 73 vaginal androgen therapy, 67,68 vaginal estrogen therapy, 65 germ cell tumors, malignant, 353 gonadotropin-releasing hormone (GnRH) agonists assessment of as fertilityprotecting agent, 12 common adverse side effects, 13 exposure to and timing of subsequent pregnancy, 15-16 fertility preservation through ovarian suppression, 11-13 "flare effect", 12 for prevention and treatment of AUB, 27, 30-1 to reduce risk of POI, 248 gynecological cancer contraceptive decisions, 102 hereditary predisposition syndromes, 38-54 see also hereditary cancer syndromes; individual cancer and syndromes.

third party reproductive options, 14 treatment regimen, 180 see also cervical cancer: endometrial cancer; ovarian cancer; pelvic mass; vulvar lesions and eruptions; vulvar melanoma. Hashimoto's disease, 85, 372 hCG elevation false-positives, see β-hCG elevation falsepositives. head and neck cancer, 298 overview, 284, 286 case study, 284, 285, 296-7, 297 diagnosis and staging, 293-4 epidemiology, 286-90 incidence trends, 287 left sided level II neck mass, 293 sagittal view of the pharynx, 286 second primary cancer risk, 288 site distinctions, 286-7 treatment and toxicities, 294 - 6tumor size, classification (AJCC), 294 take home points, 297-8 see also HPV-related oropharyngeal cancer (OPC). heavy menstrual bleeding, hematologic malignancies and, 25 hematologic malignancies and the avoidance of menses, 12 AUB and, 25 presenting symptoms, 25, 26, 167 venous thromboembolism and, 33 see also leukemia. hematopoiesis, definition, 304 hereditary breast and ovarian cancer (HBOC) etiology, 44

HBOC-associated cancer, 44 incidence, 43 increased breast surveillance, 45-6 screening and risk reducing surgery for gynecologic cancer, 44-5 hereditary cancer syndromes overview, 40-3 case study, 38, 39, 53 common syndromes associated with gynecological cancer, 38 Cowden syndrome, 50 DICER1 syndrome, 51 family planning implications, 53 genetic testing overview, 38-40 common indications for, 41 for women with endometrial cancer, 46-50 for women with ovarian cancer, 43-6 interpretation of results, 53 hereditary breast and ovarian cancer (HBOC) etiology, 44 **HBOC-associated** cancer, 44 incidence, 43 increased breast surveillance, 45-6 screening and risk reducing surgery for gynecologic cancer, 44-5 Li Fraumeni syndrome, 43 Lynch syndrome aspirin chemoprophylaxis and, 50 benefits of screening colonoscopy, 50 cancer associated with, 47, 48 diagnosis, 47-9 etiology, 46-7 incidence, 46



Index

multidisciplinary suitability for patients with human chorionic management, 50 lung cancer, 100 gonadotropin Prospective Lynch suitability for patients with (hCG) see β-hCG Syndrome Lynch elevation false-Database, 47 syndrome, 100 positives. screening and risk suitability for patients with human papillomavirus (HPV) reducing surgery malignant overview, 108 for gynecologic melanoma, 100 anal cancer associated cancer, 49 suitability for women with with, 201 Peutz-Jeghers syndrome BRCA as risk factor for lung (PJS), 51 diagnosis, 100 cancer, 334 PTEN hamartoma tumor **HPV** vaccination HIV infection and increased syndrome ACIP recommendations, 191 risk of infection (PHTS), 50 and prevention of cervical with, 108 rhabdoid tumor cancer, 109 HPV in Men (HIM) predisposition CDC recommendations, 109 study, 291 syndrome, 50-1 HIV and, 109 multi-national natural risk assessment for women in cancer survivors, history study, 291 with family history 109-10, 264 reactivation under chronic of cancer, 52-3 prevention of HPV-related immuno risk factors, 39 OPC, 290 suppression, 128 see also human take home points, 54 screening issues, 51 papillomavirus HIV infection testing for, 110-11 and HPV vaccination, 109 (HPV). see also cervical cancer; HPV and increased risk of HPV HPV-related oropharyngeal vaccination; HPVinfection, 108 cancer (OPC) related oropharyngeal and menstrual overview, 286 suppression, 32 behavioral risk factors, 288 cancer (OPC). hormone replacement clinical presentation, 292 hypnosis, for treatment of therapy (HRT) demographic vasomotor characteristics, 287 overview, 95-6 symptoms, 96, 187 and breast cancer, 45, 95, diagnosis and staging, 293-4 hysterectomy 98, 264 cervical cancer and, 158, incidence trends, 287 and cervical cancer, 264 pregnancy and, 296 258, 262 and endometrial cancer, prevention and screening, endometrial cancer and. 99-100, 278 290 - 2273, 274 blood biomarkers, 291 following alternatives, 271, 277 hysterectomy, 278 ongoing trials, 291 HRT, 278 as treatment for POI-related oral HPV testing, 290-1 Lynch syndrome and, 49, 86, symptoms, 88 risk stratification for 272, 274 as treatment for vasomotor screening malignant pelvic masses selection, 292 symptoms, 95 and, 351 contraindications, 264 screening for second opportunistic salpingectomy HPV-related for menopause in cancer at time of, 220 patients cancer in patients PHTS and, 50 administration of, 95-6 and partners, 296 PIS and, 51 duration of use, 96 radical, 262, 262 vaccination, 290 indications for risk for partners of patients long-term side effects, avoidance, 98 with, 289 265 indications for caution, risk in patients with cancer at recommended for ovarian 99-100 anogenital cancer patients indications for use, 97-8 sites, 289 following suitability by cancer second primary cancer completion of type, 99 risks, 288 childbearing, 10 ovarian cancer and, treatment and toxicities, 294 risk reducing, age and, 49, 51 355-6 take home points, 297-8 risks, 158



hysterectomy (cont.)	and pregnancy, 167–72	epidemiology, 331–2
minimally invasive	see also under pregnancy,	imaging, 335–6
approaches, 221	leukemia and.	risk factors, 332–5
RTPS and, 51	chronic leukemias, 317–23	cigarette smoking, 332
screening recommendations	overview, 304	cooking oil fumes, 333
following, 112	chronic lymphocytic	environmental tobacco
uterine cancer and, 273	leukemia	smoke, 333
immune absolution intinhiton	(CLL), 323	genetic, 334
immune-checkpoint inhibitor	case study, 319, 323	hormonal, 333
cutaneous toxicities, 128	epidemiology and	indoor coal and wood
	pathophysiology, 319–20	burning, 333
immunotherapy, reproductive effects of	evaluation and	infection, 334
treatment, 8		radiation therapy, 335 radon, 333
intrauterine devices, AUB	prognosis, 320, 321	
	management, 321–2	screening, 335 sex-based differences,
and, 26	special considerations, 322–3	
Vanasi's sargama (VS) 121		331, 341
Kaposi's sarcoma (KS), 121	staging systems, 321	outcomes of surgical
leukemia	take home points, 323 chronic myeloid leukemia	resection, 339
	•	risk factors, 333
overview, 304	(CML), 317–19	side-effects of systemic
acute leukemias, 304–17	case study, 317, 319	therapy, 339
definition, 304	epidemiology and	staging, 338
case study, 304, 316	pathophysiology, 317	suitability of HRT for
epidemiology, 305		patients with, 100
acute lymphoblastic	management, 318	survivorship, 340-2
leukemia (ALL)	phases, 318	cancer-related fatigue, 340
B-cell ALL, 309 T-cell ALL, 309	pregnancy and, 318 presentation and	ICI therapy, 341
	evaluation, 317–18	
pregnancy and, 314–16 acute myeloid		pregnancy, 340–1 reproductive health, 340
leukemia (AML)	take home points, 319 ovarian tissue	sexual health, 341
pregnancy and, 313–14 risk stratification,	transplantation not recommended, 14	sleep disturbance, 341 symptom clusters, 341
307, 308	lichen planus (LP), 123–4	therapy-related
	lichen sclerosus (LS), 123–4	1.7
gynecologic/obstetric considerations,	association with vulvar	complications, 341
309–16	melanoma in	symptoms, 335 treatment, 338–40
AUB, 310–11	pediatric patients,	metastatic disease, 339–40
	383, 384	
cytopenias in patients with history of	lichen simplex chronicus	neoadjuvant and adjuvant therapy, 339
platinum-based	(LSC), 124–5	oligometastatic
therapy, 310	Li-Fraumeni syndrome, 193	disease, 340
fertility preservation,	Livestrong Fertility, 16	radiotherapy, 339
311–12	lung cancer, 331–42	
	biomarkers, 337, 338	surgery, 338–9 take home points, 342
pregnancy, 312–16 ALL, 314–16	liquid biopsy, 337	lymph nodes, clinical assessment
AML, 313–14	molecular markers, 337	(AJCC), 294
long-term	prognostic factors	lymphatic anomaly,
considerations, 307	associated with	acquired, 126
management, 306–7	good outcomes,	lymphedema, risk factors, 249
pathophysiology, 304–5	337-8	lymphoma, and pregnancy,
presentation and	tumor PD-L1	see also under
evaluation, 306	expression, 337	pregnancy,
take home points,	case study, 331, 342	lymphoma and,
316–17	classification, 332	162–7
310 17	clubbilication, 332	102-7



Lynch syndrome	non-hormonal	malignant germ cell
and POI, 86	pharmacotherapy,	tumors, 353
aspirin chemoprophylaxis	96-7	prognosis, 355
and, 50	non-pharmacological	screening, 356
benefits of screening	treatments for	sex cord stromal tumors,
colonoscopy, 50	symptoms, 96	353
cancer associated with, 47,	pre-treatment	staging, 353, 354
48	considerations, 94	suitability for HRT, 100
diagnosis, 47-9	site specific	survivorship care, 183
etiology, 46–7	considerations, 97	treatment, 354–5
hysterectomy and, 49, 86,	treatment, 94	take home points, 356–7
272, 274	urogenital symptoms, 97	see also pelvic mass.
incidence, 46	take home points, 100	ovarian hyperstimulation
lifetime risk of endometrial	menopause, definition, 93	syndrome, as
and colon	menstrual bleeding, heavy,	complication of
cancer, 272	hematologic	ART, 13
multidisciplinary	malignancies	ovarian preservation, as
management, 50	and, 25	pre-cancer
ovarian cancer, screening	menstrual cycle	treatment
recommendations,	normal, 25	consideration, 94
274	phases, 25	ovarian reserve
Prospective Lynch	menstrual suppression, 12, 17,	overview, 2
Syndrome	27, 31, 32, 322	assessment, 3
Database, 47	27, 31, 32, 322	diminished, presentation, 7
risk factors, 192	neurokinin receptor	hormonal measures, 4
risk reducing surgery	antagonists, for	testing methods, 2
recommended for	management of	ovarian stimulation, safety
patients with, 356	vasomotor	considerations,
RRSO and, 274	symptoms, 97	15
screening and risk reducing	neuropathy, chemotherapy-	ovarian suppression therapies,
surgery for	induced, 249	11–13
gynecologic	madea, 217	dosing, 12
cancer, 49	obesity, and endometrial	ovarian tissue
suitability for HRT, 100	cancer, 46	cryopreservation of, 13–14
suitubility for filti, 100	Oncofertility Consortium, 16	potential for infiltration
malignant germ cell	oocyte and/or embryo	of malignant
tumors, 353	cryopreservation,	cells, 14
malignant melanoma,	13	ovarian toxicity, proposed
suitability for	oophoropexy, 11	mechanisms for
HRT, 100	ovarian cancer, 352–6	chemotherapy-
melanoma, ABCDEs of, 386	overview, 352	induced, 7
menopause in cancer patients,	case study, 346, 356	ovarian transposition for
93–101	clinical presentation, 352	preservation of
case study, 93, 100	contraception and, 355-6	fertility
diagnosis, 94	epithelial carcinomas, 352	(oophoropexy), 11
epidemiology, 93–4	fertility sparing approach,	\ 1 1 //·
HRT	10	pelvic floor muscle training
administration of, 95–6	genetic considerations, 356	(PFMT), 72–3
duration of use, 96	genetic testing for women	pelvic floor physical
indications for	with, 43-6	therapy, 187
avoidance, 98	histologic subtypes, 352	pelvic mass, 346–52
indications for caution,	HRT and, 355–6	case study, 346, 356
99–100	hysterectomy recommended	diagnosis and workup,
indications for use, 97–8	following	347-9
suitability by cancer	completion of	diagnostic tests, 348
type, 99	childbearing, 10	imaging, 348-9



Index

pelvic mass (cont.) O-RADS Risk Stratification System, 350 physical exam, 348 serum tumor markers, 348 signs and symptoms, 347 epidemiology, 346-7 etiology and risk factors, 346 - 7incidence and long-term prognosis, 346 surveillance, 351-2 treatment options, 351 benign masses, 351 masses concerning for malignancy, 349 - 51masses requiring prompt attention, 349 surgical approach and procedure, 351 take home points, 356-7 see also ovarian cancer. Perrault syndrome, 83 Peutz-Jeghers syndrome (PJS), 51 pregnancy and thyroid cancer, 376 - 7best avoided during cancer treatment, 101 breast cancer and, 148-54 case study, 147, 172 diagnosis and workup diagnostic studies for pregnant and lactating women, 150 diagnostic tests, 151 differential diagnosis, 148, 149 imaging, 148-50 physical exam, 148 signs and symptoms, 148 staging, 151 epidemiology, 148 obstetric management antenatal testing, 153 breastfeeding, 150, 153 delivery route and timing, 153 fetal risk, 150, 151, 153 maternal risk, 152

survivors of breast cancer, 153 - 4treatment, 151-2 chemotherapy, 152, 158, 163-4, 168, 169 delay of, 152 radiation, 151-2 surgery, 152 cancer and, 147-73 definition of cancer during pregnancy, 147 pregnancy following remote history of anthracycline use, 172 take home points, 173 cervical cancer and, 154-62 diagnosis and workup, 157 differential diagnosis, 155 evaluation of abnormal cervical biopsy, 156 evaluation of abnormal cytology, 156 physical exam, 155-6 signs and symptoms, 155 staging, 156 epidemiology, 154-5 obstetric management, 158 - 61antenatal testing, 160 breastfeeding, 161 delivery route and timing, 159, 160-1 fetal risk, 157, 160 maternal risk, 158 survivors of cervical cancer, 161-2 treatment, 157 chemotherapy, 158 delay of, 155, 158 fertility sparing, live birth and preterm birth rates, 162 options, mode and timing of delivery, 159, 160-1 radiation, 157 surgery, 158 termination, 157, 158 endocrine therapy and timing of, 15, 248 following lung cancer survivorship, 340 - 1

gonadotropin exposure and timing of, 15-16 leukemia and, 167-72 acute leukemia during pregnancy, 312-16 CML, special considerations, 318 diagnosis and workup, 168 signs and symptoms, 167 staging, 167 epidemiology, 167 obstetric management antenatal testing, 170 breastfeeding, 170 delivery route and timing, 170 fetal risk, 170 maternal risk, 170 survivors of leukemia, 171 - 2treatment, 168-70 chemotherapy, 168, 169 delay of, 168-70 radiation, 168 stem cell transplantation, termination, 168 lymphoma and, 162-7 diagnosis and workup, 163 physical exam, 163 signs and symptoms, 162 staging, 163 epidemiology, 162 obstetric management, 166 antenatal testing, 164 breastfeeding, 166 delivery route and timing, 166 fetal risk, 163, 164 maternal risk, 164 survivors of lymphoma, 166 - 7treatment, 163-4 chemotherapy and immunotherapy, 163 - 4delay of, 164 radiation, 163 termination, 163 trimester-stratified options for, 165



1: 41		. 1
radiotherapy	uterine, potential impact on	etiology of concerns in
contraindicated	the fetus, 8	female cancer
during, 8	vaginal brachytherapy for treatment of	patients, 60–1 genitourinary syndrome of
premature ovarian insufficiency	endometrial	
(POI), 81-9	cancer, 276	menopause moisturizers
as consequence of	reflectance confocal	avoiding irritants, 63–4
conditioning	microscopy	non-hormonal
regimens, 26	(RCM), 387	moisturizers, 64–5
as potential outcome of	reproductive effects of	types and
chemotherapy,	treatment	recommendations,
7, 85	chemotherapy, 4-7, 5	65
autoimmune etiologies, 84-5	proposed mechanisms for	vs lubricants, 64
case study, 81, 89	chemotherapy-	pelvic floor muscle
definition, 81	induced ovarian	training
environmental and social	toxicity, 7	(PFMT), 72–3
risk factors, 86	immunotherapy, 8	treatment, 63-8
epidemiology, 81-7	radiotherapy, 7–8	treatment algorithm, 73
ethnicity and, 86	rhabdoid tumor predisposition	vaginal androgen therapy,
etiology, 82–7	syndrome, 50–1	67, 68
first-line treatment, 88	risk reducing salpingo-	vaginal estrogen
genetic risk factors, 82-4	oophorectomy	therapy, 65
health consequences, 86–7	(RRSO)	vaginal stenosis, 72
iatrogenic risk factors, 85–6	as trigger for surgical	low desire during and
incidence and long-term	menopause, 94, 355	following cancer
prognosis, 81–2 increased prevalence in	Lynch syndrome and, 274 recommendations for	treatment, 73–4 moisturizers, lubricants, and
cancer patients, 82	patients at risk of	sexual devices, 71
laboratory evaluation, 82	developing	pelvic floor muscle training
radiotherapy dose	gynecological	(PFMT), 72–3
inducing, 7	cancer, 44, 46,	POI and, 87
reproductive	86, 356	survivorship care, 187–9,
implications, 87–8	30, 220	265–6, 341
resulting from acute	SaveMyFertility, 16	vaginal androgen
leukemia	selective serotonin reuptake	therapy, 67–8
treatment, 312	inhibitors (SSRIs),	vaginal estrogen
take home points, 89	for treatment of	therapy, 65-7
progestin-only therapy, for	vasomotor	vaginal laser therapy, 69-70
treatment of	symptoms, 96, 187	vaginal stenosis, 72
AUB, 31–2	serotonin noradrenaline	take home points, 74-5
pseudo-hypoparathyroidism	reuptake inhibitors	staging, clinical groups
type 1a, 84	(SNRIs), for	(AJCC), 295
PTEN hamartoma tumor	treatment of	Stupid Cancer, 16
syndrome	vasomotor	survivorship care, 179-96
(PHTS), 50	symptoms, 96	bladder cancer, post-
1: .: 1 .: .: 106.5	Sertoli-Leydig cell tumor	surgery, 222
radiation dermatitis, 126–7	(SLCT), 51	bone health, 183–7
radiation recall, 127	sex cord stromal tumors,	breast cancer, 183, 249
radiation, histological changes following, 8	353 sexual health management,	and breastfeeding, 154 case study, 179, 196
radiotherapy	60–75	cervical cancer, 180
and vaginal stenosis, 187, 265	anti-estrogen therapies	core domains, 180
as trigger for menopause, 94	and, 61–3	endometrial cancer, 180
potential role in POI, 85	bioidentical hormones, 68–9	epidemiology and
reproductive effects of	case study, 60, 74	background, 179
treatment, 7–8	dyspareunia, 70	following lung cancer, 340–2
	/ I	0 0 ,



Index

survivorship care (cont.)
pregnancy, 340-1
ovarian cancer, 183
psychosocial functioning
body image, 195
distress management,
193–5
financial stressors, 196
social support, 196
risk reduction and early
detection, 189–92
cancer screening, 190–1
cardiovascular health,
192
cardiovascular health, ABCDEs, 192
genetic screening, 192–3 hepatitis screening, 191
HPV vaccination, 191
lifestyle assessment,
189–90
sexual function, 187–9
surveillance and monitoring
for late effects,
179–80
take home points, 197
Swyer Syndrome, 83
•
thrombocytopenia
thrombocytopenia and avoidance of menses,
thrombocytopenia and avoidance of menses, 12
and avoidance of menses, 12 AUB and, 25–6
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin malignancies,
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin malignancies, 372–3
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin malignancies, 372–3 metastasis to the thyroid
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin malignancies, 372–3 metastasis to the thyroid gland, 372
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin malignancies, 372–3 metastasis to the thyroid gland, 372 struma ovarii, 373
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin malignancies, 372–3 metastasis to the thyroid gland, 372 struma ovarii, 373 thyroid lymphoma, 372–3 overview of the thyroid
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin malignancies, 372–3 metastasis to the thyroid gland, 372 struma ovarii, 373 thyroid lymphoma, 372–3 overview of the thyroid
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin malignancies, 372–3 metastasis to the thyroid gland, 372 struma ovarii, 373 thyroid lymphoma, 372–3
and avoidance of menses, 12 AUB and, 25–6 exacerbated by TBI, 26 thyroid cancer, 362–78 case study, 362, 377–8 epidemiology, 362–3 hereditary cancer syndromes associated with, 375 nodule evaluation, 365–6 ATA guidelines, 366 Bethesda System, 368 TI-RADS classification system, 367 non-thyroid origin malignancies, 372–3 metastasis to the thyroid gland, 372 struma ovarii, 373 thyroid lymphoma, 372–3 overview of the thyroid gland, 363–4, 365

```
thyroid hormone
            action, 364
  pathophysiology, 368-72
     anaplastic thyroid
           cancer, 371
     differentiated thyroid
           cancer, 368
       staging, 369
     follicular thyroid
           carcinoma, 370
     Hürthle cell
           carcinomas, 370
     medullary thyroid cancer,
            371 - 2
     papillary thyroid cancer,
            368 - 70
     poorly differentiated
           thyroid cancer,
     undifferentiated thyroid
           cancer, 371-2
  pregnancy and, 376-7
  risk factors, 373
    benign thyroid disease,
           373
     genetic, 374
     gynecologic, 374-6
     ionizing radiation, 373
  surveillance, 377
  take home points, 378
total body irradiation (TBI),
            thrombocytopenia
            exacerbated by, 26
toxic erythema of chemotherapy
           (TEC), 128
trachelectomy
  as fertility sparing approach
            to cervical cancer,
            10, 258, 262-3
  cerclage placed at time of or
            following, 160
  hemorrhage risk and
           pregnancy loss
           rate, 158
  live birth and preterm birth
            rates, 162
  post-procedure infertility
            rates, 10
tumor size, classification
            (AJCC), 294
Turner Syndrome, 82
uterine transposition and
```

fixation, for

fertility, 11

preservation of

```
vaginal atrophy,
           see also
           genitourinary
           syndrome of
           menopause
           (GSM). 60
vaginal stenosis
  management, 72
  radiation therapy and,
           187, 265
vasomotor symptoms (VMS)
  experienced by survivors of
           gynecological
           cancer, 187
  HRT for management
           of, 97-8
  non-hormonal medications
           for management
           of, 96-7
venous thromboembolism
           (VTE)
  increased risk with HRT, 95
  risk of for cancer patients, 33
vulvar lesions and eruptions,
           117-29
  vulvar skin and mucosa,
           overview, 118
  biopsy considerations,
           118 - 19
  case study, 117, 117, 128
  general vulvar care, 118
  infections
    abscesses and furuncles,
           120 - 1
    angioinvasive, 121
    candidal, 121-2
    folliculitis, 119-20
    herpes virus, 121
    varicella zoster virus, 121
    vulvar candidiasis, 122
  primary inflammatory
           dermatoses
    lichen planus, 123-4
    lichen sclerosus, 122-3
    lichen simplex chronicus,
           124 - 5
  terminology, 117
  topical steroid ointments, 119
  treatment side effects
    acquired lymphatic
           anomaly, 126
    genital chronic graft-
           versus-host-disease
           (cGVHD), 127-8
    genitourinary syndrome
           of menopause, 125
```



Index

immune-checkpoint inhibitor cutaneous toxicities, 128 radiation dermatitis, 126 - 7radiation recall, 127 toxic erythema of chemotherapy, 128 vulvar lymphedema, 126 take home points, 129 see also vulvar melanoma. vulvar lymphedema, 126 vulvar melanoma, 383-90 overview, 383, 390 case study, 383, 390 diagnosis and workup, 385-7 ABCDEs of melanoma, 386 common dermatologic terms, 385

dermoscopy and in vivo reflectance confocal microscopy, 386-7 diagnostic tests, 386 differential diagnosis, 386 histopathology, 387 physical exam, 385 epidemiology, 383-4 etiology and risk factors, 384 incidence and long-term prognosis, 383-4 pathogenesis, 385 pediatric patients, 383, 384 prognosis, 383, 388 reproductive considerations, 389-90 staging, 388 surveillance/screening, 390

treatment, 388-9 take home points, 390 women diagnosed with cancer age, 1 guidelines on discussing the risk of infertility and fertility preservation options, 1 number of in 2020, 1 percentage of reproductive age, 1 percentage reporting not receiving fertility counseling, 1 yoga, for treatment of vasomotor symptoms, 187 Young Survival Coalition,

16