

## Index

- aberrations, 69
- ABCD matrix, 59, 62, 217, 226, 229, 259, 321
- absorption coefficient, 21, 164
- achromatic lens, 299
- adiabatic approximation, 215, 219, 223, 230, 233, 339
- Airy function, 217
- Airy pattern, 71
- amplifier
  - bandwidth of, 167
  - distributed Raman, 177
  - erbium-doped, 166
  - FWM-based, 172
  - GRIN-fiber, 208
  - multimode, 106, 201
  - optical, 128, 131
  - parametric, 143, 174, 187–195
  - Raman, 169, 177–187
  - rare-earth doped, 166, 196, 203
  - thulium-doped, 150
  - waveguide, 208
- amplitude mask, 39
- angular momentum, 188
  - conservation of, 252
  - orbital, 27, 39, 245, 274
  - spin, 243, 274
  - total, 248, 288
- angular spectrum, 280
- annihilation operator, 43, 287, 338
- attenuation coefficient, 6
- axial variation
  - exponential, 220
  - linear, 220
  - periodic, 232
- beam
  - Airy, 260
  - Airy–Gauss, 258
  - Bessel, 258, 260
  - circular, 69
  - coherent, 327
  - collimated, 59
  - cylindrical vector, 249
  - Gaussian, 26, 46, 51, 64, 117
  - Laguerre–Gauss, 258
  - paraxial, 318
  - partially coherent, 322
  - partially polarized, 331
  - Poincaré, 249
  - pulsed, 117
  - quasi-monochromatic, 328
  - Stokes, 183
  - vector, 249, 331
  - vortex, *see* vortex beam
- beam cleanup
  - Kerr-induced, 152, 201
  - Raman-induced, 144, 149, 151, 177, 178, 183
  - SBS-induced, 146
  - spatial, 151, 153, 201
  - threshold of, 154
- beam collapse, 114, 124, 197
- Beer–Lambert law, 6
- Berry phase, 224
- Bessel function, 261
- biomedical imaging, 107
- birefringence, 95, 252
  - circular, 274, 277, 284, 290
  - geometric, 300
  - linear, 269
  - magnitude of, 270
  - random, 96, 271
  - spatially varying, 256
  - stress-induced, 262
- Bragg mirror, 293
- Brillouin scattering
  - intermodal, 145
  - stimulated, 145
- Brillouin threshold, 145
- chemical vapor deposition, 12
- chirp, 88

- dispersion-induced, 89
- for Gaussian pulse, 118
- linear, 89
- SPM-induced, 118–120
- coherence
  - evolution of, 320
  - frequency-domain description, 319
  - partial, 315
  - polarization, 318
  - spatial, 316
  - temporal, 316
- coherence length, 316
- coherence radius, 316, 330
- coherence time, 316
- coherent receiver, 265
- coherent state, 322, 338
  - evolution of, 289
  - two-photon, 232
- conversion efficiency, 156, 186
- Coriolis force, 277, 278
- correlation length, 96
- coupled-mode equations, 94
- coupling coefficient, 94, 138
- coupling efficiency, 34–36, 38, 87
- coupling length, 94
- creation operator, 43, 287, 338
- cross-phase modulation, *see* XPM process
- cross-spectral density, 319
  - evolution in GRIN media, 325
  - evolution of, 321
- crosstalk, 265
  
- deep-learning technique, 77, 109
- degree of birefringence, 96
- degree of coherence, 316
  - spectral, 320, 321, 330
  - time-domain, 320
- degree of polarization, 319, 331, 332
- delta function, 63
- demultiplexer, 106
- DGD parameter, 140
- dichroic mirror, 79
- differential group delay, *see* group delay
- diffraction length, 65
- digital signal processing, 107, 265
- dipole relaxation time, 167
- direct laser writing, 13
- directional coupler, 76
- dispersion
  - chromatic, 7, 40, 84
  - effects of, 84
  - group-velocity, 7, 84, 121
  - intermodal, 39
  - material, 40
  - modal, 101
  - polarization-mode, 95, 272
  - third-order, 7, 133, 134, 137, 148
  - waveguide, 40
- dispersion length, 89, 131, 132
- dispersive wave, 137, 147
- displacement operator, 339
- distributed amplification, 171
  
- Eaton lens, 305
- effective dielectric constant, 300
- effective medium theory, 300, 304, 305
- effective mode area, 126, 139, 177
- effective mode index, 25
- eikonal equation, 56, 275
- eikonal-based technique, 49, 217, 233
- endoscope, 76, 108
  - fiber-based, 109
- Ermakov equation, 219
- error function, 4
- Euler–Lagrange equation, 46
- evolution operator, 43, 231
  
- Fabry–Perot resonator, 78
- fiber
  - chalcogenide, 150
  - graded-index, *see* GRIN fiber
  - microstructured, 303
  - non-silica, 150
  - photonic crystal, 296, 303
  - plastic, 6, 79, 163
  - preform for, 13
  - silica, 6, 163
  - single-mode, 78, 190
  - step-index, 2, 40, 80, 106, 134, 148
  - step-index multimode, 157
  - tapered, 201
  - thermodynamics of, 154
  - two-mode, 254
  - vortex, 263, 264
- fiber laser
  - erbium-doped, 157
  - mode-locking of, 156
  - thulium-doped, 157
  - ytterbium-doped, 157
- fiber-optic sensing, 78
- fish-net structure, 297
- fish-eye lens, 2, 305
- fluorescence time, 166
- focal length, 74, 75
- focal plane, 74
- Fock state, 43, 288, 338
- four-wave mixing, 139, 172
  - degenerate, 139
  - in GRIN fiber, 142
  - intermodal, 142, 188, 189
  - nondegenerate, 189
  - spontaneous, 143, 189
- Fourier transform
  - definition of, 20
  - fractional, 62, 232, 340

- inverse, 20
  - standard, 340
- frequency chirp, *see* chirp
  - nonlinear, 118
  - SPM-induced, 118
  - time dependence of, 118
- gain bandwidth, 167
- gain saturation, 168, 171, 201
- Gaussian beam
  - collimated, 35
  - off-axis, 37, 66, 153, 279
  - on-axis, 38, 64
  - propagation in GRIN media, 64
  - pulsed, 125
  - tightly focused, 281
- Gaussian–Schell model, 322, 325, 331
- geometric parametric instability, 129
- geometrical phase, 224, 274, 277
- geometrical-optics approximation, 51, 55, 71, 218, 275
- gradient-index optics
  - fabrication techniques for, 11
  - history of, 1
  - materials for, 11
- grating
  - Bragg, 78, 186, 232, 293, 296
  - fiber, 183, 186, 232, 255, 293
  - holographic, 39
  - Kerr-induced, 147, 154
  - long-period, 254, 263
  - nonlinear, 148
  - nonlinear index, 126, 129, 190
  - Nragg, 183
- GRIN fiber
  - applications of, 75–81
  - beam propagation in, 42–52
  - birefringence of, 269, 271
  - development of, 84
  - dispersive effects in, 84–107
  - excitation of modes in, 34–39
  - few-mode, 35
  - for telecom systems, 105
  - FWM theory for, 193
  - germanium-doped, 156
  - group delay in, 40
  - impact of gain, 165–176
  - impact of losses, 163–165
  - modal excitation in, 35
  - modes of, 23–30
  - nanostructured, 166, 304
  - non-modal approach, 101
  - nonlinear phenomena in, 111–158
  - partially coherent beam in, 324
  - plastic-based, 2, 106
  - pulse broadening in, 41
  - Raman amplification in, 183
  - rare-earth doped, 166–169, 196–203
  - self-imaging in, 55–69
    - sensing with, 78
    - sinusoidally modulated, 233
    - spectral changes, 328
    - spectral intensity of, 326
    - spin-orbit coupling in, 274
    - tapered, 201, 214–239, 339
    - tweezer, 80
    - vector modes of, 282
    - ytterbium-doped, 166, 196, 201
- GRIN lens, 69, 108, 256
  - cascade of, 273
  - endoscopy with, 76
  - focal length of, 75
  - focusing by, 60, 69
  - imaging with, 72, 76
  - metamaterial, 305
- GRIN rod, 3, 5, 11, 34, 35, 69, 75, 137
  - birefringence of, 270, 273
  - nonuniform birefringence in, 272
  - SAM-to-OAM conversion in, 281
- group delay, 7, 40, 41
  - differential, 8, 40, 84, 87, 131
  - intermodal, 9, 131
- group velocity, 7
- GVD parameter, 7, 8, 40, 41, 86
  - anomalous, 8, 121, 190
  - normal, 123, 190
- Hamiltonian, 116, 223, 237, 287
- harmonic oscillator
  - eigenstates of, 338
  - energy levels, 26
  - equation for, 44, 51
  - one-dimensional, 337
  - perturbed, 236
  - propagator for, 62, 229
  - quantum, 24, 222, 337
  - standard, 230
  - two-dimensional, 43
- Heisenberg picture, 43, 225, 289
- Helmholtz equation, 21, 164, 178, 193, 261
- Hermite polynomial, 24, 260, 338
- Hermite–Gauss function, 24, 223, 340
- hologram
  - computer-generated, 251, 309
  - wavelength multiplexing of, 309
- imaging condition, 74
- impulse response, 91
- index gradient, 4, 12, 13, 50, 63, 69, 111, 112, 216, 300, 305
- index profile
  - inverse parabolic, 263
  - parabolic, 4, 23, 26, 31, 40, 42, 48, 57, 61, 84, 113, 155, 283
  - power-law, 4, 30, 41, 92
  - shape of, 22

- intermodal crosstalk, 107
- invariant operator, 224
- inverse scattering method, 121, 131
- inverse-design approach, 310
- inversion symmetry, 154
- ion-exchange technique, 12, 256, 270, 272
- ion-stuffing technique, 12
  
- Jones matrix, 96, 243, 273, 281
- Jones vector, 137, 139, 244, 281
  
- Kerr coefficient, 10, 112, 138
- Kerr effect, 10, 111, 201
- Kerr nonlinearity, 111, 113, 128, 139, 189
  
- Lagrangian density, 46, 113, 122
- Laguerre polynomial, 27
- Laguerre–Gauss function, 287
- Laplacian operator, 22
- laser
  - mode-locked, 201
  - Raman, 177, 185
- left-handed medium, 297
- Legendre function, 217
- lens
  - defocusing, 49
  - fisheye, 2
  - GRIN, 5, 75
  - Luneberg, 2
  - Selfoc, 69
- light-emitting diode, 78
- liquid-crystal display, 252
- loss
  - bending, 93
  - fiber, 170
  - GRIN fiber, 163
  - impurity, 6
  - plastic fiber, 6, 163
  - scattering, 6
- Luneberg lens, 302
  - integrated, 305
  - plasmonic, 305
- $M^2$  factor, 178, 185, 187, 201, 327
- machine-learning technique, 38
- Mamyshev mechanism, 202
- Mathieu equation, 217
- Maxwell's equations, 19, 274
- Maxwell-Garnett theory, 300
- medical imaging, 76
- Mehler's formula, 61, 341
- meridional ray, 272
- metalens, 310
- metamaterial
  - anisotropic, 305
  - digital, 305
  - epsilon-near-zero, 307
  - graded-index, 305
  - negative index in, 297
  - physics of, 297
- metasurface, 252, 298
  - birefringent, 253
  - dielectric, 253, 299
  - graded-index, 308
  - holography with, 309
  - plasmonic, 253, 298
- Michelson interferometer, 316
- mid-infrared region, 189, 304
- MIMO technology, 107
- modal degeneracy, 259, 263
- modal interference, 77, 78
- modal overlap factor, 139, 140, 142, 178
- mode
  - Bloch, 295
  - cladding, 93
  - degenerate, 95
  - even, 27
  - excitation of, 34–39
  - fundamental, 29, 48
  - guided, 93
  - Hermite–Gauss, 24, 28, 60, 283
  - higher-order, 37
  - impact of loss, 164
  - Laguerre–Gauss, 26, 28, 245
  - odd, 27
  - radiation, 93
  - selective excitation of, 38
  - spatial, 140
  - thermalization of, 154
  - vector, 282
  - vortex, 30, 39, 245
- mode coupling, 77, 258
  - linear, 138
  - nonlinear, 138, 139
  - power-dependent, 156
  - random, 93, 97, 261, 265
- mode degeneracy, 28
- mode group, 95
- mode locking
  - active, 185
  - passive, 202
  - spatiotemporal, 201
- mode-division multiplexing, 106
- mode-locking, 156
- modulation instability, 128–131, 188
  - GRIN-fiber, 189
  - impact of self-imaging, 129
  - spatiotemporal, 129, 304
- moment method, 43, 90, 116
- multi-spectral imaging, 108
- multimode equations
  - coupled, 137, 201
  - nonlinear, 137
- multimode interference, 37, 100, 108, 156
- multiphoton absorption, 68

- multiphoton microscope, 76
- multiplexing
  - mode-division multiplexing, 39
  - OAM-domain, 264
  - space-division, 41, 264
- negative-index material, 297
- neural network, 77, 109
- Newton's formula, 74
- NLS equation, 209
  - averaged, 132
  - coupled, 140, 141
  - effective, 125, 126
  - soliton solution of, 135
  - standard, 126
  - temporal, 124
- nonlinear length, 130
- nonlinear microscopy, 76
- nonlinear parameter, 190
  - effective, 125
- nonlinear Schrödinger equation, *see* NLS equation
- numerical aperture, 5, 58, 76, 280, 310
- optical bullets, 121
- optical communication system, 41, 84, 105, 106, 128, 171, 177
- optical poling, 154
- parametric amplification, 239
- parametric resonance, 239
- paraxial approximation, 22, 25, 57, 111, 114, 217, 276
- Pauli spin matrices, 287
- phase conjugation, 77, 100, 108, 174
  - digital, 108
- phase mask, 39
- phase matching, 139, 173, 176, 188
  - in GRIN fiber, 142
  - nonlinear, 189
- phase shift
  - GRIN-induced, 112
  - linear, 112
  - nonlinear, 11, 111
  - time-dependent, 118
  - XPM-induced, 181
- phase singularity, 241, 245
- phase-matching condition, 175, 188, 190, 192
- photoacoustic microscopy, 107
- photonic bandgap, 295, 299
- photonic crystal
  - dispersion curve for, 295
  - graded-index, 299
  - period of, 300
  - physics behind, 292
  - two-dimensional, 296, 300
- photonic lantern, 107
- Planck's constant, 337
- PMD parameter, 96
- Poincaré sphere, 241, 270, 319
- polarization
  - azimuthal, 249, 262
  - circular, 242, 244
  - degree of, 332
  - elliptical, 270
  - left-circular, 242
  - linear, 242, 244
  - mechanisms for changing, 269
  - partial, 318
  - radial, 249, 262
  - right-circular, 242
  - rotation of, 274
  - state of, 241, 269, 270, 318, 334
- polarization diversity, 265
- polarization ellipse, 242
- polarization matrix, 318, 331
- polarization rotation, 277, 290
- preform, 166, 304
- principal axis, 96, 270
- principal plane, 74, 76
- propagation equation
  - for pulse amplification, 200
  - four-dimensional, 200
  - frequency-domain solution, 104
- FWM-coupled, 193
- modal, 85
- nonlinear, 113, 120
- pulse, 120
- Raman-amplifier, 179
- spatiotemporal, 101
- time-domain, 86, 102
- propagation kernel, 64, 69, 259
  - GRIN medium, 60, 61
  - homogeneous medium, 63
- pulse
  - chirped, 88, 103, 118
  - femtosecond pulse, 148
  - Gaussian, 87, 89, 118
  - Stokes, 183
  - super-Gaussian, 118
  - transform-limited, 89
  - ultrashort, 126
- pulse broadening
  - average, 90
  - DGD-induced, 87, 100
  - dispersion-induced, 84
  - GVD-induced, 88
  - PMD-induced, 96
- pulse distortion, 90
  - DGD-induced, 87
- pump depletion, 171
- q-plate technology, 253
- Q-switching, 157
- quantum noise, 232
- quasi-homogeneous approximation, 322
- quasi-phase matching, 154

- Raman amplification, 170  
 Raman gain spectrum, 127, 143, 169  
 Raman response, 126  
   analytic form for, 127  
   modified form for, 127  
 Raman scattering  
   cascaded, 144, 183  
   cascaded stimulated, 108  
   intermodal, 143, 177  
   intrapulse, 127, 134, 178  
   spontaneous, 170, 178  
   stimulated, 143, 144, 169, 304  
 random process, 316  
 random walk, 96  
 ray  
   axial, 58  
   field, 58  
   meridional, 57  
   skew, 57  
 ray equation, 56, 71, 215  
 ray tracing, 59, 69  
 Rayleigh scattering, 6, 164  
 refractive index, 1  
   cylindrically symmetric, 2  
   effective, 304, 308  
   frequency dependence of, 84  
   graded, 1  
   intensity dependence of, 10, 111  
   negative, 297  
   nonlinear, 10  
   spatial profile for, 3  
   spherically symmetric, 2  
   wavelength dependence of, 8  
 rotating-wave approximation, 238
- SAM-to-OAM conversion, 252, 280, 308  
 saturable absorber, 156  
   effective, 156  
   GRIN-fiber based, 156  
   three-section, 158  
   two-section, 158  
 saturation power, 166, 169  
 scanning electron microscope, 14  
 Schrödinger equation, 22, 42, 223, 337  
   nonlinear, *see* NLS equation  
   vector modes of, 287  
 Schrödinger picture, 43  
 second harmonic generation, 154  
 second-order susceptibility, 154  
 self-defocusing, 11, 112, 122  
 self-focusing, 10, 111, 112, 123, 146, 153, 205  
   critical power for, 114  
 self-imaging, 26, 49, 60, 62, 102, 180, 190, 194, 280  
   experiments on, 68  
   impact of self-focusing, 112  
   of partially coherent beams, 322  
   periodic, 117, 154, 322  
   self-imaging period, 63, 67, 79, 102, 114, 129, 132, 182, 190, 219, 323  
   self-phase modulation, *see* SPM process  
   self-similar evolution, 48  
   self-similarity, 204, 233  
 Sellmeier equation, 8  
 side-launch technique, 38  
 silicon-on-insulator technology, 301  
 similariton, 203–210  
 singular optics, 241  
 Snell's law, 56  
 soliton  
   fission of, 135  
   fundamental, 132  
   fundamental GRIN, 132  
   graded-index, 131  
   guiding-center, 131  
   higher-order, 133, 135  
   loss-managed, 131  
   multimode, 131, 133, 148  
   spatial, 203–210  
   spatiotemporal, 121, 124  
   temporal, 124  
 space-division multiplexing, 3, 106  
 spatial filtering, 38  
 spatial light modulator, 39, 77, 108, 252, 254  
 spatial multiplexer, 39, 106  
 spatial overlap, 34  
 spatial width oscillations, 47  
 spatiotemporal evolution, 121  
 spatiotemporal focusing, 101  
 speckle pattern, 37, 38, 100, 152, 183  
 spectral broadening, 11  
   SPM-induced, 119  
 spherical aberration, 76  
 spin-Hall effect, 274  
   observation of, 280  
   photonic, 277, 279, 290  
 spin-orbit coupling, 21  
   in GRIN fibers, 276  
   photonic, 269, 274  
 spiral phase plate, 250  
 split-ring resonator, 297, 308  
 split-step Fourier method, 206  
 SPM process, 10, 117, 189, 304  
   chirp induced by, 118  
   spectral broadening by, 119  
 spot size, 80, 104  
   focal, 71  
   fundamental mode, 26, 36, 52  
   Gaussian beam, 35  
   periodic variations of, 65  
 squeezing operator, 232, 238  
 Stokes parameters, 334  
 Stokes vector, 241, 271, 273, 318, 319, 334  
 structured light, 241  
 supercontinuum, 304  
   broadband, 148

348

*Index*

- GRIN-fiber, 146
- long-pulse, 148
- mid-infrared, 147, 149
- multimode, 146
- tapered-fiber, 201
- supercontinuum generation, 296
  
- tapering
  - exponential, 221, 230
  - linear, 220
- Taylor series, 40, 86, 91, 104, 138
- third-order susceptibility, 138, 173
- time-ordering operator, 227
- topological charge, 30, 246, 251
- total internal reflection, 4, 296
- transfer matrix, 226
- tweezer
  - fiber-optic, 80, 265
  - GRIN-based, 265
- two-photon absorption, 76
- two-photon fluorescence, 108
- two-photon microscope, 77
  
- van Cittert–Zernike theorem, 320, 324
- variational method, 45, 113, 121
- vortex beam, 39, 241–265
  - Airy, 260
  - angular momentum of, 245
  - applications of, 264
  - Bessel, 260
  - Gaussian, 259
  - generation of, 250
  - metasurface for, 308
  - propagation of, 258
  - topological charge of, 246
  - vortex mode sorter, 256, 265
  
- wave plate, 243
- waveguide
  - graded-index, 204, 300
  - photonic crystal, 300
  - planar, 204
  - tapered, 214
- wavelength-division multiplexing, 106
- weakly guiding approximation, 21, 286
- Wiener–Khinchine theorem, 320
- WKB approximation, 23, 31, 41, 84, 339
- Wolf effect, 322
- Wronskian, 216
  
- XPM process, 11, 111, 139
  - intermodal, 139, 141
  - pump-induced, 195
  
- Young’s interferometer, 317, 320
  
- zero-dispersion wavelength, 8, 41, 87
- zone plate, 251