

Index

- access to services.
See also challenges in
 accessing mental health
 care when subjected to
 asylum process
 children and, 212–13
 removing barriers to, 263–5
 adjustment disorder, 154–5
 adverse experience.
See also effects of adversity
 affective neuroscience, 55
 attachment theory, 54
 grief and growth, 56
 growth factors after, 60–4
 professional responses to
 adversity, 57
 psychological symptoms
 after, 57–60
 therapeutic complexity for,
 278
 adversity activated development
 (AAD), 56, 282–3
 adversity grid components,
 281
 affective neuroscience
 instinctual drivers, 55–6
 paradigms of, 55
 response to adversity, 57
 anxiety, 155–6
 assessment
 anxiety and, 110–11
 appointment information,
 90–1
 assessment housekeeping,
 111
 asylum system status, 104
 client memory, 120–1
 cognitive function, 109
 comprehensive
 developmental history, 105
 conclusion of, 111–12
 credibility questioning,
 126–9
 daily routines, 104
 dissociation, 106–7
 domestic abuse, 105
 flashbacks, 106
 follow-up, 112
 history and mental state,
 99–103
 inferred judgement, 90
 interpreter choice, 91
 interpreter methodology,
 95–7
 moral injury, 105–6
 narrative dilemmas, 123–6
 narrative style, 119–20
 neurodevelopmental issues,
 121–3
 nightmares, 106
 physical health, 110
 psychotic symptoms, 107–8
 purpose of, 90
 record-keeping, 112
 remote alternatives, 97–9
 specific areas for exploration
 table, 104
 substance use, 105, 108
 suicide risk, 109–10
 therapeutic alliance, 92–5
 torture, 105
 assessment, children
 current context of, 214
 GP (general practitioner)
 assessment, 214
 language and, 214
 meeting management,
 214–15
 meeting setting, 213
 reasons for referral, 213
 assessment interpretation
 behaviour interpretation,
 117–19
 difficult behaviour
 presentations, 117
 asylum process, context of
 asylum process, 30–3
 host society, 38–9
 Hostile Environment policies
 (2012–), 16
 human context of, 34–8
 increasing legal restrictions,
 30
 international refugee law,
 16–18
 medical care, 42–3
 psychological damage from
 asylum process, 29–30
 refugee policy, 15–16
 as state function, 15
 world political history, 15
 asylum process (UK)
 appeals process, 32
 claim interview, 32
 claim submittal, 31
 detention, 30–1
 free legal representation, 31
 human trafficking, 34
 initial screening, 30
 legal recognition as a refugee,
 43–5
 requirements for asylum, 31
 summary of, 33
 asylum process (UK) mental
 health effects
 getting help with, 67–8
 identity and roles, 65–6
 interpersonal bonds and
 networks, 65
 safety and security, 64–5
 sense of justice, 66–7
 asylum seeker, problems using
 the term, 2
 attachment theory
 autobiographical
 competence, 119
 definition, 54
 importance of forming new
 attachments, 54–5
 response to adversity, 57
 styles of, 54
 autobiographical competence,
 119
 Balint groups, 307
 Baobab Centre, 306
 behaviour in assessment
 agitation, 118
 cultural differences, 118
 difficult behaviour
 presentations, 117
 expectations around, 118
 fears around, 117
 lack of rules knowledge, 117

- shame and humiliation, 117
 vicious cycle, 118
 Black Lives Matter, 39
 British Psychological Society, 307
- Calais Jungle, 12
 capacity (decision-making) in
 assessment
 culture and, 247
 diagnosis and formulation
 of, 146
 growth factors, 60–1
 Mental Capacity Act (2005),
 146, 247–8
 mental health records and,
 247–8
 Care Act (2014),
 CBT (cognitive behavioural
 therapy), 193, 195, 222
 Centre for the Study of Emotion
 and Law, 307
 challenges in accessing mental
 health care when subjected
 to asylum process.
 See also access to services
 charges, 79–81
 children, 85
 destitution, 86
 first appointment process,
 81–3
 gender identity, 86
 language, 76–7
 limited services in, 77–8
 organisation of mental
 health, 83–5
 primary care services, 79
 summary table of, 86–7
 vicious cycle, 86
 women, 86
 charges (NHS), 79–81
 children.
 See also young person
 challenges in care, 85, 207
 definition, 208
 group most vulnerable to
 exploitation, 208
 housing when age is
 disputed, 208
 impact of adversity and
 displacement table, 209
 KidNET, 194
 mental health formulation,
 144–5
 Open Dialogue therapy, 196
 overlooking PTSD diagnosis,
 153
- reasons for displacement, 208
 refugee percentage, 207
 safety and security, 212
 school importance, 212
 separated children in
 detention, 31
 Unaccompanied Asylum-
 Seeking Children (UASC),
 208
- children, developmental
 context
 birth to five years, 210
 five to twelve years, 210–11
 twelve to eighteen years, 211
 children, intervention
 access to services, 212–13
 assessment, 213–18
 basics of, 219–20
 context and scope of, 219
 engagement, 219
 mental disorder rate, 212
 therapeutic network, 218–19
 therapy format choice, 221–2
 trauma-focused therapies,
 220
 trust development, 219
 City of Sanctuary initiative,
 268, 307
 climate change and asylum, 8–9
 cognitive psychology and
 adversity, 57
 complex PTSD.
 See also PTSD
 diagnosis of, 152–3
 and emotionally unstable
 personality disorder
 (EUPD), 158
 in migrant populations, 151
 Coram Children's Legal Centre,
 307
 credibility, questioning of
 Asylum Policy Instruction,
 128–9
 clinician responses to, 126
 contentious nature of, 128
 context of, 126
 Home Office (UK) and, 128
 importance of mental health
 professional input, 128
 lie detection, 128, 129
 mental health records and
 reports, 246
 reasons for questioning,
 126–7
 culture
 assessment consideration
 formulation and, 139–40
- diagnosis and formulation
 and, 146–7
 effects of adversity, 52
 mental capacity decisions
 and, 247
- depression, 155
 destitution.
 See also poverty
 during asylum process, 86
 prevention, 201–2
 detention, asylum (UK)
 interventions to minimise
 hazards, 201
 mental health problems in,
 30
 retraumatisation, 36–8
 safety of, 65
 separated children, 31
 timing of, 30
 Detention Action, 306
 diagnoses in mental health
 absence of, 160
 basis of, 134
 capacity and, 146
 challenges, 137–8
 as constructed narrative, 134
 implications and limitations
 of, 150–1
 no mental illness, 161
 overlapping symptoms,
 161–2
 positive consequences, 136
 reasons to be cautious, 136–7
 stigma of, 158
 symptom fabrication, 162
 diagnoses in mental health,
 specific
 adjustment disorder, 154–5
 anxiety, 155–6
 depression, 155
 intellectual and learning
 disabilities, 160
 personality related, 157–8
 prevalence statistics, 151
 psychosis, 156–7
 PTSD, 151–4
 somatic, 158–9
 substance use, 159–60
 traumatic brain injury, 160
 diagnosis in mental health,
 helpful approaches to
 cultural differences, 146–7
 due weight to conclusions, 147
 explanation of, 147
 seeing whole person, 147
 Digital Notebook, 222

- dilemmas
 boundary or barrier, 297
 distressing disclosure, 299
 human rights approach, 298
 research on, 299
 spaces for, 301–2
 value of, 299–300
- discerning complexity, 277, 278
- dissociation
 assessment episodes, 107
 definition, 106–7
 lack of reporting abilities in, 107
 useful techniques for management, 107
- distressing disclosure, 299
- Doctors of the World, 306
- DSM-5 classification
 diagnosis and, 151
 somatic symptoms, 158
- Dublin III Regulation (2013), 20
- effects of adversity.
See also adverse experience
 child therapies, 220
 children rate of mental disorders from, 212
 culture and, 52
 definition problems, 52
 helpful therapy for, 193
 pathologisation of, 53
 personal differences in response to, 53–4
 politics and, 52
 and PTSD (post-traumatic stress disorder), 52–3
 social models of, 53
 strengths in, 281
 and therapeutic complexity, 278–9
- effects of adversity and illness model, 52
- effects of asylum process, 64–7
- EMDR (Eye Movement Desensitisation Reprocessing), 193, 194–5, 222
- Emotionally Unstable Personality Disorder (EUPD), 158
- Equality Act (2010), 259
- evidence-based care, 260
- exercise, 185
- fabrication, possibility of
 diagnosis and, 162
 hazards considering, 162
- factors helping growth, 60–4
- families
 areas to explore in assessment, 217
 assessment, 216–17
 intervention basics, 219, 220
 mothers and babies assessment, 217–18
 mothers and babies intervention, 224–5
 young people intervention strategies, 223–4
- Family Refugee Support Project, 269
- female genital mutilation, 106
- formulation
 capacity and, 146, 247–8
 causes, 140–2
 challenges, 137
 children, 144–5
 as constructed narrative, 134
 cultural differences, 146–7
 due weight of, 147
 information completeness, 143–4
 interpretation of, 133
 positive consequences, 135–6
 pressing concerns, culture and context, 139–40
 prognosis, 143
 protective factors, 140
 reasons to be cautious, 136–7
 risks and safeguarding, 143
 seeing whole person, 147
 stigma of, 158
 summary table, 138
 theoretical models, 142
 third parties and, 144
 treatment, 140
- FORNET, 194
- fragile states
 definition, 8
 types of indicators involved, 8
- Freedom From Torture, 306
- fresh claim,
- GP (general practitioner).
See also primary care services
 child assessment, 214
 definition,
 role in treatment, 173–4
 Whitehouse GP Practice, 269
- grief
 role of, 56
 stages of, 56
 grief and growth, 56
- group based activities, 197–8
- growth factors
 finding meaning in life, 63–4
 human capacity, 60–1
 identity and role, 62–3
 importance of context, 64
 interpersonal bonds and networks, 62
 justice, 63
 post-traumatic, 56
 safety and security, 62
 summary table of, 61
- Helen Bamber Foundation, 306
- history and mental state in assessment
 appearance, behaviour and speaking style, 99–100
 client dialogue, 100–1
 silent periods, 101
 strengths and resources emphasis, 101–2
 structured instruments for, 103
 symptoms dialogue, 102
 third party information, 102–3
 useful questions, 103
- home, desire for, 6
- Home Office (UK)
 credibility questioning in assessment, 128
 definition, xiv
 professional/expert witness guidance, 245
 response to medical records request, 238–40
- hostile environment, 16, 38–9
- housing
 after Leave to Remain, 44
 importance of, 78, 197
 support from refugee organisations, 197
- human context of claiming asylum
 deprivation, 41–2
 exclusion from society, 35
 fear and uncertainty, 38
 retraumatisation, 36–8
 shame, 35–6
 spectrum of experiences, 34–5
 suspicion and disbelief, 39–41
- Human Rights Act (1998), 259

- human trafficking
 asylum process (UK), 34
 definition, 8
- ICD-11 classification
 diagnosis and, 151
 personality related disorders,
 157–8
 psychosis, 156
 somatic symptoms, 158
- Immigration and Asylum Act,
 Section 4, 249
- immigration and asylum
 processes, definition, xv
- immigration removal centres
 (IRCs), 78, 179
- initial accommodation centres
 (IACs), 30
- intellectual and learning
 disabilities, 160
- intellectual disability in
 assessment
 aetiology of, 123
 diagnosis, 123
 screening for, 123
- intergenerational trauma and
 adversity, 57
- interpreters
 and barriers to accessing
 health care, 74, 75, 76–77
 choice of, 91
 in Home Office interviews,
 36, 40
 improving provision of, 255,
 262–3
 preparation for work with, 92
 remote working with, 97
 translation of written
 materials, 97
 with children, 214
 working with, 95–7
- intervention, physical health
 interconnectedness with
 mental health, 185–6
 medication, 186–90
 unmet health needs, 185
- intervention, psychological
 areas of adaptation, 167–8
 beginning strategies, 191–2
 CBT (cognitive behavioural
 therapy), 195
 children, 196
 common factors in, 191
 EMDR, 194–5
 families, 176
 gender identity, 177
 helpful therapies, 192–4
 movement, 195
 need for adaptation in, 166–7
 NET (narrative exposure
 therapy), 194
 non-verbal, 195
 with only one contact, 175–6
 peer-delivered, 196
 perpetrators of violence, 177
 refugee specific, 196
 starting point, 174–6
 table of specific areas, 184
 therapeutic relationship,
 169–71
 timing of, 191
 torture, trafficking and sexual
 violence, 177
 trauma systems therapy, 196
 treatment conclusion, 180–1
 women, 176
- intervention, risk management
 destitution prevention, 201–2
 minimising detention
 hazards, 201
 removal threat, 201
 safety planning, 199–200
- intervention, social
 asylum claim decision, 198–9
 post-migration living
 difficulties, 197–9
- intervention settings
 immigration removal centres
 (IRCs), 179
 inpatient care, 177–9
 medico-legal report writing,
 179, 240–4
 remote working, 180
- intervention treatment
 organisation
 continuity of care, 172
 early intervention, 171–2
 effective communication, 174
 holistic care, 173
 minimising service pitfalls,
 172–3
 primary care and, 173–4
 setting choice, 172
- Istanbul Protocol: Manual on the
 Effective Investigation and
 Documentation of Torture
 and Other Cruel, Inhuman
 or Degrading Treatment or
 Punishment*, 245
- journeys
 Calais Jungle example, 12
 effects of adversity, 12
 lack of destination in mind, 13
 overlooked in therapy, 12
 reaching UK, 13
 refugee homeland statistics, 13
 trapped between forces
 nature of, 12
- KidNET, 194, 221, 222
- language
 assessing needs in children,
 214
 challenge in finding mental
 health care, 76–7
 improvements in service
 development, 262–3
 therapeutic intervention, 169
- Leave to Remain
 definition, xiv
 family relocation, 44–5
 financial and housing
 support, 44
 recognition as a refugee, 43
- Lessons Not Learned: The
 Failure of Asylum Decision-
 making in the UK*, 39
- liberation psychology and
 adversity, 57
- local authorities, definition,
- Medical Justice, 306
- medication
 follow-up, 190
 GP (general practitioner)
 prescriber role, 186
 helpful medications, 188–9
 non-adherence, 190
 practical issues, 189–90
 prescribing approaches, 188
 timing of, 186–7
- memory
 major adversity and, 120
 mood dependent nature of,
 120
 PTSD and, 120–1
- Mental Capacity Act (2005)
 clinician report writing,
 247–8
 definition, xv
 diagnosis and formulation
 and, 146
- Mental Health Act (1983), xv
- Migration Observatory, 307
- moral injury
 in assessment questioning,
 105–6
 violence perpetrators and,
 177

- mothers and babies
 assessment, 217–18
 intervention, 224–5
- narrative dilemmas
 avoidance in, 124–5
 in clinical settings, 124
 in different circumstances, 123–4
 factors affecting choices, 125
 importance of past experience in, 125
 story-telling fatigue, 125
 third parties and, 125
- narrative style
 autobiographical
 competence, 119
 client social identity, 119–20
 external prompt importance, 119
 from psychological development, 119
 psychological recall impairment, 119
 summary of factors affecting, 120
- National Health Services (NHS)
 charges, 79–81
 definition, 79
 expertise limits, 85
 first appointment process, 81–3
 inflexibility of, 85
 provision limits, 84
 service arrangement, 84
 systemic racism, 85
- National Referral Mechanism (NRM), 34, 250
- Nationality and Borders Bill (2021), 30
- NET (narrative exposure therapy), 193, 194
- neurodevelopmental issues
 assessment via interpreter, 121–2
 collateral history, 122
 educational and occupational history, 122
 intellectual disability, 121, 122, 123
- NICE (National Institute for Health and Care Excellence),
- Open Dialogue therapy, 196
- organisational dynamics
 attention to, 295–6
- effects on staff, 296
- patterns of, 296
- people whose asylum claims are refused, xiv
- perinatal.
See mothers and babies
- persecution as reason to, see asylum, 6–7
- person seeking asylum
 definition, xiv
 demographics of, 14
 Home Office role, 13
 immigration policy, 13
 major diasporas 2011–2020, 14
 resettlement schemes, 13–14
 statistics, 9
 types of adversity encountered, 21–2
- person seeking asylum, clinician responses
 abuse dynamics, 294–5
 burn out, 295
 doing differently rather than more, 291–2
 exhaustion, 295
 gifts from, 298–9
 giving up/relentless pursuit, 294
 idealising/denigrating, 294
 isolation in, 292
 negative feeling in, 291
 oversimplification, 294
 over/under commitment, 294
 overview, 289
 pain and hopelessness, 289–90
 polarisation, 294
 powerlessness, 290
 privilege differences, 290
 research on, 292
 rewards from, 293
 time pressure in, 291
 unfamiliar experiences, 289
- person seeking asylum, relationships with
 assumptions around, 24
 effects of adversity, 24
 might refuse services, 24
 neutrality or self-disclosure, 297–8
 providing services in hostile environment, 24
 records and reports, 230, 240–4
- physiotherapy, 186
- polyvagal theory, 55
- post-traumatic growth, 56, 57
- poverty.
See also destitution
 inherent in asylum-seeking, 42
 limiting social contacts, 65
 refugee, 19
Poverty Barrier, 42
Power Threat Meaning model, 53, 57
- primary care services.
See also GP
 asylum process (UK), 79
 definition,
- problems using, 2
- psychological symptoms after adversity, 57–60
- psychosis
 diagnosis of, 156
 stigma of diagnosis, 157
 symptom challenges, 156–7
- PTSD.
See also complex PTSD
 children rate of, 212
 chronic pain and, 185
 differential diagnosis, 158
 DSM-5 diagnosis, 152
 ICD-11 diagnosis, 151–2
 memory and, 120–1
 narrow definitions of, 152
 outcomes not covered, 152–3
 overlooking diagnosis, 153
 symptom importance, 153–4
- Rainbow Migration Network, 306
- Rape England and Wales, 306
- rape in assessment, 106
- reasons for seeking asylum
 climate change, 8–9
 conflict and war, 6
 fragile states, 8
 persecution, 6–7
 slavery and human trafficking, 8
 summary table, 6
- reasons not to seek health care
 fear and uncertainty, 73–4
 not expecting process to be helpful, 73
 not wanting to go through process involved, 75
 stigma of, 74
 records and reports
 for asylum claim, 240–4

- case studies, 231–2
- on causation, 246
- client age dispute, 250
- client capacity, 247–8
- client interview/court fitness, 247
- client reporting
 - requirements, 246–7
- clinical records, 232–3
- confidentiality, 231
- evidence for asylum claim, 230
- fitness to fly, 249–50
- informed consent, 231
- letter writing, 233, 234
- non-engagement, 237
- problematic discharge letter, 236–7
- professional/expert witness, 244–6
- recording physical evidence
 - of mistreatment, 234–6
- response to client request, 233
- response to Home Office requests, 238–40
- Section 4 support, 249
- suicide risk, 250
- trafficking, 250
- vulnerable adults, 248–9
- when client credibility is questioned, 246
- Red Cross, 306
- reflection
 - need for, 301
 - place for, 191
 - protecting spaces for, 303
 - supervision and, 266
 - therapeutic success and, 283–4
- refugee, definition, xv
- Refugee Action, 306
- refugee camp problems, 18
- Refugee Convention (1951), 259
- Refugee Council, 306
- refugee law, international
 - changing perspectives on, 17
 - Cold War origins of, 17
 - key organisations table, 16
 - scope of, 17
 - unable to keep up with
 - current crises, 17–18
 - Universal Declaration of Human Rights, 16
- refugee status, problems with
 - definition, xiv
- funding patterns, 19
- incentivising moving on, 19
- international co-operation
 - limitations, 21
- lack of long-term solutions, 19–20
- refugee camps, 18
- restricted lives, 19
- wealthy country barriers to resettlement, 20–1
- Refugee Women Connect, 307
- remote working
 - client interview, 98
 - hazards, 99
 - intervention, 180
 - preparation for, 98
 - pros and cons, 97–8
- Right to Remain, 307
- risk management
 - destitution prevention, 201–2
 - minimising detention
 - hazards, 201
 - removal threat, 201
 - safety planning, 199–200
- Royal College of Psychiatrists (RCPsych), 307, 308
- safety and security
 - asylum process, 64–5
 - children, 212
 - growth factors,
 - interpersonal bonds and networks, 62
 - safety planning, 199–200
- secondary care services,
 - definition, xiv
- self-efficacy, definition, 65
- separated children (UK), 31
- service development
 - alternative services creation, 268–9
 - anti-racist practices, 255–6
 - avoiding harm, 257–8
 - community groups and agency networking, 267
 - evidence-based care, 260
 - guidelines, standards and checklists, 267–8
 - human rights approach, 257–9
 - indirect discrimination, 256
 - intersectionality, 257
 - involving asylum seekers in process, 261
 - key issues table, 254–5
 - language interpretation, 262–3
- problem prevention, 269–70
- removing access barriers, 263–5
- speed of response, 270–1
- staff training, 265–6
- using organisational values, 261
- using public health
 - principles, 260–1
- sexual violence
 - in assessment enquiries, 105, 106
 - symptoms after, 59
 - torture, 7, 31
- slavery (modern), definition, 8
- social services, definition, xv
- Solace, 307
- solidarity team, 302
- somatic symptoms
 - diagnostic, 159
 - DSM-5 classification, 158
 - ICD-11 classification, 158
 - in people seeking asylum, 158
 - pros and cons of attaching diagnosis to, 158–9
- stabilisation programmes,
 - children, 222
- substance use diagnosis, 159–60
- suicide
 - in assessment enquiries, 109–10
 - formulation of risk, 143
 - mental health letter
 - explaining risk, 237–8
 - rate in asylum seekers, 59
 - risk factors for, 60
- supervision
 - enabling good care, 265–6
 - generic services, 266
 - peer, 265–6, 302
 - reflection and, 266, 301
- symptom
 - common symptoms, 58
 - definition, 58
 - moral injury, 59
 - sexual violence, 59
 - suicidal, 59, 60
 - torture, 59
- synergic therapeutic
 - complexity, 284–5
- therapeutic alliance
 - children, 218–19
 - collaboration, 170–1
 - confidentiality, 93

cultural accommodation, 92–3	sexual, 31	Universal Declaration of Human Rights, 16
difficulty in anxiety	symptoms after, 59	UNRWA (United Nations Relief and Works Agency for Palestinian Refugees), 16
acknowledgement, 93–4	torture, types of	
hope in, 95	physical, 7	
importance of follow-up, 190	psychological, 7	
important aspects of, 171	sexual, 7	
language, 169	TortureID, 268–9	vicious cycle, 118
role explanation, 93	trafficking	
seeing whole person, 170	definition, 8	Whitehouse GP Practice, 269
supporting hope, 170	mental health records and reports, 250	Windrush Scandal, 39
treatment organisation, 171–4	reasons for, 8	witness (expert)
trust development, 94–5, 169–70	trauma	Home Office (UK), 245
welcome, 92	See effects of adversity	records and reports, 244–6
therapeutic complexity	trauma and illness model, 51–4	Witness to Witness programme, 307
adversity grid, 281–3	<i>Trauma Informed Code of Conduct</i> , 250	witnessing, 221
asylum process, 275–7	trauma systems therapy, 196	women
confusing nature of, 277, 278	trauma theory and PTSD, 57	asylum process
discerning complexity, 277, 278	traumatic brain injury, 160	challenges, 86
effects of adversity, 278–9	trust development	intervention, 176
reactions to severe adversity, 278	adult, 94–5, 169–70	intervention treatment, 176
synergic therapeutic complexity, 284–5	children, 219	
third sector, xv	UN Refugee Convention (1951), 31	young person.
torture	Unaccompanied Asylum-Seeking Minors (UASC), 208	See also children
in assessment enquiries, 105	UNHCR (United Nations High Commissioner for Refugees), 16	definition, 208
definition, 7		developmental context, 211
extent of, 7		family intervention
		strategies, 223–4
		intervention basics, 219
		young person intervention
		approaches to, 223
		difficulties of, 223