

---

## Index

- absolutely continuous function, 151
- Act of God, 221
- algorithm, 186
- almost sure convergence, 195
- almost surely, 97
- anomaly, 296
- Archimedean property, 133
- asymptotic  $(1 - \alpha)$ -CI, 208
- axioms of coherence, 248
  
- backtesting, 271
- Banach–Tarski paradox, 97
- Basel Accords, 168
- basic bootstrap  $(1 - \alpha)$ -CI, 213
- basic reproduction number  $R_0$ , 71
- bathtub curve, 319
- Bayes’ theorem, 109
- Bayesian statistics, 110
- bell curve, 154
- Bernoulli distribution, 136
- Bernoulli experiment, 137
- Bernoulli trials, 139
- bias, 237
- bias–variance trade-off, 236
- Big Deal, 107
- binomial coefficient, 140
- binomial distribution, 139
- birthday problem, 326
- black box, 194
- Black Tulip, 337
- block maxima, 236
- block maxima method (BMM), 236
- block maxima theorem, 230
- bootstrap
  - basic bootstrap  $(1 - \alpha)$ -CI, 213
  - bootstrap estimates, 211
  - bootstrap samples, 211
  - non-parametric bootstrap, 211
  - percentile bootstrap  $(1 - \alpha)$ -CI, 213
- Cantor’s (first) diagonal argument, 133
- cartoons
  - 1 in 10 000 events, 264
  - bank run, 25
  - bibliography, 345
- Bootstrapman, 211
- boy saving Haarlem, 4
- Euler’s identity, 92
- free hugs, 76
- from Gauss to Gumbel, 218
- good mathematician, 122
- herding, 42
- Hilbert’s paradox of the Grand Hotel, 135
- ivory tower, xiii
- Lehman Brothers, 27
- lemon socialism, 28
- logarithmic scale, 75
- longevity, 322
- Pareto principle, 149
- Poisson, not poison, 147
- records, 283
- risk communication, 66
- six degrees of separation, 328
- wine, 315
- ceiling function, 172
- central limit theorem (CLT), 200
- change point, 258
- Chevalier de Méré paradox, 98
- Clausius–Clapeyron relation, 323
- cohort life table, 318
- collateralized debt obligation (CDO), 29
  - CDO-cubed, 29
  - CDO-squared, 29
  - equity tranche, 29
  - mezzanine tranche, 29
  - super-senior tranche, 29
  - synthetic CDOs, 30
  - waterfall principle, 29
- concepts
  - conditional distribution function, 160
  - conditional probability, 105
  - confidence interval (CI), 205
  - density, 150
  - distribution function, survival function, 121
  - empirical distribution function, 129
  - excess distribution function, 162
  - expected shortfall, 181
  - independence of random variables, 138
  - mean excess function, 166
  - mean, expectation, 164

- probability mass function, 131
- probability space, 96
- Q–Q plot, 178
- quantile function, quantile, 169
- quantile transformation, inversion method,
  - sample, sampling, 185
- random variable, realization, 118
- slowly varying, 232
- stochastic representation, 119
- tails of a distribution, 173
- value-at-risk, 168
- variance, standard deviation, 164
- conditional distribution function, 160
- conditional expectation, 166
- conditional intensity, 278
- conditional mean, 166
- conditional probability of  $A$  given  $B$ , 106
- conditional value-at-risk (CVaR), 182
- confidence, 159
- confidence bands, 206
- confidence interval, 20
  - $(1 - \alpha)$ -CI, 205
    - asymptotic  $(1 - \alpha)$ -CI, 208
    - basic bootstrap  $(1 - \alpha)$ -CI, 213
    - percentile bootstrap  $(1 - \alpha)$ -CI, 213
- confidence level, 168, 181
- confidence regions, 206
- conservation of energy, 47
- continuous, 126, 151
- convergence in distribution, 200
- convergence to types theorem, 228
- coronavirus, 71
- countable, 97
- coupling, 116
- covariates, 20, 247
- coverage probability, 205
- COVID-19, 70
  - exponential growth, 71
  - precautionary principle, 74
  - testing
    - false-negative rate, 110
    - false-positive rate, 110
    - negative predictive value (NPV), 111
    - PCR tests, 110
    - positive predictive value (PPV), 110
    - prevalence, 110
    - sensitivity, 110
    - specificity, 110
    - true negative rate, 110
    - true positive rate, 110
- Credit Default Swap (CDS)
  - corporate CDS, 31
  - covered CDS, 31
  - naked CDS, 31
  - sovereign CDS, 31
- dark data, 18
- de Moivre–Laplace theorem, 203
- declustering, 246
- deGARCHing, 267
- degenerate, 136
- degenerate cases of Bernoulli distribution, 136
- degrees of freedom, 175
- delta method, 202
- Delta Report, 7
- dense, rational numbers in the real numbers, 133
- density, 151
- design-life period, 262
- detrending, 246
- dichotomous experiment, 137
- digital object identifier (DOI), 302
- discrete distribution function, 125
- discrete uniform distribution, 136
- distribution, 119, 125
  - body, 127
  - distribution function, 122
    - conditional, 160
    - discrete, 125
    - empirical, 126
    - excess, 162
  - innovation distribution, 266
  - mixed type, 127
  - parametric family, 136
  - type, 228
- distributions
  - Bernoulli, 136
  - binomial, 139
  - discrete uniform, 136
  - double exponential, 227
  - exponential, 153
  - Fréchet, 227
  - generalized extreme value (GEVD), 228
    - Fréchet case, 230
    - Gumbel case, 230
    - Weibull case, 230
  - generalized Pareto (GPD), 241
  - geometric, 141
  - Gumbel, 227
  - multivariate, 174
  - normal, 154
  - Pareto, 149
  - Pareto Type I, 233
  - Poisson, 147
  - standard normal, 157
  - standard uniform, 185
  - Student's  $t$ , 175
  - uniform, 185
  - Weibull, 232
- diversification, 37
- double exponential distribution, 227
- edges, 330
- effective reproduction number  $R_e$ , 71
- elixir of life, 317
- empirical distribution function, 126, 129
- empirical quantile function, 171
- epicenter, 46

- epidemic type aftershock sequence (ETAS), 278  
 estimate, 120, 144, 151  
 estimator, 151  
 Euler's identity, 92  
 Eulerian paths, 330  
 event, 96  
 exceedance, 239  
 exceedance time, 240  
 excess, 162, 239  
 excess distribution function, 162  
 expectation, 163, 164  
 expected shortfall (ES), 181  
 expected tail loss (ETL), 182  
 exponential distribution, 153  
 exponential growth, 71  
 exponentially fast convergence, 174
- failure rate, 319  
 false positive, 159  
 favorable, 100  
 financial crisis, 24  
 Fisher–Tippett–Gnedenko theorem, 229  
 flattening the curve, 75  
 floor function, 142  
 force of mortality, 319  
 Fréchet case, 230  
 Fréchet distribution, 227  
 free lunch, 35
- Galton board, 202  
 generalized extreme value distribution (GEVD), 228  
 generalized linear model, 20  
 generalized Pareto distribution (GPD), 241  
 geocentrism, 61  
 geometric sum, 72  
 geometric distribution, 141  
 geometric sequence, 72  
 Glasgow Climate Pact, 293  
 Glivenko–Cantelli theorem, 198  
 Gnedenko's theorem, 233  
 graph, 326  
 graph theory, 330  
 green seas, 289  
 Gumbel distribution, 227  
 Gumbel case, 230
- H1N1 A influenza virus, 71  
 Hawkes process, 278  
 hazard rate, 319  
 heavy tail, 174  
 hedge, 30  
 heliocentrism, 61  
 Hilbert's paradox of the Grand Hotel, 135  
 hypocenter, 46
- identically distributed, 119  
 increasing, 123
- independent, 98, 138  
 independent and identically distributed (iid), 137  
 indicator (function), 129  
 innovation distribution, 266  
 integrable function, 150  
 interarrival time, 162  
 Intergovernmental Panel on Climate Change (IPCC), 292  
 inversion method, 185  
 irrational number, 102
- joint probability, 138
- Königsberg bridge problem, 330
- L'Ecuyer's combined multiple-recursive generator, 186
- large numbers, 78  
 long scale, 78  
 short scale, 78
- law  
 of large numbers, 195  
 of rare events, 146  
 of the instrument, 153  
 of total probability, 106  
 of truly large numbers, 335
- Leadbetter's theorem, 242  
 lemmas, 72  
 convergence to the exponential, 144  
 geometric sum, 72  
 mean and variance of  $N_n$ , 285
- lemon socialism, 28  
 Let's Make a Deal, 107
- level, 168, 181  
 life table, 318  
 cohort, 318  
 period, 318  
 static, 318
- light tails, 174  
 limit, 123  
 limit distributions, 195  
 limit random variables, 195  
 limit theorems, 195  
 linear transformation, 157  
 link function, 20  
 links, 330  
 liquidity, 32  
 location, 163, 229  
 logistic regression model, 20  
 logit function, 20  
 long scale, 78  
 longevity risk, 318  
 Lotto 6/49, 140
- maximum domain of attraction (MDA), 226  
 maximum likelihood estimator, 152  
 mean, 163, 164  
 mean excess function, 166

- mean residual life, 182  
 measurable function, 232  
 median, 169  
 memoryless property, 162  
 Middle East Respiratory Syndrome Coronavirus (MERS, MERS-CoV), 71  
 model risk, 194  
 moment, 164  
 Monte Carlo methods, 199  
 multivariate distributions, 174  
  
*n*-sigma rule, 159  
 negative logarithmic returns (−log-returns), 178  
 nested simulation, 214  
 netting, 32  
 network theory, 330  
 networks, 326  
 ninja loan, 29  
 nodes, 330  
 non-degenerate, 136  
 non-parametric bootstrap, 211  
 normal distribution, 154  
 normalized scientific notation, 78  
 null sets, 97  
  
 ontosenescence, 320  
 optimal stopping, 309  
 order statistics, 129  
 over-the-counter (OTC), 32  
  
 P–P plot, 178  
 paradox, 97  
   Banach–Tarski, 97  
   Chevalier de Méré, 98  
   Hilbert’s Grand Hotel, 135  
   pea and the Sun, 97  
   Simpson’s, 113  
 Pareto distribution, 149  
 Pareto exponent, 233  
 Pareto principle, 149  
 Pareto Type I, 233  
 Paris Agreement, 295  
 partition, 97  
 pea and the Sun paradox, 97  
 peaks over threshold method (POTM), 236, 239  
 percentile, 169  
 percentile bootstrap (1 −  $\alpha$ )-CI, 213  
 period life table, 318  
 philosopher’s stone, 317  
 physical distancing, 75  
 Pickands–Balkema–de Haan theorem, 242  
 pigeonhole principle, 135  
 plug-in estimator, 243  
 Poisson distribution, 146  
 Poisson limit theorem, 146  
 POT quantile estimator, 244  
  
 POT tail estimator, 243  
 power law, 149  
 power tail, 174  
 precautionary principle, 74  
 probability mass function, 131  
 probability measure, 96  
 probability space, 96  
 problem of points, 103  
 profit-and-loss (P&L), 168  
 programming, 194  
 proposition, 106  
 pseudo-random number generator, 186  
 Pythagoras’ Theorem, 83  
  
 Q–Q plot, 178  
   inverted S shape, 180  
   S shape, 180  
 quantile function, 169  
   empirical, 171  
 quantile transformation, 185  
  
 random number generator  
   L’Ecuyer’s combined multiple-recursive, 186  
   pseudo-random, 186  
 random variable, 118  
 realization, 118  
 record, 238  
 regulatory capital, 174  
 reproduction number  
   basic reproduction number  $R_0$ , 71  
   effective reproduction number  $R_e$ , 71  
 residuals, 249, 280  
 return level, 174, 238, 244  
 return level plot, 257  
 return period, 167, 239  
 return probability, 238, 239  
 right endpoint, 170  
 right-continuous function, 123  
 risk measures, 163, 167  
   average value-at-risk (AVaR), 182  
   conditional value-at-risk (CVaR), 182  
   expected shortfall (ES), 181  
   expected tail loss (ETL), 182  
   value-at-risk (VaR), 171  
 RiskMetrics, 168  
 rogue wave, 289  
 rule,  $1/e$  stopping, 37%, 310  
 rule, 80/20, 149  
 run, 159  
  
 sample, 185  
 sample path, 196  
 sample quantiles, 178  
 sample space, 96  
 sample standard deviation, 198

- sample variance, 198  
 sampling, 185  
 scale, 164, 229, 241  
 scientific notation, 78  
   normalized, 78  
 secretary problem, 309  
 securitization, 29  
 seed, 193  
 selection bias, 18  
 self-excitement, 277  
 self-exciting behavior of earthquake aftershocks,  
   277  
 self-quarantine, 75  
 Semper Augustus, 337  
 senescence, 320  
 seven-day incidence rate, 120  
 Severe Acute Respiratory Syndrome Coronavirus 2  
   (SARS-CoV-2), 70  
 shape, 229, 241  
 short scale, 78  
 shortfall-to-quantile ratio, 182  
 $\sigma$ -additivity, 97  
 significance level, 205  
 Simpson's paradox, 113  
 six degrees of separation, 328  
 skewness, 227  
 slowly varying function, 232  
 social distancing, 75  
 Spanish flu, 71  
 speed of convergence, 210  
 sponge cities, 324  
 standard deviation, 164  
 standard error (SE), 208  
 Standard Model, 159  
 standard normal distribution, 157  
 standard uniform distribution, 185  
 standardized residuals, 267  
 static life table, 318  
 stationarity, 246  
 stochastic representation, 119  
 stochastics, 94  
 stratified, 112  
 strictly increasing function, 128  
 strong law of large numbers (SLLN), 195  
 Student's  $t$  distribution, 175  
 subprime crisis, 24, 29  
 (sum) domain of attraction, 226  
 summary statistics, 163  
 support, 132, 149  
 survival function, 122  
 swine flu, 71  
 synthetic CDOs, 30  
  
 $t$  distribution, 175  
 tail, 127  
   heavy, 174  
   left, 173  
   lower, 173  
   power, 174  
   right, 173  
   upper, 173  
 tail index, 233  
 tail loss, 174  
 terroir, 311  
 theorem, 98  
   Bayes', 109  
   block maxima, 230  
   central limit (CLT), 200  
   convergence to types, 228  
   de Moivre–Laplace, 203  
   Fisher–Tippett–Gnedenko, 229  
   Glivenko–Cantelli, 198  
   Gnedenko's, 233  
   Leadbetter's, 242  
   limit, 195  
   Pickands–Balkema–de Haan, 242  
   Poisson limit, 146  
   Pythagoras', 83  
   strong law of large numbers (SLLN), 195  
   threshold excess, 242  
   Vitali's, 97  
 theoretical quantiles, 178  
 thin tails, 174  
 threshold, 239  
 threshold excess theorem, 242  
 time series, 249  
 tipping point, 295  
 transformed interarrival times, 280  
 transitivity, 115  
 trigger models, 278  
 tulip mania, 337  
 type, 157  
 type (distribution), 228  
  
 U-shaped curve, 319  
 uniform distribution, 185  
 units of measurement, 79  
 univariate distributions, 174  
  
 vaccine efficacy, 112  
 value-at-risk (VaR), 168  
 van Dantzig Report, 7  
 variance, 164  
 vertices, 330  
 virus, 71  
   coronavirus, 71  
   H1N1 A influenza virus, 71  
   Middle East Respiratory Syndrome Coronavirus  
     (MERS, MERS-CoV), 71  
   Severe Acute Respiratory Syndrome Coronavirus  
     2 (SARS-CoV-2), 70  
   Spanish flu, 71  
   swine flu, 71  
   zoonotic virus, 77

362

*Index*

Vitali's theorem, 97  
volatility, 247  
volatility clustering, 266  
von Mises conditions, 230

waiting time, 162  
warehousing, 33

Weatherstone report, 4:15, 167  
Weibull case, 230  
Weibull distribution, 232  
wet market, 77  
World Wide Web (WWW), 331

zonk, 107  
zoonotic virus, 77