

Index

Though the lastname locality was not easily getatable. James Joyce

- Γ function, *see* gamma function
- ζ function, *see* Riemann zeta function
- χ^2 , *see* chi-squared distribution, chi-squared statistic
- ± 0 , 661
- $\pm \infty$, 660
- 0-indexing, 5, 11, 19, 90, 102, 264, 300, 326, 349, 665
- 2-norm, 200, 201, 224, 378
- 68–95–99.7 rule, *see* empirical rule
- absolute error, 33–40, 93–99, 133, 459–461, 465, 466, 470–476, 478, 480, 573
- acceptance probability, 530–533, 542, 556
- acceptance rate, 533, 545
- accuracy, 32
- action functional, 298
- action-angle coordinates, 557
- action.py, 303
- activation function, 413–416, 418, 422
- Adams–Bashforth method, 633
- adaptive integration, 474–479, 481, 549, 590, 594
- adaptive stepping, 590, 633
- adaptive.py, 478
- addition rule, 389, 390, 515, 669, 670
- air resistance, 567, 638
- Aitken extrapolation, 83, 169, 216, 305
- algebraic multiplicity, 130
- AMO, *see* atom, BCS theory, molecules, optical Bloch equations
- Anaconda distribution, 657
- analytic function, 88, 121, 337, 349, 547
- analytical differentiation, 90
- analytical manipulation, 52, 57, 80, 256, 436, 501
- angular momentum, 227, 651
- anonymous function, *see* Python keywords: lambda
- Ansatz, 228, 337, 412, 413, 416, 422, 535, 578, 583
- aperiodicity, 529, 530
- approximating function, 320, 322, 323, 367–369
- approximation error, 33, 55, 93–97, 99, 105, 108, 457–459, 461, 465, 470, 474
- arbitrary precision, 658
- Arenstorf orbit, xv, 641
- argument, *see* keyword argument, positional argument
- arithmetic, 43, 110–112, 208, 460, 515
- array, *see* NumPy array
- assignment, *see* augmented assignment, multiple assignment, pass-by-assignment
- associated Legendre polynomial, 86
- associative, 8, 50
- astrophysics, *see* general relativity, gravitation, Roche model, solar system, stars, stellar structure
- asymptotic error constant, 238, 285
- asymptotic normality, 384, 446
- asymptotic notation, *see* big-O notation
- asymptotic series, 87
- atom, xvi, 454, 536, 559, 564, 642, 654
- attribute, 16, 18, 20
- augmented assignment, 5
- augmented matrix, 145–148, 158
- autocorrelation time, 555, 556
- automatic differentiation, xiii, 90, 109, 112, 124, 418
- autonomous ODE, 569, 584, 632
- auxiliary field, 562
- average, 116, 319, 337, 515, 517, 532, 582
- back substitution, 140, 141, 144–146, 148, 154–156, 159, 164, 176, 435, 623
- backpropagation, 416, 418, 419, 446
- backtracking, 254, 310
- backward difference, 93, 95, 96
- backward error, 39, 79, 130
- backward Euler, 576, 577, 582, 605, 632, 634
- backward recursion, 59, 60, 83, 84, 88
- band gaps, 30, 231, 315
- banded, 149, 163, 341, 666
- Barker’s algorithm, 556
- barrier, 30, 125, 655
- barycentric formula, 330, 332, 334, 335, 347, 429
- barycentric.py, 333
- Basel problem, 82
- basis, *see* momentum basis, monomial basis, position basis
- basis diagonalization, 229
- basis functions, 319–323, 325, 327–329, 368
- batch gradient descent, 416, 419, 422, 446
- Bayes’ rule, 390–393, 395, 396, 398

- `bayes.py`, 401
- Bayesian statistics, xiv, 369, 383, 391, 393–397, 399, 403, 404, 407, 408, 444, 445, 449
- BCS theory, 559
- benign cancellation, 38, 79, 80
- Bernoulli polynomial, 85, 466, 501
- Bessel function, 83, 87, 634
- Bessel’s correction, 516
- beta distribution, 397, 554
- bias, 414, 415, 659, 660, 662
- bias–variance decomposition, 383, 442
- big-O notation, 92, 93, 142
- bikeshedding, 3
- bimodal distribution, 554
- binning, 532
- binomial theorem, 68, 69
- bisection method, 246, 247, 260, 261, 268, 305, 449
- `bisection.py`, 249
- bit, *see* byte (one eighth of it)
- black body, 422, 423
- Bloch’s theorem, 30, 230
- boltzmannons, *see* Maxwell–Boltzmann statistics
- Bolzano’s theorem, 246
- Bonnet’s formula, 71, 83, 86
- Boole’s rule, 471, 548
- bootstrap, 390, 393, 449
- Borel transform, 88, 561
- Born rule, 115
- Bose–Einstein statistics, 536, 557
- bound state, 116, 315, 641, 650
- boundary condition, *see* Dirichlet boundary condition, Neumann boundary condition, periodic boundary
- boundary-value problem, 568, 569, 601–604, 608, 618, 630, 632
- Box–Muller method, 553
- bra, *see* state vector
- bracket a minimum, 278, 308
- bracketing method, 235, 236, 253, 258, 260, 261, 307
- Breit–Wigner form, *see* Cauchy distribution
- Brillouin zone, 230
- broadcasting, 17, 19, 20, 537, 539
- Broyden’s method, 276, 288
- BTCS scheme, 621, 636, 637
- burn-in, 532, 565, 655
- `bvp.matrix.py`, 607
- `bvp.shoot.py`, 604
- byte, 658
- C++, 2, 8
- `cancel.py`, 62
- cardinal number, 124, 226, 264, 638
- cardinal polynomials, 328–330, 338, 429, 493
- Cartesian, 22, 24, 126, 534, 536, 539, 546, 553
- catastrophic cancellation, 37, 45, 61, 69, 79, 80, 458
- Cauchy distribution, 409, 412, 413, 437, 451, 552
- Cauchy integral formula, 548
- Cauchy product, 85
- Cauchy–Schwarz inequality, 136, 445
- Cayley–Hamilton theorem, 130
- central difference, 95–107, 122, 302, 314, 317
- central interval, 449
- central limit theorem, 49, 390, 437, 446, 517
- change of variables, 497, 502–505, 519–523
- characteristic equation, 129, 266
- characteristic polynomial, 130, 213, 267
- `chargearray.py`, 66
- Chebyshev inequality, 552
- Chebyshev point, xiii, 85, 324, 325, 332, 347, 429, 550
- Chebyshev polynomial, 85, 324, 429, 499, 500
- chi-squared distribution, 389, 390, 397, 436, 437, 440, 441, 555
- chi-squared statistic, 368, 370, 383, 387, 389, 390, 436, 437, 441
- Christoffel–Darboux identity, 493, 501, 549
- clamped spline, 339, 431
- classes, *see* object orientation
- classical mechanics, xiv, 89, 115, 119, 297, 298, 317
- classical statistics, *see* frequentist statistics, Maxwell–Boltzmann statistics
- Clenshaw–Curtis quadrature, 499, 502, 508, 550
- closed methods, 455, 502
- closures, 9, 26
- clustering property, 266, 324, 325, 337
- coefficient matrix, 128, 129, 145, 146, 163, 215, 236, 326, 341, 344, 374, 376, 607, 608, 615
- colleague matrix, 267
- column major, *see* row major
- column vector, 20, 129, 665, 666
- commutative, 208, 211
- compact SVD, *see* reduced SVD
- companion matrix, 267, 268, 307
- comparing floats, 46
- compensated summation, 50–52, 76, 83
- `compepx.py`, 55
- complete pivoting, 163
- complete the square, 398, 438, 444, 562
- complex plane, 121, 262, 360, 547
- composite rule, 464, 472, 488
- computing the exponential, 53
- comrade matrix, 267
- condensed-matter physics, *see* solid-state physics
- condition number, 39, 133–138, 156, 214, 224, 236, 237, 270, 378, 429, 435
- conditional expression, 5, 13
- conditioning, *see* condition number, ill-conditioned, well-conditioned
- confidence interval, 393, 394, 399, 408, 448, 517
- conjugate prior, 397, 398
- conjugate-direction search, *see* Powell’s method
- consistent estimate, 388, 441
- constant vector, 129, 133, 140–145, 153–156, 608
- constrained minimization, xv, 276, 299, 312–314
- continued fraction, 82

- contour line, 284, 285, 288, 312, 313
 control flow, 5, 8
 convergence criterion, *see* termination criterion
 convergent method, 238, 310, 599
 convergent series, 88
 Cornell potential, 647
 correlation length, 556, 560
 correlations, 509, 511, 512, 545
 correspondence principle, 115
 Coulomb potential, 63, 64, 68, 88
 coupled differential equations, *see* simultaneous differential equations
 coupled representation, 205, 211
 covariance, 372, 380, 434, 435, 440, 555, 669
 covariance matrix, 156, 380, 388, 394, 398, 399, 402, 407, 438, 441, 444
 Cramér–Rao bound, 445
 Crank–Nicolson method, 625, 637, 655
 credible interval, xv, 399, 448, 449
 critical exponents, 560
 critical point, 276–278, 283, 288, 289, 377, 378
 Cromwell’s rule, 394, 405
 cubic spline, 342, 354, 431
 cumulative distribution function, 520, 533, 553
 curse of dimensionality, 508

 Danielson–Lanczos lemma, 362
 data structures, 6
 data types, 16
 data-generating distribution, *see* parent distribution
 DC component, 359, 630
 de Moivre’s formula, 348, 355, 356, 431
 defective matrix, 168, 199
 deflation, 169, 176, 221, 224, 306
 degrees of freedom, 370, 426, 436, 454
 delta, *see* Dirac delta, Kronecker delta
 dependent variable, 110, 568, 570, 579, 582, 584, 587, 594, 595, 626
 derivative, *see* analytical differentiation, automatic differentiation, backward difference, central difference, forward difference, second derivative
 derivative-free minimization, *see* golden-section search, Powell’s method
 descent.py, 286
 design matrix, 376
 detailed balance, 528–531, 556
 determinant, 129–133, 157, 213, 667
 deuteron, 650–652
 deviates, 512, 553
 DFT, *see* discrete Fourier transform
 diagonalize, 168, 184, 185, 199, 207, 210, 599
 diagonally dominant, 163, 165, 216, 344, 666, 667
 dictionary, 8–11, 23, 26, 66, 67, 73, 117, 477
 difference equation, *see* recurrence relation
 differential equations, *see* autonomous ODE, boundary-value problem, eigenvalue problem, initial-value problem, Legendre differential equation, Mathieu equation, matrix approach, ordinary differential equation, partial differential equation, RK4, shooting method, simultaneous differential equations
 differential forms, 124, 424, 497, 505, 520, 567
 diffusion equation, 617–619
 diffusion.py, 624
 dimensional regularization, xv, 562
 dipole, 74–76, 86
 Dirac delta, 394, 405, 406, 439
 Dirac, Paul Adrien Maurice, 205, 226, 231, 556
 direct method, 83, 139, 163
 directional derivative, 293
 Dirichlet boundary condition, 601
 discontinuous derivative, 502
 discrete Fourier transform, 357, 358, 432, 566
 discretization, 226, 299, 304, 305, 314, 358, 571, 573, 596, 600, 602, 604, 610, 614, 626, 627, 638, 639
 dispersive PDE, 617
 divergent series, 88
 divide-and-conquer, 25, 363, 367
 dominant eigenvalue, 170, 171, 600
 Doolittle, 152, 153, 157, 215
 dot product, 20, 68, 142, 210, 282, 367
 double precision, 42, 45, 48, 55, 57, 59, 158, 662
 double shift, 222
 doubling the number of panels, *see* adaptive integration, adaptive stepping
 drag coefficient, 567
 dual numbers, 109–111

 efficiency, 2, 28, 149, 302, 335, 472, 608, 616
 eig.py, 196
 eigendecomposition, *see* diagonalize
 eigenenergy, 119, 226, 570
 eigenfunction, 114, 116, 119, 124, 613–616, 638
 eigenstate, 124, 205, 226, 540–542
 eigenvalue problem, 113, 127, 129, 134, 137, 164, 167, 168, 185, 205, 236, 266, 267, 308, 534, 568, 570, 601, 608, 609, 611, 613, 615, 636, 638, 639
 eigenvalue shifting, 175, 176, 203, 221–226
 eigenvector, *see* left eigenvectors, right eigenvectors
 Einstein, Albert, 31, 32, 536, 566
 electric charge, 126, 453, 626
 electric field, 21–25, 28, 31, 63–65, 89, 632
 electromagnetism, xii, xiv, 63, 74, 89, 453, 626, 639
 electron, 31, 227, 315, 447, 559, 659
 electrostatic potential, 63–68, 126, 453, 472, 497, 522
 elementary interval, 461–472, 488, 493, 547
 elementary row operations, 128
 elementwise product, *see* Hadamard product
 elliptic integral, 557
 elliptic PDE, 617, 626
 eLoc.py, 538
 emacs, *see* vim
 empirical risk minimization, 417
 empirical rule, 385, 394, 407, 439, 440

- encapsulation, *see* separation of concerns
- entropy, 424, 441
- epoch, 421, 446
- equally spaced grid, 102, 346, 347, 351, 456, 462, 471, 488, 571
- equation of state, 29, 232, 314, 446, 566, 645
- equidistribution test, 512, 551
- equilibrium, 450, 528–531, 546, 566, 605
- equilibrium method (BVPs), *see* matrix approach
- equivariant, 449
- error bound, 34–39, 41, 45, 46, 48, 130, 134, 136, 137, 213, 238, 339, 356
- error creep, 102, 273, 472
- error formula, 335, 337, 339, 347, 430, 464, 469, 490, 495, 496, 547
- error function, 454
- error propagation, 35–40, 48, 79, 236, 371, 434
- error scaling, xiii, 490, 495, 496, 501
- estimator, *see* consistent estimate, unbiased estimator
- Euclidean norm, 133, 200, 201, 275, 322, 377, 643
- Euler’s method, 571, 580, 581
- Euler–Cromer method, 643
- Euler–Lagrange equation, 304
- Euler–Maclaurin summation formula, 85, 466, 501
- evidence, *see* marginal likelihood
- evp.matrix.py, 616
- evp.shoot.py, 612
- exceptions, 3, 27
- expectation, 668–670
- expectation value, 119, 540, 541
- experimental measurement, 31, 32, 36, 322, 395, 425
- explicit trapezoid method, 581, 632
- extrapolation, *see* Aitken extrapolation, Richardson extrapolation
- extrapolation (regression), 408, 442, 443
- extremum test, 277
- factorial, 25, 26, 53, 54, 58, 117, 496, 501, 551
- fast Fourier transform, 360, 363, 364, 367, 628
- Fermi–Dirac statistics, 231, 315, 556, 557, 559
- Feynman parametrization, 563
- FFT, *see* fast Fourier transform
- fft.py, 366
- field equations, 566
- field lines, 21, 22, 24, 28
- field theory
 - classical, 529, 642
 - quantum, 87, 89, 452, 561, 562, 646
 - zero-dimensional, 87, 561
- finite difference, *see* backward difference, central difference, forward difference
- finite-difference method, *see* matrix approach
- finitediff.py, 98
- Fisher information, 441, 444, 445
- fitting, *see* least-squares fitting
- fixed-point iteration, 236, 238–246, 248, 252, 256, 268, 305, 306, 308
- fixed-point representation, 659
- fixedpoint.py, 242
- floating-point number, 33, 42, 43, 45–47, 50, 55, 57, 59, 62, 158, 509, 658–663
- floor division, 5
- for-else, 3, 12, 13, 26, 167, 176, 241, 242, 477
- forelse.py, 12
- format string, 13–15, 97
- Fortran, 2, 4, 21
- forward difference, 91–94, 96, 99, 100, 104, 106, 107, 122, 123, 271, 273, 299, 300, 318
- forward Euler, 571–577, 587, 596, 600, 601, 603, 633
- forward recursion, 83
- forward substitution, 139–141, 144, 154, 156, 178
- Fourier coefficients, 348, 357, 365
- Fourier differentiation, *see* spectral differentiation
- Fourier series, 84, 348, 349, 354, 357, 364, 431
- Fourier smoothing, 318, 433
- Fourier transform, *see* discrete Fourier transform, fast Fourier transform
- frequency, 31, 114, 348, 358, 359, 365
- frequentist statistics, 390–393, 408, 440–442, 444
- Friedel oscillations, 559
- Frobenius norm, 132, 214
- FTCS scheme, 620, 636, 637
- Fubini’s theorem, 506
- function, *see* user-defined function
- functional, *see* action functional
- fundamental theorem of algebra, 261
- fundamental theorem of calculus, 520
- gamma function, 436, 561, 562
- gauelim.py, 149
- gauelim.pivot.py, 161
- gauleg.py, 498
- Gauss–Chebyshev, 500, 504
- Gauss–Hermite, 500, 506, 550, 551, 562
- Gauss–Kronrod, 499
- Gauss–Laguerre, 500, 506, 554
- Gauss–Legendre, 488–490, 493–500, 502, 506, 508, 525, 527, 549–551, 553, 556, 557, 584, 639
- Gauss–Newton method, xiv, 409–412, 426, 451, 452
- Gauss–Seidel method, 164, 167, 216, 217, 608
- Gaussian distribution
 - closed under marginalization, 406, 438
 - multivariate, 397–399, 402, 404, 406, 438–440, 443, 445, 452
 - univariate, 384–386, 388, 390, 397, 406, 407, 437–439, 452, 517, 532
- Gaussian elimination, 144–163, 270, 271, 273, 297, 320, 325, 344, 346, 372, 375, 376, 607
- Gaussian quadrature, *see* Gauss–Chebyshev, Gauss–Hermite, Gauss–Kronrod, Gauss–Laguerre, Gauss–Legendre
- general relativity, 445, 566, 640
- generalized eigenvalue problem, 228
- generating function, 70, 85, 122

- Gibbs phenomenon, 84, 348
- Glasser function, 549
- global error, 572–575, 585, 589, 590, 593
- global minimum, 277, 284, 287–289
- global variables, 302, 427
- golden ratio, 256, 280, 281, 453
- golden-section search, 278–281, 310, 564
- golden.py, 281
- Golub–Welsch algorithm, 308, 490, 550
- goodness of fit, 370, 390
- gradient descent, 284–288, 304, 412, 416, 417
- gradient descent with momentum, 310
- gradient vector, 122, 283, 300–302, 318, 419, 665
- Gram–Schmidt, 179, 180, 182–184, 188, 216–218, 263, 290
- Grassmann variable, 109
- gravitation, 63, 233, 566, 626, 640, 641, 643
- Green’s function, 639
- grid points, *see* points on a grid
- Hadamard product, 20
- Hamilton’s principle, 298, 299, 304
- Hamiltonian, 113, 205, 207, 209, 210, 212, 213, 227, 534–537, 539–541, 638, 643
- harmonic chain, 227, 228
- harmonic oscillator, 113–116, 118, 119, 124, 226, 230, 231, 452, 534, 535, 638
- heat-bath update, 546
- Heisenberg uncertainty relation, 557
- Hermite interpolation, 337, 339, 430, 490, 492, 500
- Hermite polynomial, 114, 118, 307, 500, 550, 556
- Hermitian conjugate, 135, 185, 667
- Hermitian matrices, 163, 361, 666
- Hessenberg form, 195
- Hessian matrix, 283, 288, 301, 377, 378, 410, 411, 435, 665
- heteroskedastic errors, 385
- Heun’s method, 581
- hidden bit, 659
- hidden layer, 414, 418
- Hilbert space, 182, 205, 206
- homogeneous linear system, 225
- Horner’s rule, 49, 81, 82, 123, 263
- Householder transformation, 169, 184, 195, 219
- Hubbard–Stratonovich transformation, 562
- Hubble’s law, 318, 319
- hyperbolic PDE, 617, 656
- hyperparameters, 413, 422, 446
- ideal gas, 232, 454
- identity matrix, 18, 129, 154, 156, 187, 209, 271, 275, 308, 330, 666, 667
- IEEE 754, 659
- if, *see* conditional expression
- IID, *see* independent and identically distributed
- ill-conditioned, 134, 138, 139, 168, 237, 239, 253, 261–263, 325, 327, 328, 330, 374, 378, 435, 588
- image processing, 225, 452
- imaginary unit, 109, 262, 349, 358
- immutable object, 7, 9
- implicit midpoint method, 582
- implicit trapezoid method, 583, 632
- importance sampling, 521–523, 525
- improper integral, 504, 518
- indentation, 5, 8, 12
- independent and identically distributed, 386, 437, 446, 514, 519, 528
- independent variable, *see* dependent variable
- inequality, *see* Cauchy–Schwarz inequality, Chebyshev inequality, triangle inequality
- inference, 369, 383, 452, 517
- infinite interval, 504, 506, 508
- infinity norm, 132, 133, 214, 216, 347
- infix, 20, 657
- inflection point, 277
- information, *see* Fisher information, observed information
- information hiding, *see* separation of concerns
- initial-value problem, 51, 567–570, 587–589, 594, 601–603, 611, 617
- inner product, *see* dot product
- input layer, 414
- instability, *see* unstable
- instanton, 646
- integer division, *see* floor division
- integral equation, 639
- integration, *see* Gaussian quadrature, Monte Carlo integration, Newton–Cotes methods
- integration by substitution, 519, 520
- interacting spins, 534, 568
- intermediate-value theorem, 246
- interpolating polynomial, 325, 327–339, 461, 490
- interpolation, *see* barycentric formula, cubic spline, Hermite interpolation, Lagrange interpolation, polynomial interpolation, trigonometric interpolation
- interpreter, 2, 4, 18, 46, 657
- inverse, *see* inverse DFT, inverse transform sampling, inverse-power method, matrix inverse
- inverse DFT, 356, 357, 359, 364, 433, 629, 630
- inverse transform sampling, 445, 519, 527
- inverse-power method, 168, 173–176, 178, 193, 195–197, 227, 623
- invpowershift.py, 177
- irreducibility, 529, 553, 554
- Ising model, xv, 564, 565
- isotherms, 29, 314
- it can be (easily) shown, *see* proof by omission
- iterative method, 163–165, 168, 173, 182, 215, 216, 238–240, 245, 269, 270, 608
- ivp.one.py, 586
- ivp.two.py, 597
- Jacobi matrix, 308, 550
- Jacobi method, 164, 165, 168, 169, 216, 239

- `jacobi.py`, 166
- Jacobian matrix, 270, 271, 273–275, 288, 308, 410, 411, 426, 438, 445
- Jeffreys prior, 394, 445
- joint, 635, 636
- Jupyter Notebook, 657
- Kahan, William Morton, 51, 52, 83, 130
- `kahansum.py`, 51
- ket, *see* state vector
- keys, 8, 10, 11, 26, 28, 67, 477
- keyword argument, 9, 14, 15, 21
- kinetic energy, 31, 113–115, 119, 298, 535, 537
- kinetic theory, 450
- `kinetic.py`, 120
- Klein–Gordon equation, 568
- knot, 339
- `kron.py`, 208
- Kronecker delta, 127, 301, 329
- Kronecker product, 206–209, 211–213
- Kronig–Penney model, 30, 230, 314, 655
- Kullback–Leibler distance, 441
- L’Hôpital’s rule, 61, 80, 502, 634
- Lagrange interpolation, 328, 335, 337, 339, 342, 346, 347, 354, 374, 429, 431, 461, 490, 547, 633
- Lagrange multiplier, 312, 314
- Lagrange points, xv, 316
- Lagrange polynomial, *see* cardinal polynomials
- Lagrange remainder, 94, 664
- Lagrangian, xii, 89, 297, 298, 313, 314, 529
- Laguerre polynomial, 500
- Laguerre’s method, 266
- `lambda`, *see* Python keywords: `lambda`
- LAPACK, 161, 171
- Laplacian, 535, 539, 540, 628
- lattice Monte Carlo, 89, 546, 564
- Laurent polynomial, 355
- law of large numbers, 446, 515, 552
- law of the unconscious statistician, 514, 515, 668–670
- law of total probability, 392
- Lax equivalence theorem, 599
- leading error, 105–107, 465, 479–483, 502, 507, 547
- leapfrog method, 637
- learning, *see* training
- learning rate, 285, 421, 446
- least-squares fitting, 321–323, 367, 368, 370, 372, 374, 380, 382, 408, 422, 425
- left eigenvectors, 135
- left-singular vectors, 198, 203
- Legendre differential equation, 598, 603, 611
- Legendre polynomial, 63, 68–71, 73, 74, 84, 85, 114, 122, 182, 219, 263, 264, 266, 307, 308, 325, 337, 429, 492–497, 500, 529, 549, 550, 598, 603
- `legendre.py`, 72
- `legroots.py`, 265
- Lennard–Jones potential, xv, 653–655
- level set, 284, 312, 313
- Levenberg–Marquardt method, 412, 451
- likelihood, 369, 383, 386–397, 408, 441, 442, 449
- Lindhard function, 559
- line style, 14
- line-search minimization, 288, 289, 293, 309, 310
- linear algebra, *see* eigenvalue problem, ill-conditioned, linear system, SVD
- linear congruential generator, 509
- linear fitting, *see* least-squares fitting
- linear map, 415
- linear system, 133–135, 137, 156, 270, 320, 330, 376, 605, 628, 629
- linearly independent, 128, 137, 167, 180, 182, 187, 189, 320, 327, 377
- `linefit.py`, 373
- Lipschitz continuity, 573
- liquid-drop formula, 447
- list, *see* Python list
- list comprehension, 3, 10, 13, 16, 24, 97, 209, 211
- literal, 5, 12, 48, 61
- local energy, 537, 539, 542, 543, 545
- local error, 573, 580, 582–585, 592–594, 632, 633
- local kinetic energy, 113, 119, 537, 539
- local minimum, 276, 277, 282, 283, 285, 378
- logarithm, 16, 25, 28, 34, 39, 243, 409, 450, 472
- logistic map, 305
- long doubles, 16, 88
- loop integral, xv, 562
- Lorentz distribution, *see* Cauchy distribution
- Lotka–Volterra equations, 634
- low-rank approximation, 225
- LU decomposition, 151–156, 162, 174, 178, 179, 186, 195, 214, 215, 623
- `ludec.py`, 155
- Lummer and Pringsheim, 424, 425, 450
- machine learning, 285, 385, 413
- machine number, 41, 45, 46, 48, 659
- machine precision, 43–45, 109, 158, 184, 347, 453
- Maclaurin series, 53, 61, 437, 574, 664
- magnetic field, 207, 211, 213, 450
- magnetic moment, 395, 564
- mantissa, 41, 43, 659–663
- many-particle, 231, 534, 536–538, 540, 556
- marginal likelihood, 392, 393, 395, 398, 443, 444, 452
- marginalization, *see* Gaussian distribution: closed under marginalization
- marker, 14, 72, 73
- Markov chain, 528–530, 532, 533, 543
- Mathieu equation, 609, 611, 613–615, 638, 639
- Matplotlib functions
 - `contour()`, 29, 30
 - `errorbar()`, 15
 - `imshow()`, 29, 225
 - `legend()`, 14
 - `plot()`, 13
 - `plot_surface()`, 30, 87

- `show()`, 14
- `streamplot()`, 23, 24, 29
- `xlabel()`, 13
- `ylabel()`, 13
- matrix approach (ODEs), 604–609, 613–616
- matrix inverse, 134, 156, 224, 225, 270, 388
- matrix multiplication, 20, 28, 144, 181, 184, 193, 195, 209, 221, 226, 267, 363, 376, 379, 666
- matrix norm, 132
- matrix–vector multiplication, 143, 144, 171, 173, 174, 360, 361, 376, 382, 666
- Matthew effect, 328
- maximal error, 34, 36, 49, 371
- maximum *a posteriori* estimate, 399, 402, 404, 405, 407, 443, 449
- maximum-likelihood estimation, xiv, 369, 383, 388–393, 395, 396, 398, 399, 408, 440–442, 448
- Maxwell, James Clerk, 424, 439, 450, 454, 536, 555
- Maxwell–Boltzmann statistics, 454, 536, 555, 565
- mean, *see* population mean, sample mean
- mean vector, 394, 398–400, 402, 407
- mean-value theorem, 244, 245, 336, 465, 496, 547
- mechanics, *see* classical mechanics, quantum mechanics, statistical mechanics
- Mersenne prime, 513
- mesh points, *see* points on a grid
- methane, 29, 314, 446
- Metropolis ratio, 545
- Metropolis–Hastings algorithm, 397, 518, 526, 530–532, 556
- midpoint rule, 458, 460, 461, 465, 471, 488, 547, 582
- Millikan, Robert Andrews, 31, 32, 319, 447
- minimax, 320, 429
- minimization, 276–295, 297, 298, 300–302, 304, 309, 310, 323, 369, 377, 383, 409, 426, 427, 543, 546
- mode, 399
- model selection, 383, 389–392, 399, 426, 444, 452
- modified Gram–Schmidt, 184, 216, 217
- modules
 - `cmath`, 30, 118, 314
 - `copy`, 7
 - `jax`, 109, 124, 657
 - `math`, 5
 - `matplotlib`, 13, 657
 - `numpy`, 2, 16, 657
 - `numpy.linalg`, 142, 171, 214
 - `numpy.random`, 513
 - `random`, 513
 - `scipy`, 2, 86, 87, 437, 634, 656, 657
 - `sympy`, 91, 121, 657
 - `timeit`, 28, 432
- molecular dynamics, xii, xv, 637, 653–655
- molecule, 227, 229, 232
- moment of inertia, 127, 229
- moment-generating function, 436, 437
- momentum, *see* gradient descent with momentum
- momentum basis, 639
- monic polynomial, 266, 268, 336, 491, 492, 500, 549
- monomial basis, 325–327, 330, 332, 335, 340
- Monte Carlo integration, 517, 519, 525–527
- `montecarlo.py`, 524
- `multi.newton.py`, 272
- multidimensional integral, 454, 506, 508, 534, 542
- multidimensional minimization, 282, 284, 297, 300, 301, 304, 310, 377, 409
- multiple assignment, 5, 160
- multiple roots, 252, 253, 261, 262, 306
- multiplication, *see* matrix multiplication, matrix–vector multiplication, product
- multipole expansion, 63, 68, 74, 76, 78, 86, 263, 626
- `multipole.py`, 77
- multistep method, 582, 633, 637, 656
- mutually conjugate, 290–294, 311
- mutually orthogonal, 290, 291, 294, 310
- n*-th roots of unity, 360
- `naiveval.py`, 53
- NaN, *see* not a number
- natural spline, 339, 340, 342, 431
- nested functions, 9, 26, 295, 314, 611
- nesting, 324, 499, 550
- Neumann boundary condition, 601, 634
- neural network, xiv, 412–416, 418, 419, 421, 422, 446
- `neural.py`, 420
- neutron, 447, 536, 648, 649
- `newblack.py`, 428
- `newnormal.py`, 381
- Newton potential, 63, 69
- Newton’s method, 249–257, 260–264, 268–271, 288, 289, 300, 305–307, 410
- Newton–Cotes methods, 455, 456, 462, 471, 584
- Newton–Raphson method, *see* Newton’s method
- `newtoncotes.py`, 473
- nodal abscissas, 455, 487, 492, 550
- node polynomial, 330–332, 336, 337, 429, 491–496
- noise, 125, 380, 384, 405, 412
- noisy data, 90, 318
- non-central difference, *see* backward difference, forward difference
- non-informative prior, 392, 396
- non-linear equation, 232–236, 240, 243, 260, 261, 263, 268, 269, 288, 297, 308, 326, 409, 489
- non-linear fitting, 409, 426
- non-linear statistical inference, 452
- non-linearity, *see* activation function
- non-parametric statistics, 515
- non-symmetric matrices, 126, 127, 163, 168, 189, 190, 195, 199, 223, 291, 326, 341, 599
- norm, *see* 2-norm, Euclidean norm, Frobenius norm, infinity norm, matrix norm
- normal distribution, *see* Gaussian distribution
- normal equations, 323, 374, 375, 377, 408, 435
- normal matrix, 185, 378

- normal number, 41, 45, 82, 661
- normalization, 182, 188, 217, 219, 496, 501, 520, 522, 525, 532, 553, 610, 611, 630
- not a number, 158, 502, 660
- nuclear physics, *see* deuteron, liquid-drop formula, neutron, phase shift, proton
- null space, 225
- Numerov's method, 637
- NumPy array, xiii, 15–25, 28, 141, 197, 207, 209, 214
- NumPy functions
 - `all()`, 28, 420, 421
 - `arange()`, 16
 - `argmax()`, 17, 28, 160, 346
 - `argsort()`, 551
 - `array()`, 16
 - `astype()`, 630
 - `concatenate()`, 17, 367
 - `conjugate()`, 629
 - `copy()`, 17
 - `dot()`, 20
 - `empty()`, 141
 - `fill_diagonal()`, 21, 28, 302, 344, 608, 615
 - `finfo()`, 88
 - `kron()`, 208
 - `linalg.det()`, 214
 - `linalg.eig()`, 171
 - `linalg.inv()`, 214
 - `linalg.solve()`, 142
 - `linspace()`, 16
 - `logspace()`, 16
 - `meshgrid()`, 21, 630
 - `ndenumerate()`, 196, 539
 - `nonzero()`, 28, 203
 - `ones()`, 16
 - `outer()`, 20, 276
 - `polynomial.hermite.hermgauss()`, 307
 - `polynomial.legendre.leggauss()`, 266, 437, 449
 - `random.choice()`, 421
 - `random.multivariate_normal()`, 402
 - `random.normal()`, 380
 - `random.random()`, 380
 - `random.seed()`, 380, 513
 - `random.uniform()`, 513, 545
 - `rint()`, 655
 - `sort()`, 551, 615
 - `sqrt()`, 17
 - `sum()`, 17
 - `transpose()`, 20
 - `where()`, 17, 28, 334
 - `zeros()`, 16
- object orientation, 3, 124, 302, 427
- observed information, 445
- ODE, *see* ordinary differential equation
- one-dimensional quantum mechanics, *see* barrier, harmonic oscillator, particle in a box, quantum pendulum, square well
- one-sided interval, 449
- online learning, *see* sequential learning
- open methods, 455, 471
- operation count, xiii, 142, 144, 150, 155, 173, 178, 194, 195, 221, 271, 360, 363
- operator, 6, 20, 113, 205–207, 226, 227, 628, 657
- optical Bloch equations, 642
- order of convergence, 238, 256, 305, 306
- ordinary differential equation, 51, 567, 568, 570, 574, 587, 594
- orthogonal iteration, *see* simultaneous iteration
- orthogonal matrix, 179–182, 185, 191, 197, 198, 201, 213, 220, 224, 667
- orthogonal polynomial, 218, 490–492, 549
- orthogonalization, 179, 182, 184, 188, 263, 378, 496
- orthonormal, 179–182, 188–190, 217–219, 492, 540
- oscillator, *see* harmonic oscillator, quartic oscillator
- osculating polynomial, 338
- outer product, 20, 225, 276
- output layer, 414
- overdetermined, 322, 368
- overfitting, 369, 374, 382, 394, 395, 399, 400, 408, 434, 443
- overflow, 41, 42, 54, 242, 658, 659, 662, 663
- panel, *see* subinterval
- parabolic PDE, 617, 618
- parallel subspace property, 294
- parameter estimation, 369, 383, 387, 389, 390, 426
- parent distribution, 384–386, 388, 393, 394, 399, 440, 441, 445
- parent population, 384, 514
- partial differential equation, xiv, 568, 570, 637
- partial pivoting, *see* pivoting
- partial sum, 51, 82, 83, 87, 88, 349, 354, 664
- particle in a box, 116, 124, 230, 231, 638
- particle physics, *see* Borel transform, Cornell potential, field theory, instanton
- partition function, 87, 454
- pass-by-assignment, 9
- pass-by-reference, 9
- pass-by-value, 9
- pathological, 131, 261, 325, 481, 484, 501, 574
- Pauli spin matrices, 206, 207
- PDE, *see* partial differential equation
- Peierls instability, 315
- penalty function, 313
- pendulum, *see* quantum pendulum, simple pendulum
- PEP 8, 3, 26, 295
- periodic boundary, 215, 564, 630, 653
- periodic function, 352, 357, 501, 502, 613
- perturbation theory, xiii, 130, 535, 638
- phase plane, 29, 640
- phase shift, 648–650
- photoelectric effect, 31, 32, 319, 447
- photon, 31, 450, 640
- piecewise interpolation, *see* cubic spline

- pivot element, 148, 158–160, 162
- pivot row, 145–152, 157–160, 162, 163
- pivoting, 129, 157–163, 215
- Plancherel theorem, 432
- Planck, Max Karl Ernst Ludwig, 31, 114, 298, 450
- plane waves, 30, 116, 118, 230, 349
- plotex.py, 14
- plug-in principle, 393, 442, 449, 515
- point estimate, 388, 393, 399, 441
- points on a grid, 101, 103, 104, 123, 299, 320, 359, 455, 456, 605, 626
- Poisson’s equation, 570, 617, 626–628
- poisson.py, 631
- polynomial interpolation, 321, 323, 325–327, 335, 337, 339, 347, 352, 355, 462, 464, 488, 497
- polynomials, *see* associated Legendre polynomial, cardinal polynomials, Bernoulli polynomial, Chebyshev polynomial, Hermite polynomial, Laguerre polynomial, Laurent polynomial, Legendre polynomial, monic polynomial, orthogonal polynomial
- population mean, 514, 515, 517, 518, 526, 552
- population variance, 514, 516–519, 526, 552
- Pöschl–Teller potential, 648–650
- posit, *see* unum
- position basis, 113, 226, 568, 639
- positional argument, 13, 15
- positive definite, 163, 283, 289–291, 377, 378
- positive semidefinite, 377, 412
- posterior distribution, 393, 395–407, 443, 445
- posterior predictive distribution, 404–408, 443
- potential energy, 31, 114, 119, 301, 302, 535, 537, 539
- potential well, *see* square well
- Powell’s method, 293–297, 310–314, 446, 452, 557
- powell.py, 296
- power method, 168, 169, 173–176, 178, 186–190, 193, 195–197, 216, 227, 600, 623
- power.py, 172
- precision, *see* arbitrary precision, double precision, machine precision, single precision
- precision matrix, 398, 439
- preconditioner, 216
- prediction interval, 407, 408, 442
- pressure, 232, 424, 450, 566, 567, 646
- principal moment, 127, 229
- principle of superposition, 21, 63, 127
- prior distribution, 392–402, 407, 408, 443–445, 449
- probability, *see* acceptance probability, expectation, proposal probability, variance
- probability density
 - conditional, 385–388, 392, 394, 405
 - function, 115, 385, 514, 518–520, 527–530, 670
 - joint, 386, 391, 392, 669
 - marginal, 391, 392, 669
- probability distribution, *see* probability density
- product, *see* Cauchy product, dot product, Hadamard product, Kronecker product, matrix multiplication, outer product, tensor product
- projectile, 567, 638
- proof by contradiction, 213, 215, 430, 549
- proof by induction, 189–192, 200, 311, 429
- proof by intimidation, xiii
- proof by omission, xiii
- propagation of error, *see* error propagation
- proposal probability, 530
- proton, 447, 536, 649
- pseudoinverse, 436
- pseudorandom, 509, 511
- psis.py, 117
- Python built-ins and library functions
 - abs(), 47
 - deepcopy(), 7, 23
 - default_timer(), 28, 432
 - enumerate(), 11
 - exp() from cmath, 118
 - exp() from math, 8
 - format(), 8
 - random(), 513
 - range(), 5
 - reversed(), 11
 - seed(), 513
 - sqrt(), 5
 - zip(), 11
- Python keywords
 - break, 5, 12, 13, 27, 167
 - continue, 5, 334
 - def, 8
 - else, 5, 12
 - for, 5
 - global, 9
 - if, 5
 - import, 5
 - lambda, 9, 26, 295, 296
 - None, 9
 - nonlocal, 9
 - return, 9
 - True, 5
 - while, 5
- Python list, 2, 15, 16, 18, 24, 103, 141, 207, 539
- Python modules, *see* modules
- Python versions
 - Python 2, 657
 - Python 3, xiii, 2, 20, 657
- QR decomposition, 179, 182, 184, 188, 189, 191–195, 217, 221, 374, 435
- QR method, 168, 178, 179, 184, 190–197, 221, 615
- qrdec.py, 183
- qrmet.py, 194
- quadratic convergence, 238, 253, 260, 275, 307, 411
- quadratic equation, 38, 79, 258, 306, 632
- quadratic form, 283, 292, 377, 378, 434

- quadrature, *see* Gaussian quadrature, Monte Carlo integration, Newton–Cotes methods
- quadrupole, 74, 75, 86, 653
- quantile function, 520, 527
- quantization, 31, 114
- quantum field theory, *see* field theory
- quantum mechanics, xiv, 113–115, 182, 205, 206, 226, 232, 233, 318, 534, 540, 541, 610, 617, 638
- quantum Monte Carlo, 119, 541
- quantum number, 115, 116, 118, 536
- quantum pendulum, 617
- quantum statistics, *see* Bose–Einstein statistics, Fermi–Dirac statistics
- quartic oscillator, 301, 314
- quasi-triangular matrix, 186
- radius of convergence, 88
- random number, 380, 456, 508–513, 518–521, 527, 532, 533, 539, 545
- random variable, 48, 384–393, 397, 407, 436, 437, 440, 514–519, 526, 529, 552, 668–670
- random vector, 386, 388, 389, 440, 441, 526
- random walk, 528, 529, 531, 532, 542, 555, 556
- rank deficient, 225
- rational function, 49, 81, 82, 332
- Rayleigh quotient, 170–178, 188–190, 194, 220, 541
- Rayleigh–Ritz principle, 540, 541
- real numbers, 33, 36, 38, 41, 45–47, 50, 55, 62, 110, 113, 118, 349, 510, 599, 659
- real spherical harmonics, 86
- recheck.py, 60
- recforw.py, 58
- rectangle rule, 299, 455, 457–461, 464, 467, 469, 472, 476, 478, 573, 582
- rectangular matrix, 199, 200, 226, 376, 380, 435, 436
- recurrence relation, 27, 59, 63, 70, 71, 73, 83–86, 114, 122, 307, 308, 501, 529, 549, 571
- recursion, *see* backward recursion, forward recursion
- recursion (Python), 25, 367
- reduced QR decomposition, 435
- reduced SVD, 226
- regression, xiv, 383, 391–394, 396, 403, 404, 407, 408
- regula falsi, 307
- regularization, 394, 408, 562
- relative error, 33, 35, 37–41, 44–46, 48, 52, 57, 78, 79, 86, 94, 165, 477, 591
- relativity, *see* general relativity, special relativity
- relaxation method, *see* iterative method
- ReLU, 415
- residual vector, 131, 165, 182, 322, 368
- residuals, 412, 426, 434, 448
- resolution of the identity, 540, 542, 639
- reversibility condition, 529
- Riccati equation, 587, 593, 597, 632–634
- Richardson extrapolation, 83, 105–109, 123, 321, 456, 479–484, 501, 590, 638
- richardsondiff.py, 108
- Ridders’ method, 246, 258–261
- Riemann integral, 458
- Riemann zeta function, 82
- right eigenvectors, 135, 138, 168
- right-singular vectors, 198, 202, 203, 225
- RK4, 583–585, 588–591, 593, 594, 599, 601, 603–605, 611, 614, 633, 634, 637
- Robertson reaction network, 644
- Roche model, xv, 29, 316, 557, 641
- rocket surgery, 475
- Rodrigues’ formula, 122, 492
- Rolle’s theorem, 336
- Romberg integration, 479, 481, 484, 485, 487, 549
- romberg.py, 486
- root suppression, *see* suppress an already-found root
- root-finding, 164, 235, 246, 253, 261, 263, 264, 266, 276–278, 288, 305, 310, 323, 427, 566, 577, 588, 598, 603–605, 609, 611, 634
- roots of unity, *see* *n*-th roots of unity
- Rosenbrock function, 311, 312
- rotation, 126, 127, 406, 439, 558, 562
- rounding error, 33, 48–51, 60, 79–81, 130, 131, 273
- row major, 21
- row vector, 20, 135, 405, 440, 666
- rule of the lazy statistician, *see* law of the unconscious statistician
- rule of thumb, 10, 369, 370, 383, 389, 437
- Runge function, 328, 347
- Runge–Kutta method, 578, 583, 584, 587–589, 632
- Runge–Kutta–Fehlberg method, 633
- RuntimeWarning, 502, 630
- Rutherford scattering, 559
- saddle point, 277, 278, 284, 289
- safety factor, 593
- sample mean, 388, 437, 441, 446, 514–517, 519, 525–527, 533, 542, 543, 546, 552
- sample variance, 516, 517
- sampling, *see* importance sampling, inverse transform sampling, uniform sampling, weighted sampling
- sampling distribution, 37, 429, 441
- scalar function, 63, 276, 282–289, 300, 526, 664
- scattering, *see* phase shift, Rutherford scattering
- Schrödinger equation, 113, 205–207, 226, 229, 232, 534, 535, 568, 570, 617, 639, 641, 647, 651, 655
- Schur complement, 439
- Schur decomposition, 186, 190, 193, 197
- scientific notation, 41, 659
- SciPy, *see* modules: scipy
- secant method, 236, 238, 254–257, 261, 274, 306, 307, 309, 604, 611
- secant.py, 257
- second derivative, 100, 101, 104, 114, 118, 119, 121–124, 465, 469, 535, 539, 556
- seed, 380, 510, 512, 513, 523, 524, 545, 546, 684, 685
- self-correcting, 164, 245
- semi-implicit Euler, *see* Euler–Cromer method

- seminormal equations, 435
- separation of concerns, 13, 27, 73, 142, 264, 273, 380, 477, 523
- separatrix, 29
- sequential learning, 396, 402, 408
- serial test, 512
- series, *see* asymptotic series, Basel problem, convergent series, divergent series, Fourier series, Maclaurin series, Taylor series, telescoping series
- SGD, *see* stochastic gradient descent
- shape-independent approximation, 649
- Sherman–Morrison formula, 441
- shifted DFT, 358
- shifting, *see* double shift, eigenvalue shifting, Wilkinson shift
- shooting method, 602–605, 608–615, 634–636, 638
- shooting to a fitting point, 635, 652
- sign bit, 659, 661
- signed zero, *see* ± 0
- significand, 659
- significant figure, 42, 45, 60, 79, 131, 477, 659, 662
- similarity transformation, 179, 184–186, 190
- simple eigenvalue, 134–136, 138
- simple pendulum, 29, 557, 640
- Simpson’s rule, 463, 467–472, 474–479, 485, 487, 489, 496, 501, 507, 508, 547, 549, 551, 584, 590
- simultaneous differential equations, 567, 594, 603
- simultaneous iteration, 179, 186–193, 220, 221
- single precision, 660, 661, 663
- singular values, 198, 199, 203, 224–226, 436
- singular-value decomposition, xiv, 197–199, 201–205, 224–226, 311, 436
- singularity, 327, 347, 455, 502–506, 508, 551, 563
- Slater determinant, 231, 556
- slicing, 3, 6, 7, 16, 19, 142, 160, 161, 167, 302, 344, 352, 367, 539, 551, 608
- softplus, 415, 416, 418
- solar system, 643
- solid-state physics, *see* band gaps, BCS theory, Brillouin zone, electron, Friedel oscillations, Ising model, Kronig–Penney model, Peierls instability, Tosi–Fumi potential
- sorting, 2, 51, 551, 616
- sparse, 139, 149, 163, 168, 215, 270, 360, 435, 666
- special relativity, xv, 448, 449, 568
- spectral accuracy, 347, 356, 502
- spectral differentiation, 318, 433
- spectral norm, *see* 2-norm
- spherical harmonics, 86
- spin matrices, *see* Pauli spin matrices
- spin-triplet, 211, 651
- spline, *see* clamped spline, cubic spline, natural spline
- splines.py, 345
- square matrix, 179, 665, 666
- square well, 232, 315, 638, 641
- stability, 59, 157, 163, 325, 378, 574, 575, 577, 588, 590, 599–601, 606, 632
- standard deviation, 37, 49, 372, 373, 385, 387, 390, 434, 514, 516, 517, 525, 527, 542, 543, 546, 668
- standard error, 34, 37, 49, 371, 429, 450
- standard normal random variable, 389, 390, 436, 437
- standard order of DFT, *see* shifted DFT
- stars, xvi, 63, 566, 626
- state vector, 205, 206, 540, 568, 639
- stated without proof, *see* proof by omission
- stationary distribution, 528–532
- stationary point, 276, 299, 304, 417
- statistic, 37, 368, 388, 389, 441
- statistical mechanics, xiv, 232, 454, 528, 557, 564
- statisticians, 391, 514, 533, 546
- statistics, *see* asymptotic normality, Bayes’ rule, bootstrap, central limit theorem, covariance matrix, chi-squared statistic, empirical rule, Fisher information, frequentist statistics, Gaussian distribution, Jeffreys prior, likelihood, marginal likelihood, maximum *a posteriori* estimate, parent distribution, population mean, posterior distribution, prediction interval, prior distribution, probability density, sample mean, standard deviation, unbiased estimator, variance
- steepest descent, *see* gradient descent
- Stefan–Boltzmann law, 422–425, 427
- Steffensen’s method, 307
- stellar structure, 566, 645
- stencil, *see* discretization
- step size, 96–98, 103–106, 119, 121, 479, 480, 532, 537–540, 556, 571, 575, 587–594, 600, 601, 638
- stiffness, 588, 599
- Stirling’s formula, 496
- stochastic gradient descent, 416–422, 446
- stochastic integration, *see* Monte Carlo integration
- stress-energy tensor, 450
- Sturm–Liouville form, 609
- subinterval, 102, 321, 339–344, 456, 459, 460, 465
- subnormal, 41, 82, 661
- subtract off the singularity, 503, 551, 563
- subtractive cancellation, *see* catastrophic cancellation
- successive parabolic interpolation, 309
- summation, *see* Basel problem, Borel transform, compensated summation, Euler–Maclaurin summation formula, partial sum
- superlinear convergence, 256, 261
- superposition, *see* principle of superposition
- suppress an already-found root, 263, 306
- SVD, *see* singular-value decomposition
- svd.py, 204
- symbolic differentiation, *see* analytical differentiation
- symmetric matrices, 126, 163, 168, 190, 341, 666
- symplectic integration, 642
- synodic frame, 29, 641
- synthetic division, 123, 306

- systematic error, 394, 395
- Taylor series, 33, 49, 56, 57, 68, 82, 85, 90–93, 101, 122–124, 459, 469, 470, 496, 501, 547, 664
- telescoping series, 214, 466, 549
- temperature, 35, 232, 423–425, 454, 557, 625, 654
- tensor force, 651
- tensor product, 206
- termination criterion, 165, 166, 190, 193, 239, 245, 248, 264, 270, 273, 305
- ternary operator, 25, 67, 302, 380, 419
- test equation, 574–577, 585, 589, 599, 600, 632
- test function, 120, 121, 197
- theorem, *see* Bayes’ rule, binomial theorem, Bloch’s theorem, Bolzano’s theorem, Cayley–Hamilton theorem, central limit theorem, Fubini’s theorem, fundamental theorem of algebra, fundamental theorem of calculus, intermediate-value theorem, Lax equivalence theorem, mean-value theorem, Plancherel theorem, Rolle’s theorem, Weierstrass approximation theorem
- thermodynamic, 423, 424, 450
- thinning, 533, 543, 556
- three-body problem, 641
- threespins.py, 212
- timing, 28, 432, 632
- Tolman–Oppenheimer–Volkoff, 566, 645
- Tosi–Fumi potential, 316
- trace, 21, 222, 227, 450, 666
- training, 396, 413, 416, 422
- trajectory, 288, 297–299, 303, 304, 638, 641
- transcendental equation, 233
- transpose, 20, 131, 135, 171, 179, 183, 192, 197, 376, 377, 666, 667, 684
- trapeziform, *see* trapezoid rule
- trapezoid rule, 462–469, 471–484, 487, 495, 501–503, 508, 547, 549, 551, 557, 583, 584
- triang.py, 143
- triangle inequality, 36, 38, 132, 356, 573
- triangular matrix, 139, 142–145, 149–154, 157, 162, 179–182, 189, 190, 213–217, 220, 484, 667
- tridiagonal, 214, 215, 301, 308, 341, 344, 550, 607, 608, 615, 666
- triginterp.py, 353
- trigonometric interpolation, 321, 347, 349, 350, 352, 354, 357, 365, 431
- truncation error, 33, 572, 573, 576, 578, 580, 605, 614
- tuple, 7–9, 11, 17, 18, 73, 74, 78, 207, 264, 334, 512
- two-dimensional FFT, 629, 630
- twospins.py, 210
- unbiased estimator, 389, 393, 417, 440, 444, 515, 516
- unconditionally stable, 577
- uncoupled representation, *see* coupled representation
- underdetermined, 274
- underfitting, *see* overfitting
- underflow, 41–43, 54, 659, 662, 663
- underscore, 171, 421
- unequally spaced abscissas, 456, 488
- uniform distribution, 518, 519
- uniform sampling, 523, 525–527
- uniqueness, 331, 492
- unit circle, 324, 355, 360
- unit roundoff, 44
- unitary, 185, 360, 432, 667
- unweighted variance, 563
- unshifted DFT, 357
- unsigned integer, 658, 659
- unstable, 57, 162, 202, 224, 225, 325, 328, 489, 575, 588, 589, 600, 601
- unum, 659
- upper bound, 534, 540, 541, 546
- user-defined function, 8, 20
- ValueError, 27
- van der Waals, 29, 232, 314, 446
- Vandermonde matrix, 101, 308, 326–328, 330, 360, 374, 429, 432, 489
- variance, 80, 370, 372, 378, 380, 385–390, 402, 406, 407, 426, 434, 435, 437, 438, 441–445, 450, 514–523, 525, 526, 533, 543, 552, 555, 668–670
- variational Monte Carlo, 119, 541, 563
- variational principle, *see* Rayleigh–Ritz principle
- vector norm, *see* Euclidean norm
- vectorfield.py, 23
- vectorization, 17
- velocity, 89, 317, 319, 448, 450, 454, 567, 637
- Verlet algorithm, 301, 637, 642, 654, 655
- vibrations, 89, 609
- vim, 657
- vmc.py, 544
- von Neumann stability analysis, 637
- w-orthogonal, 500
- walker, 528, 532, 533, 537, 539, 540, 542–545, 556
- wave equation, 617, 656
- wave function, 101, 113–119, 121, 124, 125, 231, 233, 318, 534–537, 539–543, 545, 555, 556, 568, 617
- wave number, 116, 348, 358, 362, 365, 628
- wave packet, 557, 655, 656
- weak law of large numbers, *see* law of large numbers
- Weierstrass approximation theorem, 323
- weight function, 499, 500, 518–525, 527, 542, 545
- weighted least squares, 385
- weighted sampling, 526–528
- well-conditioned, 134, 157, 158, 162, 237, 325, 588
- Wilkinson polynomial, 262
- Wilkinson shift, 223, 226
- Woodbury matrix identity, 441, 444
- Yukawa potential, 558, 651
- Zeeman effect, 211
- zero-point motion, 114
- ZeroDivisionError, 52, 502
- zeros of polynomials, 261, 263, 297
- zeta function, *see* Riemann zeta function