Cambridge University Press & Assessment 978-1-009-30714-7 — Set-Theoretic Multi-Method Research Carsten Q. Schneider Index More Information

Index

best available typical, see types of cases broken ceiling, see corridor broken corridor, see corridor broken floor. see corridor causal mechanism, see mechanism clean corridor, see corridor cluster diagnostics, 222, 235, 238-240 complementary conjunct, 98-108, 111-114, 128, 133, 154, 211, 212, 214, 231, 233, 244 complementary disjunct, 78, 79 configuration, see conjunction contaminated corridor, see corridor corridor, 42-44, 46-48, 101, 102, 110, 111, 113, 116, 153, 155, 156, 158, 214 broken ceiling, 46, 47, 116, 117, 153, 155, 174, 231 broken corridor, 46-48, 101, 111-117, 141, 151, 174–175, 231, 232 broken floor, 46-48, 116, 117, 155, 158, 174.231 clean corridor, 101-102, 104-108, 110, 113, 115, 134, 136, 138, 151, 212, 213, 219 contaminated corridor, 102, 104, 105, 108, 113, 115, 212, 219 deviant consistency, see types of cases deviant consistency in degree, see types of cases deviant consistency in kind, see types of cases deviant coverage, see types of cases deviant relevance, see types of cases equifinality, 28, 43, 62, 64, 67, 68, 71, 73, 90, 97, 101, 141, 181, 195, 223, 225

equivalence, 29 extreme deviant, *see* types of cases extreme iir, *see* types of cases

focal conjunct, 38, 59, 98–115, 117, 126, 128, 131, 133, 150–158, 211–214, 233, 244 focal disjunct, 38, 75–79, 85–90, 150, 198, 244

globally uncovered, see types of cases

ideal deviant, *see* types of cases ideal typical, *see* types of cases iir, *see* types of cases

implication, 28

- NIN 20 166 200 /
- ININ, 29, 166, 209, 211, 212 INUS, 8, 14, 29, 88, 92, 96, 111–115, 141, 147, 161, 211, 220, 241

jointly covered, *see* types of cases just-so typical, *see* types of cases

least likely typical, see types of cases

mechanism, 5, 7, 9–13, 16, 29, 32, 40–48, 50, 51, 53–57, 62, 71–73, 75–77, 83, 84, 86, 87, 89, 93–102, 105, 113, 116, 117, 124–126, 131, 140, 141, 143, 144, 147–151, 153–155, 158–164, 167, 170, 171, 173–179, 181–185, 194–196, 209–211, 221, 224, 227, 228, 230, 231, 233, 234, 241, 242
mechanismic complexity, 9, 10, 39, 40, 210, 242
mechanismic heterogeneity, 9, 10, 48, 99, 164, 175, 241, 242

CAMBRIDGE

Cambridge University Press & Assessment 978-1-009-30714-7 — Set-Theoretic Multi-Method Research Carsten Q. Schneider Index <u>More Information</u>

mechanismic homogeneity, 9, 10, 99 nec-suf chain, 46-48, 57, 115-117, 155, 158, 171, 175, 232 process tracing, 9, 10, 29, 38 suf-nec chain, 46-48, 57, 115, 116, 153, 155, 171, 232 suffiency chain, 43, 46, 47, 57, 115, 153-155, 158, 160, 171 mechanismic complexity, see mechanism mechanismic heterogeneity, see mechanism mechanismic homogeneity, see mechanism method of agreement, see Mill's methods method of difference, see Mill's methods Mill's methods, 8, 18, 79, 101, 223, 225 model ambiguity, 28 most deviant, see types of cases most likely typical, see types of cases most typical, see types of cases most-different system design, see Mill's methods most-similar system design, see Mill's methods nec-suf chain see mechanism possible deviant, see types of cases process tracing, see mechanism QCA model, 11 robust deviant, see types of cases robust typical, see types of cases robustness test, 222, 234, 236-238 test set, 236 shaky deviant, see types of cases shaky typical, see types of cases SMMR principles, 8, 10, 12, 14-17, 28, 66, 92, 95, 165, 166, 178, 194, 196, 221, 223-225, 230, 231, 233, 234 attribution, 17, 100, 103-109, 113, 128, 133, 138, 140, 154, 211, 212, 224, 231, 233, 244 attribution, necessity, 113, 115, 211, 212, 224, 231, 244 causal inference selection, 38, 54, 57, 99, 178, 224, 244 clean corridor, 17, 102, 103, 113, 117, 134, 136, 138, 140, 224, 231, 244 descriptive inference selection, 38, 57, 170, 178, 224, 244

Index

259

deviance in kind, 51, 57, 179, 180, 224, 244 differences in kind and degree, 36, 39, 57, 170, 224, 244 focal conjunct, 16, 98-99, 140, 150, 211, 224 focal disjunct, 16, 75, 78, 101, 150, 197, 224, 244 globally uncovered, 16, 78, 90, 224, 244 iir FC nonmember, 107, 115, 140, 211, 212, 224 iir FC unique nonmember, 99-103, 108, 140, 155, 212, 223, 224 max-min difference, 52, 54, 57, 180, 224, 244 maximum set membership, 42, 57, 224, 244 maximum set membership difference, 41, 57, 224, 244 positive outcome, 49, 57, 178, 224, 244 test corridor, 43, 44, 47, 54, 57, 65, 99, 107, 110, 113, 172, 173, 175, 184, 214, 223, 224, 231, 244 truth table row, 37, 39, 53, 57, 120, 175, 178, 224, 244 uniquely covered, 16, 76, 90, 198, 224, 244 SMMR ranks, 105-115, 126, 128, 131, 133, 151, 154, 160, 212, 213, 231, 232 sub-types of cases, see types of cases suf-nec chain, see mechanism sufficiency bias, 13, 165 sufficiency chain, see mechanism SUIN, 29, 166, 176, 178, 181, 193-198, 209 SUSU, 73 temporal sequence, 125 test corridor, see corridor test set, see robustness test theory evaluation, 45, 222, 234-236 types of cases deviant consistency, 11, 12, 16, 35, 40, 41, 48-53, 59, 61, 63, 74, 77, 124, 125, 148, 149, 168, 175, 176, 178-183, 197, 198, 228, 229, 231, 234, 235, 237, 238 in degree, 36, 37, 45, 51, 93, 106, 169, 170, 194 ideal deviant consistency, 36, 37, 40, 41 in kind, 36, 37, 51, 93, 124, 169, 170, 194 most deviant consistency, 40, 41, 63, 85, 231, 244 possible deviant consistency, 237, 238 shaky deviant consistency, 238

Cambridge University Press & Assessment 978-1-009-30714-7 — Set-Theoretic Multi-Method Research Carsten Q. Schneider Index <u>More Information</u>

260

Index

deviant coverage, 11, 16, 21, 35, 37-40, 49, 50, 52, 53, 60, 63, 66, 73-78, 80, 81, 83, 93, 120-122, 145-148, 168, 177, 231, 234, 235, 237, 238, 244 extreme deviant coverage, 238 deviant relevance, 11, 168, 176-183, 185, 194, 197-199, 211, 231 iir, 16, 35, 37, 38, 41, 43, 46, 47, 49-57, 60, 63, 64, 66, 74, 75, 78, 93, 98-105, 107, 108, 110-115, 117, 120, 122, 128, 131, 140, 150, 151, 153–155, 158, 160, 161, 168, 175, 178, 182–184, 194, 197, 198, 211-214, 228, 229, 231, 233-238, 244 extreme iir, 238 globally uncovered, 16, 64, 75, 78, 128, 131, 151, 197, 225 typical, 7, 11, 14, 16, 34, 36-46, 48-57, 59, 61, 63-66, 69, 72, 74, 75, 77-79, 81, 84-89, 98-103, 105-108, 110-115, 117, 124-126, 128, 131, 140, 148-151, 153-156, 158, 160, 161, 167-173,

175–185, 194, 197, 211, 212, 214, 223,

225, 227–229, 231, 233–236, 244

best available, 39, 42, 56, 61, 62, 86, 106, 110, 124, 126, 128, 131, 133, 173, 214 ideal typical, 37, 42, 45, 56, 170 jointly covered, 62, 74, 77, 79, 86, 88, 90, 197 just-so typical, 37, 45, 56, 89, 169, 170, 184, 185, 227, 234 least likely typical, 235-236 most likely typical, 45, 235-236 most typical, 33, 37, 42, 56, 62-64, 85, 86, 88-90, 125, 131, 151, 169, 170, 184, 185, 231, 234, 244 possible typical, 237, 238 robust deviant, 237, 238 robust typical, 45, 237, 238 shaky typical, 237, 238 uniquely covered, 16, 21, 62, 74, 76-79, 86-88, 90, 126, 128, 131, 143, 151, 197, 198, 219, 225, 231, 244 typical case, see types of cases

uniquely covered, see types of cases