

Index

- Accept–reject method, 232
- Active process migration, 182
- Adding n -bit numbers, 401
- Amplification of confidence, 397
- And/or tree evaluation, 379
- Approximate median algorithm, 399
- Approximating π , 395
- Arrival rate, 512
- Asymptotic notation
 - $O(\cdot)$, 15
 - $\Omega(\cdot)$, 17
 - $\Theta(\cdot)$, 18
 - $\omega(\cdot)$, 17
 - $o(1)$, 16, 340
 - $o(\cdot)$, 16
 - $o(\delta)$, 213
- Average-case analysis, 365
 - Adding n -bit numbers, 401
 - Finding the max, 376
 - Marriage algorithm, 377
 - Move-to-Front, 376
 - Quicksort, 370
- Axioms of Probability, 22
- Balls and bins, 337
 - Lots of bins have many, 343
 - Max bin, 343, 344
 - With high probability, 338, 351
- Bayes' law
 - Continuous, 145, 157, 165
 - Extended, 33
 - Original, 32
- Bayesian estimators, 285, 299
- Bernoulli random variable, 46
- Binary symmetric channel, 56
- Binomial distribution, 47
 - Like Poisson, 55
- Binomial expansion, 13
- Birthday paradox, 36, 357
- Boosting, 397
- Bounded-Pareto distribution, 189
- Brownian motion, 504
- Caching, 472
- Carmichael number, 409
- Cauchy–Schwarz inequality, 109
- Central Limit Theorem, 176, 194, 313, 474
 - Accuracy, 179
 - Approximating sum, 177
 - Heuristic proof via transforms, 208
- Central moments, 92, 112
- Chain rule for conditioning, 26, 36
- Chebyshev's inequality, 99, 308
- Chernoff bound, 309
 - Change of variable, 323
 - For Binomial
 - Simple bound, 312
 - Stronger bound, 316, 324
 - For Binomial $1/-1$, 323
 - Poisson tail, 311
- Chess problems, 434, 476
- Chicken McNugget Theorem, 441
- Choosing, $\binom{n}{k}$, bounds on, 13
- Class properties, *see* Markov chains
- Coefficient of determination, 282
- Coefficient of variation, 87
- Coin with unknown probability, 144
- Combination, 12
- Concentration Inequalities
 - Chebyshev's inequality, 99
- Concentration inequalities, 307
 - Chebyshev's inequality, 308
 - Chernoff simple, 312
 - Chernoff stronger, 316, 324
 - For pair-wise independent r.v.s., 322
 - Hoeffding, 318, 326
 - Markov's inequality, 307, 310
 - Reverse Markov, 320
- Conditional expectation given event
 - Continuous, 147, 150
 - Discrete, 69
- Conditional independence, 38, 39
- Conditional p.d.f., 145, 157
- Conditional p.m.f., 67
- Conditional probability of event, 24
- Conditionally independent events, 30
- Conditioning on a zero-probability event, 143, 157
- Conditioning on random variable
 - Continuous, 143, 157, 161
 - Discrete, 53
- Confidence interval, 328
- Consistent estimator, 257
- Constant failure rate, 194

- Continuous distributions
 - Bounded-Pareto, 189
 - Erlang- k , 195
 - Exponential, 137, 210
 - Hyperexponential, 195
 - Normal or Gaussian, 170
 - Pareto, 187
 - Uniform, 137
- Control group creation, 397
- Convex function, 102
- Convolution, 165
- Correlation, 35
- Correlation coefficient, 109
- Coupon collector, 65, 111, 321
- Covariance, 91, 108, 109
- COVID, 34, 35
- Cumulative distribution function, c.d.f., 46, 136
- Cups example, 64, 114
- Cut-set, 389
- Darts, 165
 - Distance between, 165
 - Probability of triangle, 167
 - Smallest interval, 166
- Data center utilization, 533
- Decreasing failure rate (DFR), 184, 185
- Deducing signal in noise, 301
- Degenerate Hyperexponential, 196, 250
- Delta-step proof, 211, 214, 215, 222
- Different units, 87
- Discrete distributions
 - Bernoulli, 46
 - Binomial, 47
 - Geometric, 48
 - Negative Binomial, 114
 - Poisson, 49
- Disk delay modeling, 168
- Dominance, 112
- Dominating set algorithm, 378
- Double integrals, 4
- Doubly stochastic matrix, 434
- Downloading files
 - Max time, 207, 227
 - Min time, 207, 227
- DTMC, *see* Markov chains
- Elephants and mice, 190
- Empirical measurements
 - Google jobs today, 191
 - Human wealth, 193
 - Internet node degrees, 193
 - IP flow durations, 193
 - Natural disasters, 193
 - Phone call durations, 193
 - UNIX process lifetimes, 186
 - Web file sizes, 193
 - Wireless session times, 193
- Ensemble average, 452
- Epidemic modeling, 96, 436
- Equal in distribution, 71, 84, 110, 139
- Ergodic theorem of Markov chains, 494
- Ergodicity, 438, 484
- Erlang- k distribution, 195
- Error correcting codes, 303
- Estimating failure probability, 179
- Estimating more than one parameter, 276
- Estimating the max of a distribution, 273
- Estimating total noise, 177
- Euclidean number property, 441
- Euler's number (e), 8
- Event, 21
- Event implies event, 35
- Event-driven simulation, 240
 - Call center, 248
 - Convergence, 245
 - Loss probability, 250
 - PASTA, 246
 - Performance metrics, 244
 - Queueing network, 247
 - Shortest-Job-First, 251
 - SITA, 251
 - SRPT, 251
- Expectation
 - Bernoulli, 59
 - Binomial, 63
 - Geometric, 59, 73
 - Poisson, 60
- Expectation of a continuous r.v.
 - As sum of tail, 151
 - Original, 141
- Expectation of discrete r.v.
 - As sum of tail, 62, 78
 - Original, 58
- Expectation of function of r.v.
 - Continuous, 141
 - Discrete, 60
- Expectation of function of random variables, 157, 163
- Expectation of product of r.v.s., 61, 77
- Expectation of product of random variables, 163
- Expectation of quotient, 77
- Expectation via conditioning
 - Discrete, 72
- Expectation via conditioning on r.v., 162
- Exponential distribution, 137, 210
 - Relationship with Geometric, 211
- Failure rate function, 185
 - Constant, 185, 194
 - Decreasing, 184
 - Increasing, 184
- Fermat primality test, 408
- Fermat's Little Theorem, 404
- Fibonacci sequence, 124

- Financial application, 504
- Finding k largest algorithm, 377
- Finding the max algorithm, 376
- Fractional moments, 180
- From Las Vegas to Monte Carlo, 394
- From Monte Carlo to Las Vegas, 394
- Fundamental Theorem of Calculus, 7, 137, 173
- Gambler's ruin problem, 506
- Gambler's walk, 490
 - 2D, 506
- Games
 - Axis & Allies, 435
 - Cards, 434
 - Chess, 434, 476
 - Monopoly, 435
- Generating function, *see* z-transform, *see* Laplace transform
- Generating random permutation, 399
- Generating random prime, 418
- Generating random variables, 229
 - Accept–reject method, 232
 - Geometric, 238
 - Heavy tail distributions, 239
 - Inverse transform method, 229
 - Joint distribution, 239
 - Normal r.v., 236
 - Poisson distribution, 239
- Geometric distribution, 48, 110, 211
- Getting distribution from z-transform, 130
- Goodness-of-fit, 282
- Google jobs
 - Compute usage, 191
 - Empirical measurements, 191
 - Memory usage, 191
- Hamming distance, 303
- Harmonic number, H_n , 10
- Harmonic series, 10
- Hashing, 346
 - Bloom filter hashing, 362
 - Bucket hashing, 347
 - With separate chaining, 350, 351
 - Cryptographic signature, 355
 - Expected hashes until collision, 361
 - Hash collision, 357
 - Hash table, 347
 - Linear probing, 353
 - Load factor, 348
 - Open addressing, 354, 361
 - Probability no collisions, 358
 - SHA-256, 359
 - SUHA, 348
- Hazard rate function, 185
- Healthcare testing, 33, 37
- Heavy-tail property, 189, 196
- Heavy-tailed distributions, 189
- Higher moments, 102, 116, 198
- Bernoulli, 91
- Binomial, 89, 91, 128
- Continuous r.v., 141
- Discrete r.v., 83
- Exponential, 142, 194, 201
- Geometric, 84, 91, 110, 121
- Normal, 194
- Pareto, 194
- Poisson, 91, 128
- Uniform, 141, 194
- Hoeffding's inequality, 318, 326
- HTTP request scheduling, 193
- Human wealth, 194
- Hyperexponential distribution, 195
- Hypothesis testing, 111
- i.i.d., 64
- Improving accuracy of randomized alg., 388
- Improving accuracy of randomized alg., 386
- Increasing failure rate (IFR), 184, 185
- Independence of three events, 37
- Independent events, 29
 - Alternative definition, 27
 - Conditionally independent, 30
 - Original definition, 27
 - Pairwise independence, 29
- Independent increments, 217
- Independent random variables
 - Continuous, 155
 - Discrete, 51
- Independent set algorithm, 382
- Indicator random variable, 64, 71
- Infinite variance, 189
- Inspection paradox, 104, 360
 - Number of friends, 106
 - Size of class, 104
 - Waiting for bus, 104, 110
- Interaction graph, 302
- Intersections of events, 21
- Interval estimation, 327, 342
- Interval estimator, 328
- Inverse transform method, 229
- Inverting transforms, 130
- IP flow durations, 193
- Jensen's inequality, 103, 113
- Job
 - Age, 183
 - CPU-hours, 191
 - Lifetime, 183
 - Memory-hours, 191
 - Multi-stage, 227
 - Remaining lifetime, 183
 - Remaining size, 183
 - Size, 183, 512
- Job migration, 182
- Joint p.d.f., 153, 158, 162, 164
- Joint p.m.f., 50

- k-Select algorithm, 371
 - Randomized, 371
- Knockout tournament algorithm, 400
- Kurtosis, 321
- Laplace transform, 198
 - Conditioning, 203
 - Cumulative distribution function, 205
 - Geometric number of Exponentials, 207
 - Inverting, 207
 - Linearity, 203
 - Moments, 201, 206
 - Normal, 207
 - Sum of random number of r.v.s., 204
 - Two-sided, 207
- Las Vegas algorithms, 366
- Law of Total Probability, 31
 - Continuous r.v.s., 143
 - Continuous random variables, 157
 - Continuous state space, 144, 158
 - Discrete r.v.s., 53
 - For conditional probability, 32
- Learning bias of coin, 149
- Likelihood function, 268
 - Log likelihood, 271
- Likelihood of clicking on ad, 148
- Limiting distribution, 429, 479
- Limiting probability, 426, 479
- Linear regression, 277, 278
- Linear transformation, 150, 172, 179
- Linearity of expectation
 - Continuous, 163
 - Discrete, 63
- Linearity of variance, 88, 163
- Little's Law, 523
- Load balancing, 182
- Loss probability, 250
- MAP estimator, 285, 289
 - As mode of posterior, 294
 - Posterior distribution, 289
 - Prior distribution, 287, 289
 - Relationship to MLE, 287
- Marginal p.m.f., 51, 56
- Markov chains
 - n -step transition probabilities, 425
 - Aperiodic, 441
 - Balance equations, 464
 - Class properties, 488, 489, 496, 508
 - Continuous-time (CTMC), 422
 - Discrete-time (DTMC), 421, 422
 - Ensemble average, 452
 - Ergodic theorem, 494
 - Ergodicity, 438
 - Finite-state, 448
 - Infinite-state, 484, 496
 - Finite-state, 420, 431, 448, 477, 508
 - Gambler's walk, 490
 - Infinite-state, 479
 - Irreducible, 443, 477
 - Limiting distribution, 427, 429, 479
 - Limiting probabilities, 426, 479
 - Limiting probabilities as rates, 465
 - Love is complicated, 420
 - Markovian property, 421
 - Null recurrent, 496
 - Passage time
 - Mean, 113, 498
 - Variance, 112, 113, 498
 - Period, 441, 477
 - Positive recurrent, 496
 - Random walk, 450
 - Infinite, 490
 - Recurrent chain, 488, 491
 - Recurrent state, 487
 - Sample path, 451
 - Good vs. bad, 453
 - Solution via generating functions, 125, 508
 - Stationary distribution, 428, 429, 479
 - Stationary equations, 428
 - Stationary property, 421
 - Steady state, 431
 - Summary theorem, 497
 - Time average, 450
 - Time between visits to state, 448
 - Time to empty, 498
 - Time-reversibility equations, 467
 - Transient chain, 489, 491
 - Transient state, 487
 - Transition probability matrix, 421
- Markov's inequality, 98, 307
- Markovian property, 421
- Marriage algorithm, 57, 377
- Matrix multiplication checking
 - Freivalds' algorithm, 384
- Max-3SAT algorithm, 395
- Max-Cut algorithm, 396
- Maximum
 - Of Exponentials, 226, 227
 - Of Uniforms, 151
- Maximum a Posteriori (MAP), 285
- Maximum arrival rate, 533
- Maximum likelihood estimation (MLE), 267
- Maximum likelihood estimator, 267
 - Continuous, 273
 - Discrete, 273
 - Multiple estimators, 276
- Mean (expectation)
 - Continuous, 141
 - Continuous alternative, 151
 - Discrete, 58
 - Discrete alternative, 62, 78
- Mean estimator, 256
- Mean squared error (MSE), 257

- For Bayesian estimators, 299
- Median-Select, 371, 373
- Memorylessness, 74, 139, 150, 211
- Migrating jobs, 182
- Migrating old jobs, 190
- Miller–Rabin primality test, 410
- Min of rolls, 80
- Min-Cut algorithm, 389
- Minimum
 - Of Exponentials, 151, 215, 227
- Minimum mean squared error, 295
- MLE, 267
- MMSE estimator, 295
 - Minimizes MSE, 300
- Modeling disk delay, 168
- Moments of random variable, 83
- Monte Carlo algorithms, 366, 383
 - Amplification of confidence, 397
- Monty Hall problem
 - Original, 39
 - Variants, 40
- Mood chain, 451
- Mouse in maze example, 112
 - Infinite, 506
 - With transforms, 130
- Move-to-Front algorithm, 376
- MSE, 257
 - For Bayesian estimators, 299
 - For MMSE estimator, 301
- Multi-stage jobs, 227
- Multiplication of monomials, 387, 388
- Mutual funds, 107
- Mutually exclusive events, 21
- Negative Binomial
 - Tail, 325
- Negative Binomial distribution, 114
- Network of workstations (NOW), 182
- Noisy reading from flash storage, 56
- Non-preemptive migration, 182
- Normal approximation of Poisson, 179
- Normal approximation of sum, 177
- Normal distribution, 170
 - Laplace transform, 207
 - Linear transformation, 172
 - Standard Normal, 170
 - Tail, 325
- Number of time pattern appears, 77
- Nuts-and-bolts algorithm, 374
- One-sided error, 385, 388
- Packet corruption model, 38, 41
- PageRank algorithm, 458
 - Dead end, 461
 - Spider trap, 461
- Pairwise independence, 29, 38
- Pareto distribution, 187, 192
 - Properties, 189
 - Why comes up, 194
- Partition of space, 22, 31
- Permutation, 12
- Pittsburgh Supercomputing Center, 147
- Point estimation, 255
- Poisson approximation to Binomial, 55
- Poisson distribution, 49
 - Like Normal, 179
- Poisson number of Exponentials, 205
- Poisson process, 216, 225
 - Independent increments, 217
 - Merging processes, 220
 - Number arrivals during service, 226
 - Number of arrivals during service, 219
 - Origin of, 216
 - Poisson splitting, 221
 - Stationary increments, 217
 - Uniformity, 224
- Polygon triangulation, 131
- Population growth modeling, 228
- Posterior
 - Mean, 295
 - Mode, 294
- Power management, 533
- Power of two choices, 341
- Power-law distribution, 187
- Preemptive migration, 182
- Primality testing, 403
- Prime Number Theorem, 403
- Prior distribution, 287
- Probabilistic method, 382
- Probability density function, p.d.f., 134
 - Joint p.d.f., 153
 - Marginal p.d.f., 154
- Probability mass function, p.m.f., 46
 - Joint p.m.f., 50
 - Marginal p.m.f., 51
- Probability no collisions, 358
- Probability on events, 22
- Process migration, 182
- Processor with failures, 508
- Program analysis example, 424, 433
- Program checking, 383
- Quality of service, 164
- Quality of Service (QoS), 98
- Queueing network simulation, 240
- Queueing theory, 510
 - Arrival rate, 512
 - Interarrival time, 512
 - Job size, 512
 - Kendall notation, 513
 - Little’s Law, 523
 - For red jobs, 529
 - For waiting time, 527
 - Maximum arrival rate, 533
 - Number in system, 515

- Response time, 514
- Service order, 512
- Service rate, 512
- Service requirement, 512
- Slowdown, 537
- Stability, 516
- Throughput, 516
- Utilization, 520
- Utilization law, 528
- Waiting time, 515
- Quicksort
 - Deterministic, 367
 - Randomized, 368
 - Tail analysis, 378
- R squared, 282
- Ramanujan approximation, 361
- Random graphs, 76
 - Number of edges, 76
 - Triangles, 77
- Random prime, 418
- Random variable, 44
 - Continuous, 134
 - Discrete, 45
 - With random parameters, 166, 208
- Random variable conditioned on event
 - Conditional p.d.f., 145, 157
 - Conditional p.m.f., 67
- Random walk, 450
 - Infinite, 490
 - On clique, 434
- Randomized algorithms, 364
 - k -Select, 371
 - 3-way fair coin, 374
 - And/or tree evaluation, 379
 - Approximate median, 399
 - Approximating π , 395
 - Balls and bins, 337
 - Bloom filter hashing, 362
 - Bucket hashing, 351
 - Control group creation, 397
 - Cryptographic signature hashing, 355
 - Dominating set, 378
 - Fermat Primality Test, 408
 - Finding k largest, 377
 - Generating random permutation, 399
 - Generating random prime, 418
 - Hashing, 346
 - Independent set, 382
 - Knockout tournament, 400
 - Las Vegas, 366
 - Linear probing, 353
 - Making biased coin fair, 373
 - Matrix multiplication checking, 384
 - Max-3SAT, 395
 - Max-Cut, 396
 - Median-Select, 373
 - Miller–Rabin primality test, 410
 - Min-Cut, 389
 - Monte Carlo, 366, 383
 - Multiplication of monomials, 387, 388
 - Near Adder, 401
 - Nuts and bolts, 374
 - Primality testing, 403
 - Program checking, 383
 - Quicksort, 368
 - Ropes and cycles, 374
 - Uniform sampling from stream, 374
 - Versus deterministic algorithms, 364
- Recurrence relations, 124, 131
- Recurrent chain, 488, 491
- Reliability, 151
 - Max of Exponentials, 226, 227
 - Max of Uniforms, 151
 - Min of Exponentials, 215
- Remote execution, 182
- Renewal process, 454
- Renewal theorem, 454
- Repair facility example, 422, 425, 432
- Repair queue, 529
- Rerouting IP flows, 193
- Response time, 514
- Reverse Markov inequality, 320
- Ropes and cycles, 374
- Sample average squared error, 278
- Sample mean, 180, 256, 327
- Sample path, 451
- Sample space, 21
 - Continuous, 21
 - Discrete, 21
- Sample standard deviation, 264
- Sample variance, 180
 - With known mean, 259
 - With unknown mean, 260, 263
- Sampling from unknown distribution, 180
- Sampling without replacement, 109
- SASE, 278
- Scheduling
 - Fairness and starvation, 193
 - Shortest Remaining Processing Time, 193
- Scheduling web requests, 193
- Security application, 226
- Simpson's paradox, 74
- Simulation
 - Event-driven simulation, 240
 - Generating random variables, 229
- SIR model, 436
- Size interval task assignment, 251
- Skew, 92
- Slowdown, 537
- Sojourn time, *see* Response time
- Solving recurrences via generating functions, 125

- Squared coefficient of variation, 87
- Stability, 516
- Standard deviation, 87
- Stationary but not limiting, 501
- Stationary distribution, 428, 429, 479
- Stationary increments, 217
- Stationary property, 421
- Statistical inference, 253, 265
- Stirling bounds, 14
 - Heuristic proof, 179
- Stochastic dominance, 99, 101, 108, 115
- Stochastic process, 421
- Stopping time, 114
- Strong Law of Large Numbers, 452, 474
- Subsets of n elements, 12
- Sum of random number of r.v.s
 - Geometric number of Exponentials, 207, 226
 - With transforms, 123, 129, 204
- Sum of random number of random variables, 113
 - Mean, 93
 - Variance, 95
- Sum of random variables
 - Binomials, 55
 - Continuous, 165
 - Laplace transforms, 203
 - Normals, 175, 208
 - Poissons, 128
 - z-transforms, 121
- Sum of series, 2
- Sunday colt, 36
- SYNC project, 193
- Tail bound, 307
- Tail of random variable, 46, 97, 136
 - Geometric, 78
 - Negative Binomial, 325
 - Normal, 325
- Tail probability, 306
- Taylor series, 9
- TCP flow scheduling, 193
- Threshold queue, 501
- Throughput, 516
- Time average, 450
- Time in system, *see* Response time
- Time reversibility, 467, 468, 473, 477
- Time to empty, 498, 499
- Time until k heads, 79, 501
- Total variation distance, 115
- Transforming p.d.f., 151
- Transient chain, 489, 491
- Tree growth, 96
- Two-offspring example
 - Extra information, 36
 - Original, 25
- Umbrella problem example, 423, 425, 433
- Unbiased estimator, 180, 256
- Unbounded queue example, 480
- Uniform distribution, 137
- Uniform sampling from stream, 374
- Union bound, 23, 339
- UNIX process lifetime, 183
 - Empirical measurements, 186
- Unreliable network, 28
- Utilization, load, 520
- Vandermonde's identity, 14
- Variance
 - Alternative definitions, 86
 - Bernoulli, 85
 - Continuous r.v., 141
 - Discrete r.v., 85
 - Equivalent definition, 88
- Variance and risk, 107
- Variance estimator
 - With known mean, 259
 - With unknown mean, 260
- Variance of difference, 107
- Variance of sum, 89, 108
- Variance–bias decomposition, 263
- Virus propagation, 79
- Wald's equation, 114
- Walk on undirected weighted graph, 474
- Weak Law of Large Numbers, 323
- Web file sizes, 193
- Which Exponential happens first, 156, 158
- Which Geometric happens first, 52, 53
- Wireless session times, 193
- With high probability, 338, 378
- Witness, 384
 - Divisor witness, 403, 405
 - Fermat witness, 405
 - Gcd witness, 407
 - Root witness, 411
- Worst-case analysis, 364, 370
- z-transform, 117
 - Binomial, 118
 - Conditioning, 123
 - Geometric, 118
 - Linearity, 121
 - Moments, 120
 - Solving recurrence relations, 124, 131, 508
 - Sum of random number of r.v.s, 123, 204
 - Uniqueness, 130