

Index

- acetylcholine, 42, 195
- adaptation, 59
- Advanced Cognitive Training for Independent and Vital Elderly (ACTIVE), 81
- affective empathy, 172–173
- ageism, 169
- aging
 - brain mechanisms of, 23–52
 - cognition and, 55–86
 - global population, 1
 - losses in cognitive ability, 1
- aging theories
 - common cause hypothesis, 4
 - increased activity and compensation, 4–6
 - inhibition theory, 3
 - neural responses
 - increased task demands, 6–8
 - loss of specificity, 8–9
 - processing speed theory, 3
 - working memory theory, 3
 - See* CRUNCH model; HAROLD model; STAC model.
- aging-brain model, 138
- allostatic load, race differences, 217
- Alzheimer's disease (AD), 5, 188, 191, 205
 - amyloid plaques, 189
 - bilinguals, 47
 - brain atrophy, 190–191
 - connectivity of PCC and, 194
 - cultural differences, 223
 - demographics and prevalence, 188–189
 - epidemiological studies, 234
 - functional changes, 198–199
 - attention related, 195–196
 - memory and cognition related, 193–195
 - self and emotion related, 196–198
 - functional connectivity, 194, 196, 200
 - genes, 44, 202–204
 - imaging studies, 199–202
 - markers of, 17
 - menopause and, 225
 - neurostimulation, 228
 - studies, 230–231
 - personality and, 49
 - plasma biomarkers, research on, 204
 - precursors, 190
 - biomarkers, 195
 - race differences, 220–221
 - risk factors, 188, 202, 221, 235
 - structural changes, 190–192
 - tau tangles, 189
- amnesia, 121
- amnesic mild cognitive impairment (aMCI), 190
 - functional changes
 - attention related, 195–196
 - memory and cognition related, 193–195
 - self and emotion related, 196–198
 - structural changes, 190–192
- amplitude, 13
- amygdala, 127, 140–142, 155, 170, 196
 - Alzheimer's disease, 196–198
 - connectivity, 129, 132, 133, 142, 144
 - emotion, 127–128, 131–132
 - memory and, 140
 - positivity effects, 137
 - recognition, 126
 - regulation, 134
 - identification and, 128
 - impression formation and, 179
 - memory and, 140–141
 - social cognition and, 177
 - stress and, 51
- amyloid hypothesis, 199, 201
- amyloid-[beta]. *See* beta-amyloid (A β)
- amyotrophic lateral sclerosis (ALS), 209
- anosognosia, 196, 197, 199, 210
- anterior cingulate cortex, 44, 104
 - cognitive control, 108
 - cortical thickness, 28

- anterior cingulate cortex (cont.)
 - emotion regulation, 133
 - false memory and, 109
 - gray matter loss, 24
 - self-reference and, 162
 - ventral, 133
- anxiety, 44, 51, 232
- aphasias, 205, 208, 211
- APOE* gene, 44, 202–204, 220
- arousal, 128, 134, 135
 - GANE theory, 135
- associative memory, 106, 107, 193
- ATN classification system, 202
- attention, 56–60
 - ERP studies, 60
 - frontoparietal control system and, 56–58, 60–61
 - measurement tasks, 58
 - as part of executive function, 60
 - prefrontal cortex and, 58, 61
 - selective, 59, 82, 133
 - training, 82
- attractiveness halo effect, 176
- autobiographical memory, 114
 - enhancement, 115
 - future thinking, 115
 - positive and negative emotions and, 138
- autonomic compensation model, 139

- Baltimore Longitudinal Study of Aging, 75
- basal ganglia, 207
 - Parkinson's disease and, 206–207
- basic emotion, 128
- BDNF. *See* brain-derived neurotrophic factor.
- behavior, gray matter and, 29–31
- behavioral variant frontotemporal dementia (bvFTD), 208, 209–210
- beta-amyloid (A β), 17–18, 189
 - imaging, 199–202
 - personality traits and, 49
- Big 5 personality traits, 49
- bilaterality, 4
- bilingualism, 47–49
 - Alzheimer's disease and, 204
- bimanual coordination, 69
- binding, 106, 107

- blood pressure, 51, 235
- BOLD (blood oxygenation level dependent) signal, 12
- brain
 - connectomic approach, 19
 - direction terms, 20
 - function measures, 10–13
 - lobes and structures, 20
 - multivariate analysis methods, 17
 - optical imaging, 18
 - structural integrity measures, 9–10
 - structure–behavior relationships, 14–15
 - structure–function relationships, 15
- brain-derived neurotrophic factor (BDNF)
 - exercise and, 78–79
 - memory and, 44
- Broca's area, 71
- Brodmann's areas, 19, 171

- cardiovascular health, 235–236
- caudate, 120, 148, 180
- cerebellum, 120
 - memory and, 121
 - motor control and, 69
 - speech perception and, 72
 - stimulation, 228
- cerebral cortex, thickness, 24
- cerebrospinal fluid (CSF), 24, 196, 201
- childhood adversity, early, 234
- cingulate cortex
 - cognitive control, 108
 - ventral anterior, 133
 - ventral posterior, 39
 - See* anterior cingulate cortex; posterior cingulate cortex.
- cognitive ability, training, 76–86
- cognitive aging
 - neuroscience, 4–9
 - theories, 2–4
- cognitive control, 67–68
 - interventions, 81–82
 - meditation and, 80
 - multitasking and, 82
 - semantic memory and, 108
- cognitive control hypothesis, 139
- cognitive empathy, 172

Index

305

- cognitive epidemiology, 233
- cognitive neuroscience methods, 2, 4, 9–13, 17, 51, 238–239
- cognitive processes, socioemotional processes vs, 236–237
- cognitive reappraisal, 130
- cognitive reserve, 8, 46–47, 84
 - depression and, 213
 - sex differences, 225
- cohort effects, 26–27
- collaborative cognition, 238
- common cause hypothesis, 4, 75
- comorbidity, 211
- compensation, 4, 5, 6
 - autonomic model, 139
- compensation-related utilization of neural circuits hypothesis (CRUNCH). *See* CRUNCH model.
- COMT* gene, 44
- conjunction searches, 56
- connectivity, 35–38
 - Alzheimer's disease, 194, 196–199
 - amygdala, 51, 129, 132, 133, 136, 142, 144–145, 220
 - amyloid burden and, 200–201
 - anterior cingulate cortex, 162
 - cardiovascular health and, 236
 - cultural differences, 222
 - dedifferentiation and, 41, 67
 - default network, 172, 183, 192, 231
 - depression and, 213
 - emotion and, valenced information, 141
 - functional, 36
 - default mode network, 80
 - hippocampus, 106
 - memory and, 106
 - hippocampus, 141–142, 228
 - identification and, 129
 - language and, 48
 - life satisfaction and, 136
 - meditation and, 80
 - menstruation and, 224
 - neurodegenerative disorders, 208
 - pain perception and, 173
 - Parkinson's disease, 207, 208
 - prefrontal cortex, 132–133, 136, 145
 - racial discrimination and, 220
 - sex differences, 223
 - stimulation enhanced, 228, 231
 - structural, 15, 36, 144, 207
 - anterior–posterior, 39
 - theory of mind and, 174
 - trust and, 183
- connectomics, 19
- conscientiousness, 49, 50
- context, 237–239
- corpus callosum, 34, 66
 - hypertension and, 34
 - motor control and, 69
 - white matter, 33, 36, 93
- correlational studies, 10, 19, 80
- cortical midline structures, 160
- cortical thickness
 - aging and, 45
 - anterior cingulate cortex, 28
 - exercise and, 77
 - meditation and, 80
- cortisol, 50
- cross-sectional studies, 26, 34
 - gray matter loss, 26–27
- CRUNCH model, 7, 64, 73, 76, 83, 91–93, 225
- CT (computed tomography), 9
- cultural differences, 221–223
 - functional activation patterns, 222
 - structural change, 221–222
- decision-making
 - economic, social cognition and, 154–155
 - moral reasoning and, 171–172
 - motivation, research recommendations and, 155–156
- dedifferentiation, 8, 40, 41, 114, 121, 135
 - cognitive control and, 67
 - compensation and, 93
 - emotional processing, 133
 - GABA and, 43
 - motor system, 70–71
 - network connectivity and, 41, 67
 - process, 40
- deep brain stimulation (DBS), 231, 232
- default mode network, 23, 39
 - Alzheimer's disease, 192, 194

- default mode network (cont.)
 - aMCI, 194
 - amyloid hypothesis, 199
 - connectivity, 172, 183, 192, 231
 - functional, 80
 - cultural differences, 223
 - meditation and, 80
 - memory, semantic, 108
 - moral judgments and, 172
 - posterior medial core (pmDN), 172
 - rs-fMRI studies, 17
- delay discounting, 153
- dementias, 188
 - behavioral variant frontotemporal, 208, 209–210
 - cultural differences, 223
 - depression and, 211–212
 - frontotemporal, 205
 - semantic, 206
 - social network size and, 238
 - See* Alzheimer's disease; Huntington's disease; Parkinson's disease.
- depression, 211–213
 - loneliness and, 51
- diagnosticity, 177
- Dictator game, 154
- diffusion tensor imaging (DTI), 10, 34, 51, 58, 66, 144, 150
 - theory of mind and, 173
- distraction, 59, 60, 133
- dopamine, 18, 42–43
 - Parkinson's disease and, 206
 - PET and, 13
 - reward and, 149
 - subthalamic nucleus, deep brain stimulation, 232
 - transporter and receptor genes, 44
- dorsolateral prefrontal cortex (DLPFC)
 - cognitive control and, 68
 - connectivity, 142
 - degenerative disorders, 208
 - memory and, 90, 92, 225–227
 - postretrieval monitoring, 103
 - training, 83
 - visuospatial and verbal working memory tasks, 90
 - neurostimulation, 227
 - physical activity and, 79
 - working memory load and, 225
- dorsomedial prefrontal cortex (DMPFC), 132
 - connectivity, 39
 - emotion, identification, 130
 - memory formation, 179
 - self-reference and, 161, 166
 - social interactions, 174, 177
- DRD2 genes, 44
- early childhood adversity, 234
- economic tasks, 148–152
- education, and cognitive performance, 46–47
- electroencephalography (EEG), 91, 95, 169, 232
- emotion, 125
 - anxiety, 51
 - arousal, 128
 - associated neural regions, 126–128
 - basic, 128
 - habituation, 127
 - identification, 128–130
 - life satisfaction, 136
 - memory and, 140–147
 - ERP research, 145–147
 - fMRI research, 140–145
 - reactivity, 44
 - recognition accuracy, 176
 - regulation, 130–136
 - aging-brain model and, 138
 - impaired in AD, 198
 - life satisfaction and, 136
 - neurofeedback training, 233
 - self-reference and, 162
 - socioemotional selectivity theory, 136–140
 - valence, 128
- emotional suppression, 132
- emotions, positive and negative emotions in autobiographical memory, 138
- empathy, 174–175
 - affective, 172–173
 - cognitive, 172
- encoding, 100
 - incidental, 98
 - intentional, 98
- entorhinal cortex

Index

307

- Alzheimer's disease, 14
- amyloid deposition, 199
- atrophy, Alzheimer's disease, 204
- gray matter loss, 31
- thinning, 29, 202
- epigenetics, 44
- estradiol, 224
- estrogen, 224
- event boundaries, episodic memory, 97
- event-related optical signal (EROS), 18
- event-related potentials (ERP), 13
 - Alzheimer's disease, biomarkers, 195
 - attention and, 60
 - components
 - N1, 41
 - N170, 167
 - N400, 13, 74
 - P3, 65, 195
 - emotional memory and, 145–147
 - language processing and, 74
 - memory and
 - emotional, 145–147
 - false, 111
 - inhibition, 95
 - recollection, 101
 - subsequent, 99
 - mismatch negativity, 59, 195
 - own-age bias and, 167
 - self-reference and, 166
 - task switching and, 64
 - visual acuity and, 41
- executive function, 31, 55, 60–68, 170
 - associated neural regions, 61–62
 - bilingualism and, 47
 - frontoparietal network, 61–63
 - response inhibition, 63
- exercise, 76–79
 - BDNF and, 78–79
- expectation, 60
- experimental design, 13, 26
- explicit memory, 95, 121
 - associated neural regions, 96
- extraversion, 49–50
- face network, 41
- face recognition
 - hippocampus, 193
 - own-age bias, 167
- false memory, 111, 167
- familiarity, 102
- feature searches, 56
- first-in–last-out principle, 33
- fitness and exercise, 77
- flanker task, 58, 63, 77
- fornix, 192
- fractional anisotropy (FA), 10
 - Alzheimer's disease, 192
 - attentional training and, 82
 - reaction time and, 34
- frontal aging hypothesis, 4
- frontal gyrus, 80, 100
- frontal lobes
 - Alzheimer's disease, 204
 - memory training, 84
 - white matter, 33
- frontoamygdalar age-related differences in
 - emotion (FADE), 141
- frontoparietal network, executive function,
 - 61–63
- frontotemporal dementia (FTD), 205, 209, 211
- functional connectivity, 36
 - aging and, 76
 - Alzheimer's disease, 194, 196, 200
 - amyloid deposition and, 200
 - cardiovascular health and, 236
 - cultural differences, 222
 - default mode network, 80
 - emotion, regulation, 132, 133
 - financial exploitation and, 154
 - identification and, 129
 - language and, 48, 73
 - memory and, 106
 - training, 83
- moral decision-making and, 172
- motor control and, 71
- multitasking and, 82
- neurodegenerative disorders, 208
- race differences, 219–220
- self-reference and, 167
- sex differences, 223–224
- stimulation enhanced, 230
- trust and, 181

- functional magnetic resonance imaging (fMRI)
- Alzheimer's disease, 189, 193
 - aMCI, 193
 - challenges, 41
 - cognitive control, 68
 - emotion
 - identification, 130
 - memory and, 140–145
 - positivity effects, 137
 - impression formation, 179
 - memory
 - associated neural regions, 100
 - DLPFC engagement, 90
 - emotion and, 140–145
 - encoding, 98
 - false, 109
 - postretrieval monitoring, 105
 - source retrieval, 103
 - multivariate, 17, 102, 106
 - pattern separation, 118
 - real-time, 232
 - resting-state (rs-fMRI), 16–17
 - neurostimulation and, 231
 - self-reference, 163
 - sex differences, 224
 - stereotype threat, 169
 - task switching, 65–66
 - theory of mind, 173
 - Ultimatum Game, 154
 - univariate, 17, 102
 - working memory, 42, 83, 90–92
 - inhibition, 94
- fusiform gyrus, 100, 170
- GABA (gamma aminobutyric acid), 43
- gambling tasks, 152–153
- GANE (glutamate amplifies noradrenergic effects) theory, 135
- genes
 - Alzheimer's disease, 44, 202–204
 - exercise interventions, 78
 - neurotransmitter activity, 44
- gist, 109
- glucocorticoids, 50, 72, 212, 224
- go/no go task, 58, 64
- gray matter, 9
- Alzheimer's disease, 48, 190, 192
- atrophy, 190, 192
- behavior and, 29–31
- bilingualism and, 47
- hearing loss and, 75
- hippocampus, 49, 212
- personality and, 49
- physical activity and, 77
- structural changes, 24–31
- gut microbiome, 236
- gut–brain connection, 236
- habituation, emotional, 127
- HAROLD model, 4, 36, 90
- health disparities, 217
 - racial, 217, 220–221
- hearing
 - auditory cortex response, 42
 - loss, language function and, 75–76
- hemispheric asymmetry reduction in older adults (HAROLD). *See* HAROLD model.
- Heschl's gyrus, 72
- hippocampus
 - Alzheimer's disease, 189, 192
 - tau protein, 201
 - aMCI, 193
 - amyloid deposition and, 200
 - connectivity, 106, 141–142, 228
 - cultural differences, 221
 - emotion and, 129, 141, 142
 - face recognition, 193
 - glucocorticoids and, 224
 - gray matter loss, 49, 212
 - memory
 - associative, 106–107
 - autobiographical, 113–114
 - event boundaries, 97
 - false, 108–109
 - future thinking, 115
 - pattern separation, 118
 - recollection, 102
 - training, 86
 - own-age bias and, 168
 - physical activity and, 77–78
 - reward and, 148

Index

309

- stress and, 50
 - volume, self-esteem and, 50
- Huntington's disease, 207, 208, 209
- hyperscanning, 238
- hypertension, 34, 35, 218, 236
- hypothalamic–pituitary–adrenal (HPA) axis, 50
- imaging, noninvasive methods, 18
- imaging techniques, 9–10
 - future directions, 19
 - neurostimulation and, 230, 231
 - optical, 18
 - structure–behavior relationships, 14
 - structure–function relationships, 15
 - See* functional magnetic resonance imaging (fMRI); magnetic resonance imaging (MRI).
- implicit memory, 121–122
 - Alzheimer's disease and, 194
 - associated neural regions, 120
- impression formation, 175–178
 - memory and, 178–180
 - valence, 179
- incidental encoding, 98
- inferior frontal cortex, 68, 104, 235
- inhibition, 61
- inhibition theory, 3
- intelligence, 44–46
 - early-life, 45, 234
- intentional encoding, 98
- International Affective Picture System (IAPS), 128
- intervention studies, 77, 78
- interventions
 - cognitive, 81–82
 - mindfulness, 79, 80
- intracranial electroencephalography (iEEG), 9
- Iowa Gambling Task, 152
- item memory, 103, 106
- item recognition task, 91
- language function, 71–76
 - hearing loss and, 75–76
 - inhibitory decline, 72–73
 - language comprehension networks, 71–72
 - right ear advantage, 74
- last-in, first-out principle, 33, 192
- late positive component (LPC), 74
- late positive potential (LPP), 145–147
- latency, 13
- lateral prefrontal cortex, 68, 224
- learning, 121, 122
 - brain stimulation and, 228
- levels of processing, 96, 98
- levopoda (L-DOPA), 43
- life expectancy, race differences, 217
- life satisfaction, 136
 - connectivity and, 136
- life span, aging, study of, 233–234
- lingual gyrus, 51, 129
- locus coeruleus (LC), 135, 136
- loneliness
 - amyloid burden and, 205
 - associated risk factors, 51
 - cognitive decline and, 236
 - depression and, 51
- longitudinal studies, 27, 47
 - Alzheimer's disease, 193
 - gray matter loss, 26, 30
 - neurodegenerative disorders, 234
- long-term memory
 - controlled processes, 116–117
 - implicit, 121–122
 - processing and intentionality, 96–98
 - training, 84–86
- machine learning, 17
- magnetic resonance imaging (MRI), 9–10
 - Alzheimer's disease, 189
 - depression, 211
 - mild cognitive impairment, 203
 - See* functional magnetic resonance imaging (fMRI).
- mean diffusivity (MD), 10
- medial prefrontal cortex (MPFC), 143, 160
 - connectivity, 129, 154
 - emotion, identification, 130
 - encoding, 105, 141, 165
 - gray matter, exercise and, 77
 - impression formation and, 179

- medial prefrontal cortex (MPFC) (cont.)
 - motivational goals and, 163
 - self-reference and, 163
- medial temporal lobe
 - Alzheimer's disease, 189, 190–191
 - amnesia and, 121
 - assessing age differences, 100
 - hyperactivation, 193
 - memory and, 121
- mediation, 31
- meditation, 79–81
- memory
 - Alzheimer's disease, amyloid burden, 200–201
 - amnesia, 121
 - associative, 106, 107, 193
 - autobiographical, 114
 - enhancement, 115
 - future thinking, 115
 - positive and negative emotions and, 138
 - BDNF and, 44
 - emotional, 140–147
 - ERP research, 145–147
 - fMRI research, 140–145
 - encoding, 100
 - episodic, event boundaries, 97
 - explicit long-term, 95–96
 - false, 111, 167
 - future thinking and, 114–115
 - gray matter loss and, 30
 - implicit, 121–122
 - impression formation and, 178–180
 - long-term
 - controlled processes, 116–117
 - processing and intentionality, 96–98
 - training, 84–86
 - neurostimulation studies, 229
 - own-age bias and, 167–168
 - pattern separation, 118
 - priming, 116–117
 - prospective, 44, 118, 119
 - reactivation, 115–116
 - recall tasks, 6
 - recollection, 100–102
 - refreshing, 93–94
 - self-referencing and, 163–166
 - semantic, 108, 114
 - source, 102–106
 - stress and, 50
 - subsequent, 98–100, 105, 140
 - training programs, 83–86
 - valence and, 179
 - working, 3, 61, 90–95
 - Alzheimer's disease, 198
 - inhibition, 94–95
 - tasks, 91
- Memory Awareness Rating Scale (MARSA), 197
- menopause, 224–225
- mentalizing, 168
- mesolimbic dopamine system, 155
- mild cognitive impairment (MCI), 188
- mindfulness, 79–81
- mindwandering, 63
- mismatch negativity (MMN), 59, 195
- mnemonic strategies, 233
- moral judgments, 160, 171–172
- motivation, 163
- motor control, 68–71, 207
- multitasking, 82, 230
- multivariate fMRI, 17, 102, 106
- multivoxel pattern analysis (MVPA), 40, 71, 93, 133
- myelin, 32, 34
- N1, 41, 60
- N170, 167–168
- N400, 13
- n-back task, 91, 229
- near-infrared spectrometry (NIRS), 18
- neural attenuation, 41
- neural transmission, 8
- Neuralink, 232
- neurodegenerative disorders, 205–208
 - functional connectivity, 208
 - social cognition and, 208–211
 - See* dementias.
- neuroeconomics, 148
- neurofeedback, 232
- neurogenesis, 78
- neuromodulation, 216
 - invasive techniques, 231

Index

311

- noninvasive techniques, 225–228
 - age-related disorders and, 230–231
 - aging and, 228–230
- neurostimulation, training programs and, 229
- neuroticism, 49, 50
- neurotransmitters, 18, 42–43
 - genes, 44
- nonhuman animal models, 2, 19
- noninvasive brain stimulation, 225–228
 - age-related disorders and, 230–231
 - aging and, 228–230
- noradrenaline, 135
- norepinephrine, 217
- nucleus accumbens, 148, 150, 155
- occipital gyrus, 100
- occipital pole, 129
- oddball task, 58, 145
- old/new effects, 101, 147, 167
- openness, 49
- optical imaging, 18
- orbitofrontal cortex, 49, 153
 - emotion and, 141, 209
- orientation, 60
- oscillation, 36, 38
- own-age bias
 - face recognition, 167
 - memory, 167–168
 - social interactions, 184
- oxytocin, 181, 182
- P2, 167, 168
- pain, 173
- parahippocampal gyrus
 - false recollection and, 111
 - long-term memory and, 96, 99
 - memory and, 113, 121
 - posterior, 116, 210
 - sarcasm comprehension and, 209
- parietal lobe, 38, 42, 142
 - Alzheimer's disease and, 192
 - old/new effect and, 147
- Parkinson's disease, 188, 205, 206, 207, 209
 - connectivity, 208
 - deep brain stimulation, 232
- partial least squares (PLS) analysis, 129
- PASA model, 140
- pattern classification, 17
- pattern completion, 118
- pattern separation, 118
- perception, 40–42
- personality, 49–50
- physical activity, 47, 76–79
- physical health, cognition and, 234–236
- Pittsburgh compound B (PiB), 199
- plaques, 17, 189, 203, 204
- plasticity
 - aging and, 15, 84
 - Alzheimer's disease and, 192, 231
 - hippocampus, 44
 - memory and, 86
- positivity effect, 137
- positron emission tomography (PET), 12
 - Alzheimer's disease, 199
 - tau protein, 201
 - Huntington's disease, 208
- memory
 - patterns of activation, 95
 - training, 84
- neurotransmitters, 42
- posterior cingulate cortex (PCC), 80, 160, 161, 163, 177, 194
- posterior superior temporal sulcus (pSTS), 168, 173
- posterior–anterior shift in aging (PASA), 140
- postretrieval monitoring, 103, 105
- precuneus, 177
 - stimulation, 231
- prediction errors (PEs), 148
- prefrontal cortex
 - Alzheimer's disease and, 198
 - attention and, 58, 61
 - cognitive control and, 139
 - connectivity, 35–36, 132–133, 136, 145
 - emotion and, 131–132, 134, 141, 198
 - executive function and, 34, 61
 - glucocorticoids and, 224
 - gray matter loss, 24
 - memory and, 116–117
 - autobiographical, 113
 - encoding, 98

- prefrontal cortex (cont.)
 - priming, 120
 - source retrieval, 103
- stress and, 51
- structure–function relationships, 15
- volume, 31
- white matter, 33
- See* dorsolateral PFC; dorsomedial PFC;
 - inferior PFC; lateral PFC; medial PFC;
 - ventrolateral PFC; ventromedial PFC.
- priming
 - Alzheimer’s disease, 194
 - long-term memory, 116–117, 119
- processing speed theory, 3
- prospective memory, 44, 118, 119
- putamen, 120, 207
- qualitative differences, 184
- race differences, 217–221
 - functional connectivity, 219–220
 - life expectancy, 217
 - structural changes, 218
 - weathering hypothesis, 217
- reactivation, 115–116
- Reading the Mind in the Eyes Test, 173
- real-time fMRI, 232
- recall, 100
- recognition, 101
- recollection, 86, 95, 100–102
 - false, 111
- refocusing, 60
- relational processing, 107
- reminiscence therapy, 86
- repetitive transcranial magnetic stimulation (rTMS), 225, 227
- response inhibition, aging and, 63
- resting-state fMRI (rs-fMRI), 16–17
 - neurostimulation and, 231
- resting-state functional connectivity (RSFC)
 - genes and, 203
 - loneliness and, 236
 - race and, 219
- reversal learning, 152
- reward, 147–156
- reward network, trust and, 180
- rhinal cortex, 102
- right ear advantage, 74
- risk-seeking behavior/mistakes, 150
- scaffolding theory of aging and cognition (STAC). *See* STAC model.
- selective attention, 59, 82, 133
- self-esteem, hippocampal volume
 - and, 50
- self-focused processes, 160–163
- self-reference effect, 163
- self-referencing, 141, 147, 162
 - memory and, 163–166
- semantic classification, 38
- semantic dementia, 206, 210
- semantic memory, 108, 114
- sensation, 40–42
- sensory function, 3, 40
- serotonin, 42, 44
- sex differences, 223–225
 - functional connectivity, 223–224
 - openness and, 49
- situation selection, 103, 131, 156
- social cognition
 - associated neural regions, 161
 - economic decision-making, 154–155
- social context, 237–239
- social interactions, 175–178
 - connectivity and, 184
 - own-age bias, 184
 - stigma, 184
 - trust, 154–155, 180–182
- social networks, 49, 237
- socioemotional processes, cognitive processes
 - vs, 236–237
- socioemotional selectivity theory, 136, 140, 148, 155
- source memory, 102–106
- STAC model, 7, 8, 64, 76
 - STAC-r model, 8
- stereotype threat, 170–171
- stress, 50–51
- striatum, 120, 207
 - memory and, 121
- stroke, 35, 46

Index

313

- Stroop task, 58, 62, 196
 structural connectivity, 15, 36, 144, 207
 structure–behavior relationships, 14–15
 structure–function relationships, 15
 subjective cognitive decline (SCD), 190, 195
 subsequent memory, 98–100, 105, 140
 subthalamic nucleus, 232
 sulci, 24
 superior cortex, 153
 superior temporal sulcus, 129
 supernormals, 38
- tangles, 18, 189, 190, 196, 201
 task demands, 6–8
 inhibitory control and, 64
 task switching, 64, 66, 68
 cognitive control and, 68
 tau protein, 189, 192
 imaging studies, 17–18, 196, 199–202
 temporal lobes, 33, 75, 77
 amygdala, 126
 loneliness and, 236
 mild cognitive impairment, 203
 temporoparietal junction, 177, 181
 thalamocorticoatrial pathways, 150
 thalamus, 75
 theory of cognitive aging, 2–4
 theory of mind, 174–175
 neurodegenerative disorders and, 209
 tip of the tongue states (TOTs), 73
 training programs
 cognitive ability, 76–86
 dual-task, 82
 memory, 83–86
 trait anxiety, 51
 transcranial alternating current stimulation (tACS), 225
 transcranial direct current stimulation (tDCS), 225, 226, 229
 trolley problem, 171–172
 trust, 154–155, 180–182
 TurboBrainVoyager, 233
- Ultimatum Game, 154
 uncinate fasciculus, 144
 univariate fMRI, 17, 102
- valence, 128
 connectivity and, 141
 memory and, 179
- vascular health, white matter and, 235
 ventral anterior cingulate cortex, 133
 ventral posterior cingulate cortex, 39
 ventral striatum, 148, 151
 ventricles, 24
 ventrolateral prefrontal cortex (VLPFC), 66, 107, 113–114, 133
 ventromedial prefrontal cortex (VMPFC)
 emotion
 identification, 129–130
 positivity effects, 138
 lingual gyrus and, 129
 reward and, 153
 self-reference and, 160–162
- visual acuity, 41
 visual cortex, 134, 140–141
 visual search task, 56–58, 63, 138
- weathering hypothesis, 217
 Wernicke’s area, 71
 white matter, 9, 144
 Alzheimer’s disease, 192
 anterior-to-posterior gradient, 32–33
 attention and, 58
 behavior and, 34–35
 bilingualism and, 47
 executive function and, 63
 hyperintensities, 24, 32
 cognitive decline, 35, 45
 depression, 211–212
 health status and, 35
 racial discrimination and, 220
 integrity, 35–36
 memory and, 93
 reward learning and, 150
 structural changes, 32–35
 vascular health and, 235

working memory, 3, 61, 90–95	tasks, 91
aging and, 62	training programs,
Alzheimer’s disease, 198	83
inhibition, 94–95	working memory theory, 3
neural organization, 90	
physical activity and, 78–79	yoga, 80