

# Index

- ABEM certification examinations, 1
- acceptable miss rate
  - ACEP guidelines, 125
  - medicolegal perspective, 109, 125
- acute coronary syndrome (ACS)
  - diagnostic uncertainty and, 132
  - gastroesophageal reflux as potential sign of, 42
- adaptability in decision-making, 11
- adaptive expertise
  - as primary goal of medical education, 36
  - vs routine, 34–7
- adaptive management, systems of in the ED, 121–2
- adrenaline-seeking, of EPs, 29–30
- Agency for Healthcare Research and Quality (AHRQ), 120
- algorithms, 14, 16, 80–1, 99, 127
- allergy, clinical pearls, 169
- alleviation of suffering, as goal of EPs, 53
- American College of Emergency Physicians (ACEP)
  - and diagnostic uncertainty, 132
  - guidelines on acceptable miss rates, 125
- analysis paralysis, 9
- anaphylaxis, clinical pearls, 169
- anchoring
  - avoidance strategies, 99–100
  - clinical inertia and, 104
  - pattern recognition and, 98
  - System 1 thinking and, 75
- antibiotics
  - choosing, 8, 65
- empiric, 90, 100
- aortic dissection, 83, 96–8, 128
- appendicitis, 43
  - diagnosing, 82, 115–16, 132
  - symptoms, 90
- artificial intelligence (AI), 122
- Atomic Habits* (Clear), 79
- atrial fibrillation, 35
- balancing health and risk, 124–34
  - back pain scenario, 126, 128, 133
  - defensive medicine and, 129
  - ED metrics and, 128
  - five steps to obtaining balance, 130
  - “hard stop” your MDM, 131–2
  - knowledge of the literature and CDRs, 130
  - patient awareness of diagnostic uncertainty, 132
  - patient’s health first, 131
  - shared decision-making, 131, 133
- hospital admissions and, 125
- joke about, 124
- medical malpractice risk, 128–9, 130
- patient expectations and, 126
- potentially serious diagnosis and, 126–7
  - practice variation and, 125–7
  - the three S’s, 127–8
- Bayes’ Theorem, 114
- bias, role of in decision-making, 16–17
- Bosk, Charles L., *Forgive and Remember: Managing Medical Failure*, 121
- Brugada syndrome, 35

## Index

- cardiovascular system, clinical pearls, 152–3
- case examples
  - back pain scenario, 126, 128, 133
  - cancer patient with nausea, 86–92
- case-based learning, inadequacy of, 90
- cephalosporin, 169
- challenges for emergency decision-making
  - defining, 105–6
  - diagnostic uncertainty, 96
  - diversity of patient population and presentations, 105
  - lack of patient–physician relationship, 96, 105
  - limited resources, 97
  - malpractice risk, 97
  - resource allocation, 106
  - social medicine issues, 106
  - time pressure, 19, 40–2, 43–4, 54, 95–6
- chest pain
  - diagnostic tools, 47
  - necessity for evaluation, 42
- chief complaint, identification of, 99
- Clear, James, *Atomic Habits*, 79
- clinical decision rules (CDRs),
  - knowledge of and health/risk balance, 130
- clinical gestalt, rule of, 15–16
- clinical goals, and decision-making, 119–20
- clinical inertia
  - defining, 104
  - emergency care and, 104–5
  - time-based metrics and, 104–5
- clinical pearls
  - allergy, 169
  - cardiovascular, 152–3
  - gastroenterology, 156
  - general, 142–51
  - hematology, 170
  - infectious diseases, 157–9
  - nephrology+metabolism/urology, 162–3
  - neurology, 160–1
  - obstetrics/gynecology, 165
  - orthopedics, 167
  - psychiatry, 168
  - pulmonary, 154–5
  - toxicology/pharmacology, 164
  - trauma, 166
- code situation, empiric therapy, 100
- cognitive decision-making, 30–1
- cognitive errors, in MDM, 75
- cognitive framework of EM, 103
- cognitive load on EPs
  - EM thinking and, 74–6
  - junior and trainee, 5
  - reducing, 6, 10, 80, 109
  - undifferentiated patient presentations, 107
- cognitive load theory, 55, 75
- cognitive reasoning, inductive vs deductive approaches, 31–2
- communication
  - importance of in emergency care, 94–5
  - role of in ongoing patient management, 65–6
- computed tomography (CT)
  - implications of over-testing, 126
  - intubation and, 82
  - risk assessment for CTA, 128
  - risk of CT-induced malignancies, 125
  - risk of vomiting and subsequent aspiration, 84
- conflict of values, impact on decision-making in the ED, 17–18
- congestive heart failure (CHF), 119
- consensus, decision-making and, 48
- consequences, unintended, 48
- cost reduction, as goal of EPs, 94
- cricothyroidotomy, 42
- critically ill patients
  - MDM and, 41
  - need for aggressive testing, 91
- debiasing strategies, 59
- debriefing, and learning from decisions, 84

## Index

- decision-making, 5–12
  - as a skill, 80, 84
  - balancing speed and uncertainty, 78–85
  - cognitive biases and, 79
  - Colin Powell on, 47
  - deliberate practice and, 80
  - dual processing theory, 33–4, 55–60, 75
  - in emergency medicine
    - clinical goals and, 119–20
    - the paradox of, 98
    - thinking differently, *see* thinking differently.
  - importance of for EPs, 46, 78–9
  - proposed modifications, *see* proposed modifications to decision-making.
  - in the ED
    - clinical algorithms, 14
    - clinical gestalt and, 15–16
    - conflict of values and, 17–18
    - external factors and, 18–19
    - learning from mistakes, 14
    - pattern recognition and, 16
    - problem solving, 13–14
    - requirements for an effective approach, 103
    - role of bias, 16–17
    - sense of purpose and, 19–20
    - time constraints, 19
    - see also* emergency decision-making; medical decision-making (MDM); strategies for decision-making
- decisions
  - administrative, 48–9
  - goal of in clinical settings, 47
  - identification of potential unintended consequences, 48
- deductive reasoning, 31–2
- deep vein thrombosis (DVT), 125
- defensive medicine, and health/risk balance, 129
- deliberate practice, components, 80
- dextrose, administering during cardiac arrest, 7
- diagnostic errors, the ED as source of, 120
- diagnostic evaluation, efficiency vs thoroughness, 64–5
- diagnostic skill, tips for improving, 67–8
- diagnostic uncertainty
  - as challenge for emergency
    - decision-making, 96
    - contributing factors, 120
    - discharge of patient and, 71, 131, 132
    - and ordering massive amounts of testing, 86–92
    - patient awareness of, 132
- differential diagnosis
  - benefits of a “cognitive pause,” 76
  - necessity for repeated revision, 107
  - prioritizing conditions in emergencies, 21
  - requirements for thinking through, 75
  - teaching, 42
  - in time-sensitive conditions, 79
  - in traditional medical teaching, 57
  - WBC and, 43
- digital amputation, important questions to ask, 116
- discharge
  - diagnostic uncertainty and, 71, 131, 132
  - ensuring vital signs are normal prior to, 101
  - role of discharge instructions, 132
- disposition
  - role of in decision-making, 63
  - use of all information available at time of, 100
- dominance-leaning, as decision-making strategy, 7–8
- Dreyfus model of skill acquisition, 34
- dual processing theory, *see also* System 1 thinking; System 2 thinking, 33–4, 55–60, 75

## Index

- effective approach to decision-making, requirements, 103
- electronic health record (EHR)
  - as aid for decision-making, 64
  - and patient follow-up, 67
- emergency behavior, 60–1
  - as defining feature of EM, 60
  - hallmarks, 61
- emergency care, historical
  - perspective, 118
- emergency decision-making,
  - challenges for emergency decision-making; mechanisms for emergency decision-making; steps in emergency decisionmaking, and under decisionmaking, 93–101
- emergency department (ED)
  - adaptive management, 121–2
  - and dual-process thinking, 55–60
  - flow management, 53
  - responsibility for addressing systemic failure, 54
  - as safety net of care, 54
  - as source of diagnostic errors, 120
  - systemic pressures on, 54–5
- emergency medicine (EM)
  - clinical goals and decision-making, 119–20
  - development of as medical specialty, 51
  - development of over time, 118–19, 122
  - goals of, 27–30
  - “playing not to lose” philosophy, 70–3
  - recognized as medical specialty, 1
  - required cognitive framework, 103
  - the three S’s, 127–8
  - vision of the founders, 118
- emergency physicians (EPs)
  - all-encompassing nature, 51
  - balancing conflicting priorities, 94
  - characteristics, 60–1
  - ethical obligations, 66
  - importance of decision-making for, 46, 78–9
  - importance of diagnosis for patient’s ongoing treatment, 104
  - and management of ED flow, 53
  - pitfalls encountered by, 75
  - predictability of responses, 50
  - primary goals, 52–3
  - responsibilities, 121–2
  - responsibility to patients, 49
  - secondary expectations, 54
  - skill set, 74
  - societal expectations for, 52
  - time pressure on, 54
  - unique approach to MDM, 74
  - working locations, 122
- emergency thinking loop, 57–60
- empiric therapy, 90, 100
- empowerment, balancing between micromanagement and, 49–50
- endocarditis, 43, 96
- equipoise, breaking, 9–10
- esophageal perforation, 42
- ethical obligations of EPs, 66
- evaluation of patients
  - time constraints, 19
  - tips for, 67–8
- expansion of options, benefits for decision-making, 81–2
- expeditionary behavior, 60–1
- expertise
  - adaptive, 34–7
  - routine, 35
- extraneous cognitive load, 75, 76
- Fagan’s nomogram, 114
- finger amputation, important questions to ask, 116
- finger thoracostomy, 42
- flexibility in decision-making, 11
- Forgive and Remember: Managing Medical Failure* (Bosk), 121
- Fredkin’s paradox, 9

## Index

- Free Open Access Medical Education (FOAMed), 41
- freeroll harvesting, as decision-making strategy, 6–7
- gastroenterology, clinical pearls, 156
- gastroesophageal reflux, as potential sign of ACS, 42
- germane cognitive load, 75
- gestalt, clinical rule, 15–16
- goals of emergency medicine, 27–30
- gynecology, clinical pearls, 165
- “hard stop,” in MDM, 131–2
- health, balancing risk and, *see* balancing health and risk.
- heart failure, symptoms, 90
- HEART score, acceptable miss rate, 125
- hematology, clinical pearls, 170
- Hicks’ law, 79
- high-acuity, low-occurrence (HALO) disease, System 1 thinking and, 75
- history of present illness (HPI), 41–2
- hospital, risks of admission to, 125
- implicit bias, 43–4
- inductive approach to decision-making, vs deductive approach, 32
- infectious diseases, clinical pearls, 157–9
- information processing, types of, 75
- initial workup, example, 90, 115
- intensive care unit (ICU)
- admission to while workup is pending, 64
  - percentage of admissions through the ED, 104
- interview questions, deciding on necessity of, 115–17
- intravenous drug use disorder, 42
- intrinsic cognitive load, 75
- jack-of-all-trades, EPs as, 51, 119
- Klein, Gary, 84
- knowledge gaps, importance of acknowledging, 68
- leadership, and balancing of
- micromanagement and empowerment, 49–50
- leaning into dominance, as decision-making strategy, 7–8
- learning from mistakes, 14
- lifelong learning, 66
- life-threatening diagnoses, 67
- and MDM, 42–3
- “lions, tigers, and bears,” 21–6
- literature, knowledge of and health/risk balance, 130
- low-hanging fruit, identification of as decision-making strategy, 11
- malpractice, *see* medical malpractice.
- management, adaptive, 121–2
- Maslow’s hierarchy of needs, 41
- McBurney’s point, 90, 115
- mechanisms for emergency decision-making
- algorithmic pathways, 98
  - frequent re-evaluation, 59, 60, 99
  - pattern recognition and information processing, 97
  - prudent resource utilization, 98
- medical decision-making (MDM)
- chest pain evaluation, 42
  - cognitive errors, 75
  - critically ill patients, 41
  - “hard stop” and health/risk balance, 131–2
  - implicit bias and, 43–4
  - life-threatening diagnoses, 42–3
  - time constraints and, 40–2, 43–4
  - unique approach of EPs, 74
  - WBC and, 43
- medical malpractice
- aspects of the ED visit potentially leading to, 132
  - reducing risk of, 128–9, 130

## Index

- risk of and increases in testing, 97
- risk of as challenge for emergency decision-making, 97
- medical specialty
  - development of EM as, 51
  - recognition of EM as, 1
- medications, clinical pearls, 164
- metabolism, clinical pearls, 162–3
- micromanagement, balancing
  - between empowerment and, 49–50
- miss rates, acceptable, 109, 125
- mistakes, learning from, 14
- myocarditis, 119
- necrotizing fasciitis, 18, 43
- nephrology+metabolism/urology,
  - clinical pearls, 162–3
- nerve blocks, for pain control, 122
- neurology, clinical pearls, 160–1
- non-ST-elevation myocardial infarction (NSTEMI), 119
- observation of the patient, value of, 67–8
- obstetrics/gynecology, clinical pearls, 165
- one-line summaries, benefits for decision-making, 83
- ongoing study, as ethical obligation of EPs, 66
- orthopedics, clinical pearls, 167
- outcomes, benefits of assigning probabilities to, 82
- overcrowding, in EDs, 97, 115, 121
- pain relief, as goal of EPs, 94
- patient comfort, as goal of EPs, 94
- patient diversity, as challenge for emergency decision-making, 105
- patient management, role of communication in, 65–6
- patient-centric choice, prioritizing the, 100
- patients
  - determining disposition of, 53
  - EPs' responsibility to, 49
  - identification of chief complaint, 99
  - ruling out threats to, 52–3
- pattern recognition
  - anchoring and, 98
  - and information processing, 97
  - role in emergency decision-making, 16, 99–100
- PECARN criteria, pediatric head injury, 125
- pediatric EM approach, 21–6
  - benefits of observation, 26
  - detecting pulmonary injuries, 24
  - guiding principle, 22
  - to heart failure, 24
  - role of vigilance, 22–6
  - universal medical plans and, 25
  - vomiting, 23–5
- pediatric head injury
  - PECARN criteria, 125
  - value of CDRs, 131
- penicillin, 169
- pericarditis, 42, 153
- peritonsillar abscess, 66
- pharmacology, clinical pearls, 164
- “playing not to lose”
  - meaning of, 70
  - compassion as secret weapon of, 73
  - as ethos of EM practice, 71, 73
  - example of, 71
  - medical anxiety and, 72–3
  - vs playing to win, 71–2
  - setting expectations, 72
- pneumonia, 26, 42
- pneumothorax, 42
- pregnancy, clinical pearls, 165
- premortems, benefits for decision-making, 84–5
- probabilities, benefits of assigning to outcomes, 82
- problem solving in the ED, 13–14

## Index

- proposed modifications to decision-making, 107–10
  - classic hypothetic-deductive method, 108
  - discharging patients, 109–10
  - use of expert consultation, 109
- psychiatry, clinical pearls, 168
- pulmonary embolism (PE), 42, 92, 125, 131
  - presentation, 23
  - rule-out criteria (PERC), 125
- pulmonary system, clinical pearls, 154–5
- rapid sequence intubation, 122
- re-evaluation, importance of, 59, 60, 99
- reflection, value of for decision-making, 67, 76, 80, 84
- resource allocation, as challenge for emergency decision-making, 106
- resuscitation
  - the concept, 52
  - EPs' mastery of, 119
  - limited resources of outpatient clinics for, 41
  - as priority, 16, 52, 56
  - of the undifferentiated patient, 42
- risk
  - balancing health and, *see* balancing health and risk.
  - and identification of potential unintended consequences, 48
- routine expertise, 35
- “rule out emergency” way of thinking, 29
- rules, benefits for decision-making, 80–1
- safety net of care, ED as, 54
- scripting, talking to patients and, 131
- sense of purpose, as driver of EPs, 19–20
- sepsis, 64
- shared decision-making (SDM), and health/risk balance, 131, 133
- sign-posting, benefits for decision-making, 83
- skills development, importance of, 66–7
- skill set of EPs, 74
- social frailty assessment, as responsibility of EPs, 94
- social medicine issues, as challenge for emergency decision-making, 106
- specialty recommendations, taking and adapting to EM, 65
- speed of decision-making, 33–4
- status asthmaticus, requirements for patients with, 25
- steps in emergency decision-making
  - chief complaint identification, 99
  - empiric therapy, 90, 100
  - pattern recognition, 16, 99–100
  - prioritizing the patient-centric choice, 100
  - use of all information available at time of disposition, 100
- stickers, pediatric patients, 7
- strategies for decision-making
  - cautious application, 10
  - debriefing and learning from decisions, 84
  - dominance-leaning, 7–8
  - equipoise-breaking, 9–10
  - expansion of options, 81–2
  - flexibility and adaptability in, 11
  - freeroll harvesting strategy, 6–7
  - identifying low-hanging fruit, 11
  - improvement strategies, 80–5
  - one-line summaries, 83
  - operationalizing, 11–12
  - premortems, 84–5
  - probabilities assigned to outcomes, 82
  - sign-posting of decisions, 83
  - training on, 11
  - use of rules/algorithms, 80–1
- suffering, alleviating, 53
- summaries, one-line, benefits for decision-making, 83

## Index

- sundowner syndrome, 125
- sunk cost fallacy, sign-posting
  - decisions and, 83
- System 1 thinking, 33–4, 55–9, 75–6
- System 2 thinking, 33–4, 55–60, 75–6
- task-switching
  - cognitive load, 76
  - requirements for clinicians, 43–4, 76
  - tips for, 15, 107, 115
- teamwork, and the key role of
  - emergency medicine, 122
- testicular torsion, 90
- tests/testing
  - aggressive testing in critically ill patients, need for, 91
  - balancing health and risk, 125
  - Bayes' theorem and, 114
  - choosing, 8, 56
  - comparison with observation, 67
  - diagnostic uncertainty and ordering
    - massive amounts of, 86–92
  - implications of over-testing, 126
  - involving patients in decisions, 131
  - malpractice risk and increases in, 97
  - “playing not to lose” philosophy
    - and, 73
  - pre-test probability, 114
  - risks of false positives, 125
  - role of in EM practice, 115–16
  - troponin, 130
  - “zebra” conditions and, 28
- therapeutic relationship, lack of as
  - challenge for emergency decision-making, 96, 105
- thinking differently
  - adaptive expertise, 34–7
  - clinical reasoning processes, 31–2
  - cognitive decision-making, 30–1
  - dual processing theory and, 33–4
  - goals of emergency medicine, 27–30
  - routine expertise, 35
  - “rule out emergency” way of thinking, 29
  - speed of decision-making, 33–4
  - unlearning and, 86–92
  - “zebra” conditions, 28
- thoracic aortic dissection, 42, 126
- threats to patients, ruling out as goal of
  - EPs, 52–3
- three S's of emergency medicine,
  - balancing, 127–8
- time pressure
  - as challenge for emergency decision-making, 19, 40–2, 43–4, 54, 95–6
  - critical inertia and, 104–5
  - differential diagnoses and, 79
  - and speed of decision-making, 33–4
- tissue plasminogen activator (tPA), 10
- toxicology/pharmacology, clinical pearls, 164
- trauma, clinical pearls, 166
- triage, 119
- type 2 diabetes, diagnosis and
  - initiation of treatment, 65
- ultrasonography, emergency, 122
- ultrasound, incorporation into routine practice, 42
- uncertainty, reducing, 47, 50
- unintended consequences, benefits of
  - foreseeing, 48
- urinary tract infection, 64
- urology, clinical pearls, 162–3
- values, impact of conflict, 17–18
- valvular disease, acute or chronic, 119
- white blood cell count (WBC),
  - differential diagnosis and, 43
- working locations of EPs, 122
- “zebra” conditions, 21, 28, 75