

Index

- 3ST. *See* Three-Step Theory
- abuse. *See* adverse childhood experiences
- access to care, 24–25, 62, 64, 74, 92
- acculturative stress, 53
- Adler, Alfred, 8–9
- adolescents, 19, 38, 44, 48–49, 51, 53, 54, 60–61, 82
- adrenocorticotropin hormone, 27
- adverse childhood experiences, 18, 35, 38, 44, 57, 61, 71
- Alaska, 64
- alcohol use. *See* substance use
- allostasis, 26
- allostatic overload, 27, 31, 32, 40, 42
- altitude, 62
- American Association of Suicidology, 9
- American Indian and Alaska Native, 49–52, 55
- amygdala, 34, 36, 40, 42, 44
- androgen, 58
- anxiety, xi, 23, 32–34, 42, 99
- apps. *See* smartphone applications
- Aquinas, Thomas, 2
- Asian or Pacific Islander, 52
- assessment. *See* risk assessment
- Attempted Suicide Short Intervention Program, 75
- bipolar disorder, 16, 33, 57, 73
- Black or African American, 21, 48, 52–53, 55, 64
- Borderline Personality Disorder, 78, 95
- BPD. *See* Borderline Personality Disorder
- California, 64
- cannabinoids, 43
- Catholicism, 2
- CBT. *See* cognitive-behavioral therapy
- celebrity suicide, xi, 20, 103
- character strengths, 96
- children, 44, 53, 82
- Christianity, 2
- chronic pain, 75
- Cleopatra, 1
- clozapine, 72, 73, 95
- coalitions, 101–102, 105
- cognitive constriction, 13
- cognitive flexibility, 96
- cognitive behavioral therapy, 44, 74–79, 85, 87, 95, 104
- colonialism, 102
- Columbia-Suicide Severity Rating Scale, 69
- community empowerment strategies, 101, 105
- community interventions, 72, 88–89
- Connecticut, 64
- contagion, 11, 19
- coping, 11, 13, 22, 25, 38, 71, 76, 80, 83, 91, 97, 98
- corticotropin-releasing hormone, 27, 35–36
- cortisol, 27, 30, 32, 34, 36–37, 44
- crisis lines, 80, 82, 87, 105
- crisis response planning. *See* safety planning
- critical incident stress management, 91
- critical suicidology, 101
- C-SSRS. *See* Columbia-Suicide Severity Rating Scale
- culture, 1, 4, 18, 22, 23, 25, 51, 52, 54, 63, 71, 100, 101, 103
- Darwin, Charles, 2
- DBT. *See* dialectical behavior therapy
- deaths of despair, 4–5, 45
- depression, xi, 23, 32–36, 53, 61, 62, 72, 74, 75, 77–79, 82, 85, 86, 92, 98, 99
- dexamethasone, 36
- dialectical behavior therapy, 74, 78–80, 85, 87, 95
- disabilities, 64
- discrimination, 45, 52, 53, 55, 60–62, 102
- divorce. *See* relationship loss
- Durkheim, Emile, 6–8
- ecological momentary interventions, 83
- economic support, 21, 45, 90–91, 102
- economy, 91, 45, 63, 91
- elections, 21

178

electroconvulsive therapy, 72, 74
 Enlightenment, 2
 entrapment, 9, 11, 61, 62, 71, 105
 escape, 9
 Esquirol, Jean-Etienne Dominique, 6
 estrogen, 57
 exercise, 43–44

false positives, 67
 family history, 13, 17, 25, 71
 family intervention, 44
 farming, 62
 females, 18–20, 44, 50, 52–58
 financial problems, 17, 21, 35, 45, 49, 51, 54, 62, 71
 firearms, 47, 50, 56, 58, 62, 63, 71, 81, 88, 90,
 104, 105
 Florida, 64
 Fluid Vulnerability Theory, 9, 12
 forgiveness, 99
 Freud, Sigmund, 6, 8
 fundamental attribution error, 94
 future orientation, 95, 96, 99
 FVT. *See* Fluid Vulnerability Theory

gatekeeper training, 66, 88, 89
 gender identity, 59–62, 71
 geography, 62–65, 103
 Germany, 92
 globalization, 103
 gratitude, 95, 98, 99
 gun shops, 63

hara-kiri. *See* seppuku
 Henry Ford Health System, 24
 hippocampus, 40, 36, 40, 43, 44
 Hispanic, 53–54, 58, 64
 HIV/AIDS, 17, 60
 hope, 71, 93, 97–100, 102–105
 hopelessness, 11, 12, 23, 61, 71, 76–78, 82, 87, 95,
 96, 99, 105
 HPA axis, 27, 32, 34, 35, 37, 40, 42, 43
 Hume, David, 2
 hypothalamic-pituitary-adrenal axis. *See*
 HPA axis

Idaho, 64
 ideation-to-action framework, 9–10
 impacts of suicide, 4
 impulsivity, 11, 16–17, 35, 38, 71, 78, 79
 Integrated Motivational–Volitional Model, 9–11
 Interpersonal Theory, 9, 10, 12
 intersecting identities, 18, 47–48, 50, 55, 64, 95
 intimate partner violence, 19, 57
 IPV. *See* intimate partner violence
 Islam, 2

Index

Japan, 92
 job stress, 100
 Judaism, 2

ketamine, 72–74

legal problems, 17, 35, 71
 lethal means, 20–22, 50, 55, 59, 63, 71, 81, 88
 lethal means safety, 22, 66, 81, 89, 92, 104
 LGBT, 49, 59–62
 liberalism, 91
 Linehan, Marsha, 9
 lithium, 72–73
 lived experience, xi, 105
 loneliness. *See* social isolation
 Lucretia, 1

machine learning, 70–72, 95
 males, 20, 50, 52–57
 marginalization. *See* discrimination
 meaning in life, 43, 71, 96–99, 105
 means substitution, 81
 media, 20, 103
 media guidelines, 88
 medical illness, xi, 17, 25, 49, 50, 71
 menopause, 57
 menstrual cycle, 57
 mental illness, 16, 25, 32–35, 42, 60, 61, 71–73,
 79, 97, 98
 middle age, 38, 49–50, 58
 Middle Eastern and North African, 54
 mindfulness, 44, 78, 99
 minimum wage, 64, 91
 mining, 64
 minority stress, 61
 minority stress theory, 60
 Montana, 64
 Multi-Level Interventions, 91–93
 multiracial, 51, 55, 56
 myths, 104

naloxone, 81
 national strategy, 66–67
 neurogenesis, 34, 36, 40, 42, 43
 neuroplasticity. *See* neurogenesis
 New Jersey, 64
 New Mexico, 64
 New Zealand, 92
 Nietzsche, Friedrich, 2
 no suicide contracts, 81

Ohio, 64
 older age, 50, 51, 53, 58
 opioid epidemic, 63
 opioids, 55, 63, 88, 89

- optimism, 81, 95–100, 102, 103, 105
 Oregon, 64
 oxytocin, 40–43
- paraventricular nucleus, 35–36
 past attempts, 13–16, 61, 70, 71, 80, 105
 Patient Health Questionnaire-9, 68–69
 PCT. *See* Perceptual Control Theory
 peer support, 44, 105
 perceived burdensomeness, 61, 71, 104, 105
 Perceptual Control Theory, 12
 PHQ-9. *See* Patient Health Questionnaire-9
 physical exercise. *See* exercise
 poisons, 47, 89–90
 positive organizations, 100
 positive psychology, 97, 101, 102
 positive suicidology, 98–99
 post-traumatic stress disorder, 31, 33, 34, 37
 postvention, 66, 75, 83–84
 poverty. *See* financial problems
 prefrontal cortex, 35, 40
 pregnancy, 19, 57
 premenstrual dysphoric disorder, 57
 previous attempts, 60
 primary prevention, 66, 92
 problem-solving. *See* coping
 problem-solving therapy, 75, 95
 PST. *See* problem-solving therapy
 PsyCap. *See* psychological capital
 psyche, 9
 psychodynamic theories, 8–9
 psychological capital, 100–101
 psychosis, 33, 36, 43, 73, 95
 PTSD. *See* post-traumatic stress disorder
 public health approach, 4, 88, 93, 102
 purpose. *See* meaning in life
- quarrying, 64
- rates, United States, 4, 47, 48, 50, 52, 55–57, 91
 reasons for living, 23, 25, 79, 81, 98, 105
 relationship loss, 18, 19, 25, 71
 religion, 22, 23, 25, 51, 63, 71
 religiosity, 22–24, 54, 63
 resilience, 40–42, 63, 95–100, 102, 104, 105
 risk assessment, 67–72
 risk stratification, 68, 69, 95
 rural, 62–64, 92
- safety contracts. *See* no suicide contracts
 safety planning, 74, 80–84
- Saint Augustine, 2
 Schopenhauer, Arthur, 6–7
 screening. *See* risk assessment
 secondary prevention, 66, 92
 self-efficacy, 86, 96, 97, 100, 106
 seppuku, 1
 sertraline, 99
 sexual orientation. *See* LGBT
 Shneidman, Edwin, 9
 smartphone applications, 83–87
 social isolation, 18, 35, 45, 50, 51, 55, 62, 98
 social media, 103
 social support, 11, 22, 25, 32, 54, 63, 70, 71, 93, 98, 105
 social-ecological model, 66, 92, 100
 societal-level interventions, 89–93
 stigma, xi, 19–20, 52, 61, 62, 74, 84, 85, 91, 94, 103, 104
 Stoics, 1–2
 strengths, 98, 99, 101, 102, 104
 substance use, 13, 16, 23, 43, 55, 60, 62, 63, 71, 79, 85, 90, 105
 suicidal mode, 12
 suicide capability, 10–12, 93
 surveillance, 91
 Systems Training for Emotional Predictability and Problem Solving, 75
- Teachable Moment Brief Intervention, 75
 technology-based interventions, 84–87
 telehealth, 80, 84–86
 telomeres, 36
 tertiary prevention, 66
 testosterone, 57, 58
Thanatos, 8
 Three-Step Theory, 11–12
 thwarted belongingness, 71, 104
 training, 68, 69
 trauma, xi, 44, 51, 53, 55, 57, 71
- unemployment, 10, 17, 21, 25, 49
 urban, 62–64
- Veterans, 64
- war, 21
 welfare. *See* economic support
 well-being, 98, 99, 101, 104
 White, 25, 48, 50, 54–56, 58, 74
 Wyoming, 64
- young adults, 49, 51, 53, 54, 58, 60